

**M
S
-**

0

1

6

5

6

MINERAL SURVEY NO. 1656

Claim	M & B Desc.	Improvements	Loc. Notices
Bed Rock	12	15 Suppl. 8	13
McCoy	1	14	6
Silver Pocket	9	15	2
Tip Top	3	15	5
Tip Top No.2	2	14	4
Triangle	10	15	1
Wild & Wooly	5	15	3
Yellow Jacket	7	15	7

POOR QUALITY

The following pages are scanned at the best possible quality setting. The original pages are of poor quality and this is the best possible reproduction.

(4-683.)

Mineral Survey No. 1656

Lot No. _____

Gila Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

C. E. Taylor
of Globe Gila County Arizona

KNOWN AS THE

McCoy, Top Top No. 2, Top Top, Wild & Wooley, Yellow Jacket
Red Rock, Triangle and Silver Pocket
Globe Mining District,

Gila County, Arizona

Sections 13, 24 & 23 Township 1 North, Range 15 East

Surveyed under instructions dated April 4th, 1902

by A. G. Rendell
U. S. Deputy Mineral Surveyor

Claim located 1/1/93-1/1/88, 2/1/82, 1/1/93 . 1
Survey commenced 1/1/89, 1/6/02, 3/2/02, 3/20/02 . 1902
Survey completed April 17th . 1902
Survey completed April 24th . 1902

(4-684.)

PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

We, Frank Gill and _____, do solemnly swear that we will well and faithfully execute the duties of chain carriers; that we will level the chain upon even and uneven ground and plumb the tally-pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with instructions given us, in the survey of the Mining Claim of C. E. Taylor, known as the McCoy, Tip Top, Tip Top No. 2, Wild & Woolly, Jacobst, Red Rock, Triangle, Silver Pecker - Yellow situate in Globe mining district, Gila County, in Section 13, 24 & 23, Township No. 1 N, Range No. 15 E.

Frank Gill, Chainman.

Chainman.

Subscribed and sworn to by the above-named persons before me this 17 day of April 18 1902

My Commission expires Dec. 12 - 1904

Hinsent Thomas
Notary Public

I, Robert Saunders, do solemnly swear that I will well and truly perform the duties of axeman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of _____

known as the _____, more fully described in the preceding affidavit.

Axeman.

Subscribed and sworn to by the said _____ before me this _____ day of _____, 18 _____.

I, Robert Saunders, do solemnly swear that I will well and truly perform the duties of flagman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of C. E. Taylor

known as the McCoy - Tip Top, Tip Top No. 2 - Wild & Woolly, Jacobst - Red Rock, Triangle - Silver Pecker, more fully described in the preceding affidavit.

Robert Saunders, Flagman.

Subscribed and sworn to by the said Robert Saunders before me this 17th day of April 1902, 18 _____.

My Commission expires Dec. 12 - 1904
6-145

Hinsent Thomas
Notary Public

Survey No 1656

feet

McCoy Lock

Beginning at Cor No 1
Identical with Cor No 1 of Location
and Cor No 1 of the Top Top No 2
The Red Rock and Triangle lodes of
this survey.

The East side mon. of Section 13
T 1 N R 15 East Gila and Salt River
Base and meridian bears $N 79^{\circ} 37' E$
1731 feet

A Quartzite Boulder 2 feet high $2\frac{1}{2} \times 2$ ft
marked ⁺B.R. bears $N 5^{\circ} 45' W$ 67 feet

Thence $N 45^{\circ} 50' E$
 $N 13^{\circ} 15' E$

1500 To Cor No 2

A Red wood post 4 ft long 4×4 ins
square set in the ground 1 foot with
mound of stones, scribed 1656. 2, 2
being also cor No 2 of the Red Rock
claim of this survey.

A Quartzite boulder 6 ft long $2\frac{1}{2}$ ft
thick 5 feet wide marked ⁺B.R. bears
 $S. 65^{\circ} 25' W$ 64.5 feet

Thence $S 44^{\circ} 00' E$
 $N 13^{\circ} 15' E$

300 To N.E. End

A Red wood post 4 feet long 4×4 ins
square set 18 ins in the ground with
mound of stones scribed 1656 N.E.C.
whence Apache Mountain bears $N 15^{\circ} 28' E$
Black Peak bears $N 46^{\circ} 02' E$

A Quartzite boulder 4×2 feet
on foot out of the ground marked
⁺ $N 3^{\circ} 10' E$ 12.2 feet

600 To Cor No 3

A Red wood post 4 feet long
 4×4 ins square with mound
of stones scribed 1656. 3
Whence $\frac{1}{4}$ section mon. East side
of Section 13 bears $S. 35^{\circ} 18' E$

361.9 feet
No other bearings available

Thence S 45° 50' W
Ta 13° 24' E

1500 To Cor No 4

Identical with Cor No 2 of Tip
Top No 2 of this survey

A Redwood post 4 feet long
4x4 ins square set 18 ins in the
ground with mound of stones
scribed 1656 4, 2.

No bearings available

Thence N 44° 00' W
Va 13° 20' E

300 To South West End Center

Identical with N.E. End ^{center} of Tip Top No
of this survey

A Redwood post 4 feet long 4x4 ins
square set 1 foot in the ground with
mound of stones scribed 1656 SWE
and on SW side N.E.C

Whence Apache Mt bears N 16° 55' E

Black Peak bears N 45° 58' E

Discovery shaft of Tip Top No 2 bears S 61° 00' W 8 pc

600 To Place of beginning

All monuments are identical with location
monuments

Tip Top No 2 Lodge

Begin at Cor No 1

Identical with Cor No 1 of Location and
Cor No 1 of Mc Coy, Bedrock and
Triangle lodges of this survey (described
on Mc Coy survey)

Thence S 44° 00' E
Va 13° 15' E

300 To N.E. End Center

600 Identical with S.W. End of McCy
(previously described)
To Cor No 2

Identical with Cor No 7 of McCy
(previously described)

Thence $S 61^{\circ} 35' W$
Va $13^{\circ} 20' E$

1500 To Cor No 3

Identical with cor no 3 of Tip Top
A Redwood post 4 feet long 4×4 ins
synon with mound of stones, scribed
1656, 3, 3,

No Bearings available

Thence $N 44^{\circ} 00' W$
Va. $13^{\circ} 30' E$

300 To S. West End center

Identical with N.E. End of Tip Top
A Redwood post 4 feet long 4×4 ins
set 18 ins in the ground with mound
of stones scribed 1656 S.W. E.C. & N.E.E.C.

600 To Cor No 4

Identical with Cor No 2 of Tip Top and
Cor No 2 of Triangle lode of this survey
A Redwood post 4 feet long 1 foot in
the ground with mound of stones
scribed 1656, 4, 2, 2,
whence shaft No 1 of Tip Top bears
 $S 29^{\circ} 20' W$ 637 ft

No other bearings available

Thence $N 61^{\circ} 35' E$
Va. $13^{\circ} 30' E$

1500 To the Place of beginning

Tip Top Lode
Beginning at Cor No 1
Identical with location cor no 1
and Cor No 1 of the Wald & Woolly
lode of this survey

A Redwood post 4 feet long 4x4 ins square with mound of stones rec'd 1656, 1, 1.

When 1/4 section was south side of section 13 and N side of 24 bears S 68° 12' E. 1635 feet

No bearings available

Thence N 53° 01' E

Ya 10° 50' E

1479 To Cor No 2

Identical with Cor No 4 of Tip Top No 2 and Cor No 2 of Triangle of this survey

(Previously described)

Thence S 44° 00' E

Ya 10° 00' E

300 To N.E. End Center

Identical with SW End ^{Center} of Tip Top No 2 (Previously described)

600 To Cor No 3

Identical with Cor No 3 of Tip Top No 2 (Previously described)

Thence S 58° 01' W

Ya. 15° 30' East

1479 To Cor No 4

Identical with Cor No 2 of Wild & Woolly look of this survey

A Redwood post 4 feet long 4x4 ins square with mound of stones described 1656 4, 2.

When Cor No 2 of Birds Nest Lodge survey No 1107 bears S 55° 00' W 262 feet.

No other bearings available

Thence N 44° 00' W

Ya 13° 30' E

300 To SW End Center

Identical with N.E. End ^{Center} of Wild

√ Woolly Lode of this survey
 A Redwood post 4 feet long 4x4 ins square
 set 18 ins in the ground with mound of
 stones, numbered 1656 S.W.E.C and N.E.E.
 Whence the bearing shape of the Wild
 √ Woolly Lode bears S46°37'W 205 ft
 Black Peak bears N50°10'E
 Water shed Mt bears S62°55'W
 No other bearings available
 600 To Cor No 1 the place of beginning

Wild √ Woolly Lode
 Beginning at Cor No 1
 Identical with Cor No 1 of location
 and Cor No 1 of Trip Top Lode of
 this survey
 (previously described)

Thence S44°00'E
 Ta 15°50'E

300 To N.E. End Center
 Identical with S.W. End ^{center} of Trip Top lode of
 this survey (previously described)

600 To Cor No 2
 Identical with Cor No 4 of Trip Top lode
 (previously described)

Thence S46°37'W
 Va 15°30'E

254 Intersect
 Section line between sections 13 and
 24, N. 1/4, R. 15E, at W. 1286 ft. from 1/4 Sec. Cor. Cor. to Cor. 13, 14, 23 & 24 could not
 be found

529.6 Intersects line 1, 2 of Yellow Jacket
 Lode of this survey at S. 2246'E at 50.8 ft from Cor. No. 1.

728.5 To Cor No 3
 A Redwood post 4 feet long 4x4 ins
 square with mound of stones numbered
 1656, 3

Whence Webster Mountain bears
 N76°27'W
 Cor No 1 of Yellow Jacket Lode
 of this survey bears N34°15'E 222 ft

No other bearings available

Thence N 44° 00' W

Ya 10° 40' E

67.6 Intersect line 1, 4 of Yellow Jacket
Ledge of this survey at S 51° 55' W 218.7 ft. from Cor. No. 1, Yellow Jacket

300 To S.W. End Mon

A Redwood post 4 feet long 4 x 4
inches square set to bedrock with a
mound of stones, numbered 1656 SWE

No bearings available

458

^{intersect}
To section line between sections 13
T. N. RISE. at W. 1946 ft. from 1/4 Sec. Cor. bet sec 13 & 24, Cor to sec 13, 14, 23 & 24,
and 24. Could not be found

600 To Cor No 4

A Redwood post 4 feet long 4 x 4
inches set to bedrock with mound
of stones, numbered 1656, 4

Whence Mouth of Tunnel bears
N 72° 18' E 182 feet

A Cedar tree 18 inches in diameter
marked B.T. bears N 43° 00' W 131 ft.

No other bearings available

Thence N 46° 37' E

Ya 10° 10' E

728.5 To Cor No 1 the place of beginning

All the monuments on the Mc Coy
Tip Top No 2, Tip Top, and Wild,
& Woolly Ledges are collocated with
the location monuments.

Course of Ledge

This ledge is almost all covered
by the wash from the hill above
but from the development work
that has been done I believe
the ledge to run the entire length
of the Mc Coy Tip Top No 2, Tip Top
and Wild & Woolly claims and I
further believe that it follows
as near as can be determined the center

line of each of said locations

Yellow Jacket Lode

Beginning at Cor No 1

Identical with location Cor No 1

A Redwood post 4 feet long 4x4 inches square set 18 inches in the ground with mound of stone numbered 1656, 1

Whence Cor No 3 of Wild & Woolly Lode of this survey bears $S 34^{\circ} 15' W$ 222 ft. No bearings available

Thence $S. 22^{\circ} 46' E$

Va $13^{\circ} 40' E$

50.8 Intersects line 2, 3 of Wild & Woolly Lode of this survey at $N 46^{\circ} 37' E$ 198.9 ft. from Cor No 3, Wild & Woolly
300 To N.E. end ^{Circle} _{stone}.

A Redwood post 4 feet long 4x4 in square set 18 inches in the ground, numbered 1656 N.E.E.C

Whence shaft bears $S 55^{\circ} 00' W$ 90 feet
No bearings available

384 Intersects line 1, 2 of Birds Nest Lode survey 1107 at $S 29^{\circ} 46' W$ 449.4 ft. from Cor No 2.

598 To Cor No 2

A Redwood post 4 feet long 4x4 in square with mound of stone numbered 1656, 2

whence a U.S. Geological Survey Bench Mark a Brass Plate 4 inches in diameter cemented to top of Lime Stone Boulder Elevation 3942 ft. bears $N 70^{\circ} 58' W$ 174 ft
No other bearings available

Thence $S 52^{\circ} 11' W$

Va $13^{\circ} 46' E$.

446 Intersects line 1, 2 of Birds Nest Lode Survey 1107 at $N 29^{\circ} 46' W$ 489 ft from Cor. No 1.

1000 To Cor No 3

Identical with Cor No 4 of Silver

Pocket Look

A Red Wood Post 4 feet long 4x4 ins
set in the ground on N.E. side of a
Trachyte Boulder surrounded by a
mound of stones numbered 1656 3, 4
When $\frac{1}{4}$ section corner between sections
23 and 24 bears S. $60^{\circ}47'W$. 1000 feet
Trachyte boulder 4x6 ft $2\frac{1}{2}$ feet high
marked ⁺ B.R. bears S $70^{\circ}00'W$ 2 feet

Thence N. $22^{\circ}46'W$

For 13 00 E

290 To S.W. End ^{center} Mon.

A Redwood post 4 feet long 4x4 ins square
set in the ground with mound of
stones numbered 1656 S.W. E.C.

When Trachyte boulder 6' high 6 ft long
4 ft thick marked ⁺ E.R. bears N $53^{\circ}20'E$.
12 feet.

310 Intersects section line between sections
23 and 24 to see 13, 14, 23 & 24 could not be found
TIN RISE at N. 1279 ft from $\frac{1}{4}$ sec. cor. but sec 23 & 24, Cor

590 To Cor No 4

A Redwood post 4 feet long 4x4
inches square set in the ground
with mound of stones numbered 1656
4. when

Water shed Mt. bears S $60^{\circ}19'W$
Prater Mt. bears S. $16^{\circ}37'W$
no other bearings available

Thence N $51^{\circ}53'E$

For 13 00 E

138 Intersects section line between sections
23 and 24 could not be found
TIN RISE at N. 1423 ft from $\frac{1}{4}$ sec. cor. Cor to sec 13, 14, 23 & 24

1281.3 Intersects line 3, 4 of Wild & Woolly
back of this survey at N. $44^{\circ}W$ 67.6 ft. from Cor, No 3.

1500 To Cor No 1 the place of beginning

The monuments are all identical
with the location monuments

Course and Direction of Edge

From the development work I believe this ledge runs south 52° West but being covered excepting where it has been exposed by development work the length is not very definitely determined and it would be impossible for me to certify to any greater length than what is exposed on the surface about 25 feet but the presumed course of the ledge is ~~throughout the entire center of the claim~~ from the N.E.C. to the S.E.C.

Silver Pocket Lode

Begin at Cor No 1

Identical with Cor No 1 of Location
The point of intersection of the line
2, 3 of Yellow Jacket Lode of this survey
and 1, 2 of the Birds Nest Lode
survey No 1107

A Redwood post 4 feet long 4×4
inches square set in the ground
with mound of stones marked
1656, 1

Whence line stone boulder 4×6 ft.
4 feet high marked ⁺ bears $S 19^{\circ} 25' W$
38.8 ft. B.R.

Thence $S 29^{\circ} 46' W$
to $N 10^{\circ} 46' E$

489 To Cor No 2

Identical with Cor No 1 of Birds Nest
Lode and No 5 of Maggie Lode survey
No 1107

A Cedar Post 5 feet long set in the
ground 6 inches in diameter with
mound of stones marked 1656.2
1107, 1, 5.

Whence discovery shaft bears
 $N 4^{\circ} 25' E$ 250 ft.

No bearings ^{available} taken as it is an
~~old established one of the other~~
~~survey~~

Thence $S46^{\circ}40'W$

Va $13^{\circ}45'E$

974 Intersects section line between sections
T. N. R. 15 E, at N. 545.5 ft. from $\frac{1}{4}$ sec. cor. cor. to sec 13, 14, 23 + 24
 23 and 24 could not be found.

1380 To Cor No 3

A Redwood post 4 feet long 4×4 ins
 set upon a Trachyte boulder with round
 of stumps scribed 16576. 3

Whence Cor No 6 of Maggie Lode
 Survey No 1107 bears $S46^{\circ}40'W$ 95.6
 $\frac{1}{4}$ section mon. between sections 23
 and 24 bears $S47^{\circ}56'E$ 398 ft

Thence $N29^{\circ}46'E$

Va $10^{\circ}45'E$

895 Intersects section line between section
T. N. R. 15 E, at N. 780 ft. from $\frac{1}{4}$ sec. cor. cor. 13, 14, 23 + 24
 23 and 24 could not be found.

837 To Cor No 4

Identical with Cor No 3 of Yellow
 Jacket Lode of this survey
 (previously described)

Thence $N. 52^{\circ}11'E$

Va $13^{\circ}30'E$

1054 To Cor No 1

The place of beginning

All monuments are identical with Location
 Course of Lode

The Lode in this claim runs N.E.
 and S.W. from the Discovery shaft
 and can be traced for about 300 feet
 along the line contact when it is come
 up.

Triangle Lode

Beginning at Cor No 1

Identical with Cor No 1 of Location
 and Cor No 1 of The Mc Coy, Trip
 Top No 2 and Red Rock Lodes
 (previously described)

Thence $S 61^{\circ} 35' W$

Ya $13^{\circ} 15' E$

1500 To Cor No 2

Identical with Cor No 4 of Tip Top
No 2 and Cor No 2 of Tip Top both of
this survey
(previously described)

Thence $N 49^{\circ} 15' W$

Ya $13^{\circ} 30' E$

26 To Cor No 3

A Redwood post 4 feet long 4×4 ins
set in the ground with mound of
stones, scribed 1656, 3, identical with Cor. of
the loc.
No bearings available

Thence $N 45^{\circ} 00' E$

Ya $13^{\circ} 30' E$

242 To Cor of Amber Lodge unarranged

1407.5 To Cor No 4

Identical with Cor No 6 of Birch
Rock Lodge of this survey
A Redwood post 4 feet long 4×4 ins
square set in the ground with
mound of stones, scribed 1656
4, 6,

No Bearings available

Thence $S 49^{\circ} 15' E$

Ya $13^{\circ} 30' E$

135 To N.E. End Center

A stone monument not marked

435 To Cor No 1

The Place of beginning

Course and distance of ledge
I find a well defined ledge in
the shape No 2 situation $N 70^{\circ} 35' W$ 29 ft
from Cor No 1 running North $45^{\circ} E$ east
through the shaft but being covered
and no perceptible outcrop I can
trace it only about 10 feet each

The presumed course of the ledge on this claim is from the North end center in a S.W. direction
 to car No 2
 The monuments are identical with the location

Bed Rock Lode

Begin at Car No 1
 Identical with Car No 1 of the McCoy
 Tip Top No 2 and Triangle lodes
 all of this claim
 (previously described)

Thence N 45° 50' E
 Va. 13° 15' E

1500 To Car No 2

Identical with Car No 2 of McCoy
 Lode of this survey
 (previously described)

Thence N 49° 15' W
 Va 13° 15' E

238 To N.E. End ^{Center} ~~mon~~

A mound of stones 2 feet high set under

385 To Car No 3

On South East side line of Rooster
 Lode unsurveyed

A Red wood post 4 feet long 4x4
 ins set in the ground with mound
 of stones scribed 1656, 3

Whence Black Peak bears N 56° 30' E

Apache Mt bears N 16° 17' E

Water shed Mt bears S 61° 38' W

No other bearings available

Thence S. 58° 34' W
 Va 13° 30' E

181 To Car No 4

Identical with the car of the
 Rooster and ~~Whitchell~~ lodes
 unsurveyed The Globe Boston
 Mining Co claimants

A Redwood post 4 feet long 4x4 ins.
square with mound of stones scribed
1656, 4

No bearings available

Thence S 46° 10' W

Va 12° 30' E

1000 To Cor No 5

Identical with cor of Winchell and
Amber Lodes resurveyed The Globe
Boston Mining Co. claimant

A Redwood post 4 feet long 4x4
ins. square set in the ground
with mound of stones scribed
1656, 5

No bearings available

Thence S 46° 18' W

Va 12° 30' E

329 To Cor No 6

Identical with Cor No 4 of Triangle
lode of this survey
(previously described)

Thence S 49° 15' E

Va 13° 30' E

135 To SW End Mon

Identical with N.E. End mon of Triangle
lode of this survey -
previously described

405 To Cor No 1 The place of beginning
monuments are identical with location

The presumed course of the ledge
is throughout the center of claim and
in any case is above a ledge

Location

This claim is located in
the N.E. 1/4, the S.E. 1/4 and the
S.W. 1/4 of section 13. The N.W.

14
 1/4 of Section 24 and the N.E. 1/4 of Section 25 T.1 N. R. 15 E. of the Gila and Salt River Basins and Mines Globe Mining District, Gila County, Arizona Territory

Expenditure of \$500.00

I certify that the value of the labor and improvements upon this claim placed thereon by the claimant or his agents is not less than \$500.00 ^{for each location} and the same improvements consist of,

The Discovery Shaft of the McCoy lode which bears from the N.E. End C. Mon. S 45° 50' W 400 feet 6 x 4 ft 50 ft deep intersected by a Cross Cut Tunnel at 25 feet the mouth of which is 60' west and the face 35' east of the shaft

Value of shaft	\$300.00
" of C. Cut	475.00
<hr/>	
Total for McCoy	\$775.00

\$100.00 of the value of the shaft is to be credited to the Red Rock

The Discovery Shaft No 1 of the Tip Top No 2. which bears S 61° W 8 feet from the N.E. End C. Mon. 6 x 6 ft 50 ft deep value \$300.00 Shaft No 2 of Tip Top No 2 which bears S 1° 30' E 240' from C. No 1 Shaft 5 x 6 ft 140 ft deep with shafts 40' N.E. & 40' S.W. at a depth of 115 ft also a Cross Cut Tunnel running N 30° W 25' to mouth and S 30° E 35' to face from the shaft

Value of Shaft	\$840.00
" " Shaft	480.00
" " C. Cut Tun	415.00
<hr/>	
Total Value on Tip Top No 2	\$1735.00

\$275.00 of the value of shaft No 2 is to be credited to Triangle

Shaft No 1 on Tip Top which bears S 29° 20' W 627 feet from C. No 2 4 x 6 ft 115 ft deep timbered Value \$1150.00
 Shaft No 2 which bears S 52° E 85 ft from shaft No 1
 12 ft deep 4 x 6 ft Value \$75.00
 Shaft No 3 which bears S 55° 15' W 85 feet from shaft No 1 80 ft deep 4 x 6 ft

with Cross cuts on at 55 ft 12 ft S.E.

and one at 80 ft 14 ft S.E.

Value with cuts \$630.00

A Tunnel connecting with shaft No 1 the
mouth of which is N67°15'W 75 feet from
shaft No 1

Value \$375.00

Open cut No 1 N60°E 10' from shaft No 1 and
extending N60°E 40 feet

Value \$150.00

Open cut No 2 S39°30'W 258 feet from shaft No 1
15 x 6 feet

Value \$25.00

Total value for Tip Top \$2405.00

The discovery shaft on the Wild &
Woody which bears S. 46°37'W 255 feet
from the N.E. End C. Mon 4 x 6 x 10 feet

Value \$25.00

A Tunnel the mouth of which
bears N72°1/4 E 182 feet from Cut No 4
of Wild & Woody Course of Tunnel S2°30'E 122
feet

Value \$732.00

Total value for Wild & Woody \$757.00

The shaft on the Yellow Jacket which
bears S55°00'W 90 feet from the N.E. End C.
Mon. shaft 4 x 6 x 60 feet

Value \$500.00

The shaft on the Silver Pocket which
bears N4°25'E 250 feet from Cut No 2

4 x 6 x 10

Value \$100.00

\$400.00 of shaft No 2 on Tip Top is to be credited to Silver Pocket
Location shaft on the Triangle which

bears N88°35'W. 239 feet from Cut No 1

4 x 6 x 10 feet

Value \$75.00

Shaft No 2 on Triangle which bears N70°30'W - 29 feet
from Cut No 1 4 x 6 x 28 feet

Value \$150.00

Total for Triangle \$225.00

\$275.00 of shaft no 2 of tip top No 2 is to be credited to Triangle
Location shaft on the Bed Rock which

bears N22°50'E 717 feet from Cut No 1

shaft 15 x 8 feet 20 feet deep

Value \$400.00

\$550.00 of shaft No 1 of Mc Coy is to be credited to the
Bed Rock

Adjoining Claims.

This claim is bounded on the North west by the Amber, Winshell, and Roaster claim, unsurveyed, and on the South east by the Maggie & Birds nest, survey No. 1107, There are no other known adjoining claims.

Instrument

This survey was made with a Gurley Light Mountain Transit. The courses were deflected from the true meridian as determined by solar observations, The distances were measured with a steel tape 100 ft. long.

Area

Total area Red Rock lode		14,630	Acres
" " McCoy "		20,660	"
" " Triangle "		7,420	"
" " Tip Top No 2. "		19,902	"
" " " " "		20,210	"
" " Wild & Woolly --	10,030 A.		
Less area in conflict with yellow jacket. Sur. #1656	.276 A		
Net area Wild & Woolly lode		29,734	"
Total Area Silver Pocket "		6,110	"
" " yellow jacket "	19,850 A.		
Less area in conflict with Birds nest Sur. #1107	1,050 A		
Net area yellow jacket		18,800	"
Total net area sur. No. 1656.		<hr/> 117,484	"

A. G. Rindleton
U. S. Geol. Minil Survey or

Calculation showing difference between the survey of C.E. Taylor's Mine and the 1/4 section monuments.

Sta	Bearing	Distance	Latitude N	Departure E
W side Sec 24	N 47° 56' W	398	266.7	295.8
On 3rd line by	N 46° 40' E	1080	947.0	1003.8
.. 2	N 29° 46' E	1500	1302.2	744.8
.. 2 Bradburn	N 5° 00' E	262	261.0	22.8
.. On 4 J. J.	N 53° 01' E	1479	889.8	1181.4
.. 3 J. J. N ^o 2	N 61° 35' E	1500	713.9	1319.3
.. 4 Mc Coy	N 45° 50' E	1500	1045.2	1076.0
.. 3 Mc Coy	S 35° 18' E	361.9		209.2
E side Sec 13	S 46° 44' W	3690.5	2529.5	2687.4
W side Sec 24	S 41° 06' W	1697.0	1278.9	1115.6
Point	S 47° 38' W	1985.0	1537.8	1466.7
			5425.8	5557.3
			5441.5	5565.2
			Difference 15.7	Difference 7.9

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by A. G. Puddleton
 United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines
 corners and boundaries described in the foregoing field notes of the survey of the mining claim
 of C. E. Taylor
 known as the McCoy, Tip Top - Tip Top No. 2 - Wild & Woolly
Mellow Jacket, Red Rock, Triangle and Silver Pocket
 and showing the respective capacities in which they acted.

Frank Gill, Chairman.

, Chairman.

, Axman.

Robt. Saundereck Flagman.

FINAL OATHS OF ASSISTANTS.

We, Frank Gill and Robt. Saundereck
 and _____, do solemnly swear that we assisted
A. G. Puddleton, United States Deputy Mineral Surveyor, in marking the corners and
 surveying the boundaries of the mining claim of C. E. Taylor

known as the McCoy, Tip Top,
Tip Top No. 2, Wild & Woolly - Mellow Jacket
Red Rock, Triangle and Silver Pocket, represented
 in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under
 his direction; and that said survey has been in all respects, to the best of our knowledge and
 belief, faithfully and correctly executed, and the corner and boundary monuments established
 according to law and the instructions furnished by the United States Surveyor-General for

Frank Gill, Chairman.

, Chairman.

, Axman.

Robt. Saundereck Flagman.

Subscribed and sworn to by the above-named persons before me
 this 24th day of April, 1902

Amos Thomas

My Commission expires Dec. 12-1904

Totary Public

(4-686.)

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, A. G. Pendleton, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated April 4th 1902, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of C. E. Taylor of Globe Arizona, known as the McCoy Tip Top No. 2 Tip Top, Wild & Woolly Yellow Jacket, Bear Rock Triangle and Silver Point situate in Globe Mining District, Gila County, Arizona in Sections 13, 24, 25, Township No. 1 N., Range No. 15 E. and designated as Survey No. 1656, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

A. G. Pendleton
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said A. G. Pendleton
U. S. Deputy Mineral Surveyor, before me A. H. Amersbach
A. H. Amersbach this 7th
day of May 1902.

A. H. Amersbach
A. H. Amersbach
Gila Co. Ariz

Affidavit of Five Hundred Dollars Improvements.

We, Frank Gill, and Robert Saundereck

of lawful age, being first duly sworn according to law, depose and say: that we are acquainted with the McCoy, Tip Top, Tip Top No. 2, Wild & Woolly, Yellow Jacket, Red Neck, Tri Angle & Silver Pocket mining claims situate in Globe Mining district, Gila County, Arizona Territory, for which C. E. Taylor

has A made application for survey prior to application for patent under the provisions of the Act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon by the applicant and his grantors exceed Five Hundred Dollars in value, upon or for each of said mines and further that we are not personally interested in said mine.

Frank Gill

Robt Saundereck

TERRITORY OF ARIZONA, }
County of Gila } ss:

Sworn to and subscribed before me, this 17 day of April, 1891 1902

Amos Thomas
Notary Public

My Commission expires Dec. 12-1904

LOCATION NOTICE,

NOTICE IS HEREBY GIVEN, that the "TRIANGLE" Mining Claim, containing mineral-bearing quartz, earth or rock in place, located by C.E. Taylor, on this 2nd, day of March, A.D. 1902, has been located for mining purposes. . . Said Claim is 1,500 feet in length, and I claim 300 feet on each side of the center of discovery shaft, for full length of claim. The general course of this lode, deposit or premises, is North-east and South-west. This Claim is situated in Globe Mining District, Gila County, Territory of Arizona, about 2 1/2 miles in a Northerly direction from the Town of Globe, in said County of Gila, Territory of Arizona .

This claim is bounded and marked as follows, to-wit: Beginning at the West center end post or monument, upon which this notice is posted; thence 300 feet in a Northwesterly direction to a post or monument; thence 1,500 feet in a North-easterly direction to a post or monument; thence 300 feet in a South-easterly direction to a post or monument; thence 300 feet in a South-easterly direction to a post or monument; thence 1,500 feet in a South-west direction to a post or monument; thence 300 feet in a North-westerly direction to a post or monument, and to the place of beginning.

Done under and by virtue of the Laws of the United States, and the laws of the Territory of Arizona.

Locator. *C. E. Taylor*.....

Territory of Arizona.)
County of Gila.) ss.

I, R. J. Williams, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing is a true, full and correct copy of the "TRIANGLE" mining claim, as the same appears of record in my office in Book No. 8, Records of Mines at page No. 5.

In Witness Whereof, I have hereunto set my hand and seal of office, this 21st. day of March, A.D., 1902.

R. J. Williams
.....
County Recorder Gila Co., A.T.

AMENDED LOCATION NOTICE
of the
SILVER POCKET, MINING CLAIM.

NOTICE IS HEREBY GIVEN, that ^{the} Silver Pocket Amended Mining Claim, containing mineral-bearing quartz, earth or rock in place, located by C.E. Taylor, a citizen of the United States of America, this 20th. day of March, A.D. 1902, and has been located for mining purposes. ~~Said~~ The general course of this lode, deposit or premises, is North-east and South-west. This Claim is situated in the Globe Mining District, Gila County, Territory of Arizona, about two miles North of the Town of Globe, in said County of Gila, in Section Twenty-four Township 1, North Range 15 East. This claim is marked and bounded as follows, to-wit: Beginning at the point of intersection of the South-east side line of the Yellow Jacket, and the North-west side line of the Birds Nest mining claim; thence South 29° 46' West 489 feet; thence South 46° 40' West 1330 feet along the North-west side of the Maggie Mining Claim, to a monument; Thence North 29° 46' East 837 feet to the South corner of the Yellow Jacket Mining Claim; thence North 52° 11' East 1054 feet along the South East side of the Yellow Jacket, to the place of beginning.

Done under and by virtue of the Laws of the United States, and the Laws of the Territory of Arizona.

Locator. *C.E. Taylor*.....

Filed and recorded at the request of C.E. Taylor, on the 20th, day of March, A.D., 1902, at 30 minutes past 3, o'clock, P.M. in Book 8, Records of Mines, at page 6.

R. J. Williams. County Recorder.

TERRITORY OF ARIZONA.)
COUNTY OF GILA.) SS.

I, R. J. Williams, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing is a true, full and correct copy of the "SILVER POCKET AMENDED" mining claim as the same appears of record in my office in Book No. 8, Records of Mines, at page 6.

IN WITNESS WHEREOF, I have hereunto set my hand and seal of office, this 21st, day of March, A.D. 1902.

R. Williams
County Recorder, Gila Co., A.T.

5

215

Territory of Arizona }
 County of Gila }
 J. Williams, County Recorder do
 hereby certify that the instrument of
C. C. Taylor
 this 7th day of *March*
 1904, 30 minutes past 3
 o'clock P. M., and duly recorded at
 Page *6*, Book *8*, Records
Ames
 Gila County, Arizona Territory.
J. Williams
 County Recorder

LOCATION NOTICE.

NOTICE IS HEREBY GIVEN that the undersigned in compliance with the requirements of the Mining Act of Congress, approved May 10, 1872, and all Acts amendatory thereof, have this day located and claim 1500 linear feet along the course of this lead, lode or vein of mineral-bearing quartz, and 300 feet in width, on each ~~side~~ side of the middle of said lead lode or vein, situated in the Globe Mining District, County of Gila, Arizona, and more particularly described as follows, to-wit:-

COMMENCING at this monument of stones, being the center of the EAST end of claim, and upon which this notice is posted; thence SOUTH 300 feet to a monument of stones; thence WEST 1500 feet to a monument of stones; thence NORTH 300 feet to a monument of stones, being the center of WEST end of claim, thence NORTH 300 feet to a monument of stones; thence EAST 1500 feet to a monument of stones; thence SOUTH 300 feet to the place of beginning.

THIS CLAIM is situated about 2 1/2 miles from the town of Globe on the Rescue road, joins on the Yellow Jacket mine .

and shall be known as the WILD & WOOLY Mine.

Located Jan'y 1st 1893

Locators:

Bernard McCoy .

Witness:

Lawrence A. Ryan.

Maurice Klein.

Filed and recorded at the request of Bernard McCoy, at 5 o'clock P.M.

March 1 A.D., 1893.

Chas. T. Martin.

County Recorder.

Recorded in Book No. 4, Records of Mines at page 251.

TERRITORY OF ARIZONA)

SS.

COUNTY OF GILA.)

I, R. J. Williams, County Recorder in and for the

County of Gila, Territory of Arizona, do hereby certify that the above and foregoing is a true, full and correct copy of the "WILD & WOOLY" Mining claim, as the same appears of record in my office in Book No. 4, Records of Mines, at page 251.

IN WITNESS WHEREOF, I have hereunto set my hand and seal of office, this 20th. day of March, A.D., 1902.

R. J. Williams
County Recorder, Gila County.

LOCATION NOTICE .

NOTICE IS HEREBY GIVEN that the undersigned, in compliance with the requirements of the Mining Act of Congress approved May, 10, 1872, this day located and claim 1500 linear feet along the course of this lead, lode or vein, of mineral bearing quartz, and 300 feet in width, on each side of the middle of said lead, lode or vein, situate in the Globe Mining District, County of Gila, Arizona, and more particularly described as follows, to-wit:

COMMENCING at this monument of stones, being the center of the EAST center end of claim, and upon which this notice is posted; thence SOUTH 300 feet to a monument of stones; thence WEST 1500 feet to a monument of stones; thence NORTH 300 feet to a monument of stones; being the center of WEST center end of claim; thence NORTH 300 feet to a monument of stones; thence EAST 1500 feet to a monument of stones; thence SOUTH 300 feet to the place of beginning.

THIS CLAIM is situated about 2 1/2 miles from Globe City south of the road from Globe to Ramboz Camp & being joined on the East by the Killrain Mine, and shall be known as the TIP TOP NO. 2, mine.

Located this the first day of Jan 1883

Witness: Bernard McCoy.

Locators: James Anderson.

Filed and recorded at the request of B. McCoy, at 5 minutes past 6, o'clock P.M. Feb'y 28" 1883.

Chas. T. Martin.

County Recorder.

Recorded in Book No. 3, records of mines at page 247.

TERRITORY OF ARIZONA.)

COUNTY OF GILA.

) SS.

I, R.J. Williams, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the annexed and foregoing is a true, full and correct copy of the TIP TOP No. 2, Mining claim, as the same appears of record in my office in Book 3, Records of Mines, page 247.

IN WITNESS WHEREOF, I have hereunto set my hand and seal of office, this 20th, day of March, A.D. 1902.

R.J. Williams
County Recorder, Gila Co.?

Wm. Williams

NOTICE OF LOCATION.

~~NOTICE~~ Under and by virtue of the law and customs conferring upon citizens the right to take off the vacant mineral land of the United States, I now locate and claim fifteen hundred linear feet on this lode or vein of mineral bearing quartz rock or earth in place with three hundred feet in width on each side of the center of the same, for the whole length thereof, situate in Globe Mining District, County of Gila, Territory of Arizona, and bounded and described as follows:

COMMENCING at this stone monument as the initial point, built upon the center of said vein or lode upon which this notice is posted and running easterly seven hundred and fifty feet to a monument of stone, being center of easterly end of said claim; thence ~~300~~ three hundred feet to a stone monument being S.E. corner of said claim; thence running fifteen hundred feet S.W. to a stone monument being ~~XXXXX~~ S. West corner of said claim; thence running three hundred feet to a stone monument being center of westerly end of claim; thence running three hundred feet to a stone monument being North West corner of said claim; thence running fifteen hundred feet to stone monument, being north east corner of said claim and thence running three hundred feet to a stone monument being the second monument described above in this notice, being center of easterly end of claim. This Claim is situate about two miles east of Globe and on the main road leading from Globe to Ramboz camp and shall be known as the TIP TOP Mine .

Located this 2nd. day of January 1882.

Witnesses:

Locator Bernard McCoy.

Henry Murphy.

W. G. Sylvester.

Filed and recorded at request of Bernard McCoy Jan 3, 1882 at 10;25 A.M.

Recorded in Book No. 1, Records of Mines at page 374.

TERRITORY OF ARIZONA.)
 COUNTY OF GILA?) SS.

I, R. J. Williams, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the annexed and foregoing is a true, full and correct copy of the "TIP TOP" mining claim, as the same appears of record in my office, in Book No. 1 Records of Mines, at page 374.

IN WITNESS WHEREOF, I have hereunto set my hand and seal of office, this the 20th. day of March, A. D., 1902.

R. J. Williams
 County Recorder, Gila County, A. T.

LOCATION NOTICE,

NOTICE IS HEREBY GIVEN that the undersigned, in compliance with the requirements of the Mining Act of Congress, approved May 10, 1872, and all Acts amendatory thereof, have this day located and claim Fifteen hundred linear feet along the course of this lead, lode or vein of mineral-bearing quartz, and Three Hundred feet in width, on each side of the middle of said lead, lode or vein, situated in the Globe Mining District, County of Gila, Arizona, and more particularly described as follows, to-wit:—COMMENCING at this monument of stones, being the center of the West end of claim, and upon which this notice is posted; thence South-East 300 feet to a monument of stones; thence North-East ~~to~~ 1500 feet to a monument of stones; thence North-West 300 feet to a monument of stones, being the center of East end of claim, thence North-west 300 feet to a monument of stones; thence South-West 1500 feet to a monument of stones; thence South-East 300 feet to the place of beginning.

THIS CLAIM is situated south of the road leading to Ramboz Camp about 2 1/2 miles from Globe, and joins Tip Top No. 2, and about 500 yards from the Big Joney and was formerly known as the Katie C. Mine, and shall be known as the McCOY MINE.

Located this 1st day of Jan 1895.

Witness:

Bernard McCoy.

Locators:

J. H. Pascoe.

Paterick McCoy.

Filed and recorded at the request of J. H. Pascoe at 9, o'clock A. M.

Jan'y 2nd A. D. 1895.

G. M. Allison. Recorder.

Recorded in Book No. 4, Records of Mines at page 343.

TERRITORY OF ARIZONA.)
COUNTY OF GILA.) SS.

I, E. J. Williams, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the annexed and foregoing is a true, full and correct copy of the McCOY, Mining claim, as the same appears of record in my office in Book No. 4, Records of Mines, at page 343.

IN WITNESS WHEREOF, I have hereunto set my hand and seal of office, this 20th day of March, A. D., 1902.


County Recorder, Gila Co. A. T.

LOCATION NOTICE.

NOTICE IS HEREBY GIVEN that the undersigned in compliance with the requirements of the Mining Act of Congress, approved May 10, 1872, this day located and claim 1500 linear feet along the course of this lead, lode or vein of mineral bearing quartz, and 300 feet in width, on each side of the middle of said lead, lode or vein, situate in the GLOBE Mining District, County of GILA ~~Territory~~ Arizona, and more particularly described as follows, to-wit:

COMMENCING at this monument of stones, being the center of the North-East end of claim, and upon which this notice is posted; thence S. E. 300 feet to a monument of stones; thence S. W. 1500 feet to a monument of stones; thence N. W. 300 feet to a monument of stones, being the center of SOUTH WEST end of claim, thence N. W. 300 feet to a monument of stones; thence N. E. 1500 feet to a monument of stones; thence S. E. 300 feet to the place of beginning.

THIS CLAIM is situated about 2 1/2 miles from the Town of Globe, and adjoins the "Birds Nest" copper Mine on the North East and is on the Ramboz Trail and shall be known as the YELLOW JACKET Mine .

Located January 1st 1889.

Witness : A. Moody

Locators: Bernard McCoy.

Filed and recorded at the request of Jas. Anderson, at 5, o'clock P.M. Mar. 2" 1889.

Record ed in Book No. 3, Records of Mines at pages 347 and 348 .

TERRITORY OF ARIZONA.)
COUNTY OF GILA.) SS.

I, R.J. Williams, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the annexed and foregoing is a true, full and correct copy of the "YELLOW JACKET" mining claim, as the same appears of record in my office in Book No 3, Records of Mines, at pages 347-8.

IN WITNESS WHEREOF, I have hereunto set my hand and seal of office this 20th. day of March, A.D., 1902.

R.J. Williams
County Recorder, Gila Co.

Yellow Jacket

MAY 23 1904
36

SUPPLEMENTAL REPORT.

SURVEY NO. 1656.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements expended for the benefit of the Bed Rock, Triangle and Silver Pocket lodes, before the close of the period of publication of notice of application for patent, was not less than five hundred dollars upon or for each claim, and that said improvements consist of:

An incline shaft 4 ft. by 6 ft. by 100 ft. long, dip 45°, course N. 75° W. and hrs. from cor. No. 1 of the Silver Pocket lode N. 34° $\frac{1}{2}$ E. 300 ft. This shaft was sunk for the purpose of developing the ore bodies of the Yellow Jacket and Silver Pocket lodes, and is valued at \$1000. the last 50 feet or \$500. of this shaft is to be credited to the Silver Pocket claim.

A shaft 8.6 ft. by 5.3 ft. 120 ft. deep and timbered, with drifts at bottom to the extent of 120 ft., hrs. from cor. No. 1 of the Tip Top No. 2 lode S. 5° W. 245 ft. dist. This shaft has been sunk since the survey but prior to the close of the period of publication, for the purpose of developing the ore bodies of the Triangle, Bed Rock and Tip Top No. 2 lodes. and \$600. or 60 feet thereof is to be credited to each of the Triangle and Bed Rock lodes.

Phoenix, Arizona.

May 25, 1904

Philip Coetzee

U. S. Deputy Mineral Surveyor

Copy transmitted to Com. Min. Sur.

MAR 28 1904 37

SUPPLEMENTAL REPORT.

SURVEY NO. 1656.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements expended for the benefit of Bed Rock, Triangle and Silver Pocket lodes, before the survey and during the advertising of claims for patent, is not less than Five Hundred Dollars, and that said improvements consist of:

An Incline Shaft 4 ft. x 6 ft. x 100 ft. long, dip 45°, course N. 75° W. and bears from Cor. No. 1 of Bed Rock Lode N. 34 1/2° E. 300 ft. dist. This shaft was sunk for the purpose of developing the ore bodies of the Yellow Jacket and Bed Rock lodes, and 50 ft. of this work is credited to the development of the Bed Rock, Value, \$1000.

A shaft 8.6 ft. x 5.3 ft., 120 ft. deep and timbered, with drifts at bottom to the extent of 120 ft., bears from Cor. No. 1 of Tip Top No. 2 Lode S. 5° W. 245 ft. dist. This shaft has been sunk for the purpose of developing the ore bodies of the Triangle and Silver Pocket and Tip Top No. 2 lodes. The Triangle and Silver Pocket lodes are each credited with 60 feet of this work. Value, \$2000.

Philip Contzen
U.S. Deputy Mineral Surveyor.

February 26, 1904.

Affidavit of Five Hundred Dollars Improvements.

We, Frank Gill, and Daniel Campbell

of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the Bed Rock-Triangle ^{3/4} of Silver Peak mining claim, situate in Globe Mining district, Gila County, Arizona Territory, for which Charles E. Taylor

has made application for survey prior to application for patent under the provisions of the Act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon by the applicant and his grantor exceed Five Hundred Dollars in value for each lode and further that we are not personally interested in said mine.

Frank Gill

Daniel Campbell

TERRITORY OF ARIZONA, }
County of Gila } ss:

Sworn to and subscribed before me, this 26th

day of February, 1904



Geo Walter Shute
Notary Public

69861500-2-03

My commission exp Apr 2 - 1906

Report of Expenditures upon Mining Claim, filed by U. S. Deputy Mineral Surveyor after return of Survey.

I, Philip Cantzen, U. S. Deputy Mineral Surveyor,

do solemnly swear that in pursuance of instructions received from the United States Surveyor General for Arizona, dated Feb. 8th, 1904

I have made a personal and thorough examination upon the premises, to ascertain the value of the labor expended and improvements made by claimant or his grantors upon the mining claim of Charles E. Taylor

known as the Silver Pocket, Triangle and Red Rock, situate in

Globe mining district, Gila

County, Arizona, in Section s. 13 and 26, Township No.

1 North, Range No. 15 East, surveyed by ~~me~~ a. G. Pendleton, U. S. Deputy Surveyor April 17-24, 1902, and designated as Survey No. 1656;

that the value of ~~the~~ ^{additional} labor so expended and improvements so made are as fully stated in my report of said examination, hereto attached; that the character, extent, location and itemized value of said improvements are specified therein with particularity and full detail, and that no portion of said labor or improvements, so credited to this ^{three} ~~one~~ claim has been included in the estimate of expenditures upon any other claim.

Philip Cantzen
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said Philip Cantzen

a Philip Cantzen, U. S. Deputy Mineral Surveyor, before me

this 26th day of February, 1904

Wes. Hester State
Notary Public

My Commission Expires April 2-1906

(4-690.)

REPORT OF EXPENDITURES
UPON
MINING CLAIM,
FILED BY
U. S. DEPUTY MINERAL SURVEYOR
After Return of Survey.

(4-691.)

Certificate of U. S. Surveyor General

AS TO

EXPENDITURES REPORTED AFTER RETURN OF SURVEY OF MINING CLAIM.

I, U. S. Surveyor General for Arizona,
do hereby certify that Five Hundred Dollars' worth of labor has been expended on
improvements made by claimant or his grantors, upon the mining claim of
Charles E. Taylor

known as the Silver Pocket, Triangle & Red Rock, included in survey
No. 1656, Arizona
situate in Globe mining district,
Gila County, Arizona,
in Section 13 & 26, Township No. 1 N. Range No. 15 E.;
that said improvements consist of 50 feet of a shaft 4 x 6 x 100 ft.
deep, value \$1000., 120 ft. of a shaft and drifts, value \$2000.

and that no portion of said labor or improvements has been
included in the estimate of expenditures upon any other claim. A copy of the report of
Philip Contzen, U. S. Deputy Mineral Surveyor, dated
Feb. 26, 1904, ~~xxx~~ is hereto attached.

U. S. Surveyor General for Arizona

Office of U. S. Surveyor General,

Phoenix, Arizona,

March 3, 1904, 18

LOCATION NOTICE.

NOTICE IS HEREBY GIVEN, that the BEDROCK Mining Claim, containing ⁴¹mineral-bearing quartz, earth or rock in place, located by Fred H. Golden, a citizen of the United States on this 6th day of January, 1902, has been located for mining purposes. Said claim is 1,500 feet in length, and we claim 300 feet on each side of the center of discovery shaft for full length of claim. The general course of this lode deposit or premises, is north-easterly and South-westerly .

This Claim is situated in Globe Mining District, Gila County Territory of Arizona, about 3 miles in a Northerly direction from Globe, bounded as follows, on South East side line by McCoy, mine and Tip Top No. 2, and on North west side line by Rooster, and the Amber Mine on Northeast end by the Bowery Girl. This Claim is bounded and marked as follows, to-wit: Beginning at the N.E. center end post or monument, being 650 feet N.E. of the center of discovery shaft upon which his notice is posted; thence 300 feet in a N.W. direction to a post or monument; thence 750 feet in a S.W. direction to a post or monument; at the center of the N.W. side line of said claim; thence 750 feet in a S.W. direction to a post or monument; thence 300 feet in a S.E. direction to a post or monument, being the center end post or monument of S.W. end of said claim and 850 feet S.W. from the center of discovery shaft; thence 300 feet in a S.E. direction to a post or monument; thence 750 feet in a N.E. direction to a post or monument, being the center of the S.E. side line of said claim; thence 750 feet in a N.E. direction to a post or monument; thence 300 feet in a N.W. direction to the place of beginning.

Done under and by virtue of the laws of the United States, and the laws of the Territory of Arizona. .

Witness. E.W. Brophy.

Fred H. Golden. Locators.

Recorded at request of Fred H. Golden, at 30 minutes past 2 o'clock P.M.

January, 28th., 1902.

R.J. Williams. County Recorder.

Recorded in Book 7, Records of Mines at page 480.

L, Territory of Arizona.)

ss.


County of Gila.)

I, R. J. Williams, County Recorder in and for the

County of Gila, Territory of Arizona, do hereby certify that the above and foregoing is a true, and correct copy of the "BEDROCK" Mining claim, as the same appears of record in my office in Book No. 7, Records of Mines at page 480.

IN WITNESS WHEREOF, I have hereunto set my hand and seal of office,

this 21st. day of March, A. D., 1902.


.....
County Recorder, Gila Co., A. T.

(4-687.)

Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior,

Office of U. S. Surveyor General,

Phoenix, Arizona

July 26, 1902

I, U. S. Surveyor General for the District of Arizona, do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of G. E. Taylor,

McBoys, Dip Top, Dip Top No. 2, Wild and Woolly, Yellow Jacket, Red Rock Triangle and Silver Pocket, known as the

situate in Globe mining district,

Gila County, Arizona,

in Section 13, 24 & 23, Township No. 1 N-, Range No. 15 East

designated as Survey No. 1656

executed by A. G. Rendleton, U. S. Deputy Mineral

Surveyor, April 17th & 24th, 1902, under my instructions dated

April 4th, 1902, have been critically examined and the

necessary corrections and explanations made, and the said Field Notes and Return, and

the Survey they describe, are hereby approved. A true copy of the copy of the location

certificate filed by the applicant for survey is included in the field notes.

Hugh H. Price

U. S. Surveyor General for Arizona

MANO