(4-683.)

Mineral Survey No. /674

Lot No.

FIELD NOTES

The Or THE SURVEY OF THE MINING CLAIM OF

Nown as THE Seattle Gradshaw Mining District,

Yavapai County, Original,

April 25/02

Range 2 W Surveyed under instructions dated amended June 4. 190 ; by J.J. Fisher
U. S. Deputy Mineral Surveyor

Claim located Och. 15-

Survey commenced May 27 - 1902

Survey completed June 19 - 1902

R. E. Morrison, Olly, for Cleanury

Caryana

Caryana

PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

SORVET	OI MINING CLAIM.
WE. EST Drop	ber and J.B. Clerk
do solemnly swear that we will we that we will level the chain upon either by sticking or dropping the notable objects, and the true lenger	rell and faithfully execute the duties of chain carriers; neven and uneven ground and plumb the tally-pins, the same; that we will report the true distance to all the chain that we assist in measuring, to the best ecordance with instructions given us, in the survey of the following the content of the cont
Aller bak	T Seallle, known as the
situate in B	radshaw mining district,
- Javabai	County arisma
in Section , Township No	County, Augme,
	CHDrafer , Chainman.
	CHDrafer, Chainman. JB Color Chainman.
Subscr	ribed and sworn to by the above-named persons before
May 10	ne this 27" day of Muy, 1902
May 19, 1900	J. J. Firher
1. J.B. Clau	ne this 27- day of My, , 1902 J. J. Firher Nowing Problem
I, J. B. Claus	, do solemnly swear that I will well and
• •	an, in the establishment of corners and other duties,
-	e and to the best of my skill and ability, in the survey
of the Mining Claim of July	o muning co
known as the Alex	Front Sectle.
known as the more fully described in the preced	()
more fully described in the preced	
	JB Clark, Axeman.
Subscr	before me this 27 day of
	before me this 27= day of , 1802.
commission or	Mue 1802
May 19, 1900	J. J. Fisher norweg Prove
0 11 *	nowing Prove
I, ESt Drap	do solemnly swear that I will
well and truly perform the duties	of flagman, in the establishment of corners and other
duties, according to instructions g	given me and to the best of my skill and ability, in the
survey of the Mining Claim of "11	Oro Mining Co.
100 March 201	fork & Seattle
	,
more fully described in the preced	Ing affidavit.
	Extrafer, Flagman.
Subser	ribed and sworn to by the said Estaraface
	12 11 11 11 11
May 10 10	Muy day of
May 10 1900/	0.0 7' 1
. ,	noney President
o 6—145	Nothers Prese

SURVEY NO.1674.

Feet

900

NEW YORK LODE.

Beginning at cor. No.1, the N.E.cor.of location.

A granite stone 10 x 10 x 24 ins set 1 ft. in ground alongside a mon. of stones 3×3 ft. Stone marked N.Y.No.1-1674.

A X on a granite rock in place marked B.R.N.Y.No.1-1674, brs.N.28° 40'E. 11.5 ft.

A X on a granite rock in place, marked B.R.N.Y.No.1-1674, brs.S.59° 20'W. 10 ft. C

Cor. to Sec.s.29,30,31 and 32, Tp.10 N. R.1 W. brs. N.24° 43' E.9305.1 ft.

Thence N.57° 2' W. Var.14° E.

and Cor.No.4 Beatrice Lode, Survey No.1557A.

A granite stone 8 x 10 x 24 ins set 1 ft. in ground alongside a mon. of stones 3 x 3 ft. Stone marked N.Y.No.2-1674. Also H.G.No.3-1557 A. and B No.4-1557A

Thence N.79° W.

Var.14° E.

To cor.No.3 which is also cor.No.1 of the Surprise Lode, Survey No. 1557A.

A granite stone 6 x 10 x 24 ins set 1 ft. in ground alongside a mon. of stones 3 x 3 ft. Stone marked N.Y.No.3-1674. Also S.No.1-1557 A.

Feet

Thence S.0° 30' E. Var.14° E.

300

To W.C.E.

A granitestone 10 x 16 x 24 ins. set 1 ft. in ground alongside a mon. of stones 3 x 3 ft. Stone marked W.C.E.N.Y.No.1674.

600

To cor.No.4, which is also cor.No.3 Seattle Lode of this Survey.

A granite stone 6 x 12 x 24 ins. set 1 ft in ground alongside a mon. of stones 3 x 3 ft. Stone marked N.Y.No.4-1674 and S.No.3-1674. No brs.awailable.

Thence S. 79° E.

Var.14° E.

900

To cor.No.5 which is also cor.No2 of the Seattle

Lode of this Survey. Cut a X on granite rock in

place for cor.point and N.Y.No.5-1674 and S.No.2-1674.

Alongside built a mon. of stones 3 x 3 ft.

Thence S.57° 2'E.

Var.14° E.

600

To cor.No.6, which is also cor.No.1 Seattle Lode of this Survey.

A granite stone 5 x 20 x 24 ins. set 1 ft. in ground alongside a mon. of stones 3 x 3 ft. Stone marked N.Y.No.6-1674 and S.No.1-1674.

A X on a granite rock in place maked B.R.S.No.1-1674 brs.S.69° 4' E. 18.2 ft.

SURVEY NO.1674.

Feet

Thence N.O° 30' W.

Var.14° E.

300

To E.C.E.

A granite stone 12 x 18 x 24 ins. set 1 ft. in ground alongside a jon. of stones 3 x 3 ft. Stone marked E.C.E. N.Y.No.1674

600

To cor.No.1, the place of beginning survey of exterior boundaries.

SEATTLE LODE.

Beginning at cor.No.1 the N.E.Cor.of location, which is also cor.No.6 of the New York Lode of this Survey. Cor. described above.

Cor. Secs. 29,30,31 and 32, Tp.10 N.R.1 W. brs.N. 23° 13' E. 9850.6 ft.

Thence N.57° 2'W.

Var.14° E.

600

To cor.No.2 which is also cor.No.5 New York Lode of this Survey Cor. described above.

Thence N.79° W.

Var.14° E.

900

To cor.No.3 which is also cor.No. 4 of New York lode of this Survey. Cor. described above.

Thence S.O° 30'E.

Var.14° E.

300

To W.C.E.

. .

eet

A granite stone 6 x 8 x 24 ins. set 1 ft. in ground alongside a mon. of stones 3 x 3 ft. Stone marked WC.E.S.No.1674.

600

To cor. No.4.

A granite stone 8 x 10 x 24 ins. set 1 ft. in ground alongside a mon. of stones 3 x 3 ft. Stone marked S.No.4-1674. No brs.available.

Thence S.79° E.

Var.14°E.

900

To cor.No.5.

A granite stone $8 \times 10 \times 24$ ins. set 1 ft. in ground alongside a mon. of stones 3×3 ft. Stone marked S.No.5-1674. No brs. available.

Thence S.57° 2' E.

Var.14° E.

600

To cor. No. 6

A granite stone 5 x 20 x 24 ins. set 1 ft. in ground alongside a mon. of stones 3 x 3 ft. Stone marked S.No.6-1674.

A X on a granite rock in place marked B.R.S.No.6-1674 brs.N.53° 37' E. 41.8 ft.

Thence N.O° 30'W.

var.14° E.

300

To E.C.E.

A granite stone 8 x 20 x 24 ins. set 1 ft. in ground alongside a mon. of stones 3 x 3 ft. Stone marked E.C.E.S.No.1674.

To place of beginning survey of exterior boundaries.

SURVEY NO. 1674.

LOCATION.

This claim was located approximately in Tp.9 N.
R.2 Win Bradshaw Mining District Yavapai Conty, Arizona Territory, and is bounded on the N. by the Beatrire and High Grade Lodes, Survey No.1557A; on the E by government land and on the S. by government land, and on the W. by Surprise lode, Survey No.1557 A.

VEINS.

The NewYork vein appears to run S.57° 2'E. 600 ft. and N.79° W.900 ft. from the discovery shaft.

SEATTLE VEIN, appears to run N.79° W.900 ft. and S. 57° 2' E.600 ft. from the discovery shaft.

AREA

New York Lode,

19.042 Acres

Seattle Lode

19.042 "

Total Area Lode Claim

38.08H "

EXPENDITURE OF FIVE HUNDRED DOLLARS.

NEW YORK LODE.

Discovery shaft No.1, which brs. from the E.C. E.mon. N.57° 2'W. 600 ft. Shaft 4 x 6 x 10 ft.

Value \$100.00

There has been since Survey No.1557A was made, 800 ft. of drifting and sinking done upon the Beatrice and Little Annie Claims, Survey No.1557A, and also there has been 30000 dollars worth of machinery added to the 20 stamp quartz mill upon the Little Annie and Nil Desperandum Millsite, and there is to be credited from the work on the Beatrice Claim, \$400 to the

SURVEY NO.1674.

SEATTLE LODE:

Mon. N.57° 2'W. 600 ft. Shaft 4 x 6,10 ft. deep.

There is to be accredited to the Seattle Lode,

\$400 worth of the work on the Beatrice Lode.

INSTRUMENT.

This survey was made with a Gurley Light Mountain Solar Transit. The courses were deflected from the true meridian as determined by direct solar observation. The distances were measured with a 75 ft. steel tape.

Presmott, Arizona,
June 17, 1902.

N.S.D.M.S.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.
A list of the names of the individuals employed by
United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines
corners and boundaries described in the foregoing field notes of the survey of the mining claim
known as the New Josk & Seattle
known as the New fish & Sealls
and showing the respective capacities in which they acted.
Est Draper, Chainman.
J. B. Clack, Chainman.
J. B. Clark, Arman. SA Draper Fiagman.
Est Droper Flagman.
FINAL OATHS OF ASSISTANTS.
£ 11 x
We at Draper
and J.B. Clark, do solemnly swear that we assisted L.J.
Fisher . United States Deputy Mineral Surveyor, in marking the corners and
surveying the boundaries of the mining claim of The Os Muning Ce,
A
New John of Sealel , represented
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under
his direction; and that said survey has been in all respects, to the best of our knowledge and
belief, faithfully and correctly executed, and the corner and boundary monuments established
according to law and the instructions furnished by the United States Surveyor-General for
CALACAL
CADrafer, Chainman. Joldoch, Chainman. Melack, Arman.
Relack Arman
Expraha Flaaman
My commission expires, Flagman.
May 19, See Cribed and sworn to by the above-named persons before me
May 19, Sector of this day of the above-named persons before me
May 19, Sector of this day of the above-named persons before me
May 19, See Cribed and sworn to by the above-named persons before me

Affidavit of Five Hundred Dollars Improvements.

vac, E. A. Droper, and J. B. Clark
of lawful age, being first duly sworn according to law, depose and say: that we are
acquainted with the New York & Sealle mining claim, situate in Bruchaer Mining district, Javepan County, Arizona Territory, for which how Mining Company
in brudshaw Mining district, June for County,
Arizona Territory, for which how Muning Company
\
haQ made application for survey prior to application for patent under the provisions
of the Act of Congress, approved May 10, 1872; and that the labor done and improve-
ments made thereon by the applicant and grantors exceed Five Hundred for each elarm. Dollars in value, and further that we are not personally interested in said mine.
Dollars in value, and further that we are not personally interested in said mine.
CHDrafer
J. B.Cock
County of Juvuspie 88:
County of Javafrai
Sworn to and subscribed before me, this 35 =
day of Mice, 1990 2
J. J. Fisher
day of Mice , 19902 J. J. Fisher Morang Parking
lay commission expires

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

	I, J. J. Jeilie , U. S. Deputy Mineral
	Surveyor, do solemnly swear that, in pursuance of instructions received from the United
	States Surveyor General for
Fprie	25/02 amended June 4/992, I have, in strict conformity to the laws of the
,	
	United States, the official regulations and instructions thereunder, and the instructions
	of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of the Mining
	known as the
	situate in Brackhaw Mining District.
	County, Ougan, in Section
	, Township No. , Range No. ,
	and designated as Survey No. 16/4, as represented
	in the foregoing field notes, which accurately show the boundaries of said mining claim
	as distinctly marked by monuments on the ground, and described in the attached copy
	of the location certificate, which was received by me from the Surveyor General with
	said instructions, and that all the corners of said survey have been established and per-
	petuated in strict accordance with the law, official regulations and instructions there-
	under; and I do further solemnly swear that the foregoing are the true and original
	field notes of said survey and my report therein, and that the labor expended and
	improvements made upon said mining claim by claimant or frame grantors
	are as therein fully stated, and that the character, extent, location and itemized value
	thereof are specified therein with particularity and full detail, and that no portion of
	said labor or improvements so credited to this claim has been included in the estimate
	of expenditures upon any other claim.
	1'. S. Deputy Mineral Surveyor.
	C. S. Deputy Mineral Surveyor.
	0 0 2
	Subscribed and sworn to by the said.
	U. S. Deputy Mineral Surveyor, before me
	this this
	day of June 23.1903
	my commission Ille and delle
	D. A.
*	Natary Public, Part II. Us J.
-	Partitud. J.

AMENDED

Motice of Mining Location.

LODE CLAIM.

To All Tabom It Aday Concern:	Se a Til
This mining claim, the name of which is	
Mining Claim, situate on lands belonging to the	
are valuable mideral daposits, was entered upon	and located for the purpose of exploration and
purchase by the To Mining	Company
the undersigned, on the day o	s October 1901
Tie length of this claim is	/500 feet,
and h claims goo	7-cet
in a westerly	direction and 600
feet in a Ecce	direction from
	notice is posted, lengthwise of the claim, together
1 2	
	feet in width of the surface grounds, on each
Wesh to t	urse of the lode deposit and premises is from the
The claim is situated and located in the	Brudshaw Mining District, in
Javapau County, in the Territor	y of Arizona, about one Mile
in a Southers direction	from Minichaba
The surface houndaries of the claim are m	arked upon the ground as follows: Beginning at
a mon. I Alrie	
at a point in a Wesler direct	ion 900 feet from
end line of said claim: thence \$ 00 30	ted), being in the center of the wen E Go feet to a mm. J
Alras being the	5.W, corner of said claim; thence
H-1/ 0:	2 1/1.
the South side line of said claim	m; thence 557° 2' 6 le oro
feet to a mon, of shies	being at the 5 & corner of said
claim; thence NOO 30 W 300	feet to a mon, I Miles
at the center of the Earl end of said	claim; thence NO 30 & 300
	eing at the VY, Z
corner of said claim; thence 157 2	Wer feet to a mm.
being at the center of	the Such side line of said claim;
thence Jr 190 W 900	feet to a Mini, of Mice at
the N corner of said claim; then	ce 50 30 8 300
feet to the place of beginning.	
All done under the provisions of Chapt	er Six, of Title XXXII, of the Revised Statutes of
the United States, and of an Act of the General	al Assembly of Arizona, entitled "An Act Concern-
ing Mines," approved March 20th, 1895, and	
	f the Decelle
Mining Claim, located by	Riley
	on the day of
189 /, and recor	ded in Book 5 9 of Records of Mines, at
	er of the aforesaid County of Juvuloui
	Amended Location Notice is made and posted to
correct errors in the description in the said or	
Dated and posted on the ground this	day of 1907
	TIME OF SYLL

TERRITORY OF ARIZONA,	
County of	S.

	· ·	A No.		
I,		••••5•••••••••••••••••••••••••••••••••	County Recorder in and i	for the County and
Territory aforesaid, do hereby certi				
on this	day of	189.	, and duly recorded in	Book No
of	Records of		County, Arizona; at	pages

WITNESS my hand and official seal the day and year first above written

County Recorder

AMENDED

AMENDED

LODE CLAIM.

LODE CLAIM.

LODE CLAIM.

LODE CLAIM.

LODE CLAIM.

LODE CLAIM.

A. D. M. M. B. M. M.

Book ST M. A. D. M.

Book ST M. A. D. M.

Coungs Recorder.


Coungs Recorder.

By M. M. M. M. M. M.

By M. M. M. M. M. M.

Deputy Recorder.

THE B. W. WEBELLED., FRINCESS., AMER.



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

AMENDED

Motice of Mining Location.

LODE CLAIM.

To All Wilsom It May Concern:
This mining claim, the name of which is the Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral apposits, was entered upon and Tocated for the purpose of exploration and purchase by Mining Mining
the undersigned, on the 15th day of Och, 1901
The length of this claim is
and A claim S 900 Jeet
in a Waslery direction, and 600 direction from
1 4 5 7 4 5 5 7 A
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together
with goo feet in width of the surface grounds, on each
side of the center of said claim. The general course of the lode deposit and premises is from the
The claim is situated and located in the Gradshaw Mining District, in
Juvapue County, in the Territory of Arizona, about the mile
in a Southery direction from Minichalu
The surface boundaries of the claim are marked upon the ground as follows: Beginning at
at a point in a Wesleth direction 900 feet from
the discovery shaft (at which this potice is posted), being in the center of the west end line of said claim; thence of 30 & 300 feet to a min.
flutes, being the S.W. corner of said claim; thence
the Line of said claim; thence \$57° 2' 6 600
feet to a Mm. 7 Mis being at the SiE corner of said
claim; thence It do 30 W 300 feet to a nom. I Minis
at the center of the Ecest end of said claim; thence NO 30W 300
feet to a Mon, of Olives, being at the N.Z. corner of said claim; thence N 57° 2'W 600 feet to a Mone, I chiu,
being at the center of the Smith side line of said claim:
being at the center of the North side line of said claim; thence N 79° W 900 feet to a min. 9 Miss, at the N.W. corner of said claim; thence S 0° 30° & 300
the VI, VI, corner of said claim; thence O Go Go
feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of
the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concern-
ing Mines," approved March 20th, 1895, and amended March 2d, 1899,
This is an Amended Location Notice of the Stew Jak
Mining Claim, located by M. Kiley on the 25 day of
on the 20 day of fune 1891, and recorded in Book 49 of Records of Mines, at
page HGO, in the office of the County Recorder of the aforesaid County of
to which reference is hereby made, and this Amended Location Notice is made and posted to
correct errors in the description in the said original Location Notice.
Dated and posted on the ground this /5 day of Och. 190/
WHE ORO MINING CO
Ly Jahim Gen'l Mgr.

County of	
County of	•
I, County Recorder to	n and for the County and
Territory aforesaid, do hereby certify that the within instrument was filed for record at	
on thisday of	ded in Book No
of	na, at pages
WITNESS my hand and official seal the day and year first above write	tten
	O
	County Recorder
	i de

Dated LODE OLAIM.

Dated Thotice of Location.

LODE OLAIM.

Dated A. M. D. 14 M.

Book 21 M. L. L. M. M.

Book 21 M. L. L. L. Go C. M. M.

Book 21 M. L. L. L. Go C. M. M.

Book 21 M. L. L. L. Go C. M. M.


Book 21 M. L. L. L. M.

Book 21 M. L. L. M.

By D. M. L. M. L. M.

By D. M. L. L. M.

By D. M. Recorder.



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

THE H. H. MCNEIL CG., PRINTERS, PHENIX, ARIZ.

459 Brief


Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior,

Office of U. S. Surveyor General,
Cept. 2nd, 1902
I, U. S. Surveyor General for the District of Angona. do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of
, known as the
situate in Sudehau mining district, Javabar County, Augoria
n Section , Trange No. , Trange No.
executed by J. J. to 30, 1903, under my instructions dated
Anudal Jane 4 -191290, have been critically examined and the
necessary corrections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. A true copy of the copy of the location
certificate filed by the applicant for survey is included in the field notes.
U. S. Surveyor General for Aug Dia

Survey Nº 1674
Prescott Land District.

1



Surveyed May 27-30-1902