(4-683.)

Mineral Survey No. 1675

Lot No.

Descrite Land District.

FIELD NOTES

The Ors Mirring Cruipany

KNOWN AS THE

Harrie Cif

Mining District.

Gravepai County. Argue

Section Jobiog. Township Joth 1902

Surveyed under instructions dated animal from 4 1902

by J. Feiher

U. S. Deputy Mineral Surveyor

Claim located May 27

Survey commenced May 27

Survey commenced May 27

Survey commenced June 17

Le Game 1902

Survey completed June 17

R. E. Morrison, ally for Olaument

Prescale

Cary.

PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

	6 HA 1 Bolanto
WE, _ (I. A. Draper and J. B. Clark
	swear that we will well and faithfully execute the duties of chain carriers; level the chain upon even and uneven ground and plumb the tally-pins,
	cking or dropping the same; that we will report the true distance to all
150 and 150 an	cts, and the true length of all lines that we assist in measuring, to the best
of our skill a	and ability, and in accordance with instructions given us, in the survey of
the Mining (Claim the Oro Mining Co
	, known as the
	Allantie Cil-
situate in	Bruilshaw mining district,
fa	evapeci County, Any,
in Section	Township No. Range No.
	Chainman.
	Chainman.
	7,
	Subscribed and sworn to by the above-named persons before
	My commission expires me this 2/4 day of Muy, 1902
	J. Frish
	1 n as more Pribles
T _	J. B. Clark , do solemnly swear that I will well and
truly perform	the duties of axeman, in the establishment of corners and other duties,
	instructions given me and to the best of my skill and ability, in the survey
	g Claim of he Os Mining Co
`	MI
known as the	Attantio Cel
	escribed in the preceding affidavit.
	Bloan , Axeman.
	Subscribed and sworn to by the said J. B.
	My commission expires Muy, 1807 day of
	My commission expires Muy , 1896 Z
	May 16/ 19004
	J. Terhen
,	Collet Onoti
I,	do solemnly swear that I will
	y perform the duties of flagman, in the establishment of corners and other
duties, accord	ling to instructions given me and to the best of my skill and ability, in the
survey of the	Mining Claim of he Coro Mining Co
	e Albantie Cel-
known as the	e Whenter Cel
more fully de	escribed in the preceding affidavit.
	CALMORE
	Flagman.
26	Subscribed and sworn to by the said & Drupe
	My committee before me this 27 day of
	sommission express
	May 16/1900/
	y J'imie
	0 6-145

ATLANTIC CITY LODE.

Feet

1

Beginning at cor. No.1 which is also the S.E. cor. No.III of the Nil Desperandum Millsite Survey No.1557 B.

. A granite stone 6 x 12 x 24 ins.set 1 ft. in ground alongside a mon. of stones 3 x 3 ft. Stone marked A.C.No.1-1675. Same stone marked N.D.No.3-1557B.

Cor. to Secs.29,30,31 and 32, Tp. 10 N.R.1 W.brs. N.35° 1' E. 10211 ft.

Thence S.O° 30' E.

var.14° E.

967

To cor.No.2 which is also cor.No.3 of the Surprise Dode, Survey No.1557 A.

A granite stone 4 x 12 x 30 ins. set 1 ft. in ground alongside a mon, of stones 3 x 3 ft. Stone marked A.C.No.2-1675. Same stone marked S.No.3-1557A

Thence S.79° E.

Var.14° E.

95

To cor.No.3.

A granite stone 5 x 10 x 24 ins. set 1 ft. in ground alongside a mon. of stones 3 x 3 ft. Stone marked A.C.No.3-1675.

A X on a granite rock in place marked B.R.A.C.No.3-1675 brs.S.27° 30'W. 11.1 ft.

A X on a granite rock in place marked B.R.A.C.No.3-1675, brs.S.63° 45' E.6.8 ft.

Thence S.O° 30'E. Var.14° E.

Feet

533

To cor. No.4.

A granite stone 3 x 10 x 24 ins. set 1 ft. in ground alongside a mon of stones 3 x 3 ft. Stone marked A.C.No.4-1675.

A X on a granite rock in place marked B.R.A.C.No.4-1675 brs.N.57° 30'W.10.5 ft.

A X on a granite rock in place marked B.R.A.C.No.4-1675 brs.S.51° 5' W. 23.3 ft.

Thence N.75° 45' W.

varl4° E.

300

To S.C.E.

A granitestone 5 x 7 x 24 ins. set 1 ft. in ground along side a mon. of stone 3 x 6 ft. Stone marked S.C.E.A.C.No.1675.

600

To cor. No.5.

A granite stone 6 x 10 x 24 ins. set 1 ft. in ground alongside a mon. of stones 3 x 3 ft. Stone marked A.C.No.5-1675.

A X on a granite rock in place marked B.R.A.C.No.5-1675, brs. N.8° 42' E. 33.2 ft.

A X on a granite rock in place marked B.R.A.C.No.5-1675, brs.S.82° 45' W.30.1 ft.

Thence N.Oº 30' W.

Var. 14° E.

527.4

To cor. No. 6.

Cut a X on granite rock in place for cor.point, and A.C.No.6-1675. Alongside a mon. of stones 3 x 3 ft.

Feet

Thence S.75° 45' E.

Var.14° E.

94.7 To cor.No.7, which is also cor.No.2 Nil Desperandum Lode, Survey No.1557A.

A granite stone 5 x 8 x 24 ins. set 1 ft in ground alongside a mon. of stones 3 x 3 ft. Stone marked A C.No.8-1675. Also N.D.No.2-1557A.

Thence N.O° 30'W.

Var.14° E.

967 To cor.No.8, which is also cor.No.2 Nil Desperandum Millsite, Survey No.1557 B.

A granite stone 6 x 10 x 30 ins set 1 ft. in ground alongside a mon. of stones 3 x 3 ft. Stone marked A C.No.8-1675. Same stone marked N.D.No.2-1557B.

Thence S.75° 45' E.

Var.14° E.

To cor.No.1, the place of beginning survey of esterior boundaries.

LOCATION.

This claim is located on unsurveyed land, approximately in Tp.9 N.R.2 W., in Bradshaw MiningaDistrict Yavapai County, Arizona Territory, and is bounded on the N. by Nil Desperandum Millsite, Survey No.1557B; on the E. by Surprise Lode and on the W. by the Nil Desperandum Lode, Survey No.1557A, and on the S. by Government land.

Survey No.1675 is identical with the location.

AREA.

ATLANTIC CITY LODE

15.811 Acres.

VEIN.

ATLANTIC CITY VEIN, extends from discovery shaft S.O° 30'E. 1000 ft.

IMPROVEMENTS.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements upon this claim, place thereon by the claimant and its grantors, is not less than \$500.00 and that said improvements consist of:

Discovery Shaft No.1, which brs. from S.C.E. N.0° 30' W. 1000 ft. Shaft 4 x 6 ft. 10 ft. deep.

There hasbeen since survey No.1557 A was made, 800 ft. of drifting and sinking done upon the Beatrice and Little Annie Claims, Survey No.1557A, and also there has been 30,000 dollars worth of machinery added to the 20 stamp quartz mill upon the Little Annie and Nil Desperandum Millsite, and there is to be credited from the work on the Beatrice Claim, \$400 to the Atlantic City.

INSTRUMENTS.

This surveywas made with a Gurley Light Mountain Solar Mountain Transit. The courses were deflected from the true meridian as determined by direct solar observation. The distances were measured with a 75 ft. steel tape.

Prescott, Ariz.,

June 17,1902.

J. J. Frsher U.S.D.M.S.

Surerey 1076

1 1 1 m			m	-cy	V - / C			į.
		×	Atlen	itic	City			
Course	Dis	IV.	S	3	. w.	In.	I N	S
S 0°30' E	967		966,96	8,44		96798		935.997,94
8 >9° E	95-		18,13	93,25		1069,67		19393,12
S-0°30' E	5.88		532,98	4,65		1167,57		622291,46
N 75°45' W	600	147,69			58134	590,68	87237,53	
~0°30' W	627,43	527,41			4,57	,	2410,26	
876.045° E	94,7		2331	41,79		91,79		2139,62
NO 30 W	967	966,95			8,44		169353,37	
S 75"45 E	409		100,68	89642		5.68,12		56694,92
							259001,15	1636377,06
						8		25.9001,16
		6			*			11877511,90
	-	×					48540	1688757, 96
								15,811 Clarg
-								
,								
					-			
								-3
						-		
								5.5

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.
A list of the names of the individuals applicated by
A list of the names of the individuals employed by
United States Deputy Mineral Surveyor, to assist in cunning, measuring, and marking the lines
corners and boundaries described in the foregoing field notes of the survey of the mining claim
The Oro Mining Company
known as the Allautie Col-
and showing the respective capacities in which they acted.
J. B. Clark, Chainman. J. B. Clark, Arman. EH Draper, Flagman.
J. 13 Clark , Chainman.
J. B. Clark , Arman.
EH Drapes Flower
, Laguans
FINAL OATHS OF ASSISTANTS.
S K/A
we, A.Douper and J. B. Clark do solemnly swear that we assisted J.J.
and J. B. Clark do solemnly swear that we assisted J.
United States Deputy Mineral Surveyor, in marking the corners and
surveying the boundaries of the mining claim The Oso Musing Co,
, known as the
Allautie Of - , known as the, represented
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under
his direction; and that said survey has been in all respects, to the best of our knowledge and
belief, faithfully and correctly executed, and the corner and boundary monuments established
according to law and the instructions furnished by the United States Surveyor-General for
Clynne . Efforafur , Chainman.
Ed I Acada in a
Contraction, Chainman.
() (Delas I , Arman .
My commission expires , Flagman.
May 10. 1900/
Subscribed and sworn to by the above-named persons before me
this My day of June ,1912
J. J. Ficher Moran Passice
m1- P.11
INVINC MUNCE

FINAL OATH OF U.S. DEPUTY MINERAL SURVEYOR

·	I, J. F. J. W. S. Deputy Mineral
-	Surveyor, do solemnly swear that, in pursuance of instructions received from the United
	States Surveyor General for Chegnie dated
Spir	States Surveyor General for, dated,
	United States, the official regulations and instructions thereunder, and the instructions
	of said Surveyor General, faithfully and correctly executed the survey of the Mining
	Claim The Oro Minny Co,
	, known as the
	Muitie Cel,
	situate in Sudshuw Mining District,
	Jewassei County, Ougsse. in Section
	and designated as Survey No. 1675, as represented
•	in the foregoing field notes, which accurately show the boundaries of said mining claim
	as distinctly marked by monuments on the ground, and described in the attached copy
*	of the location certificate, which was received by me from the Surveyor General with
	said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions there-
	under; and I do further solemnly swear that the foregoing are the true and original
•	field notes of said survey and my report therein, and that the labor expended and
	improvements made upon said mining claim by claimant or grantors
	are as therein fully stated, and that the character, extent, location and itemized value
	thereof are specified therein with particularity and full detail, and that no portion of
	said labor or improvements so credited to this claim has been included in the estimate
	of expenditures upon any other claim.
	$\int \int $
	J.J. Fuhn
	l'. S. Deputy Mineral Surveyor.
	Subscribed and sworn to by the said J.J.J.
	Wolay Tublic, this
	day of June 1902.
	My Co comis sion Experies June 23. 1905.
-	My Comis prò Expiris Juni 23, 1903.
	Notary Public,
	Trescott, UM.

Affidavit of Five Hundred Dollars Improvements.

we, E. S. Drupen, and J. B. Clark
of lawful age, being first duly sworn according to law, depose and say: that we are acquainted with the Alcule of mining claim, situate
in Mining district, Jung County, Arizona Territory, for which the On Mining Co,
Arizona Territory, for which we will be the second of the
ha 1 made application for survey prior to application for patent under the provisions
of the Act of Congress, approved May 10, 1872; and that the labor done and improve-
ments made thereon by the applicant and I grantor 2 exceed Five Hundred
Dollars in value, and further that we are not personally interested in said mine.
Oldnow
. OBlak
County of furificial ss:
Sworn to and subscribed before me, this 32
day of 1902
My commission expires My 10/ 1900/ My commission expires My 10/ 1900/


AMENDED

Motice of Mining Location.

LODE CLAIM.

To All Whom It May Concern:	is the Allantic Oly
This mining claim, the name of which	e United States of America, and in which there
	and located for the purpose of exploration and
purchase by To Mining	Company
<i>(</i>	
the undersigned, on the day	
The length of this claim is	/3-00 feet,
	O
in a Stoutily	direction, and
feet in a Low	lheily direction from
the center of the discovery shaft, at which this	notice is posted, lengthwise of the claim, together
with 900	feet in width of the surface grounds, on each
side of the center of said claim. The general co	urse of the lode deposit and premises is from the
The claim is situated and located in the	Grædshow Mining District, in
Moupui County, in the Territor	y of Arizona, about Me Mile
in a facility direction	from Minnehaha
The surface boundaries of the claim are m a mon, I slows	arked upon the ground as follows: Beginning at
Am la To	ion 500' feet from
the discovery shaft (at which this notice is pos	204 feet to a Novn. of House
heing the	T. E. corner of said claim; thence
the Eurh side line of said clair	n; thence 80.30. & Jan at the center of
	peing at the S.E. corner of said
claim: thence A 75045 W	feet to a mon, of Mine
at the center of the South end of said of	laim: thence N 75°45 W 300
feet to a mm. 7 Mis, be	ing at the 5 M
feet to a mm. 7 Mis, be corner of said claim; thence No 30 M S 75° 46' & 96 Jul - being at the center of t	503 feet to a mm. of thus.
thence A 0° 30' W 967	the side line of said claim; seet to a min, of fluir at at at 205
the corner of said claim; thenc	e 575° 45'E 205
feet to the place of beginning.	
and the same of th	r Six, of Title XXXII, of the Revised Statutes of
	Assembly of Arizona, entitled "An Act Concern-
ing Mines," approved March 20th, 1895, and a	mended March 20/1899.
This is an Amended Location Notice of	
Mining Claim, located by	1000 j
Lenne 1600 and mound	d in Book of Mines, at
page 49 5 in the office of the County Recorder	of the aforesaid County of Jumpui
	mended Location Notice is made and posted to
correct errors in the description in the said orig	inal Location Notice.
Dated and posted on the ground this	15-" day of October 190/
	THE ORO WITH THE
	LW Jalim Gon 100
	uent agr.

	TERRITORY OF County of I, Territory aforesaic					County 1		•	
	of	•••••••••••••••••••••••••••••••••••••••	Record	s of	······		nty, Arizona,	at pages	
		WIINES	os my nanu	and omerat s	sear the day	and year nrst E	nove writter	County b	lecorder
W. Indexed	AMENDED AMENDED LODE CLAIM.	Whanter City			Filed and recorded at request of	CHANN MALL REGIZ "A. D. 1904 MISO O'O 10 CHAN	Book 28 MM MMA	County, ARICHA. County, Recorder.	By Chelico, Painters, Philipser, The H. M. Moneil Co., Printers, Philipser, Alle.



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be carreful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior,

Office of U.S. Surveyor General, Phaning Jusona. Cript 3rd, 1902 I, U. S. Surveyor General for the Reinot of Augenia, do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of Do Mining Combany situate in Badohaw mining district, yavabai County, Angona. , Township No. , Range No. , designated as Survey No. 1575 executed by J-G-Gisher , U. S. Deputy Mineral urveyor, May 27 To June 17, 1902, under my instructions dated ended June 4 - , 1902, have been critically examined and the necessary corrections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. A true copy of the copy of the location certificate filed by the applicant for survey is included in the field notes. U. S. Surveyor General for

Survey No 1675 Prescott Land Eistrict

"

Lillle Annie Sur #1557A Nil Desperandum Sur. # 1557 H Contro City Nel. Desperand Pura in it ito -Surprise sur #155717 S 860 E 580

May 27-30-1902.