MINERAL SURVEY NO. 1714

Claims M 8	& B Desc.	Imp	rovements	Loc. Notices
Bonanza	2		31	3
Copper Chief	7		3 5	6
Copper Dyke	29		<u> </u>	19
Copper Mount	17		37	12
Copper Peach	25		1 8	16
Copper Platter	12		3 6	8
Copper Prince	16		3 6	11
Copper Prince No.			3 6	9
Copper Prince No.	2 20 26		37	10
Copper Princess			38	17
Copper Produce	30	80	38	20
Copper Reade	23		38	15
Copper Road	27		38	18
Copper Van	18		<u> 37</u>	13
Eastern Copper	6		35	5
Iron King	. 9		<u>3</u> 5	/
Lime Rock	77		36	7
New Road	22		<u>37</u>	14
Sure Thing	4		22	7
Western Copper	7	2 27	24	2

ron King, Testern Copper, Bonanza, Sure Thing, Eastern Copper, Indied, Lime Rock, Copper Platter, Copper Prince No.1, Copper rince No.2, Copper Prince, Copper Yount, Copper Van, New Road, pper Reade, Copper Peach, Copper Princess, Copper Road, Copper ke and Copper Produce.

(4-683.)

Mineral Survey No. 1714

Lot No.

Presente Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF P C P KNOWN AS THE C: Big Bug Mining District Mining District, Section 5/5.16. 21.22 + 28 Township 13 N, Range 1 & Surveyed under instructions dated lep. 194, 190,2 by J. J. S. Deputy Mineral Surveyor Claim located lee loe, culificules Survey commenced Och. 65 Survey commenced. Oct, 11 50 2 Address, J. J. Hawkins

ally for Company

Orescote

Orescote

PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

WE, and I Crocker,	•
do solemnly swear that we will well and faithfully execute the duties of chain carriers;	
that we will level the chain upon even and uneven ground and plumb the tally-pins,	
either hy sticking or dronning the same: that we will report the true distance to all	
	2
Iron King, Western Copper, Bonanza, Sure Thing, Eastern Copper,	
Copper Chief, Lime Rock, Copper Platter, Copper Prince No.1. Copper	
Prince No. 2, Copper Prince, Copper Yount, Copper Van, New Road,	
Copper Reade, Copper Peach, Copper Princess, Copper Poad, Copper Dyke and Copper Produce.	
mining district,	
County,,	
in Section, Township No. 13 N, Range No. 15	
$C \sim C$	
Ett Docker , Chainman.	
West lander	
IIM. CROCKEN, Chainman.	
Subscribed and sworn to by the above-named persons before	
me this 6th day of October, 1902	
9 4	
J. J. Fierher Moung Pristice	
nothing Chiblis	
I, Mr Crockee , do solemnly swear that I will well and	
truly perform the duties of axeman, in the establishment of corners and other duties.	
	3
	J
Iron King, Western Copper, Bonanza, Sure Thing, Eastern Copper,	
Copper Chief, Lime Rock, Copper Platter, Copper Prince No.1, Copper	
Prince No.2, Copper Prince, Copper Mount, Copper Van, New Road, Copper Reade, Copper Peach, Copper Princess, Copper Road, Copper	
Dyke, Copper Produce.	
William La hande	
Yym Co rocker , Axeman.	
Subscribed and sworn to by the said Win Crocker	
before me this	
October 1802	
9 14 Jan 7 1	
J. J. Verhu	
Colland Motory Onblie	
I, E. H. Druper , do solemnly swear that I will	
well and truly perform the duties of flagman, in the establishment of corners and other	
well and traff perform the duties of hagman, in the establishment of conters and other	
the best of my skill and ability, in the	
Twon King Wast arm Corner Department of my skill and ability, in the	
	L
Iron King, Western Copper, Bonanza, Sure Thing, Bastern Copper, Copper Chief, Lime Rock, Copper Platter, Copper Prince No.1, Copper Prince No.2, Copper Prince, Copper Mount, Copper Van, New Road	Ļ
Iron King, Western Copper, Bonanza, Sure Thing, Bastern Copper, Copper Chief, Lime Rock, Copper Platter, Copper Prince No.1, Copper Prince Wo.2, Copper Prince, Copper Mount, Copper Van, New Road, Copper Reade, Copper Peach, Copper Princess, Copper Road, Copper	L .
Iron King, Western Copper, Bonanza, Sure Thing, Bastern Copper, Copper Chief, Lime Rock, Copper Platter, Copper Prince No.1, Copper Prince No.2, Copper Prince, Copper Mount, Copper Van, New Road	į.
Iron King, Western Copper, Benanza, Sure Thing, Bastern Copper, Copper Chief, Lime Rock, Copper Platter, Copper Prince No.1, Copper Prince No.2, Copper Prince, Copper Mount, Copper Van, New Road, Copper Reade, Copper Peach, Copper Princess, Copper Road, Copper Dyke, Copper Produce.	i.
Iron King, Western Copper, Benanza, Sure Thing, Bastern Copper, Copper Chief, Lime Rock, Copper Platter, Copper Prince No.1, Copper Prince No.2, Copper Prince, Copper Mount, Copper Van, New Road, Copper Reade, Copper Peach, Copper Princess, Copper Road, Copper Dyke, Copper Produce.	.
Iron King, Western Copper, Benanza, Sure Thing, Bastern Copper, Copper Chief, Lime Rock, Copper Platter, Copper Prince No.1, Copper Prince No.2, Copper Prince, Copper Mount, Copper Van, New Road, Copper Reade, Copper Peach, Copper Princess, Copper Road, Copper Dyke, Copper Produce.	
Iron King, Western Copper, Benanza, Sure Thing, Bastern Copper, Copper Chief, Lime Rock, Copper Platter, Copper Prince No.1, Copper Prince No.2, Copper Prince, Copper Mount, Copper Van, New Road, Copper Reade, Copper Peach, Copper Princess, Copper Road, Copper Dyke, Copper Produce.	.
Iron King, Western Copper, Benanza, Sure Thing, Bastern Copper, Copper Chief, Lime Rock, Copper Platter, Copper Prince No.1, Copper Prince No.2, Copper Prince, Copper Mount, Copper Van, New Road, Copper Reade, Copper Peach, Copper Princess, Copper Road, Copper Dyke, Copper Produce.	č.
Iron King, Western Copper, Henanza, Sure Thing, Eastern Copper, Copper Chief, Line Rock, Copper Platter, Copper Prince No.1, Copper Prince No.2, Copper Prince, Copper Mount, Copper Van, New Road, Copper Reade, Copper Peach, Copper Princess, Copper Road, Capper Dyke, Copper Produce. Subscribed and sworn to by the said Edd Drafur before me this 64 day of	
Iron King, Western Copper, Henanza, Sure Thing, Eastern Copper, Copper Chief, Line Rock, Copper Platter, Copper Prince No.1, Copper Prince No.2, Copper Prince, Copper Mount, Copper Van, New Road, Copper Reade, Copper Peach, Copper Princess, Copper Road, Capper Dyke, Copper Produce. Subscribed and sworn to by the said Edd Drafur before me this 64 day of	
Iron King, Western Copper, Henanza, Sure Thing, Eastern Copper, Copper Chief, Line Rock, Copper Platter, Copper Prince No.1, Copper Prince No.2, Copper Prince, Copper Mount, Copper Van, New Road, Copper Reade, Copper Peach, Copper Princess, Copper Road, Capper Dyke, Copper Produce. Subscribed and sworn to by the said Edd Drafur before me this 64 day of	
Iron King, Western Copper, Bonanza, Sure hing, Eastern Copper, Copper Chief, Lime Rock, Copper Platter, Copper Prince No.1, Copper Prince No.2, Copper Prince, Copper Mount, Copper Van, New Road, Copper Reade, Copper Peach, Copper Princess, Copper Road, Copper Pyke, Copper Produce. Subscribed and sworn to by the said Stateous day of Colobus 1802. J. J. J. L.	

PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

WE,	CHA	neha	nd Mm Core	efece
do solemnly sv	wear that we wi	ll well and faithfu	ally execute the dutie	s of chain carriers;
			neven ground and plu	
			we will report the t	
			that we assist in me	
of our skill an	d ability, and in	n accordance with	instructions given	us, in the survey of
the Mining Cla	aim of	merceu	Coppe Con	upung
situate in	130	y Buy		mining district,
		County,		· · · · · · · · · · · · · · · · · · ·
n Section	, Townshij	p No. /3 N , Ra	ange No. 16	
		ENS)	
		Cot as	ocker	, Chainman.
		Mm. Cr	ocker	, Chainman.
-11	Sul		n to by the above-na	
-145 (p)	9 4	me this 6 3	day of Octobe	- 1902
	7 4		9.2	Fisher
			J. In	Aura Parblice
· m	a-Crock	11	, do solemnly swear	il it il il il il
			blishment of corners	
according to in	structions giver	n me and to the be	est of my skill and al	oility, in the survey
of the Mining	Claim of	I merican	. Coppe Cor	mpany
J			, .	
		eceding affidavit.		,
note fairy dec	orizon in the pr			
		Ilm.	Corocher	\dots , $Axeman$.
	Sul	bscribed and swor	n to by the said	ym Crocker
News			before me this, 1809	day of
Av., Company	diameters	Octor	bec . 1809	- -
- July	9 4	*	10	7 ' 1
			7.7.0	ierhu
	Y //		- O n	Aury Public
r E	. H.D.	when	do golomn	Terlice olary Oublice ly swear that I will
			the establishment of	
luties, accordii	ng to instruction	ns given me and to	o the best of my skil	l and ability, in the
survey of the N	Mining Claim of	VImen	can Coppe	Company
				······································
nore fully desc	cribed in the pre	eceding affidavit.		
		CH.	Draper	, Flagman.
	Su			
	δu.	bootibed and swor	n to by the said & before me this	6 de day of
47.00		Oatole	nerore me uns	uay or
At a	× 19. 11. 14	30000		
			J.J.J.	ulu
	6—145		11/	~

Tron King, Western Copper, Bonanza, Sure Thing, Eastern Copper, Open Chiof, Lime Rock, Copper Platter, Copper Prince No.1, Copper rince No.2, Copper Prince, Copper Mount, Copper Ven, New Road, Opper Reide, Copper Peach, Copper Princess, Copper road, Copper ke and Copper Produce.

SURVEY NO. 1714. WESTERN COPPER LODE.

Feet

Beginning at cor. No. 1, the S.W. cor. of location, which is also cor. No. 2 Copper Chief lode of this Survey.

A porphyry stone 10 x 10 x 24 ins. set 1 ft. in ground alongside a pine post $2 \times 4 \times 4$ ft.long in mound of stones.

Stone marked W.C.No.1--1714 and C.C.No.2-1714. No brs. available.

Cor. to Secs. 15,16,21, and 22 Tp.13 N.R. 1 E. G. & S.R. Meridian, brs. S. 58° 47' E.1808.3 ft.

U.S.M.M.No.1 B.B.D. brs.S. 62° 51' W. 2948.3 ft.

Thence N.24° E.

1500

To cor.No. 2

A porphyry stone 14 x 18 x 30 ins. set 1 ft. in ground alongside a pine post 2 : 4×4 ft . set in mound of stones.

Stone marked W.C.No.2-1714. No brs. available.

Thence S.66° E. Var.14° E.

300

TO M.C.E.

A porphyry stone 10 x 12 x 30 ins. set 1 ft. in ground alongside a pine post 2 x 4 x 4 ft. set in mon. of stones. Stone marked N.C.E.W.C.-1714.

for cor.No. 3, which is also cor.No. 2 Bonanza Lode of this survey.

A porphyry stone 8 x 8 x 24 ins set 1 ft. inground alongside a.pine post 2 x 4 x 4 ft. long, set in mon. of stones. Stone marked W.C.No.3-1714. Also B.No.2-1714. No brs. available.

Feet

Thence S.24° W.

Var.14º E.

1500

To cor.No. 4, which is also cor. No.1 Bonanza Lode cor.No. 2 Iron King Lode, and cor. No. 3 Copper Chief Lode of this survey.

A porphyry stone 2 x 8 x 24 ins. set1 ft. in ground alongside a mon. of stones and pine post. Stone marked W.C.No.4-1714, and B.No.1-1716, I.K.No.2-1714 and C.C.No.3-1714.

A + on a slate reef marked B.R.B.No.1-1714, brs. 8.42° 50' W. 84.76t.

A + on a state roof market B.R.J.C.No.3-1714, brs. N.18° 20' W. 21.1 ft.

Thence N.66° W

Var.14° E.

300

To S.C.E. which is also the N.C.E. of the Copper Chief lode of this Survey.

A slate stone 4 x 12 x 24 ins. set 1 ft. in ground alongside a pine post in mon. of stones. Stone marked S.C.E.W.C.No 1714, and N.C.E. C.C. No.1714.

600

To cor.No.1,place of beginning survey of exterior boundaries.

BONANZA LODE.

Beginning at cor.No..l, which is also cor.No. 2 Iron King, Cor.No. 3 Copper Chief and Cor. No. 4 Western Copp x lodes of this survey, cor.described above.

Cor. to Secs. 15, 16 21 and 22, Tp.13 N.R. 1 E. brs S. 55° 13' E. 1215. 2 ft.

U.S.M.M.No.1 B.v.D. brs.S.70° 51' W. 3357.4 ft.

Feet.

Thence N.24° E.

Var.14° E.

To cor. No. 2, which is also cor. No. 3 Western Copper 1500 -Lode of this Survey. Cor. described above.

Thence S.66° E.

Var.14° E.

300 To M.C.E.

> A porphyry stone 10 x 10 x 18 ins. set 1 ft. in ground alongside a pine post in mon. of stones. Stone marked N.C.E.B.No.1714.

424 To intersect Sec. line between Secs. 15, 16 Tp.13 W. R.1 E. at N.1885 ft. from Sec. cor. and S. 755 ft. from 1/4 cor.

600 To cor. No. 3, which is also cor. No. 2, Sure Thing Lote of this Survey.

> A porphry stone 8 x 8 x 24 ins. set / ft. in ground Alongside a pine post inmon. of stones. Stone marked B.No.3-1714 and S.T.No.2-1714. No brs. available.

> > Thence S.24° W.

Var.14° E.

390 To intersect Sec. line between Secs: 15 and 16, Tp.13 N. R.1 E. at N.1455 ft. from Sec. cor. and S. 1185 ft. from 1/4 cor.

1500 To cor. No. 4, which is also cor. No. 1 Sure Thing, cor No. 2 Lime Rock, and cor. No. 3 Iron King Lodes of this Survey.

> A porphyry stone 8 x 10 x 18 ins. set 1 ft. in ground alongside a pine post in non. of stores. Stone marked B.No.4-1714, S.T.No.1-1714, L.R.No.2-1714 and I.K.No.3-1714.

Feet

Whence S.W.Cor. Boarding House brs. N.56° 25' W. 110 ft.

N.E.Cor. Bunk House brs. S.21° 50' W. 72 ft. No other brs. available.

Theurs N.660 W.

Var.14° E.

Jode of this Survey .

A perphyry stone 10 x 10 x 18 ins. set 1 ft. in ground alongside a pine post in non. of stones. Stone marked S.C.E.B.No.1714 and N.C.E.I.K.No.1714.

600 To cor.No.1, the place of beginning survey of exterior boundaries.

SURE THING LODE.

Beginning at cor.No..l, which is also cor.No. 2 Lime Rock, Cor.No. 3 Iron King and cor. No 4 Bonanza Lodes of this Survey, cor. lescribed above.

Cor. to Secs. 15, 16 21, 22 Tp.13 N. R. 1 E. brs. S.45° 3' E.635.9 ft.

U.S.M.M.No.1 brs. S.77° 1' W.3816.1 ft.

Thence N.24° E.

Var.14° E.

- Tp.13 N. R.1 E. at N.1455 ft. from Sec. cor. and B.

 ### 1185 ft. from cor. point.
- 1500 To cor.No. 2, which is also cov. No. 3 Bonanza Lode of this survey, cor. described above.

Pest

100

Thence S.66° E. Var.14° E.

300 To M.C.E..

A perphyry stone 6 x 8 x 24 ins set 1 ft. in ground alongside a mon. pf stones surrounding a pine post. Stone marked N.C.E.S.T.No.1714.

To cor. No. 3, which is also cor. No. 2 Eastern Copper Lode of this Survey.

A porphyry stone 10 x 10 x 18 ins set 1 ft. in ground alongside a pine post in mon. of stones. Stone marked S.T.No.3-1714 and E.C.No.2-1714. No brs. available.

Thence S.84° W. Var.14° E.

1500 To cor.No. 4, which is also cor.No.1 Eastern Copper Cor.No. 2 Copper Platter and cor.No. 3 Line Rock Loies of this survey.

A porphyry stone 10 x 10 x 20 ins. set 1 ft. in ground alongside a pine post in mon. of stones.

Stone marked S.T.No.4-1714. E.C.No.1-1714, C.P.No.2-1714 and L.R.No.3-1714. No brs. available.

Thence N. 66° W.

Var.14° E.

To intersect sec. line between Secs. 15 and 16, at N.240 ft. from Sec. cor. and S.2400 ft. from 1/4 cor.

To S.C.E. which is also the N.C.E. of Lime Rock Lode of this Survey.

A porphyry stone 6 x 10 x 24 ins. set 1 ft. in ground alongside a pine post in mon. of stones.

Stone marked S.C.E.S.T.No.1714 and N.C.E. L.R.No.1714.

Feet

600

To cor.No. 1, the place of beginning surey of exterior boundaries.

EASTERN COPPER TODE.

Beginning at cor. No. 1 which is also cor. No. 2

Copyer Platter, Cor. No. 3 Lime Rock and Cor. No. 4

Sure Thing Lodes of this Survey. Cor described above.

Cor. to Secs. 15,6, 21 and 22, Tp.13 N.R.1 E. brs.

S.25° 33' W. 227.4 ft.

U.S.M.M.Mo.1 brs.S.81° 49' W.4309. 1 ft.

Thence N.24° E.

var.14° E.

1500

To cor.No. 2, which is also cor. No 3 Sure Thing Lode of this Survey. Cor. described above.

Thence S.66° E.

Var.14° E.

300

TO M.C.E.

A gravite stone 6 x 8 x 24 ins. set 1 ft. in ground alongside a pine post in ron of stones. Stone marked N.C.E.E.C.No.1714.

600

To cor.No. 3.

A granite stone 8 x 10 x 20 ins.set 1 ft. in ground alongside a pine post in mon. of stones. Stone marked E.C.No.3-1714. No brs. available.

Thence S.24° W. Feet Var. 14° E.

1450 To intersect line between Secs. 15 and 22 at E. 665 ft. from Sec. cor. and W. 1975 ft. from 1/4 cor.

1500 To cor. No. 4, which is also cor. No. 3 Copper Platter Lode of this Survey.

> A granite stone 8 x 10 x 24 ins. set 1 ft. in ground alongside a pine post in mon of stones. Stone marked E.C.No.4-1714 and C.P.No.3-1714. No brs. available

> > Thence N.86° W.

var.14° E.

110 To intersect line between Secs. 15 and 22 at E. 540 ft.from Sec. cor. and W.2100 ft. from 1/4 cor.

To S.C.E. which is also N.C.E. Copper Platter Lode of this survey.

A granite stone 8 x 8 x 24 ins. set 1 ft. in ground alongside a pine post in mon. of stones. Stone marked S.C.E.E.C.No.1714, and N.C.E.C.P.No.1714.

To cor.No.1, theplace of begining survey of exterior boundaries.

COPPER CHIEF LODE.

Beginning at cor. No. 1 , the S.W. Cor. of location which is also cor. No. 2 Copper Prince No 1 Lade of this survey.

A porphyry stone 8 x 12 x 24 ins. set 1 ft. in ground alongside a pine post in mon. ofstones. Stone marked C.C.No.1-1714 and C.P.No.1. 2-1714.

A + oh a porphyry rock in place marked B.R. C.C.No.1-1714 brs. N.87° 25' E. 45 ft.

A + on a porphyry rock in place marked B.R.C.P. No.1- 2-1714 brs. N.44° 20 W. 39 ft.

Cor. to Secs. 15, 16, 21, 22, Tp.13 N. R. 1 E.brs. N.78° 38' E. 2197. 4 ft.

300

600

-			
11,	4	43	٣.
1	67	~	U

U.S.M.M.No. 1 brs.S.89° 17' W. 1993.6 ft.

Thence N.24° E.

Var.14° E.

To intersect line between Secs. 16 and 21 at W.

1970 ft., from Sec. cor. and E.670 vt. from 1/4 cor.

1500 To cor.No. 2, which is also cor. No. 1 Western Copper Lode of this survey. Cor. described abve.

Thence S.66° E.

Var .14° E .

To N.C.E. which is also the S.C.E. of the Western Copper Lode of this survey. Mon. described above.

To cor. No. 3, which is also cor. No. 4 Western Copper Cor. No. 1 Bonanza and cor. No. 2 Iron King Lodes of this survey. Cor. tescribed above.

Thence S.24° W.

Var.14° E.

For intersect line between Secs. 16 and 21, at W. 1310 ft. from Sec. cor. and E.1330 ft. from 1/4 cor.

To Cor.No 4 which is also cor. No. 1 Iron King, Cor. No. 2 Copper Prince, cor. No. 3 Copper Prince No. 1 Lodes of this Survey.

A slate stone 5 x 12 x 24 ins. set 1 ft. in ground alongside a pine post in mon of stones. Stone marked C.C.No. 4-1714, I.K.No.1-1714, C.P.No.2-1714, and C.P. No.1, 3-1714.

A + on a slatebreef marked B.R.I.K.No.1-1714, brs. S.35° E. 30.5 ft.

A + on a slate reef marked B.R. C.P.No.1, 3-1714, brs. N.89° 15' W. 101. 5 ft.

600

754

1500

Feet

Thence N.66° W.

Var.14° E.

300

To S.C.E. Which is also the N.C.E. of the Copper Prince No.1 lode of this survey.

A slatebatone 4 x 10 x 34 ins. set 1 ft. in ground alongside a pine post in mon. of stones. Stone marked S.C.E.C.C.No.1714, and N.C.E.C.P.No.1-1714.

600

To cor.No.1, theplace of beginning survey o exterior buntaries.

IRON KING LODE

Beginning at cor.No..1 whichis also cor. No. 2 Copper Primes, Cor. No. 3 Copper Primes No. 1, and Cor. No. 4 Copper Chief lotes of this survey. Cor. described above.

Cor. to Secs. 15,16, 21,22 Tp.13 N. R. 1 E.brs. N.67° 10' E . 1744.3 ft.

U .S.M.M. No.1 brs. N.84° W. 2576 ft.

Thence N.24° E.

Var.14° E.

746

To intersect line between Secs. 16 and 21, at W. 1310 ft. from Sec. cor. and E.1330 ft. from 1/4 cor.

1500

To cor. No. 2 which is also cor. No. 3 Copper Chief Cor. No. 4 Western Copper, and cor. No. 1 Bonanza Lodes of this Survey. Cor. described above.

Thence S.56° E.

Var.14° E.

300

To N.C.E. which is also the S.C.E of Bonanza Lode of this survey. Mon. described above.

Feet

600

To cor.No. 3, which is also cor. No. 4 Bonanza, Cor. No.1 Sure Thing and cor. No. 2 Lime Rock Lodes of this survey. Cor. described above.

Thence S.24° W.

Var.14° E.

485

To intersect lime bwtween Secs. 16 and 21, Tp.13.
W. R.1 E. at W.655 ft. from Sec. cor. and E.1985 ft.
from 1/4 cor.

1500

To cor. No. 4, which is also cor. No. 1 Line Rock cor. No. 2 Copper Mount, and cor. No. 3 Copper Prince Lodes of this Survey.

A slate stone 4 x 12 x 24 ins. set 1 ft. in ground alongside a pine post in map of stones. Stone marked J.K.No.4-1714 L.R.No.1-1714, C.M.No.2-1714, and C.P.No.3-1714.

A + on a slate reef marked B.R.L.R.No.1-1714 Brs. N. 65° 37' E. 29.9 ft.

A + on a slate reef marked B.R.C.P.No.3-1714, brs. N.13° 5' W. 23.4 ft.

Thence M.66° W.

Var.14° E.

300

To S.C.E. which is also the N.C.E. of the Copper Prince lode of this survey.

A slate stone $4 \times 12 \times 18$ ins. set 1 ft. in ground alongside a pine post in mon of stones.

Stone marked S.C.E.I.K.No.1714 and N.C.E.C.P.No.1714.

600

To cor.No. 1, the place of beginning survey of exterior boundaries.

Feet

300

600

LIME ROCK LODE.

Reginning at cor. No. 1 which is also cor No. 2

Copper Mount, cor.No. 3 Copper Prince, and cor. No.4

Iron King lodes of this survey. Cor. described above.

Cor. to Secs. 15, 16, 21 and 22 Tp.13 N. R.1 E.

brs. N.49° 1' E. 1404.4 ft.

U.S.M.M. No. 1 brs. N. 80° 38! W. 3151.7 ft.

Thence N.24° E.

Var.14° E.

1015 To intersect line between Secs. 16 and 21 at
W.655 ft. from Sec. cor. and E.1985 ft. from 1/4 cor.
1500 To cor. No. 2, which is also cor. No. 3 Iron King
cor. No. 4 Bonanza, and cor. No. 1 Sure Thing lodes
of this survey. Cor. described above.

Thence S.66° E.

Var.14° E.

To N.C.E. which is also the S.C.E. of the Sure Thing lode of this survey. Cor. described above.

500 To intersect line between Secs. 15 and 16 at N. 240 ft. from Sec. cor. and S.2400 ft. from 1/4 cor.

To cor. No. 3, which is also cor. No. 4 Sure Thing cor. No 1 Eastern Copper and cor. No. 2 Copper Platter Lodes of this survey, Cor. described above.

Thence S.24° W.

Var.14° E.

To intersect line between Secs. 15 and 22 at E.

6.2 ft. from Sec. cor.and W., 2633.8 ft. from 1/4 cor.

To intersect line between Secs. 21 and 22 at S.

Teet

13.9 ft. from Sec. cor. and N. 2626. 1 ft. from 1/4 cor.

1500

To cor. No. 4, which is also cor. No. 1 Copper Platter, cor. No. 2 Copper Van and cor. No. 3 Copper Mount lodes of this survey.

A perphyry stone 6 x 6 x 24 ins. set 1 ft. in ground alongsile a pine post in mon. of stones. Stone marked L.R.No.4-1714, C.P.No.1-1714, C.V.No.2-1714, and C.M.No.3-1714.

A + on a slate reef marked B.R.C.P.No.1-1714, brs. N.57° 30' E. 48.5 ft.

A + on a slate reef marked B.R.C.M.No.3-1714, brs. N.89° 50' W.108. 5 ft .

Thence N.66° W.

Var.14° E.

To S.C.E. which is also the N.C.E.of Copper Mount lole of this Survey.

A slate stone 5 x 7 x 24 ins. set 1 ft. in ground alongside a pine post in mon. of stones. Stone marked S.C.E. L.R.No.1714 and N.C E.C.M.No.1714.

600

To cor. No. 1, the place of beginning survey of exterior boundaries.

COPPER PLATTER LODE.

Beginning at cor. No. 1, which is also cor. No. 2 Copper van, cor. No. 3 Copper Mount, and cor. No. 4 Lime Rock lodes of this survey. Cor. tescribed above.

Cor. to Secs. 15, 16 21 and 22, Tp.13 N.R.1 E.brs. N.23° 43' E. 1272. 6 ft.

U.S.M.M. No. 1 brs. N.78° 18' W.3732.6 ft.

		SURVEY NO.1714.
	Foot	
		Thence N.24° E.
		Var.14° E.
1 - 1 - 1	1257.5	To intersect line between Secs. 21 and 22, Tp.13
		W. R.1 E. at S.13.9 ft. from Sec. cor. and N. 2626.1
		ft. from 1/4 cor.
	1272.7	To intersect line between Secs. 15 and 22 at E.
		6.2 ft. from Sec. cor. and W. 2633.2 from 1/4 cor.
	1500	To cor. No. 2 which is also cor. No. 3 Lime Rock
		cor.No 4 SureThing and cor. No. 1 Eastern Copper Lodes
		of this survey. Cor. described above.
		Thence S.66° E.
		Var.14° E.
	30 0	To M.C.E. which is also the S.C.E. of Eastern Copper
		Tode of this Surey. Mon. tescribed above.
	490	To intersect line between Secs. 15 and 22, at E.
		540 ft. from Sec. cor. and W.2100 ft. from 1/4 cor.
	600	To cor. No. 3, which is also c or. No. 4 Hastern
		Copper Lode of this Survey. Cor. described above.
	i i	
		Thence S.24° W.
		Var.14° E.
	1500	To cor. No. 4, which is also cor. No. 3 Copper Van
		Lode of this Survey.
		A slate stone 6 x 8 x 24 ins. set 1 ft. in ground
		alongside a pine post in mon. of stones.,,Stone marked
		C.P.No.4-1714, and C.V.No.3-1714.
		A + on a slate reef marked B.R. C.P.No.4-1714, brs.
		S.32°20' E. 79. 5 ft.
		A + on a slate reef marked B.R.C.V.No.3-1714, brs.

N 68° 55' W.58 ft.

Thence N.66° W.

Var.14° E.

40 To intersect line between Secs. 21 and 22, at S.

1400 ft. from Sec. cor. and N.1240 ft. from 1/4 cor.

To S.C.E. which is also the N.C.E of Copper Van

lote of this survey.

A slate stone 6 x 10 x 24 ins. set 1 ft. in grund

alongside a prine post in mon of stones. Stone

marked S.C.E.C.P.No.1714. and N.C.E. C.V.No.1714.

600 To cor. No, the place of beginning survey of exterior boundaries.

COPPER PRINCE NO.1 LODE.

Beginning at cor. No.. 1 which is also cor No 1 of the Copper Prince No. 2 Lode of this Survey.

A porphyry stone 4 x 12 x 24 ins. set 1 ft. in ground alogside a pine post in non. of stones. Stone marked C.P.No.1,1-1714 and C.P.No.2, 1-1714.

A + on a perphyry rock in place marked B.R.C.P.No.1, 1-1714, brs. S.57° 45' W.32. 5 ft.

A + on a porphyry rock in place, marked B.R.C.P. No..2,1-1714 brs. S. 1° 25' E. 80 ft'

Cor. to Secs. 15,16,21 and 22, Tp.13 N.R.1 E. brs. N.56° 54' E. 3302.3 ft.

U.S.M.M.No.1 brs.N.45° 10' W. 1979 ft.

Thence N. 24° E.

Var.14° E.

70.0

To cor. No. 2 which is also cor. No. 1 Copper Chief Lote of this Survey. Cor. tescribed above.

1500

	SURVEY NO.1714.				
Feet					
	Thence S.66° E.				
	var.14° E.				
300	To N.C.E. which is also the S.C.E. Copper Chief				
	Lode of this Survey. Mon. descrined above.				
600	To cor.No. 3, which is also cor. No. 4 Copper Chief				
	cor.No.1 Iron King, and cor. No. 2 Copper Prince Lode				
	of this Survey. Cor. described above.				
	Thence S.24° W				
	Var.14° E.				
1500	To cor.No. 4, which is also cor.No.1 Copper Prince,				
	cor.No.1 New Road and cor.No.4 Copper Prince No. 2				
	Lodes of this Survey.				
	A slate stone 4 x 20 x 30 ins. set 1 ft. in ground				
	alongside a pine post in mon. of stones. Stone				
	marked C.P.No.1,4-1714 , C.P.No.1-1714, N.R.No.1-1714,				
	and C.P.No.2,4-1714.				
	A + on a slate reef marked B.R.N.R.No.1-1714, brs.				
	N.77° 15' E.55 ft.				
	A + on a slate reef marked B.R.C.P.No.1-1714, brs.				
	S.40° 40' W. 38.7,ft.				
	Thence W.66° W.				
	var, 14° H.				
3 00	To S.C.H. which is also the M.C.E. Copper Prince No.				
	2 Lode of this Survey.				

A perphyry stone 6 x 8 x 20 ins. set 1 ft. in ground alongside a pine post in mon of stones. Stone marked S.C.E.C.P.No.1,1714 and N.C.E.C.P.No.2, 1714.

600

To cor.No.1, the place of beginning survey of exterior boundaries.

Feet

COPPER PRINCE LODE.

Beginning at cor. No. 1, which is also cor. No.1

New Road, cor. No. 4 Copper Prince No. 2, and cor. No.4 Copper Prince No. 1 Lodes of this Survey. Cdr. described above. Cor. to Secs. 15, 16, 21 and 22

Tp.13 N.R.1 E.brs. N.47° 18' E.3019 ft.

U.S.M.M.No.1 brs. N.49° 58' W. 2548.5 ft.

Thence N.24° E var.14° E.

1500

To cor. No. 2, which is also cor. No. 3 Copper Prince
No. 1 to le, cor. No. 4 Copper Chief, and cor. No. 1
Iron King Lodes of this Survey. Cor. described above.

Thence S.66° E.

Var.14° E.

300

To N.C.E. whichis also the S.C.E. Iron King Lode of this Survey. Mon. described above.

600

To cor. No. 3 which is also cor. No. 4 Iron King, cor.No.1 Lime Rock, and cor. No. 2 Copper Mount Lodes of this survey. Cor. described above.

Thence S.24° W.

var.14° E.

1500

To cor. No. 4, which is also cor. No. 1 Copper Mount Cor. No. 1 Copper Reade, and Cor. No. 4 New Road Lodes of this Survey. No. 111.

A slate stone $4 \times 18 \times 24$ ins. set 1 ft. in ground alongsite a pine post in mon. of stones. Stone marked C.P.No.4-1714, C.M.No.1-1714 and C.R.No.1-1714, and N.R.No.4-1714. No brs. available.

Peet

Thence N.66° W.

Var.14° E.

300

To S.C.E. which is also the N.C.E. of the New Road Lode of this Survey.

A porphyry stone 6 x 12 x 24 ins. set 1 ft. in ground alongaide a pine post in mon. of stones. Stone marked S.C.E.C.P.No.1714. and N.C.E.N.R.No.1714.

600

To cor. No 1 theplace of beginning survey of exterior boundaries.

COPPER MOUNT LODE.

Beginning at cor. No 1 which is also cor. No. 1 Copper Reade, cor. No. 4 New Road and cor. No. 4 Copper Prince Lodes of this Survey. Cor described above.

Cor. to Secs. 15,16, 21 and 22 Bp.13 N. R.1 E. brs. N.36° 5'E.2835. 4 ft.

U.S.M.M.No.1, brs. N.53° W.3129.3 ft.

Thence N.24° E.

Var.14° E.

1500

Fo cor. No. 2 which is also cor. No. 3 Copper Prince Cor. No. 4 Iron King, and cor. No. 1 Lime Rock lodes of this survey. Cor. described above

Thence S. 66° H.

var.14° E.

Lode of this Survey, Mon. described above.

To cor. No. 3, which is also cor. No. 4 Lime Rock, Cor. No.1 Copper Platter and cor. No. 2 Copper Van Lodes of this Survey. Cor. described above.

Feet

Thence S.24° W.

Var.14° E.

1500

To cor.No. 4, which is also cor.No.1 Copper Van, cor.No.1 Copper Peach, and cor. No. 4 Copper Reade Lodes of this Survey.

A slate stone 6 x 18 x 30 ins. set 1 ft. in ground alongside a pine post in mon. of stones. Stone marked C.M.No.4-1714, C.V.No.1-1714, C.P.No.1-1714 and C.R. No. 4-1714.

A + on a slate reef marked B.R.C.V.No.1-1714, brs. $N.47^{\circ}$ 50' W. 27.1 ft.

A * on a slate reef marked B.R.C.P.No.1-1714, brs. S.76° 55' W. 56.4 ft..

Thence N.66° W.

Var.14° E.

300

To S.C.E. which is also the N.C.E Copper Reade Lode of this Survey.

A slate stone 6 x 10 x 30 ins. set 1 ft. in ground alongside a pine post in mon. of stones. Stone marked S.C.E.C.M.No.1714 and W.C.E.C.R.No.1714.

600

To cor. No.1, the place of beginning survey of exterior boundaries.

COPPER VAN LODE.

Beginning at cor. No. 1 which is also cor. No.1
Copper Peach, Cor.No.4 Copper Reade, and cor. No. 4
Copper Mount Lodes of this Survey. Cor.described above.
Cor.to Secs. 15,16,21 and 22 Tp.13 N.R.1 E. brs.
N.23° 52' E. 2772.5 ft.

U.S.M.M.No.1 brs. N.55° 5' W.3716.6 ft.

	D 27 00 00000 000 00
Fe b t	Thence N.24° E.
	Var.14° E.
1500	To cor.No. 2, which is also cor.No. 3 Copper Mount
	cor.No.4 Lime Rock, and cor. No. 1 Copper Platter Lodes
	of this survey. Cor. tescribed above.
	Thence S.66° E.
	Var.14° E.
300	To M.C.E. which is also the S.C.E of Copper Platter
	Lode of this Survey Mon. described above.
560	To intersect line between Secs. 21 and 22, at S.1400
	ft. from Sec. cor. and N.1240 ft. from 1/4 cor.
600	To cor.No. 3 which is also cor. No.4 Copper Platter
	Lode of this Survey. Cor. described above.
	•
	•
	Thence S.24° W
	Var.14° E.
93	To intersect line between Secs. 21 and 22 at 5.
	1500 ft. from Sec. cor. and N.1140 ft from 1/4 cor.
1500	To cor.No. 4 which is also cor.No. 4 Copper Peach
	Lode of this Survey.
	A slate stone 3 x 20 x 24 ins. set 1 ft. in ground
	alongside a mon. of stones surrounding pine post.
	Stone marked C.V.No.4-1714, and C.P.No.4-1714.
	A + on a slate reef markCd B.R.C.V.No.4-1714 brs.
	N.84° 30' W. 27.5 ft.
	A + on a slate reef marked B.R.C.P.No.4-1714, brs.
	S.4° 30' W.29'8 ft.

Feet

Thence N. 66° W.

Var.14° E.

300

To S.C.E. which is also the N.C.E. of the Copper Peach Lode of this Survey.

A slate stone 3 x 12 x 24 ins. set 1 ft. in ground alongside a pine post surrounded by mon. of stones.

Stone marked S.C.E.C.V.No.1714 and N.C.E.C.P.No.1714.

600

To cor. No. 1, the place of beginning survey of exterior boundaries.

COPPER PRINCE NO. 2 LODE.

Beginning at cor.No. 1, which is also cor.No. 1

Copper PrinceNo. 1 Lode of this Survey . Cor.described above. Cor. to Secs. 15,16, 21 and 22 Tp.13

N.R.1 E. brs. N.56° 54' E. 3302.3 ft.

U.S.M.M.No.1 brs. N.45°10! W 1979 ft.

Thence S.24° W. Var.14° E.

1500

To cor.No. 2, which is also cor.No.1 Copper Princess Lode of this Survey.

A porphyry stone 6 x 8 x 24 ins. set 1 ft. in ground alongside a pine post in mon. of stones. Stone marked C.P.No.2, 8-1714 and C.P.No.1-1714.

A + on a slate reef marked B.R.C.PNo.2, 2-1714, brs S.59° 5' E. 80.5 ft.

A + on a slate reef market B.R.C.P.No.1-1714, brs. S.32° 40' E. 100 feet.

Thence S.66° E.

Var.14° E.

300

To S.C.E. which is also the N.C.E. of Copper Princess Lode of this Surveyl

Feet

A slate stone 4 x 8 x 24 ins. set 1 ft. in ground alongsite a pine post in mon. of stones . Stone marked S.C.E.C.P.No.2,1714 and N.C.E.C.P. No.1714.

600

To cor.No. 3, which is also cor.No. 2 New Road, cor No. 1 Copper Road, and cor. No. 4 Copper Princess Lodes of this Survey.

A slate stone 5 x 24 x 30 ins. set 1 ft. in ground alongside a mon. of stones surrounding a pine post. Stone marked C.P.No.2, 3-1714, N.R.No.2-1714, and C.R.No.1-1714, and C.P.No.4-1714.

A + on a slate reef marked B.R.C.R.No.1-1714, brs. N.4° E. 35.1 ft.

A + on a slate reef marked B.R.C.P.No.2,3-1714 brs.S.62° 20'W.46 ft.

Thence N.24° E.

1500

To cor.No. 4, which is also cor.No. 4 Copper Prince
No.1 lode, cor.No.1 Copper Prince and Cor.New Road Lodes
of this Survey Cor. described above.

Thence N. 66° W.

War .14° E.

300 To M.C.E. which is also the S.C.E. of Copper Prince
No. 1 lode of this Survey.

500 To cor.No. 1, the place of beginning survey of exterior boundaries.

Feet

NEW ROAD LODE.

Beginning at cor.No. 1 which is also cor.No.1 of Copper Prince, cor.No. 4 Copper Prince No. 1, and cor. No.4 Copper Prince No. 2 lodes of this Survey. Cor. described above.

Cor.to Secs. 15, 16. 21 and 22 Tp.13 N. R.1 E. brs. N.47 ° 18' F.3019 ft .

U.S.M.M. No 1 brs.N.49° 58' W. 2548.5 ft.

Thence S.24° W.

Var.14° E.

1500

To cor.No. 2 ,which is also cor.No. 1 Copper Road, cor.No. 4 Copper Princes and cor. No. 3 Copper Prince
No. 2 Lodes of this Survey. Cor.described above.

Thence S.66° E.

Var Mo E.

300

To S.C.E. which is also the N.C.E. of the Copper Road Lode of this Survey.

A slate stone 4 x 18 x 30 ins. set 1 ft. in ground alongside a pine post surrounded by mon of stones.

Stone marked S.C..E.N.R.No.1714 and N.C.E.C.R.No.1715.

To cor.No. 3 which is also cor.No. 2 Copper Reade,
cor.No. 1 Copper Dyke, and Cor.No. 4 Copper Road lodes
cf this Survey

600

A slate stone 4 x 20 x 30 ins. set 1 ft. in the ground alongside a pine post surrounded by mon. of stones. Stone marked N.R.No.3-1714, C.R.No.2-1714, C.D.No.1-1914, and C.R.No.4-1714. No brs. available.

Post

Thence N.24° E.

Var.14° E.

1500

To cor.No. 4, which is also cor.No. 4 Copper Prince, Cor.No.1 Copper Mount and cor.No. 1 Copper Reade Lodes of this Survey. Cor. described above.

Thence N.66° W.

Var.14° E.

300

To N.C.E. which is also th S.C.E. of Copper Prince Lode of this Survey, Mon, described above.

600

To cor.No. 1, the place of beginning survey of exterior boundaries.

COPPER READELODE.

Beginning at cor.No.1 which is axeo cor.No. 2 New Road and Co.rNo. 4 Copper Prince and cor. No. 1 of Copper Mount of this survey. Cor. described above.

Cor.to Secs. 15,16,21 and 22 Tp.13 M.R.1 E. brs. N.36° 5' E. 2835.4 ft.

U.S.M.M. No.1 brs.N.53° W. 3129.3 ft.

Thence S.24° W.

Var.14° E.

1500

To cor.No. 2, which is also cor.No.1 Copper Dyke, Cor.No.4 Copper Road, and cor.No. 3 New Road Lodes of this Survey Cor. described above.

Feet

Thence S.66° E.

Var.14° E.

300

To S.C.E. which is also the N.C.E of Copper Dyke Lode of this Survey.

A slate stone 6 x 6 x 24 ins. set 1 ft. in ground alogside a pine post in men. of stones. Stone marked S.C.E.C.R.No.1714 and M.C.E.C.D.No.1714.

600

To cor.No.3, which is also cor.No. 2 Copper Peach cor.No. 1 CopperProduce, and cor.No.4 Copper Dyke Lodes of this Survey.

A slate stone 4 x 18 x 30 ins. set 1 ft. in ground alongside a pine post in mon of stones. Stone marked C.R.No.3-1714, C.P.No.2-1714, C.P.No.1-1714 and C.A.No.4-1714.

A + on a slate reef marked B.R.C.P.No.1-1714 brs. N.68° 25' W. 58 ft.

A + on a slate roof marked B.R.C.R.No.3-1714, brs. N.2° 57' W.70.5 ft.

Thence N.24° E.

Var.14° E.

1500

To cor.No. 4, which is also cor.No. 4 Copper fount Cor.No.1 Copper Van, and Cor.No.1 Copper Peach lodes of this sirvey, Cor. described above.

Thence N. 66° W.

Var.14° E.

300

To N.C.E. which is also the S.C.E. of Copper Mount Lode of this Survey Mon. described above.

600

To cor.No. 1, the place of beginning survey of exterior boundaries.

Foot

COPPER PEACH LODE.

Beginning at cor.No. 1, which is also cor.No. 4

Copper Reade, Cor.No. 4 Copper Mount and cor.No. 1

Copper Van lodes of this survey, Mon. described above.

Cor.tc Secs. 15,16,21 and 22 Tp.13 N.R.1 E. brs.N.

U.S.M.M.No.1, brs.N.55° 5' W . 3716.6 ft.

Thence S.24° W.

var.14° E.

23° 52' E.2772.5 ft.

1500

To cor.No. 2, which is also cor.No.1 Copper Produce cor.No. 4 Copper Dyke, and cor.No. 3 Copper Reade lodes of this Survey, Cor. described above

Thence S.66° E.

Var.14° E.

300

To S.C.E. which is also the N.C.E. of the Copper Produce Lode of this Survey.

A slate stone 4 x 12 x 24 ins. set 1 ft. in ground alongside a pine post in non. of stones. Stone marked S.C.E. C.P.No.1714, and N.C.E.C.P No.1714.

600

To cor.No. 3, which is also cor.No. 4 Copper Produce Lode of this Survey.

A slate stone 2 x 10 x 24 ins. set 1 ft. in ground alongside a pine post in mon. Rof stones. Stone marked C.P.No. 3-1714 and C.P.No.4-1714.

A + on a slate reef marked B.R.C.P.No.3-1714, brs. N.16° 32' N.23.2 ft.

A + on a slate reef marked B.R.C.P.No.4-1714, brs. S.57° 30'W. 24 ft.

CHITOTTON	TIT	7774	
SURVEY		11/12	

Feet

Thence N. 24° E.

var.14° E.

1500

To cor.No. 4 which is also cor.No.4 Comer Van Lode of this Survey. Cor. described above.

Thence N.66° W.

Var. 14º E.

300

To W.C.E. which is also the S.C.E. of Copper Van Lote of this Survey. You. described above.

600

To cor.No.1, the place of beginning survey of exterior boundaries.

COPPER PRINCESS LODE.

Beginning at cor.No..l, which is also cor. No.2 Copper Prince No. 2 Lote of this Survey, cor. described above.

Cor.to Secs. 15, 16, 21 and 22 Tp.13 N.R.1 E.brs. N.46° 46' E. 4633.3 Ct.

U S.M.M.No.1 brs.W.16° W.2876.9 ft.

Thence S.24° W.

Var. 14º E.

1500

To coc. No. 2.

A slate stone 2 x 8 x 24 ins. set 1 ft. in ground alongside a pine post ind mon. of stones. Stones marked C.P.No.2-1714.

A + on a slate reef marked B.R.C.P.No.2-1714, brs. S.46° 15'W. 62 ft.

A + on a slate reef marked B.R.C.P.No.2-1714, brs. S. 7° 30' E. 45.5 ft.

Feet ThenceS66° E.

300 To S.C.E.

A slate stone 3 x 10 x 24 ins. set 1 ft. in ground alongside a pine post in mon. of stones. Stone makked S.C.E.C.P.No.1714.

To cor. No 3, which is also cor. No. 2 of the Copper Road Lode of this Survey.

A granite stone 8 x 12 x 24 ins. set 1 ft. in ground slongside a pine post in mon. of stones. Itone marked C.P.No.3-1714. and C.R.No.2-1714. No brs.available.

Thence N.24° E.

1500

To cor.No. 4 which is also cor.No. 3 Copper Prince
N . 2 Lode , cor.No. 2 New Rodd and cor.No. 1 Copper
Read Lodes of this Survey . Cor. described above.

Thence W. 66° W.

Var.14° E.

300

To N.C.E. which is also the S.C.E. of Copper Prince No. 2 Lode of this Survey . Mon. described above.

600

To Cor.No.1, the place of beginning survey of exterior boundaries.

COPPER ROAD LODE.

Beginning at cor.No. 1, which is also cor.No. 4

Copper Princess, cor.No. 3 Copper Prince No. 2, and cor.No. 2 New Road Lode of this Survey. Cor.described above.

Cor.to Secs.15,16,21 22 Tp.13 N.R.1 E. brs. N. 39° 37' E. 4436.6 ft.

U.S.M.M.No.1 brs.N.24° 1' W.3294.7 ft.

Feet

Thence S.24° W.

Var.14° E.

1500

To cor.No. 2, which is also cor.No. 3 Copper Princess Lote of this Survey. Cor.described above.

Thence S.66° E.

Var.14° E.

300

To S.C.E.

Agranite stone 6 x 8 x 24 ins. set 1 ft. in ground alongside a pine post in mon. of stones. Stone marked S.C.E.C.R.No.1714.

600

To cor. No. 3, which is also cor. No. 2 of Copper Dyke Lode of this Survey.

A granite stone 6 x 10 x 24 ins. set 1 ft. in ground alongside a pine post in mon. of stones. Stone marked C.R.No.3-1714, and C.D.No.2-1714.

A + on a slate reef marked B.R.C.R.No.3-1714 brs. N.14° E. 10.7 ft.

A + on a granite rock in place marked B.R.C.D No.2-1714 brs.S.82° E .14.3 ft.

Thomso M.24° E.

Var. 140 7.

1500

To cor.No.4, which is also cor.No. 3 New Road, cor. No. 2 Copper Reade, and cor.No. 1 Copper Dyke Lodes of this Survey. Cor. described above .

55/58				
SURVEY	AT A	-	177	4
DUN WILL	IN I		/ 1	4

Feet

Thence N.66° W.

Var.14° E.

300

To N.C.E. which is also the S.C.E. of the New Road Lode of this Survey.

600

To cor.No.lm the place of beginning survey of exterior boundaries

COPPER DYKE LODE.

Beginning at cor.No. 1, which is also cor.No. 4 Copper Road, cor.No. 3 New Road, and cor. No. 2 Copper Reade lodes of this survey Cor. described above.

Cor.to Secs.15,16%,21 and 22, Tp'13 N.R.1 E.brs.N. 51° 55' E. 4313.9 ft.

U.S.M.M.No.1 brs.N.30° 9' W. 3762.crt.

Thence S.24° W.

Var.14º E.

1500

To cor.No. 2, which is also cor.No. 3 Copper Road Lode of this Survey. Cor.described above.

Thence S.66° E.

var.140 E.

300

To S.C.E.

A granite stone 5 x 8 x 18 ins. set 1 ft. in ground alongside a pine post in non. of stones. Stone marked S.C.E.C.D.No.1714.

600

To cor.No. 3, which is also cor.No. 2 of Copper Produde Lode of this Survey.

Cut a + on slate reef for cor.point and marked C.D.No.3-1714 and C.P.No.2-1714. Alongside set a pine

SURVEYEND.1714.

Feet

post in mon. of stones.

Thence N. 24° E.

Var.14° E.

1500

To cor.No. 4, which is also cor.No. 3 Copper Reade cor.No. 2 Copper Chief, and cor.No.1 Copper Produce Lodes of this Survey. Cor. described above.

Thence N.66° W.

Var.14º E.

300

To N.C.E. which is also the S.C.E. Copper Reade Lode of this Survey.

600

To cor.No.1, the place of beginning survey of exterior boundaries.

COPPER PRODUCE LODE.

Beginning at cor.No.1, which is also cor.No.4 Copper Dyke, Cor.No. 3 Copper Reade, and cor.No. 2 Copper Peach Lode of this survey. Cor. described above.

Cor.to Secs. 15,16,21 and 22 Tp.13 N.R.I E.brs. N. 23° 55' E. 4272.5 ft.

U.S.M.M.No.1 brs.N.34° 58' W.4262.9 ft.

Thence S.24° W.

Var. 14° E.

1500

To cor.No. 2 which is also cor.No.3 of Copper Dyke Lode of this Survey. Cor.described above.

	SURVEY NO.1714.
Feet	
	Thence S.66° E.
	Var.14° E.
20	To intersect Sec.line between Secs. 21 and 28 Tp.13
	N.R.1 E. at W.2320 ft. from Sec. cor. and E.320 ft.
	from 1/4 cor.
300	To S.C.E.
	A slate stone 3 x 6 x 24 ins. set 1 ft. in ground
	alongside a pine post in myn. of stones. Stone marked
	S.C.E.C.P.No.1714.
600	To cor.No. 3,
	A slate stone 4 x 8 x 24 ins. set 1 ft. in ground
	alongside a pine post in mon. of stones. Stone marked
	C.P.Mc.3-1714.
	A + on a slate reef marked B.R.C.P.No.3-1714 brs.
	S,52° 50'E.12 ft.
	A + on a slate reef marked B.R.C.P.No.3-1714 brs.
	N.15° 45' E. 14.2 ft.
	·
	Thence N.24° H.
	Var.14° E.
260	To intersect Sec. lines between Secs. 21 and 28,
	at W.1685 ft. from Sec. cor. and E . 955 ft. from $1/4$
	cor.
1500	To cor.No. 4 which is also cor.No. 3 Copper Peach
	Lode of this Survey. Cor.described above .
	Thence N.66° W.
	var.14° E.
300	To N.C.E. whichbis also the S.C.E. of Copper Peach
	Lode of this Survey. Mon.described above.
600	To cor.No. 1, the place of beginning survey of ex-
	terior boundaries.

Feet

Note: Survey No.1714 is identical with the location.

LOCATION.

This claim is located in Sections 15,16,21 and 22 and 28 Tp.13 N.R.1 E.G.& S.R.Meridian., in Big Bug Mining District, Yavapai County, Arizona Territory, and is bounded on the N. by government land; on the E by Copper Station, Copper Train, Copper Car, Copper Coach and Copper Sleeper Lode claims unsurveyed; on the S. by government land; on the W.by Copper Matte, Copper Kim and Copper Barley Lode claims unsurveyed.

VEINS.

WESTERN COPPER VEIN extends N.24° E .400 ft. and S. 24° W. 1100 feet from discovery shaft.

BOMANZA VEIN extends S. 84° W. 237 ft. and N.24° E. 1263 ft. from the discovery shaft.

SURE THING VEIN extends S.24° W. 100 ft. and N.24° E.1400 ft. from the discovery shaft.

EASTERN COPPER VEIN extends S.24° W. 285 ft. and N.24° E .1215 ft. from the discovery shaft.

COPPER CHIEF VEIN extends N.24° E.425 ft. and S. 24° W. 1075 feet from the discovery shaft.

IRON KING VEIN extends N.320 ft. toN.C.E. and S.1180 ft. to S.C.E. from the discovery shaft.

LIME ROCK VEIN extends S.24° W. 570 ft. and N.24° E.93) ft. from the discovery shaft.

COPPER PLATTER VEIN extends N.24° E.700 ft. and S. 24° W. 800 ft. from the discovery shaft.

COPPER PRINCE NO.1 VEIN extends S.24° W. 80 ft.

and N.84° E. 1420 ft. from the discovery shaft.

COPPER RRINCE VEIN extends N. 24° E.1207t. and S. 24° W. 1380 ft. from the discovery shaft.

COPPER MOUNT VEIN extends N.24° E.550 ft. and S. 24° W.950 ft. from the discovery shaft.

W.1450 ft. fum the diary shaft.

COPPER PRINCE NO.2 VEIN extends N.24° E. 220 ft. and S.24° W.1280 ft. from the discovery shaft.

NEW ROAD VEIN extends N.24° E. 500 ft. and S.24° W. 1000 ft. from the discovery tunnel.

COPPER READE VEIN extends N.24° E. 360 ft. and S. 24° W.1140 ft. from the discovery shaft.

COPPER PEACH VEIN extends N.24° E.680 ft. and S. 24° W.820 ft. from discovery shaft.

COPPER PRINCESS VEIN extends N.24° E. 300 ft. and S.24° W.1200 ft. from the discovery shaft.

COPPER ROAD VEIN extends N.24° E.180 ft.and S. 24° W.1320 ft. from the discovery shaft.

COPPER DYKE VEIN, extends N. 24° E. 140 ft. and S. 24° W. 1360 ft. from the discovery shaft.

CAPPER PRODUCE VEIN extends N.24° E. 175 ft. and S.24° W. 1325 ft. from the discovery shaft.

	*	*	*	*	
			REA		
	IRON KING LODE			20.66	Acres.
-	WESTERN COPPER LO	DE		20.66	17
-	BONANZA	17		20.66	11
-	SURE THING	11		20.66	19
	EASTERN COPPER	11		20.66	u ·
	COPPER CHIEF	11		20.66	11
	LIME ROCK	17		20.66	11
	COPPER PLATTER	11		20.66	**
	COPPER PRINCE NO	.1."		20.66	
	COPPER PRINCENO.	8 H		20.66	11
	COPPER PRINCE	O	r.	20.66	11
	COPPER MOUNT	12		20.66	n
	COPPER VAN	11		20.66	11
	NEW ROAD	n	·	20.66	11
	COPPER READE	11		20.66	11
	COPPER PEACH	11		20.66	11
	COPPER PRINCESS	11		20.66	н

COPPER ROAD LODE

20.66 Acres

COPPER DYKE

20.66

COPPER PRODUCE"

20.66 "

Total Area Lode Claim

413.20 "

EXPENDITURE OF FIVE HUNDRED DOLLARS

I certify that the value of the labor and improvements upon this claim placed thereonoby the claimant and his grantors, is not less than Five Hundred Dollars for each location embraced in this claim, and that said improvements consist of:

WESTERN COPPER:

Discovery shaft No. 1, which brs. from the N.C.E. non. S.24° W. 400 ft. Shaft 4 x 6 ft.10 ft.deep.

Note: \$400 worth of the improvements on the Bonanza Lode, shaft No. 2 is to be credited to the Western Copper.

BONANZA LODE:

Discovery shaft No. 1 which brs. from the S.C. E. Mon. N.24° E.237 ft. Shaft 4 x 6 ft. 10 ft. deep.

Value \$100.00

Shaft No. 2, which brs. from cor. No.1 5.81° 30'E.

297 ft. Shaft 4 1/2 x 6 1/2 in the clear, timbered

116 ft. deep. At 100 ft. level run N. 4 x 6 ft.300

ft. and S.4 x 6 ft. 400 ft. to connect with disdovery

shaft No. 1 on the Iron King Lode. At S.16 ft. from

shaft, a cross cut is run 4 x 6 ft. 125 ft. to the W.

and 59 ft. to the E., and at N. end of level, cross cut

is run 4 x 6 ft. 25 ft. to the W.

Value \$8070.00

Steam Hoist at shaft Mo. 2.

Value \$5000.00

Office which brs. from cor.No. 1 N.81° E. 428 ft.

Value \$250.00

Boarding House which brs. from cor.No. 4 N.56° 25' W.110 ft.

Value \$500.00

SURE THING LODE:

Discovery Shaft No.1, which brs. from S.C.E.N. 24° E. 100 ft. Shaft 4×6 ft. 10 ft. deep.

Value \$100.00

Note: \$400 worth of the improvements on shaft No.2 Bonanza Lode is to, be credited to Sure Thing Lode.

EASTERN COPPER:

Discovery shaft No.1, which brs.fm m the S.C.E.

Mon.N.24° E. 285 ft. Shaft 4 x 6 ft. 10 ft. deep.

Value \$100.00

Note: \$400 worth of the improvements on shaft No.2 Bonanza Lode is to be credited to Eastern Copper. COPPER CHIEF LODE:

Discovery Shaft No.1, whi h brs. from the M.C.E mon. S. 24° W.425 ft. Shaft 4 x 6 ft.10 ft.deep.

Value \$100.00

Note: \$400 worth of the improvements on shaft No. 2 and levels Bonanza Lode is to be credited to Copper Chief.

IRON KING LODE:

Discovery shaft No.1 which brs. from Gor.No.2 S.23° E 467 ft. Shaft 4 1/2 x 6 1/2 ft. in the clear, timbered. Shaft 100 ft in depth. At bottom of shaft cross cut run to W. 4 x 6 ft. 200 ft. and level run N.to connect with shaft No. 2 Bonanza Lode, of which 335 ft. are on the Iron king vein.

Value \$7500.00

Barn, which brs. from Cor.No.2 S.34° 45'W, 441 ft.

Value \$100.00

Shaft No. 2, which brs. from the S.C.E. N. 15° E. 535 ft. Shaft 4 x 6 ft. 10 ft. deep.

Value \$100.00

Shaft No. 3, which brs. from S.C.E.Mon. N.20° 35' E.430 ft. Shaft 4 1/2 x 6 1/2 , timbered, 70 ft.deep. Value \$1400.00

LIME ROCK LODE:

Discovery Shaft No. 1, which brs. from the S.C.E. N.24° E. 570 ft. Shaft 4 x 6 ft., 10 ft. deep.

Note: \$400 worth of the improvements upon Shaft No.2 Bonanza Lode, is to be credited to the Lime Rock Lode.

Bunk House, which brs. from cor. No. 2 S.21° 50' W. 61 ft.

Value \$500.00

COPPER PLATTER LODE:

Discovery shaft No. 1, which brs. from the M.C.E Mon. S.24° W. 700 ft.

Value \$100.00

Note: \$400 worth of the improvements of shaft No.2

Bonanza Lode is to be credited to Copper Platter Lode.

COPPER PRINCE NO.1 LODE:

Discovery shaft No.1, which brs. from the S.C. E.Mon. N. 24° E . 80 ft. Shaft 4 x6 ft. 10 ft.deep.

Note: \$400 worth of the improvements on shaft No. 2 and levels Bonanza Lode, is to be critical to the Copper Prince No.1 Lode.

COPPER PRINCE LODE:

Piscovery shaft Ma.1 which brs. from the N.C.E. Mon. S.24° W.120 ft. Shaft 4 x6 ft. 10 ft. deep.

Shaft No. 2, which brs. from N.C.E. Mcn.S.57° 10'W. 300 ft. Shaft 4 x 6 ft. 10 ft. deep.

Value \$100.00

Value \$100.00

Shaft No. 3, which brs. from the N.C.E. Mon. 3. 47° 30' W. 350 ft. Shaft 6 x 6 ft.12 ft. deep.

Value \$160.00

Shaft No. 4 which bs. from the N.C.E. Mon. S.41° 30' W.475 ft. Shaft $4 \frac{1}{2} \times 6 \frac{1}{2}$ ft. timbered,50 ft. deep.

Value \$1000.00

Shaft No. 5, which hrs. from N.C.E. Mon. S.27° 30'W 650 ft. Shaft 4 x6 ft. 10 ft. deep.

Value \$100.00

Shaft No. 6, wheih brs. from N.C.E. Mon. S. 27° 30' W.730 ft. Shaft 4 x 6 ft. 14 ft. in depth.

Value \$140.00

Shaft No. 7, whi h brs. from the H.C.E. Mon. S. 33° 10' W. 810 ft. Shaft 7 x 7 ft. 10 ft. deep. Value \$150.00

COPPER MOUNT LODE:

Discovery shaft No. 1, which brs. from the N.C.E

Mon. S.24° W. 550 ft. Shaft 4 x 8 ft. 10 frp deep.

Value \$100.00

Note: \$400 worth of the improvements on Discovery Shaft No.1, Iron King Lode, is to be credited to Copper Mount Lode.

COPPER VAN LODE:

Discovery shaft No.1, which brs. from the N.C.

E. Mon. S. 24° W. 50 ft. Shaft 4 x6 ft. 10 ft. deep.

Value \$100.00

Note: \$400 worth of the improvements on shaft No.1 Iron King Lode is to be credited to Copper Van Lode.
COPPER PRINCE NO.2 LODE:

Discovery shaft Mo.1, which brs. from N.C.E. Mon S.24° W.280 ft. Shaft 4 x6 ft. 10 ft. deep.

Value \$100.00

Note: \$400 worth of improvements on discovery shaft No.1 Iron King Lode, is to bre credited to Copper Prince No. 2 Lode.

NEW ROAD LODE:

Discovery tunnel No.1 which brs. from the N.

C.E.Mon. S.24° W 500 ft. Tunnel 4 x 6 ft. 20 ft.long.

Value \$200.00

Cross cut tunnel No. 2, which brs. from cor.No.1

S.8° 30' W. 423 ft. Tunnel 4 x 6 ft., Course S.E.

100 ft..hong.

Value \$1000.00

COPPER READE LODE:

Discovery Shaft No.., which brs. from N.C.E. Mon.24° W.360 ft. Shaft 4 x 6 ft. 10 ft. deep.

Value \$100.00

Note: \$400 worth of the improvements on shaft No.

1 Iron King Lode, is to be dredited to the Copper Reade
Lode.

COPPER PEACH LODE:

Discovery shaft No.1, which brs. from the N.C. E.Mon. S.24° W.,680 ft . Shaft 4 x6 ft. 10 ft. deep.

Value \$100.00

Note: \$400 worth of the improvements on Discovery shaft and levels Iron King Lode, is to be created to the Copper Peach Lode.

COPPER PRINCESS LODE:

Discovery Shaft No.1, which brs. from the N.C. E.Mon. S.24° W. 300 ft. Shaft 4 x6 ft. 10 ft.deep.

Note: \$400 worth of the improvements on discovery shaft No.1 and levels, Iron King Lode, is to be credited to the Copper PrincessLode.

COPPER ROAD LODE:

Discovery Shaft No. 1, which brs. from the N.C. E.Mon. S. 24° W. 180 ft. Shaft 4 x 6 ft. 10 ft. deep. Value \$100.00

Note: \$400 worth of the improvements on crosscut tunnel No. 2 New Road Lode, is to be credited to Copper Road.

COPPER DYKE LODE:

Discovery Shaft Wo.1 which brs.from the W.C.

E.Mon. S. 24° W. 140 ft. Shaft 4 x6 ft. 10 ft. deep.

Value \$100.00

Note: \$400 worth of the improvements on Shaft No.3

Lron King Lode, is to be credited to Copper DykenLode.

COPPER PRODUCE: LODE:

Discovery Shaft No.1 which brs. from N.C.E.Mon. S. 24° W. 175 ft. Shaft 4 x6 ft. 10 ft. deep.

Value \$100.00

Note: \$400 worth of the improvements on Shaft No. 3 Iron King Lode, is to be credited to the Copper Produce Lode.

Total value of improvements of Survey No.1714, \$28,070.00

INSTRUMENT.

This survey was made with a Gurley Light Mountain Solar Transit. The courses were deflected from the true meridian as determined by direct dolar observation. The distances were measured with a 100 foot steel chain and 75 foot steel tape.

Prescott, Arizona, Oct.17, 1902. W.S.D.M.S.

Iron King, Western Copper, Bonanza, Sure Thing, Eastern Copper, Copper Chief, Lime Rock. Copper Platter. Copper Prince Mo.1. Copper

and the state of t

Prince No. 2. Copper Prince. Copper Nount. Copper Van. New Road. Conner Reade. Copper Peach. Copper Princess. Copper Road. Copper

Dyke, and Copper Produce.

Irea King, Festern Copper, Bonanza, Sure Thing, Eastern Copper, Copper Chief. Lime Rock, Copper Platter, Copper Prince Ho.1. Copper Prince Mc. 2. Copper Prince, Copper Yount, Copper Van, New Road, Copper Reads, Copper Peach . Copper Princess. Copper Poad. Copper Dyke and Copper Produce.

FINAL OATHS FOR SURVEYS.

	LIST OF NAMES.
Λ list of the names of the indi	ividuals employed by J. Finher
	veyor, to assist in running, measuring, and marking the lines
	n the foregoing field notes of the survey of the mining claim
Finer	recur Copper Company
n as the	
showing the respective capacit	ies in which they acted.
site wing the respective capacity	
	EHDruper, Chainman. Mr. Crocker, Chainman. Mr. Crocker, A.cman. EHDruper, Fiagman.
33	Wan for the
	Ella
	6 Japan, Fiagman.
FINAL	OATHS OF ASSISTANTS.
ESLAMA	
We and Draper	
and Soener	, do solemnly swear that we assisted , , , , , , , , , , , , , , , , , , ,
Ounice, Unite	ed States Deputy Mineral Surveyor, in marking the corners and
ng the boundaries of the 1	nining claim of American Copper Company
	, known as the
	, represented
in the foregoing field notes as hav	ving been surveyed by said deputy mineral surveyor and under
his direction; and that said surv	rey has been in all respects, to the best of our knowledge and
belief, faithfully and correctly ex	xecuted, and the corner and boundary monuments established
according to law and the instr	uctions furnished by the United States Surveyor-General for
Myona	
	Strocker, Chainman.
	Hm. Crocker, Chainman.
My commission	
May 19, 161	of Ostafur, Flagman.
Su	bscribed and sworn to by the above-named persons before me
, Du	this 11th day of October , 1902
	J. J. Fierbur Nobury Publi
	V Notury Publi

Iron King, Western Copper, Benanza, Sure Thing, Eastern Copper, Copper Chief, Lime Rock, Copper Platter, Copper Prince No.1, Copper Prince No.1, Copper B Prince No.2, Copper Prince, Copper Mount, Copper Van, New Roed, Copper Reade, Copper Peach, Copper Princess, Copper Road, Copper

Hemerouse

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

	I, Juliu , U. S. Deputy Mineral
	Surveyor, do solemnly swear that, in pursuance of instructions received from the United
	States Surveyor General for, dated
	Jept. 19:1902, I have, in strict conformity to the laws of the
	United States, the official regulations and instructions thereunder, and the instructions
	aid Surveyor General, faithfully and correctly executed the survey of the Mining
	in of American Copper Company
	, known as the
	ate in Gig Bug Mining District, Junepui County, Ougune, in Sections
	Junepui County, Ougan, in Sections
15.16	5.21.22 \$28 , Township No. 13 N , Range No. 1 &
	and designated as Survey No. 1714, as represented
	in the foregoing field notes, which accurately show the boundaries of said mining claim
	as distinctly marked by monuments on the ground, and described in the attached copy
	of the location certificate, which was received by me from the Surveyor General with
	said instructions, and that all the corners of said survey have been established and per-
	petuated in saict accordance with the law, official regulations and instructions there-
	under; and I do further solemnly swear that the foregoing are the true and original
	field notes of said survey and my report therein, and that the labor expended and
	improvements made upon said mining claim by claimant or grantors
	are as therein fully stated, and that the character, extent, location and itemized value
	thereof are specified therein with particularity and full detail, and that no portion of
	said labor or improvements so credited to this claim has been included in the estimate
	of expenditures upon any other claim.
	1 f. Field
	l'. S. Deputy Mineral Surveyor.
	Subscribed and swam to by the gold A Trans
	Subscribed and sworn to by the said of January Comments & John Calling of the State of Calling of the State o
	this / -
	day of Land
	and for francis County Aryma — this 18th day of October 1902 my Commission Exprin July 7,1903.
	My Communa Exprise July 7, 1903. Okomas C. Job Notary Public.
	0 8-164 Omnas C. 176
	notary India.
	σ

Iron King, Western Copper, Bonanza, Sure Thing, Eastern Copper, Copper Chief, Lime Rock, Copper Platter, Copper Prince No.1, C

1100

64 64.1

Prince No. 2, Copper Prince, Copper Figure, Copper Prince No.1, Copper Prince No. 2, Copper Prince, Copper Fount, Copper Van, New Road, Copper Reade, Copper Peach, Copper Princess, Copper Road, Copper Pyke, and Copper Produce.

Affidavit of Five Hundred Dollars Improvements.

	4. Droper, an	d Mulowcker
cett,	, core	
wful age, bein	ng first duly sworn according	to law, depose and say: That we
		mining claim,
suuate in 13	ny Buy Mining	eun Oppen County,
lempu	ug.	
		ation for patent under the provisions
of the Act of Congr	ess, approved May 10, 1872; a	nd that the labor done and improve-
ments made therec	on by the applicant and I	grantor. exceed Five Hundred
Dollars in value, o	und further that we are not per	rsonally interested in said mine.
	EA	1Drafer
	Win	r. Crocker
TERRITORY	OF ARIZONA,	
County of	avapai)88:	
	Sworn to and subs	cribed before me, this
SEAL.	day of ℓ	Delober, 1902
श्रृंककककककर्ण् श्रृं	May Ka	J. J. Tichen
	May 19 World	J. J'ushur Morning Partie
		•

"IRORN KING"

MOTICE OF MINING LOCATION. Quartz Claim.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Irorn King Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by J. R. Hagins the undersigned, on the 15th day of March, 1899.

The length of this claim is 1500 feet, and said claim is 320 feet in a Northly direction and 1180 feet in a Southly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the South or south east to the North or North west.

The claim is situated and located in the Agua Fria Mining District, in Yavapai County, in the Territory of Arizona, adjoining the Bonanza mining claim to the South.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument at the center of the Northery end at a point in a morthly direction 320 feet from the discovery shaft (at which this notice is posted), being in the center of the morthly end line of said claim; thence easterly 300 feet to a monument being the Northeast corner of said claim; thence Southly 750 feet to a monument at the center of the easterly side line of said claim; thence southly 750 feet to a monument being at the Sout east corner of said claim; thence westerly 300 feet to a monument at the center of the Southerly end of said claim; thence westerly 300 feet to a monument, being at the south west corner of said claim; thence morthly 750 feet to a monument being at the center of the westerly side line of said claim; thence northly 750 feet to a monument at the northwest corner of said claim; thence easterly 300 feet to the place of beginning. Being the claim formerly located in 1896 by J. R. Hagin and R. Morell.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitlet "An Act Joncerning Mines",

approved March 20, 1895.

Dated and posted on the ground this 15th day of March 1899. Witness: J. R. Hagins

Chas. Roberts John Roper.

Filed and recorded at request of J. R. Hagins, May 18" A. D. 1899, at 9:21 o'clock A. M., Book 52 of Mines, page 85, Records of Yavapai County, Arizona.

By P. J. FARLEY, Deputy, Recorder. W. I. Johnson, County Recorder

Territory of Arizona,)

SS.

County of Yavapai.

I, P. J. FARLEY, County Recorder in and for the County of Yavapai, in the Territory of Arizona, and Custodian of the Records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the notice of location of the "Irorn King" Mining Claim, as the same appears of record in my office in Book 52 of Mines, at page 85, Records of Yavapai County, Arizona.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed

my Official Seal, this 18th day of September, 1.903.

> Becorder County

> > Deputy

AMENDED

Motice of Mining Location.

LODE CLAIM.

To All Whom It May Concern:
This mining claim, the name of which is the
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral depos-
its, was entered upon and located for the purpose of exploration and purchase by during each Cappen
Company encorporated under the laws of arrayonal
Company becorporated under the laws of arrayona the undersigned, on the 23 rd day of Jan 1902
The length of this claim is 1600 feet, and 'we
claim 300 feet in a Northerly
direction, and 1200 feet in a
direction from the center of the discovery monument, at which
this notice is posted, lengthwise of the claim, together with 300 feet in
width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and prem-
ises is from the state of the s
The claim is situated and located in the 1919 ng Mining District,
in Javapai county, in the Territory of Arizona, about one & one guarles v
in a Wishing direction from Val Verely
Smilter
The surface boundaries of the claim are marked upon the ground as follows: Beginning at 9 man.
,
at a point in a Wor Thereby direction 300 feet from
the discovery monument, (at which this notice is posted), being in the center of the Wolf end line of said
claim: thence NGW 300 feet to a mon, being
the IX W corner of said claim; thence S 24° W 15'00 feet
to a mon, being at the S.W., corner of said claim;
thence S (°C) get to a mon, at the
· ·
center of the South end of said claim; thence S & & 300 feet
to a man, being at the corner of said claim;
thence N 24°C 1500 feet to a mon, at the
N, E, corner of said claim; thence N. COW 900
feet to the place of beginning.
All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of
an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895, and
amended March 2nd, 1899.
This is an Amended Location Notice of the Solve Solve Mining
This is an Amended Location Notice of the from King Mining Claim, located by R Hagins on the 15 th day of
on the /5 day of
mach 18.99, and recorded in Book 5.2 of Records of Mines, at page 85, in the office of the County Recorder of the aforesaid County of Javasan to which reference is hereby
in the office of the County Recorder of the aforesaid County of Javas at to which reference is hereby
made, and this Amended Location Notice is made and posted to correct errors in the description in the said original
Location Notice.
Dated and posted on the ground this 23 rel day of an 19.02
auencan Coppe Company
Bur B. Bl. I. I
of Jun Caneron
1 agent.

RECORD AT REQUEST OF

In Book 6 . 1

Boonds of Navapril County, Alic. 22,

Notice of Mining Location. LODE CLAIM.

TO ALL WHOM IT MAY CONC	ERN:
W. C. T. C. C. C.	Malen Cotable
This mining claim, the nam	ne of which is Mental Collaboration
Mining Claim, situate on lands bel	longing to the United States of America, all., in/which there are val-
	d upon and located for the purpose of exploration and purchase by
Howell Min	ing Company By Ben
Blauchord	Il agent
the undersigned on the	day of august, 1901,
the undersigned on the	day of 00004, 1907,
The length of this claim is	Lifteen handrad feet.
	5-10
and We claim	/// 370 feet,
	990
in a northerly direction, and	enter of the discovery shaft, at which this notice is posted, length-
side of the center of said vein	three hundred (300) feet in width of the surface grounds, on each The general course of the lode deposit and premises is from the
The claim is situated and lo	ocated in the agua Ana Mining District, in
Formal!	tory of Arizona, about 1/2 miles
County, in the Territ	tory of Arizona, about 112 much
in a moter	direction from Val Trade Queller
1 1 1	direction from Val berde Smelter Le Eash by the Bonauza Mining Clair
Hounded one n	re 6 ash by he Jonanza Mining Clan
The surface boundaries of t	the claim are marked upon the ground as follows: Beginning at a
manument of stance of a point in	a northerly direction five hundred, ten
feet from the discovery shaft (a	t which this notice is posted), being in the center of the north end
line of said claim; thence easterly	300 feet to a monument of stones, being the northeast corner of
said claim; thence southerly 1500 f	feet to a monument of stones, being at the southeast corner of said
claim; thence westerly 300 feet to	a monument of stones at the center of the south end of said claim;
thence westerly 300 feet to a monu	ament of stones, being at the southwest corner of said claim; thence
northerly 1500 feet to a monument ly 300 feet to the place of beginning	of stones, being at the northwest corner of said claim; thence easter-
All done under the provision	ons of Chapter Six, of Title XXXII, of the Revised Statutes of the
United States, and of an Act of	the General Assembly of Arizona, entitled "An Act Concerning
Mines," approved March 20th, 189	95, and amended March 2nd, 1899, and March 16, 1901.
	ound this 27 th day of august 1901,
Dated and posted on the gro	ound this 2/ day of lugur 190/,
	Howell Mining
	Company
4	
	By Befu Hanchord
	agust

Mustern Copper Howell Ming les;

RECORDED AT REQUEST OF

Jan 24" A.D., 1902 In Book of Mines Page# 499 Records of Yavapai County, Arizena.

is by D Julivan Long

AMENDED

Motice of Mining Location.

LODE CLAIM.

To All Whom It May Concern:
This mining claim, the name of which is the Presture Copper
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral depos-
its, was entered upon and located for the purpose of exploration and purchase by Accerious Coffee
Company Sucorporated under the laws of Aresonal
Company Suconfronted under the laws of Arizonal the undersigned, on the 23 rd day of Jan 19 02
The length of this claim is 1500 feet, and We
claim 400 feet in a Northerly
direction, and 1100 feet in a Southerly direction from the center of the discovery monument, at which
this notice is posted, lengthwise of the claim, together with feet in
width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and prem-
ises is from the N.E. to the S.M.
The claim is situated and located in the Brg Brig Mining District,
in Javapai County, in the Territory of Arizona, about on & one half m
in a Waster direction from Val Virtle
Smillir
The surface boundaries of the claim are marked upon the ground as follows: Beginning at
at a point in a Northerly direction 400 feet from
the discovery monument, (at which this notice is posted), being in the center of the World end line of said
claim; thence NGGW 300 feet to a mon, being
the N, W corner of said claim; thence S24°W 15'00 feet
to a being at the S, W, corner of said claim;
thence S 66° E 300 feet to a min, at the
center of the South end of said claim; thence S 660 E 300 feet
to a, being at the corner of said claim;
thence N24°E 15°00 feet to a more, at the
N, E corner of said claim; thence NGCON 300
feet to the place of beginning.
All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of
an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895, and
This is an Amended Location Notice of the Stalen Coffee Mining
amended March 2nd, 1899. This is an Amended Location Notice of the Mining Claim, located by Howele Muning Co. On the 27 day of
on the 27^{-} day of
Chequer 1901, and recorded in Book of Records of Mines, at page 499,
in the office of the County Recorder of the aforesaid County of Javaface to which reference is hereby
made, and this Amended Location Notice is made and posted to correct errors in the description in the said original
Location Notice.
Dated and posted on the ground this 23 day of an 1902
Dated and posted on the ground this 23 rd day of fare 1902
B. Ben Polanchand
, agent.

In Book of Target St. D., 1902 Pages Scoring, All. 3,

"BOMZA"

NOTICE OF MINING LOCATION.

Quartz Claim.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Bomza Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by J. R. Hagins the undersigned, on the 15 day of March, 1899.

Hagins the undersigned, on the 15 day of March, 1899.

The length of this claim is 1500 feet, and said claim is 50 feet in a Southly direction and 1450 feet in a Norther y direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the South or South east to the North or North west.

The claim is situated and located in the Agua Fria Mining District, in Yavapai County, in the Territory of Arizona, about one thousand yards in a east of North direction from the old Silver Belt Shaft.

The surface boundaries of the claim are marked upon the ground as follows: Reginning at a monument at the east of the Southerly end at a point in a Southey direction 50 feet from the discovery shaft (at which this notice is posted), being in the center of the Southly end line of said claim; thence easterly 300 feet to a monument being the South-east corner of said claim; thence Northly 750 feet to a monument at the center of the easterly side line of said claim; thence Northly 750 feet to a monument being at the North-east corner of said claim; thence westerly 300 feet to a monument at the center of the North end of said claim; thence westerly 300 feet to a monument being at the North West corner of said claim; thence Southerly 750 feet to a monument being at the center of the Westerly side line of said claim; thence Southerly 750 feet to a monument at the Southwest corner of said claim; thence easterly 300 feet to the place of beginning.

feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20, 1895.

Dated and posted on the ground this 15th day of March, 1899. Witness:

J. R. Hagins

Chas. Roberts John Roper.

Filed and recorded at request of J.R. Hagins, May 8" A. D. 1309, at 9:21 o'clock A. M., 300k 52 of Mines, page 84, Records of Yavapai County, Arizona.

(SEAL) W. I. Johnson, County Recorder By P. J. Farley, Deputy. Recorder.

攀梯婚務婚務婚務婚務好以亦亦亦亦亦亦亦養養養務務務務務

Territory of Arizona,)

:55.

County of Yavapai.

I, P. J. FARLEY, County Recorder in and for the County of Yavapai, in the Territory of Arizona, and Cusotodian of the Records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the notice of location of the "Bomza" Mining Claim, as the same appears of Record in my office in Rook 52 of Mines, at page 84, Records of Yavapai County, Arizona.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal, this 18th day of September, to D. 1902.

County Racorder

y 6 6 Chery Deputy.

带替董者培养济操者培养体养养养养外养体育心治疗治疗

AMENDED

Motice of Mining Location.

LODE CLAIM.

Io All Whom It May Concern:
This mining claim, the name of which is the Donauga
Mining Claim, situate on lands belonging to the United States of America, and in which there are valyable mineral depos-
ts, was entered upon and located for the purpose of exploration and purchase by Suemean
Coppen Company, Sucorporated under the Laws of Angonal
the undersigned, on the 23 day of fan 19 0 2
The length of this claim is 1500 feet, and 'we
claim 237 feet in a Doublierly
direction, and 1263 feet in a
Northery direction from the center of the discovery monument, at which
this notice is posted, lengthwise of the claim, together with 300 feet in
width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and prem-
ises is from the N, E, to the S, W,
The claim is situated and located in the Big Bug Mining District,
in Garapai County, in the Territory of Arizona, about one & one quarter mul
in a Westerly direction from Val Verble Smell
The surface boundaries of the claim are marked upon the ground as follows: Beginning at
at a point in a Southerly direction 2.3.7 feet from
the discovery monument, (at which this notice is posted), being in the center of the South end line of said
claim: thence S (4 & 300 feet to a mon, being
the S C corner of said claim; thence N 24 C 1500 feet
to a being at the N, C, corner of said claim;
thence N 66° W 300 feet to a mon at the
center of the North end of said claim; thence NCCOW 300 feet
to a, being at the, corner of said claim;
thence $S_{24}^{\circ}W$ 1500 feet to a mon at the $S_{0}W$, corner of said claim; thence $S_{0}^{\circ}U$ $E_{0}^{\circ}U$ 300
S.W., corner of said claim; thence S.G.C. & 300
feet to the place of beginning.
All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of
an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895, and
amended March 2nd, 1899.
This is an Amended Location Notice of the Sonanga Mining
amended March 2nd, 1899. This is an Amended Location Notice of the Bonard Mining Claim, located by R, Hagin on the 15 th day of
on the 15 day of
in the office of the County Recorder of the aforesaid County of Garafai to which reference is hereby
made, and this Amended Location Notice is made and posted to correct errors in the description in the said original
Location Notice.
Dated and posted on the ground this 23 rd day of an 19.02
auer can opps toupou
By Ben Blanchon
(R a- 1
1) year

Notice of Mining Location. LODE CLAIM.

	TO ALL WHOM IT MAY CONCERN:
	This mining claim the name of which is Sun Thung
	This mining claim, the name of which is. Mining Claim, situate on lands belonging to the United States of America, and in which there are val-
	uable mineral deposits, was entered upon and located for the purpose of exploration and purchase by
	Hovelly Mining Company, By Ben
	of the seg military to sprang, sy , sec
	Manchard, afgers
	the undersigned on the 27th day of Cursus, 1901
	The length of this claim is Lefteen hundred feet,
	and LR claim / 1340 feet,
	tird
2	in a northerly direction, and
	in a southerly direction from the center of the discovery shaft, at which this notice is posted, length- wise of the claim, together with three hundred (300) feet in width of the surface grounds, on each
	side of the center of said vein. The general course of the lode deposit and premises is from the
	northerly to the southerly. The claim is situated and located in the liqua Ana Mining District, in
(
1	losspai County, in the Territory of Arizona, about 1/2 wiles
/	in a mates
	in a, master direction from the bal berde Swelty of muded on the mast of the Bouraga Mining Claim
	I muded on the Mist of the Golding Muning Claim
	The surface boundaries of the claim are marked upon the ground as follows: Beginning at a
	monument of stones at a point in a northerly direction 1340 feet from the discovery shaft (at which this notice is posted), being in the center of the north end
	line of said claim; thence easterly 300 feet to a monument of stones, being the northeast corner of
	said claim; thence southerly 1500 feet to a monument of stones, being at the southeast corner of said
	claim; thence westerly 300 feet to a monument of stones at the center of the south end of said claim; thence westerly 300 feet to a monument of stones, being at the southwest corner of said claim; thence
	northerly 1500 feet to a monument of stones, being at the northwest corner of said claim; thence easter-
	ly 300 feet to the place of beginning.
	All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning"
	Mines," approved March 20th, 1895, and amended March 2nd, 1899, and March 16, 1901.
	Dated and marked on the ground is 27th a august
	Dated and posted on the ground this day of the gust 1901,
	Stovell Mung
	Couper
	By Bent Hanchon
	- Just -

Ben Blanchard

Gan 24" A.D., 1902

At 1230 o'chook P 1.

In Book 60 of Mines

Paget 496

ilcords of Yavapai County. Alizma.

If Farley

County County.

By D J. Sullivans.

Ch

AMENDED

Motice of Mining Location.

LODE CLAIM.

To All Whom It May Concern:		I.	
This mining claim, the name of which is the	OM	Imm	7
Mining Claim, situate on lands belonging to the United	States of America	, and in which the	ere are valuable mineral depos-
its was entered upon and located for the purpose of e	xploration and pu	rchase by Au	erican Coppen
Company Suconfronted in	eden the	laws of So	Prisonal
Company Suconfronaled in the undersigned, on the	2329	day of	an 1902
The length of this claim is	1500		feet, and 'We
claim / OO			o ./
			,
direction, and	1400		feet in a
Northerly	direction from	the center of the	discovery monument, at which
this notice is posted, lengthwise of the claim, together	with	300	feet in
width of the surface grounds, on each side of the cente.	r of said claim.	The general cours	e of the lode deposit and prem-
ises is from the	to the	، رک	W,
The claim is situated and located in the RA	a Ruce		Mining District
in Javapar County, in the Te	erritory of Arizon	a about ON!	& one quarter mi
ina Wisterly	direction f	rom Mal	Made Smille
ma yy	direction i	10111	
The surface boundaries of the stairs are surfaced			
The surface boundaries of the claim are marked	upon the ground a	as follows: Begi	nning at 9 mon,
at a point in a Southerly	direction	100	feet from
the discovery monument, (at which this notice is post	ed), being in the co	enter of theS.d	end line of said
claim; thence S (C & 300			
the S., Corner of said co			
to a mon			
10 a	Deing at the	/.Y,	corner of said claim;
thence NGCOW 300			A STATE OF THE STA
center of the North end of said claim	; thence	c c w	feet of the state
to a non,			
thence S 24° W	feet to a	mo	21 at the
S. W., corner of said cla	im: thenceS	66°E	300
feet to the place of beginning.	,		
All done under the provisions of Chapter Six, or	f Title XXXII of	the Revised Statu	tes of the United States, and or
an Act of the General Assembly of Arizona, entitled			
This is an Amended Location Notice of the	Dure (Thine	Vining
amended March 2nd, 1899. This is an Amended Location Notice of the Claim, located by Source March 2007.	min C	20	
Claim, located by	}	2.	7-
The same of	011	the ∞	day of
and record	led in Book 💢	of Recoi	ds of Mines, at page 499
in the office of the County Recorder of the aforesaid C	County of	evepue	to which reference is hereby
made, and this Amended Location Notice is made and	d posted to corre	ct errors in the	description in the said original
Location Notice.	. d	0	
Dated and posted on the ground this $\mathcal L$	3. das	of	n 19 0 2
Dated and posted on the ground this	an	unicas.	Cohper Cowhave
	0000	n /	26/ 1/1/
	Dy	New 10	Han chard
			agent
			V

Records of Yavapar County, Aricana

Notice of Mining Location. LODE CLAIM.

	TO ALL WHOM IT MAY CONCERN:	
	This mining claim, the name of which is O O O O O O O O O O O O O O O O O O	
	uable mineral deposits, was entered upon and located for the purpose of exploration and purchase by	
	Hovel Mining Company, by Ben Blanch	n
	agent /	
	the undersigned on the 27th day of august, 190/	
	The length of this claim is 1500 feet,	
	and UU claim 990 feet,	
	in a northerly direction, andfeet in a southerly direction from the center of the discovery shaft, at which this notice is posted, length-	
	wise of the claim, together with three hundred (300) feet in width of the surface grounds, on each side of the center of said vein. The general course of the lode deposit and premises is from the	
,	northerly to the southerly. The claim is situated and located in the Common Mining District, in	
1	northerly to the southerly. The claim is situated and located in the Guo Fina Mining District, in workar County, in the Territory of Arizona, about 1/2 miles	
/	in a writer, direction from the Val Verde	
۶	in a writer, direction from the Val Verde function of the year by the Sun thing	
	The surface boundaries of the claim are marked upon the ground as follows: Beginning at a	
	monument of stones at a point in a northerly direction Muchund, Mutely feet from the discovery shaft (at which this notice is posted), being in the center of the north end	
	line of said claim; thence easterly 300 feet to a monument of stones, being the northeast corner of said claim; thence southerly 1500 feet to a monument of stones, being at the southeast corner of said	
	claim; thence westerly 300 feet to a monument of stones at the center of the south end of said claim; thence westerly 300 feet to a monument of stones, being at the southwest corner of said claim; thence	
	northerly 1500 feet to a monument of stones, being at the northwest corner of said claim; thence easterly 300 feet to the place of beginning.	
	All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning"	
	Mines," approved March 20th, 1895, and amended March 2nd, 1899, and March 16, 1901.	
	Dated and posted on the ground this 27th day of august 1901,	
	Company 1	,
	By Ben Blanchord agent	کو
	1 agent	,

"Eastern Coffee Prog leo.

RECORDED AT MACHINET OF

Ben Blanchard

Jan 24" A.D., 1902

At 1230 o'clock, R.

In Book 60 of Mines

Page# 119

Records of Yavapai County, Arizana,

Dy Dellivor months.

0

AMENDED

Motice of Mining Location.

LODE CLAIM.

To All Whom It May Concern: This mining claim, the name of which is the Scalery Copper
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral depo
its, was entered upon and located for the purpose of exploration and purchase by american Cofoser Company Suconfronted under the laws of arizonal the undersigned, on the 23 day of Jan 1902
The length of this claim is 1500 feet, and we
claim 285 feet in a Southerly
direction and 1215 feet in
direction, and 1215 feet in Southly direction from the center of the discovery monument, at whi
this notice is posted, lengthwise of the claim, together with 300 feet
width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and pres
ises is from the N, E, to the S, W
The claim is situated and located in the Rig Ring Mining Distric
in Yarafai County, in the Territory of Arizona, about one mile in a Wishing direction from Val Verde
The surface boundaries of the claim are marked upon the ground as follows: Beginning at
at a point in a Southuly direction 285 feet fro
the discovery monument, (at which this notice is posted), being in the center of the Sounds end line of so
claim; thence 5 ((6 det de
the S, E corner of said claim; thence N24°E 15'00 for
to a being at the N. E corner of said clair
thence NGC W 300 feet to a mon at t
center of the North end of said claim; thence NGGOW 300 fo
to a, being at the
thence 524°W 1500 feet to a more at t
S. W. corner of said claim; thence S. G. C. 300
feet to the place of beginning.
All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and
an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895, a
amended March 2nd, 1899.
This is an Amended Location Notice of the Certain Mini
Claim, located by Arvelle Miny Co.
amended March 2nd, 1899. This is an Amended Location Notice of the Secretary Coffse Mini. Claim, located by on the 37 = day On the 97 = day 190/, and recorded in Book of Records of Mines, at page 497
cleeful 190/, and recorded in Book ed of Records of Mines, at page 497
in the office of the County Recorder of the aforesaid County of Javaste to which reference is hered
made, and this Amended Location Notice is made and posted to correct errors in the description in the said origin
Location Notice.
Dated and posted on the ground this 23 day of Jan 19.02
By Ben Blanchard
1 agent.

Records of Yavapai County, All. 20 In Book Of My

"COPPER CHIEF"

NOTICE OF MINING LOCATION QUARTZ CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Copper Chief Mining Tlaim, situate on lands belonging to the United States of Americ, and in which there are valuable mineral deposits, was entered upon and located for the purpose of explomation and purchase by J. R. Hagins, the undersigned on the 20th day of March 1899.

ase by J. R. Hagins, the undersigned, on the 30th day of March, 1899.

The length of this claim is 1500 feet, and said claim is 150
feet in a Southly direction and 1350 feet in a northly direction
from the center of the discovery shaft, at which this notice is
posted, lengthwise of the claim, together with 300 feet in width
of the surface grounds, on each side of the center of said claim.
The general course of the lode deposit and premises is from the
south or South east to the North or North West,

The claim is situated and located in the Agua Fria Mining District, in Yavapai County, in the Territory of Arizona, about adjoining the Iron King and Bonanza Mining Claims on the west.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a at a point in a south Easterly direction a Bout 200 feet from the discovery shaft (at which this notice is posted), being in the center of the Sotherly end line of said claim; thence Northerly 300 feet to a monument being the Southwest corner of said claim; thence Northerly 750 feet to a monument at the center of the mortherly side line of said claim; thence northerly 750 feet to a monument being at the northwest corner of said claim; thence easterly 300 feet to a monument at the center of the north end of said claim; thence easterly 300 feet to a monument being at the mort east corner of said claim; thence Southerly 750 feet to a monument being at the center of the easterly side line of said claim; thence Southly 750 feet to a monument at the Southeast corner of said claim; thence westerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines", approved March 20, 1895.

Dated and posted on the ground this 20th day of March 1899. W tness J R. Hagins

Chas Roberts
John Roper.

Filed and recorded at request of J. R. Hagins, May 18" A. D. 1899, at 9:31 o'clock A. M., Book 53 of Mines, page 83, Records of Yavapai County, Arizona.

佛像亦非常亦亦亦亦亦亦亦亦亦亦亦亦亦亦亦亦亦

(SEAL) W. I. Johnson, County Recorder By P. J. Farley, Deputy Recorder.

Territory of Arizona, * :SS

County of Yavapai.

I, P. J. Farley, County Recorder in and for the County of Yavapai, in the Territory of Arizona, and Custodian of the Records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the notice of location of the "COPPER CHIEF" Mining Claim, as the same appears of record in my office in Book 52 of Mines, at page 83. Records of Yavapai County. Arizona.

page 33, Records of Yavapai County, Arizona.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal, this 18th day of September 18. 1903.

By 6.6 Mint Deputy.

AMENDED

Motice of Mining Location.

To All Whom It May Concern:
This mining claim, the name of which is the States of America and in which there are valuable mineral depos
Anning Claim, Situate on lands belonging to the Cineta States of America, and in Winer Incre are Valuable in the Control of the Cineta States of America, and in Winer Incre are Valuable in the Control of the Cineta States of America, and in Winer Incre are Valuable in the Control of the Cineta States of America, and in Winer Incre are Valuable in the Control of the Control of the Cineta States of America, and in Winer Incre are Valuable in the Control of the Cineta States of America, and the Winer Incre are Valuable in the Control of the Control of the Cineta States of America, and the Winer Incre are Valuable in the Control of
the undersigned, on the 23 nd day of fan 1902 The length of this claim is 1500 feet, and We
claim 425 feet in a Northerly
direction, and 1075 feet in a Southful feet in a direction from the center of the discovery monument, at which
this notice is posted, lengthwise of the claim, together with 300 feet in
width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and prem-
ises is from the
The claim is situated and located in the Brig Burg Mining District,
in Garapar County, in the Territory of Arizona, about One one half m in a Wishing My direction from Lal Vir de
The surface boundaries of the claim are marked upon the ground as follows: Beginning at,
at a point in a Northury direction 42.5 feet from the discovery monument, (at which this notice is posted), being in the center of the North end line of said claim: thence N. 6.6 N. 30 N. feet to a North heing the N. N. N. S. N.
masch 19.9. and recorded in Book 52 of Records of Mines, at page 83
in the office of the County Recorder of the aforesaid County of Garahai to which reference is hereby
made, and this Amended Location Notice is made and posted to correct errors in the description in the said original
Location Notice.
Dated and posted on the ground this 28 day of dr 1902
made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice. Dated and posted on the ground this 28 day of Jan 19.02 Auenican Copper Company, By Bur Blanchord. Agent.
" agent.

RECORDED AT REQUEST OF

Records of Yavapai County, Aric. 28.

NOTICE OF LOCATION.



KNOW ALL MEN BY THESE PRESENTS:

That. He undersigned, have this day located fifteen hundred (1500) linear feet of this vein or lode, bearing precious metals, with all dips, spurs, angles and variations, with surface ground three hundred (300) feet on each side of the center of vein, with all mineral deposits contained therein, and all timber growing within the limits of said claim, and all water and water privileges theron or appurtenant thereto, under and according to the provisions of the Mining Laws of the United States, under which it is located.

This claim commences at this Monument and Notice placed upon the ledge, and runs feet in a northerly direction and Isoffeet in a southerly direction along the ledge, from discovery shaft.

The exterior boundaries are as follows, viz: Commencing at a monument of stone on west boundary line, distant three hundred (35) feet in a westerly direction from discovery monument; thence in a

This ledge may be more generally described as situated
of a chile west of Big Bury authorish
and hun sabelle with dron Ring
Miring Chain on the Est and Lay
over dron King Millette und Con
and Offering and also carnes o
To dron King on The you Cast
in Mining District, Yavapai County, Arizona Territory, and
shall be known as the Line Ruch Mining Claim.
Dated on the ground this
Hisness Chal Roberts & R Warying
Marie Challes
J. Jourson

1 Depri H" 1. D., 1901

At 255 o'clock. P. M.
In Book 5 - of Menes Pages Alecords of Vavapal County, Alizzen folmson mayor

AMENDED

Motice of Mining Location.

To All Whom It May Concern:
This mining claim, the name of which is the Lune Cock
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral depos-
its, was entered upon and located for the purpose of exploration and purchase by American Coppen Company luconfronted under the laws of arrange of the undersigned, on the 23 rd day of fan 1902
The length of this claim is 1500 feet, and wr. claim 570 feet in a Southerly
direction, and 930 feet in a
direction from the center of the discovery monument, at which
this notice is posted, lengthwise of the claim, together with 300 feet in
width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and prem-
ises is from the M. C. to the S. W.
The claim is situated and located in the Rig Sug Mining District,
in Javahai County, in the Territory of Arizona, about one & one quarter m
ina Wishinly direction from Val Verde
The surface boundaries of the claim are marked upon the ground as follows: Beginning at
at a point in a Southerly direction 5.70 feet from
the discovery monument, (at which this notice is posted), being in the center of the one of the end line of said
claim; thence 5 (C & 300 feet to a mon , being
the S , E corner of said claim; thence 1/24°E /500 feet to a being at the 1/26 corner of said claim;
thence N66°W 300 feet to a more at the
center of the North end of said claim; thence NG6 V
to a, being at the/
thence S 24° W 15' OU feet to a mon at the
S. M. corner of said claim; thence S. G. C. E. 300
feet to the place of beginning.
All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of
an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895, and
amended March 2nd, 1899. This is an Amended Location Notice of the Lime Rock Mining Claim, located by J. A. Hagins J. Johnson On the 1212 day of
Claim, located by J. A. Hagins & J. S. Johnson
on the 12 day of 19.00, and recorded in Book 54 of Records of Mines, at page 8.9
in the office of the County Recorder of the aforesaid County of Javafren to which reference is hereby
made, and this Amended Location Notice is made and posted to correct errors in the description in the said original
Location Notice.
Dated and posted on the ground this 23" day of an 19 02 Querican Coppe Confrancy
By Ben Blanchard!
Lagent.

RECORDED AT HEQUEST OF

Pages

Records of Yavapai County, Aric 32,

Notice of Mining Location. LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:	
This mining claim, the name of which is Of Ween Statten	
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was fentered upon and located for the purpose of exploration and purchase by	
Huning Company, by Ben	
Dlauchord, Agent	
the undersigned on the 26th day of Cursul, 1901,	
The length of this claim is	
and R claim 660 feet,	
in a northerly direction, and	
wise of the claim, together with three hundred (300) feet in width of the surface grounds, on each side of the center of said vein. The general course of the lode deposit and premises is from the	
The claim is situated and located in the Guafina Mining District, in Javapae County, in the Territory of Arizona, about 1/2 miles	
iga wester direction from the val verde	
Swelley of hounded on the Wast of the Din	ع
Rock Mining Claim are marked upon the ground as follows: Beginning at a	
monument of stones at a point in a northerly direction 660 feet from the discovery shaft (at which this notice is posted), being in the center of the north end	
line of said claim; thence easterly 300 feet to a monument of stones, being the northeast corner of said claim; thence southerly 1500 feet to a monument of stones, being at the southeast corner of said	
claim; thence westerly 300 feet to a monument of stones at the center of the south end of said claim; thence westerly 300 feet to a monument of stones, being at the southwest corner of said claim; thence	
northerly 1500 feet to a monument of stones, being at the northwest corner of said claim; thence easterly 300 feet to the place of beginning.	
All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895, and amended March 2nd, 1899, and March 16, 1901.	
n/th	
Dated and posted on the ground this Lo day of day of 1901,	
Company	
By Beul Haucher	C
ageu	

Loppin Platter Lea. Howell Ming les.

Ben Blanchard

Jan 24" A. D., 1902

At 1230 o'clock R M.

In Book 60 of Mines

Paged 498

Records of Vavapai County, Anima

Ly Farley

County Provided

By Dellivan Lynn 1

RECORDED AT RECUEST, OF

8

AMENDED

Motice of Mining Location.


To All Whom It May Concern:
This mining claim, the name of which is the bopber Saller
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral depos-
its, was entered upon and located for the purpose of exploration and purchase by Autorian Coffeen
Company Inconfeorated under the laws of Arizona the undersigned, on the 23 rd day of Jan 1902
the undersigned, on the 23 rd day of 1902
The length of this claim is 1500 feet, and we
claim 800 feet in a Southerly
direction, and feet in a
Northurly direction from the center of the discovery monument, at which
this notice is posted, lengthwise of the claim, together with
width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and prem-
ises is from the Sw
The claim is situated and located in the Ba'g Bacy Mining District,
in Garafai County, in the Territory of Arizona, about one mile
in a Wishry direction from Mal Vincle
Smelter
The surface boundaries of the claim are marked upon the ground as follows: Beginning at
at a point in a Southurly direction 800 feet from
the discovery monument, (at which this notice is posted), being in the center of the South end line of said
claim; thence S C C C 300 feet to a non, being
the S & corner of said claim; thence N24°C 1500 feet
to a being at the E corner of said claim;
thence VCC°W 300 feet to a mon, at the
center of the North end of said claim; thence IV 66° W 300 feet
to a , being at the /V , corner of said claim;
thence 524°W 1500 feet to a mon at the
corner of said claim; thence S. G. C. B. B. O.
feet to the place of beginning.
All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of
an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895, and
amended March 2nd, 1899.
This is an Amended Location Notice of the Conference Mining
This is an Amended Location Notice of the Coffee Cleelle Mining Claim, located by Sowele Mining on the 265 day of
on the day of
Cliegue 1901, and recorded in Book 60 of Records of Mines, at page 498,
in the office of the County Recorder of the aforesaid County of Javelsee to which reference is hereby
made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.
Dated and posted on the ground this 28 day of an 19 0 2
Dated and posted on the ground this 23 rd day of an 19.0.2
allerican opportunations.
Dy Beuf Flauchord!
agail
· · · · · · · · · · · · · · · · · · ·

Pages. 14-76
Roonds of Varapal County, And 36.

Motice of Mining Location.

To All Whom It May Concern: Coppe Price Ro, one
Mining Claim, situate on lands belonging to the United States of America, and in which there
are valuable mineral deposits, was entered upon and located for the purpose of exploration and
purchase by Charles Roberts
1 2 2 th land May 1000
the undersigned, on the 28 day of May 1900.
The length of this claim is feet,
and claim feet
in a Morrow direction, and
feet in a direction from
the center of the discovery, shaft, at which this notice is posted, lengthwise of the claim, together
with the surface grounds, on each
sife of the center of said claim. The general course of the logist deposit and promises is from the
porth-wart to the porth-loss ubdivings
The claim is situated and located in the Lyna Fine hum with Mining District, in
County, in the Territory of Arizona, about
Vin a North-costy direction from the Old Glog dell William
Porceded on the South by Coppe Poince No. two mining Claims
The surface boundaries of the claim are marked upon the ground as follows: Beginning at
a moune of the claim are marked upon the ground as ronows. Deginning at
at a point in a Southy direction Eighteen of feet from
the discovery shaft (at which this notice is posted), being in the center of the south end line of said claim; thence south geet to a Mostument
heing the John corner of said claim; thence
the side line of said claim; thence Morthury 750
feet to a Manual Moreing at the North-low corner of said
corner of said claim; thence sattles 750 feet to a Missium
thence 2 the center of the feet to a Monument And Lat
the summer of said claim; thence said claim;
feet to the place of beginning.
All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of
the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concern-
ing Mines," approved March 20th, 1895, and amended, March 2d, 1899.
Dated and posted on the ground this 28 day of 1900.
Chal Roberts
Helnes
0000
1 totuon

TERRITORY OF ARIZONA, } ss.	
County of	
<i>I</i> ,	
Territory aforesaid, do hereby certify that the within instrument	was filed for record ato'clock,
on thisday of	1, and duly recorded in Book No
ofRecords ofRecords	County, Arizona, at pages
WITNESS my hand and official seal the	day and year first above written.
	County Recorder
3	>
	1.



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end mouument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

Motice of Mining Location.

To All Whom It May Concern:
This mining claim, the name of which is the Oppel Prince Vol
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral depos-
its, was entered upon and located for the purpose of exploration and purchase by divercean Cofspen
Company suconsporoled under the laws of anigona
Company becomposated under the laws of anizonal the undersigned, on the 2300 day of Jan 1902
The length of this claim is 1500 feet, and we
claim 80 feet in a Southerly
direction, and 1420 feet in a
Anthury direction from the center of the discovery monument, at which
this notice is posted, lengthwise of the claim, together with \$\int 00\$ feet in
width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and prem-
ises is from the \mathcal{N} , \mathcal{E} , to the \mathcal{S} , \mathcal{W} ,
The claim is situated and located in the Big Bug Mining District,
in Yavapai county, in the Territory of Arizona, about one & one half m
in a Wishing direction from Val Verde
Smilter
The surface houndaries of the claim are marked upon the ground as follows: Beginning at
at a point in a Southerly direction & O feet from
the discovery monument, (at which this notice is posted), being in the center of the South end line of said
claim; thence S 66 & 300 feet to a mon being
the S, E, corner of said claim; thence N240 E 1500 feet
to a being at the N, e, corner of said claim;
thence NGOW 300 feet to a mon at the
center of the North end of said claim; thence N 660 W 200 feet
to a, being at the, \(\mathcal{N} \) corner of said claim;
thence $S 24^{\circ} W$ 1500 feet to a mon at the
thence S 24° W 1500 feet to a mon at the S , W corner of said claim; thence S 66° E 300
feet to the place of beginning.
All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of
an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895, and
amended March 2nd, 1899.
This is an Amended Location Notice of the Copper Prince Not Mining Claim, located by Chas Roberts on the 28th day of
Claim, located by Octo Octo
May 1900, and recorded in Book 5 6 of Records of Mines, at page 331
in the office of the Country Recorder of the Country R
in the office of the County Recorder of the aforesaid County of Jurah to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original
Dated and posted on the ground this 23 rd day of Jan 1902 Guerican Coppe Company By Ben Blanchord.
Colabo Culhani
no solo
12y Deut Blanchort.
1 Larin

RUGARED AT REPORTED

In Book 61 MV

Goords of Vavapal County, Art. 12.

Motice of Mining Location.

To fill William III (Dan Cancara)
To All Whom It May Concern: This Mining claim the name of which is the Shar Prince No two
This Mining claim, the name of which is the States of America, and in which there
are valuable mineral deposits, was entered upon and located for the purpose of exploration and
purchase by Charles Roberts
parenase by
the undersigned, on the 28th day of Moy 1900.
The length of this claim is fifteen toureseed feet,
and claim 27 feet
in a Northely direction, and 1473
feet in a frutter direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together
with The house feet in width of the surface grounds, on each
side of the fenter of said claim. The general course of the lode deposit and promises is from the
fruth - want to the howth - lost handing the
The claim is situated and located in the lequaling Mining District, in the
County, in the Territory of Arizona, about
in and Entry direction from the allow hell live
and founded on the north y copper Prince ho one mininglain
The surface boundaries of the claim, are marked upon the ground as follows: Beginning at
Municipal and Prope
at a point in a hother direction twenty-never seet, from
the discovery shaft (at which this notice is posted), being in the center of the
end ling of said claim; thence Entry 3 or feet to a Municul
being the the corner of said claim; thence
feet to a function of the at the center of
the side line of said claim; thence The said Claim;
claim; thence Math 300 feet to a Manual of World
at the center of the houth end of said claim; thence With 300
feet to a Morning the being at the grath-uses
corner of said claim; thence Mother 750 feet to a Morume
of Major, being at the center of the West, side line of said claim;
thence have from his said claims thereof to a Manuscript that at
the parties with a said claim; thence the said claim; thence
feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of
the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concern-
ing Mines," approved March 20th, 1895, and amended March 2d, 1899.
Dated and posted on the ground this 25th day of 1900.
milaro Chalkoberts
Doling
101/

This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

Independi-	/ 1		
Compared the	 		
1 specific to specific forces		of	TE Cou
Motice of Location.		this	TERRITO County of I, Territory a
LODE CLAIM.	Property of		OKY (
Chas. Roberts	ENLIA PALLA		TERRITOKY OF ARIZONA, ss. County of
Agua Fria	WITNESS my hand and official seal the day and year first above written.	Records of.	ertify that the v
	d offic	f	vithin
Dated May 783 1900.	vial seal t		instrum
Filed and recorded at request of	he da		ent wa
Joe Mayer	y and year	1	as filed for
A. D. 1900,	first	, and	County Recorder in
at 9. Cleboch CM.	above	and duly	Recor
Book Of Mines	writ	recorde Arizone	đer ir
Page Accords of YAVAPAT COUNTY, ARIZONA.		fed in	
County Recorder.	County kecorder	County, Arizona, at pages	and for the County and
By I Malles	keoor	No	Coun
Deputy Recorder.	ler		nty and
THE H. H. MC NEIL CO., PRINTERS, PHOEMIX, ARIZONA		•	. a

AMENDED

Motice of Mining Location.

To All Whom It May Concern:
This mining claim, the name of which is the Coffee Vorice No 2
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral depos-
its, was entered upon and located for the purpose of exploration and purchase by American Copper
Company Incorporated under the laws of Drizonal
the undersigned, on the 23 2 day of fan 19 0. 2
The length of this claim is 1500 feet, and we
claim 220 feet in a Northing
direction, and 1280 feet in a
Soullittle, direction from the center of the discovery monument, at which
this notice is posted, lengthwise of the claim, together with 3.0.0 feet in
width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and prem-
ises is from the NE to the SW
The claim is situated and located in the Brig Brig Mining District, in Javafian County, in the Territory of Arizona, about one & one half in
in Yavahai County in the Territory of Arizona about one & one half in
in a Westerly direction from Wal Wirele
Smeller
The surface boundaries of the claim are marked upon the ground as follows: Beginning at
at a point in a Northerly direction 220 feet from
the discovery monument, (at which this notice is posted), being in the center of the North end line of said
claim; thence N 66 W 300 feet to a mon, being
the W. W. corner of said claim; thence 524 W /500 feet
to a Nivn, being at the S. W. corner of said claim;
thence 5 66 6 300 feet to a more at the
center of the South end of said claim; thence S 66 6 300 feet
to a mon , being at the 5 , corner of said claim;
thence N 240 C 1500 feet to a 2001 at the
1 Corner of said claim; thence N 660 W 300
feet to the place of beginning.
All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of
an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895, and
amended March 2nd, 1899.
This is an Amended Location Notice of the Coffee Coffee Coffee Mining
This is an Amended Location Notice of the Copper Prince N° 2 Mining Claim, located by Chas Robin 6 on the 28 th day of
on the 28th day of
may 19 0, and recorded in Book 5 6 of Records of Mines, at page 332,
in the office of the County Recorder of the aforesaid County of Lavas at to which reference is hereby
made, and this Amended Location Notice is made and posted to correct errors in the description in the said original
Location Notice.
Dated and posted on the ground this 23 day of 1902
Dated and posted on the ground this 23rd day of Jan 1902 Guen'can Coppe Company By Ben Blanchord
Rand.
1

S.



"COPPER PRINCE"

NOTICE OF LOCATION

KNOW ALL MEN BY THESE PRESENTS:

That I the undersigned have this day located Fifteen Hundred (1500) linear feet of this vein or lode bearing precious metals with all dips, spurs, angles, and variations with reference surface ground Three Hundred (300) feet on each side of the center of vein with all mineral deposits contained therein and all timber growing within the limits of said claim and all water and water privileges thereon or appurtenant thereto, under and agraning according to the provisions of the United States Mining laws under which it is located.

This claim commences at this monument and notice placed upon the ledge, and runs 750 feet in a northerly direction and 750 feet in a southerly direction along the ledge from discovery shaft.

The exterior boundries are as follows, viz:

Commencing at a monument of stone on west boundary line, distant

Three Hundred (300) feet in a westerly direction from discovery
monument; thence in a northerly direction parallel with the

ledge 750 feet to monument of stone at N.W. corner of claim; thence
in a Easterly direction at right angles across the ledge (300)

Six Hundred feet to monument of stone at N.E. corner of claim; thence
in a southerly direction parallel with the ledge Fifteen Hundred

(1500) feet to monument of stone at S.E. corner of claim; thence
at right angles across the ledge in a westerly direction Six Hundred

(600) feet to monument of stone at S.W. corner of claim; thence
in a northerly direction parallel with the ledge 750 feet to
monument on west boundary, and place of beginning.

This ledge may be more generally described as situated about of each half mile north of east of the Silver Belt mine extension, and the Iron King mine on the south, in the McCabe District, and will be known as the Copper Price. The necessary location work has been done, in the McCabe Mining District, Yavapai County.

ARIZONA TERRITORY

And shall be known as the Copper Price Mining Claim. Dated on the ground this 8th day of April, 1898

Chas. Roberts, Locator

James Hoggin

Witness:

Recorded at request of Chas. Roberts June 14th A.D. 1898 at 9:00 o'clock A.M. in book 49 of Mines, page 106, Records of Yavapai County, Arizona.

(SEAL) W.I.Johnson

By E.C. Averyt Deputy County Recorder

Territory of Arizona,) County of Yavapai.

By E. G. Avery

I, P. J. FARLEY, County Recorder in and for the County of Yavapai, in the Territory of Arizona, and Custodian of the Records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the notice of location of the "COPPER PRINCE" Mining Claim, as the same appears of record in my office in Book 49 of Mines, at page 108, Records of Yavapai County, Arizona.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal, this 18th day of September, A. D. 1903.

90

11

Motice of Mining Location.

To All Whom It May Concern:
Con hay [Tomage
/ •
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by American Coffeen
its, was entered upon and located for the purpose of exploration and purchase by square care
Company Inconferential under the laws of Arizonal the undersigned, on the 23rd day of Jan 1902
the undersigned, on the 23 day of 10.0.2
The length of this claim is 1500 feet, and WE
claim 120 feet in a Northerly direction, and 1380 feet in a
direction from the center of the discovery monument, at which
this notice is posted, lengthwise of the claim, together with 300
width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and prem-
ises is from the NE to the SM
The claim is situated and located in the Big Big Mining District,
in Garapai County, in the Territory of Arizona, about one & one great in mile
in a Westerly direction from Val Wirde
S mellest
The surface boundaries of the claim are marked upon the ground as follows: Beginning at 9 Mon
The surface boundaries of the claim are marked upon the ground as follows. Beginning ac-
at a point in a Northerly direction 120 feet from
the discovery monument, (at which this notice is posted), being in the center of the North end line of said
claim; thence NGC W 300 feet to a mon, being
the N, W, corner of said claim; thence 5 24°W 13.00 feet
to a mon, being at the S, lv, corner of said claim;
thence S G G E 300 feet to a mon at the
center of the South end of said claim; thence \$ 66 6 8
to a now, being at the S.C. corner of said claim;
thence IV 24°E 1500 feet to a mon, at the
NE corner of said claim; thence NGGOW 300
feet to the place of beginning.
All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of
an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895, and
· ·
This is an Amended Location Notice of the Copper Pluce Mining
amended March 2nd, 1899. This is an Amended Location Notice of the Copper Punce Mining Claim, located by Chas Roberts on the 8th day of
on the 8 th day of
April 18.98 and recorded in Book 49 of Records of Mines, at page 10 6
Office of the County Recorder of the aforesaid County of Garafai to which reference is hereby
made, and this Amended Location Notice is made and posted to correct errors in the description in the said original
Dated and posted on the ground this 23 rd day of Lan 19 02
Dated and posted on the ground this 23 rd day of Jan 1902 Our Coupaux By Bew Blanchord
mencan to providing
Dy Dew Hanchord

RECORUSED AT ESFOUEST OF

John 3/". 1. 1). 190.2

At 10 000: 3kg USI.

In Book 61 of Mines

Pages 54-56

Records of Yavapal County, Air 221

Bylharles Battyen

Notice of Mining Location. LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:
This mining claim, the name of which is Coffee Mount Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by
uable mineral deposits, was entered upon and located for the purpose of exploration and purchase by
Howell Mining Company By Bew Blanchard agent,
the undersigned on the 26th day of August, 1901.
The length of this claim is
and the claim 540 feet,
in a northerly direction, and 960 feet
wise of the claim, together with three hundred (300) feet in width of the surface grounds, on each side of the center of said vein. The general course of the lode deposit and premises is from the
The claim is situated and located in the Aqua Fria Mining District, in
in a South Hesterly direction from Val Verde Smellen
in a South Hesterly direction from Val Verde Smellen
bounded on the north by the Line Rock mining Claim
The surface boundaries of the claim are marked upon the ground as follows: Beginning at a
monument of stones at a point in a northerly direction 540 feet from the discovery shaft (at which this notice is posted); being in the center of the north end
line of said claim; thence easterly 300 feet to a monument of stones, being the northeast corner of said claim; thence southerly 1500 feet to a monument of stones, being at the southeast corner of said claim; thence westerly 300 feet to a monument of stones at the center of the south end of said claim; thence westerly 300 feet to a monument of stones, being at the southwest corner of said claim; thence northerly 1500 feet to a monument of stones, being at the northwest corner of said claim; thence easterly 300 feet to the place of beginning.
All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines" approved March 20th, 1895, and amended March 2nd, 1899, and March 16, 1901.
Dated and posted on the ground this 26th day of Quyust 1901.
Dated and posted on the ground this 26th day of Quyust 1901. Nowell Minning Company By Ben Blanchard
By Ben Blanchard

Copper Mouring Co Aug v6" 1901 Agua Fria

RECORDED AT REQUEST OF

Pages....

Records of Varapai County, Aviance,

Wellivan Dansy.

AMENDED

Motice of Mining Location.

To All Whom It May Concern:				
This mining claim, the name of which is the Opper Mulli				
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral depos-				
its, was entered upon and located for the purpose of exploration and purchase by american Copper				
Company Inconforated under the laws of anizonal				
the undersigned, on the 28 rd day of an 1902				
The length of this claim is 1500 feet, and wo				
claim 550 feet in a Northurl				
direction, and 950 feet in a				
Southerly direction from the center of the discovery monument, at which				
this notice is posted, lengthwise of the claim, together with 300 feet in				
width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the to the				
The claim is situated and located in the Brig Mining District,				
in Janapai County, in the Territory of Arizona, about one & one grantin mi				
5 mellers direction from Val Veral				
The surface boundaries of the claim are marked upon the ground as follows: Beginning at				
at a point in a Northerly direction 350 feet from				
the discovery monument, (at which this notice is posted), being in the center of the Worth end line of said				
claim; thence NGCOW 300 feet to a mon being				
the W, W corner of said claim; thence 5240W /500 feet				
to a mon being at the S. W. corner of said claim;				
thence S 6 6 ° E 300 feet to a mon, at the				
center of the South end of said claim; thence S 6 6 6 8 300 feet				
to a Mon , being at the S & corner of said claim;				
thence N240 E 1500 feet to a mon at the				
NE corner of said claim; thence NGG W 300				
feet to the place of beginning.				
All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of				
an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895, and				
amended March 2nd, 1899. This is an Amended Location Notice of the Copper Mount Claim, located by Arrole Mining Co.				
Claim, located by Arrolle Mining Co.				
On the 26 day of Ceequet 1901, and recorded in Book 60 of Records of Mines, at page 5/2				
celegret 190/, and recorded in Book 60 of Records of Mines, at page 3/2,				
in the office of the County Recorder of the aforesaid County of Juruface to which reference is hereby				
made, and this Amended Location Notice is made and posted to correct errors in the description in the said original				
Location Notice. Dated and posted on the ground this 23 rd day of 1904				
Dated and posted on the ground this 28 rd day of Jen 19.0. A Queen care CopperCompany				
By Bur Blanchord,				
1 agent.				

o O

Notice of Mining Location. LODE CLAIM.

	TO ALL WHOM IT MAY, CONCERN:
	topher Haw
	This mining claim, the name of which is. Mining Claim, situate on lands belonging to the United States of America, and in which there are val-
	uable mineral deposits, was entered upon and located for the purpose of exploration and purchase by
	Atroll Mining Company, By Ben
	Blanchard, Egelet -
	the undersigned on the 26th day of august, 190/,
	The length of this claim is
	and UR claim 50 feet,
	1450
	in a northerly direction, andfeet in a southerly direction from the center of the discovery shaft, at which this notice is posted, length-
	wise of the claim, together with three hundred (300) feet in width of the surface grounds, on each
	side of the center of said vein. The general course of the lode deposit and premises is from the northerly to the southerly.
4	The claim is situated and located in the The The Claim is situated and located in the
f	orofoe County, in the Territory of Arizona, about 1/2 wells
7	in a Sneth-westers girection from the Val Verde Swell
	in a trace of the direction from the trace of the state o
	thruded for the West by the Copps Mond
	The surface boundaries of the claim are marked upon the ground as follows: Beginning at a
	monument of stones at a point in a northerly directionfeet from the discovery shaft (at which this notice is posted), being in the center of the north end
	line of said claim; thence easterly 300 feet to a monument of stones, being the northeast corner of
	said claim; thence southerly 1500 feet to a monument of stones, being at the southeast corner of said claim; thence westerly 300 feet to a monument of stones at the center of the south end of said claim;
	thence westerly 300 feet to a monument of stones, being at the southwest corner of said claim; thence
	northerly 1500 feet to a monument of stones, being at the northwest corner of said claim; thence easterly 300 feet to the place of beginning.
	All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the
	United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895, and amended March 2nd, 1899, and March 16, 1901.
	2 Th
	Dated and posted on the ground this 26th day of lenguest 1901,
	Howell Mining
	Couchage
	13 13 1120 0
	y dey Hauchon
	,

indesed wing led

RECORDED AT HEOUST QUE

Sen Dianchard

Gan 24" A. D., 1902

At 1230 o'clock M.

In Book 60 of Mines

Rugel 500

Miss of Yavapai County, Mizera.

Pyf Hulley

Gounty Rodorder.

Miss Deputy.

9)

Motice of Mining Location.

To All Milhou	It Inon Concern.	-			
This mining claim, the name of which is the					
	/ / /				
Mining Claim, Situate of	on lands belonging to the United States of America, and in which there are	valuable mineral depos-			
its, was entered upon an	nd located for the purpose of exploration and purchase by Aucerica	n coppin			
Company &	lucorporated under the laws of Arizo	n a			
	the undersigned, on the day of day of	192			
	s claim is 1500	feet, and UR			
	50 feet in a	mers			
1	direction, and 1450	The second secon			
	nerly direction from the center of the discover				
	ounds, on each side of the center of said claim. The general course of the	1717			
The eleien in aitu	B 10 B	Villadian Pilataila			
ine claim is situ	nated and located in the Big Bing	Mining District,			
in Julian	County, in the Territory of Arizona, about Cristian direction from 2 a l	VVII 1			
in a West (1)					
The surface boun	ndaries of the claim are marked upon the ground as follows: Beginning a				
	n. 11 - 1				
	or therefy direction 50				
	ent, (at which this notice is posted), being in the center of the				
	GOU 300 feet to a liven				
	corner of said claim; thence 24°W	1			
/	being at the , l,				
	300 feet to a m_{v}	55,40,600 100.00			
center of the Sou	end of said claim; thence S C C O E	300 feet			
to a mon	, being at the S	corner of said claim;			
thence N24°	£ 1500 feet to a mon	at the			
	corner of said claim; thence N. G. C. W.				
feet to the place of beg					
All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of					
an Act of the General	I Assembly of Arizona, entitled "An Act Concerning Mines," approved	March 20th, 1895, and			
amended March 2nd, 1	899. Losh Con.				
This is an Amend	ded Location Notice of the	Mining			
Claim, located by	ded Location Notice of the Copper (Van Arwele Mining Co. on the 26	<i>a</i> -			
0	on the	day of			
acegrin	1907, and recorded in Book 60 of Records of	Mines, at page 000,			
in the office of the County Recorder of the aforesaid County of Juvapue to which reference is hereby					
made, and this Amended Location Notice is made and posted to correct errors in the description in the said original					
Location Notice.	d on the ground this 23 rd day of fan	19.02			
Dated and poster	d on the ground this and day of function of the day of	Mer Company			
	american Co	ypen company			
	134 Bent Han	ichord			
	/	agul.			

Figure 1 Tarley

RESOLUTION STEST CI

ALLO O'CLORY USA.

In Book Of of Margai County, Alia Sa.

Pages 70-72

RECORDS OF Varapai County, Alia Sa.

County of correct,

County of correct,

Depharles Battyrous.

NOTICE OF LOGATION.

KNOW ALL MEN BY THESE PRESENTS:
Thatthe undersigned, have this day located fifteen hundred (1500) linear feet of this vein or lode, bearing precious metals, with all dips, spurs, angles and variations, with surface ground three hundred (300) feet on each side of the center of vein, with all mineral deposits contained therein, and all timber growing within the limits of said claim, and all water and water privileges thereon or appurtenant thereto, under and according to the provisions of the United States Mining Laws, under which it is located.
This claim commences at this Monument and Notice placed upon the ledge, and runs
feet in a Northerly direction and .75.0. feet in a southerly direction along the ledge, from discovery shaft.
The exterior boundaries are as follows, viz: Commencing at a monument of stone on West boundary line, distant three hundred (300) feet in a westerly direction from discovery monument; thence in a
northerly direction parallel with the ledge 7.5 feet to monument of stone at N. W. corner of claim; thence in an easterly direction at right angles across the ledge six hundred (600) feet to monument of stone at N. E. corner of claim; thence in a southerly direction parallel with the ledge fifteen hundred (1500) feet to monument of stone at S. E. corner of claim; thence at right angles across the ledge, in a westerly direction six hundred (600) feet to monument of stone at S. W. corner of claim; thence in a
northerly direction parallel with the ledge 750 feet to monument on West boundary and place of beginning.
This ledge may be more generally described as situated in Mc Cabe
Mining District and a bout three quarters of a mile South East of The Silver & elf-mining Shaft and old Thorks and is bounded on the North End by The copper Prince Claim and is Silvated a bout Three quarters of a mile North Thest from The Hail Boad and is Silvated
$\neg n$ ρ 1
in Me Cabe Mining District, Yavapai County, Arizona Territory, and shall be known as the New Road Mining claim Dated on the ground this Bay and Ony ust A 2 189 &
Taylor Gearhart

New Road

Notice of Location

Saylor General.

Aug. 13" 1898

McCale.

RECORDED AT REQUEST OF

Suffey Gearbark

At Gal o'clock a M.

In Book 4 9 of Mills

Pages 132

Records of Yavapai County Remorder

When the county R

3

AMENDED

Motice of Mining Location.

Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Acceptable Like Corresponding on the Line of the Corresponding of the Provided Mining Claim; thence S & C & C & 3 & 0 & feet to a Mining Claim; thence S & C & C & 3 & 0 & feet to a Mining Claim; thence M & Mining Mining Claim; the County of Mining Mining Claim; the Mining Claim; the County of Mining Mining Claim; the	To All Whom It May Concern: This mining shain the name of which is the
its was entered upon and located for the purpose of exploration and purchase by Accessive and Coffee Consequency Interspread to the chain is the undersigned, on the 23 day of 15 may 19.02 feet in a 10.00 fe	This infilling claim, the name of which is the
direction, and 10 70 feet in a Secultarity direction from the center of the discovery monument, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the N & to the \$100 feet in feet in feet in session that N & to the \$100 feet in feet in feet in feet in session that N & to the \$100 feet in f	its, was entered upon and located for the purpose of exploration and purchase by American Coffeen Conferry Incomposated under the laws of Arizonal the undersigned, on the 23 day of Jan 1902 The length of this claim is 1500 feet, and 200
direction from the center of the discovery monument, at which this notice is posted, lengthwise of the claim, together with. **Document** of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the **N** & to the **Side of the claim is situated and located in the **B** & to the **Side of the claim is situated and located in the **B** &	
this notice is posted, lengthwise of the claim, together with. Width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the N. S. The claim is situated and located in the D. G. D. L. Y. Mining District, in J. C. County, in the Territory of Arizona, about CULL V. C. L. L. L. L. III in a William of the claim are marked upon the ground as follows: Beginning at A. D. L. L. L. L. III in a William of the claim are marked upon the ground as follows: Beginning at A. D. L.	Doubtely direction from the center of the discovery monument, at which
The claim is situated and located in the B' 9 N. 19 Mining District, in 1900 1901 1901 1901 1901 1901 1901 190	this notice is posted, lengthwise of the claim, together with 300 feet in
The claim is situated and located in the B'G Birg Mining District, in Gran Lar County, in the Territory of Arizona, about CHIR County County in the Territory of Arizona, about CHIR County County County in the Territory of Arizona, about CHIR County County County in the Territory of Arizona, about CHIR County	width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and prem-
in a Word And And And Act Concerning Mines," approved March 20th, 1899. The surface boundaries of the claim are marked upon the ground as follows: Beginning at (3.), 1, 1, 1, 2, 3, 3, 1, 1, 1, 1, 2, 3, 3, 1, 1, 1, 1, 2, 3, 3, 1, 1, 1, 1, 2, 3, 3, 1, 1, 1, 1, 2, 3, 3, 1, 1, 1, 1, 2, 3, 3, 1, 3, 1, 1, 1, 1, 2, 3, 3, 1, 3, 1, 1, 1, 1, 2, 3, 3, 1, 3, 1, 1, 1, 1, 2, 3, 3, 1, 3, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	ises is from the N.E. to the S.W.
The surface boundaries of the claim are marked upon the ground as follows: Beginning at. (A.).). (B.). at a point in a N o little, and this notice is posted), being in the center of the M o M end line of said claim: thence N 66 300 feet to a new part of said claim: thence N 66 300 feet to a new part of said claim: thence S 40 N of said claim: thence S 40 N of said claim: thence S 40 N of said claim: thence S 600 feet to a new part of said cl	The claim is situated and located in the Big Bing. Mining District, ,
at a point in a North (Ly direction H.3.6. feet from the discovery monument, (at which this notice is posted), being in the center of the North end line of said claim: thence North Corner of said claim: thence North end line of said claim: thence North end of said claim: thence North end line of said claim: thence North end of said claim: thence South end of said claim: thence North end of said claim: thence No	in a Wester la direction from I at the act
at a point in a North High direction 43.0 feet from the discovery monument, (at which this notice is posted), being in the center of the North end line of said claim: thence Solo Solo feet to a mon peing at the Solo end of said claim: thence Solo Solo feet to a mon at the center of the Solo end of said claim: thence Solo Solo feet to a mon at the center of the Solo end of said claim: thence Solo Solo feet to a mon at the corner of said claim: thence North end of said claim: thence North end line of said claim: thence North end end end claim: thence North end end line of said claim: thence North end	The surface boundaries of the claim are marked upon the ground as follows: Beginning at 2. 1.2.1.2.2.
claim; thence N 6 6 3 0 0 feet to a mon, heing the N, W, corner of said claim; thence S 24° W /5' U feet to a mon being at the S N, corner of said claim; thence S 6 6° E 3 0 0 feet to a mon at the center of the S outh end of said claim; thence S 6 6° E 3 0 0 feet to a mon, at the center of the S outh end of said claim; thence S 6 6° E 3 0 0 feet to a mon, at the center of the S outh end of said claim; thence S 6 6° E 3 0 0 feet to a mon, at the N 6 corner of said claim; thence N 6 6° N 24° E 6 60° E 7 0 0 0 feet to a mon, at the N 6 corner of said claim; thence N 6 6° N 3 0 0 feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895, and amended March 2nd, 1899. This is an Amended Location Notice of the New Road Mining Claim, located by Taylor Slauland on the 13 day of Angul 1896 on the 1897 of Records of Mines, at page 132, in the office of the County Recorder of the aforesaid County of Garalor to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original	at a point in a Northelly direction 430 feet from
the N, W, corner of said claim; thence S 24°N /5'00 feet to a heing at the S N, corner of said claim; thence S 6 6°C 300 feet to a home at the center of the S outh end of said claim; thence S 6 6°C 300 feet to a heing at the S C corner of said claim; thence S 6 6°C 300 feet to a heing at the S C corner of said claim; thence N 24°C some of said claim; thence N 24°C some of said claim; thence N 6 6°N 300 feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895, and amended March 2nd, 1899. This is an Amended Location Notice of the New Road Mining Claim, located by Taylor Glandard on the 13°C day of Mining Claim, located by Taylor Glandard on the 13°C day of Mines, at page 13°C, in the office of the County Recorder of the aforesaid County of 9°C a 2°C to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original	
thence S G C O C 3 0 0 feet to a mon, at the center of the S outh end of said claim; thence S G C O C 3 0 0 feet to a mon, at the center of the S outh end of said claim; thence S G C O C 3 0 0 feet to a mon, at the to a mon, being at the S C corner of said claim; thence N 2 4 O C feet to a mon, at the N C corner of said claim; thence N G C N G N G Corner of said claim; thence N G N G N G N G N G N G N G N G N G N	
thence S & & & & & & & & & & & & & & & & & &	
center of the South end of said claim; thence S.C.O.E. 30.0 feet to a hour peing at the S.C. corner of said claim; thence N240E. 150.0 feet to a hour, at the N.E. corner of said claim; thence N.C. corner of said claim; thence N.C. corner of said claim; thence N.C. the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895, and amended March 2nd, 1899. This is an Amended Location Notice of the New Road Mining Claim, located by Taylor Glanhard on the 13th day of May of Chapter Six, and recorded in Book 49 of Records of Mines, at page 132, in the office of the County Recorder of the aforesaid County of Granes to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original	thence $S G G C G G G G G G G G G G G G G G G G $
thence N24° E	
thence N240 E	
feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895, and amended March 2nd, 1899. This is an Amended Location Notice of the South Road Mining Claim, located by Taylor Glanhaut on the 13 day of May of May of the County Recorder of the aforesaid County of Jaylor Low which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original	thence N240 E 1500 feet to a mon, at the
feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895, and amended March 2nd, 1899. This is an Amended Location Notice of the South on the day of the Mining Claim, located by Taylor Glashour on the day of Mines, at page 132, in the office of the County Recorder of the aforesaid County of Jaylor to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original	N. E. corner of said claim; thence NGG W
an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895, and amended March 2nd, 1899. This is an Amended Location Notice of the Service of the Mining Claim, located by Taylor Search and on the 13 day of On the 13 day of Mines, at page 132, in the office of the County Recorder of the aforesaid County of Gaya how to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original	
amended March 2nd, 1899. This is an Amended Location Notice of the New Road Mining Claim, located by Taylor Glashout on the 13 M day of Ougust 1899. If 98, and recorded in Book 49 of Records of Mines, at page 132, in the office of the County Recorder of the aforesaid County of Yaxa hai to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original	
made, and this Amended Location Notice is made and posted to correct errors in the description in the said original	
made, and this Amended Location Notice is made and posted to correct errors in the description in the said original	amended March 2nd, 1899. This is an Amended Location Notice of the Wen Road Mining
made, and this Amended Location Notice is made and posted to correct errors in the description in the said original	Claim, located by I aylor Gearhart
made, and this Amended Location Notice is made and posted to correct errors in the description in the said original	on the 13th day of
made, and this Amended Location Notice is made and posted to correct errors in the description in the said original	August 1898, and recorded in Book 49 of Records of Mines, at page 132,
made, and this Amended Location Notice is made and posted to correct errors in the description in the said original	In the office of the County Recorder of the aforesaid County of the Aforesaid
Dated and posted on the ground this 23 mg day of Jan 1902 Ourerican Coppe Curpany By Ben Blanchard	made, and this Amended Location Notice is made and posted to correct errors in the description in the said original
By Ben Blanchard	Dated and posted on the ground this 23 mg day of fan 1902
ou new plant was	B. B. Blanch
Lagent.	Cegent,

RECORD AT THUST CO J. J. Fisher Jun 31. 11. 1902 11/0 20: 34 des In Book 6/ of Mines Payes. 76-78 Records of Yarapai County, Air. Tar Tharles Buttye

Notice of Mining Location. LODE CLAIM.

	LL WHOM IT MAY CONCERN		7
Minin	This mining claim, the name of g Claim, situate on lands belongi mineral deposits, was entered upo	which is upper by ng to the United States of American and located for the purpose of	ca, and in which there are val-
19	owell Mining Con	upany by Ben 18la	ruchard ayust
	<i>V</i>		
the u	ndersigned on the 26th		
		1500	
and	we claim	360	feet,
in a n	ortherly direction, and	11 40	feet
wise o	of the claim, together with three the center of said vein. The	hundred (300) feet in width of general course of the lode deposit	this notice is posted, length- the surface grounds, on each it and premises is from the
2	The claim is situated and located	in the orgun orrio	Mining District, in
garaf	County, in the Territory of	of Arizona, about two n	reles
in a	The claim is situated and located and County, in the Territory of South Heslerly	direction from the U	al Verde Smetter
auc	I bounded on the no	orth by the Copper "	Nount Mining Claim
	The surface boundaries of the cl		l as follows: Beginning at a
monun	nent of stones at a point in a nor	therly direction 360	
line of said claim; thence northe	said claim; thence easterly 300 aim; thence southerly 1500 feet to thence westerly 300 feet to a mowesterly 300 feet to a monument of step 1500 feet to the place of beginning.	feet to a monument of stones, to a monument of stones, being at nument of stones at the center of tof stones, being at the southwest corne	peing the northeast corner of the southeast corner of said the south end of said claim; st corner of said claim; thence r of said claim; thence easter-
United	All done under the provisions of States, and of an Act of the	General Assembly of Arizona,	entitled "An Act Concerning
	Dated and posted on the ground	this 26th day of _	March 16, 1901. august 1901 minung Compony
		Mourel	mining Company
		By Ben 1	Blanchard
			aguix

Coffee Readile Howeel ming Ceo. Aug. 26", 901. Agua Fria,

RECORDED AT REQUEST OF

Records of Yavapas County, Arizona,

Falley County Dorder.

AMENDED

Motice of Mining Location.

To All Whom It May Concern:
This mining claim, the name of which is the Copper Reade
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral depos-
its, was entered upon and located for the purpose of exploration and purchase by American Cofofeen
Company Incorporated under the laws of Arizona
the undersigned, on the 23 rd day of Jan 19 02
The length of this claim is 1500 feet, and WR
ciaim 360 feet in a Northerly
direction, and 1146 feet in a
Southerly direction from the center of the discovery monument, at which
this notice is posted, lengthwise of the claim, together with 300 feet in
width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and prem-
ises is from the UV, E to the SUV
The claim is situated and located in the Big Bug Mining District,
The claim is situated and located in the Big Bug Mining District, in Javafai County, in the Territory of Arizona, about one & one quantum mining District,
in a Westerly direction from Val Vineli
Smeller
The surface boundaries of the claim are marked upon the ground as follows: Beginning at A 222 V
at a point in a (Northerly, direction 360 feet from
the discovery monument, (at which this notice is posted), being in the center of the North end line of said
claim; thence N 66°W 300 feet to a Mon, being
the N, W, corner of said claim; thence $524^{\circ}W$ 1500 feet
to a non, being at the 5 w corner of said claim;
thence S (E 300 feet to a mon at the
center of the South end of said claim; thence S 66 E 300 feet
to a mon, being at the S, C, corner of said claim;
thence $\sqrt{24^{\circ}}$ C
N, E corner of said claim; thence NGGOW 300
feet to the place of beginning.
All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of
an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895, and
amended March 2nd, 1899.
This is an Amended Location Notice of the Mining
Claim, located by
amended March 2nd, 1899. This is an Amended Location Notice of the Copper Ceccle Mining Claim, located by Arrele Mining on the 26 day of Cuyuh 19.01, and recorded in Book Geo of Records of Mines, at page 509, in the office of the County Recorder of the aforesaid County of Jewahan to which reference is hereby
in the office of the County Peccepter of the formal County of Heart August to which reference is hereby
made, and this Amended Location Notice is made and posted to correct errors in the description in the said original
Dated and posted on the ground this 23 rel day of Lan 19.02
American opportunitioney,
Dated and posted on the ground this 23 ren day of fan 19.02 By Beu Blanchord
Cant

RECORDED AT HEDVEST DI - -- Records of Vavagal County, Alizers

Notice of Mining Location. LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:		,
This mining claim, the name of v Mining Claim, situate on lands belongin uable mineral deposits, was entered upon	which is of Jain Peach ag to the United States of America, a n and located for the purpose of exp	nd in which there are val- ploration and purchase by
Howell Mining Comp		
the undersigned on the 26th	day of august, 1	9 <i>01</i>
	1500	
and The claim	750	feet,
Javasoni County, in the Territory of	of the discovery shaft, at which this hundred (300) feet in width of the general course of the lode deposit an in the gua Jimul f Arizona, about Livo Middirection from the Wal	s notice is posted, length- surface grounds, on each and premises is from the
The surface boundaries of the cla	tim are marked upon the ground as	follows: Beginning at a
monument of stones at a point in a north	herly direction 750	
said claim; thence southerly 1500 feet to claim; thence westerly 300 feet to a monthence westerly 300 feet to a monument northerly 1500 feet to a monument of sto ly 300 feet to the place of beginning. All done under the provisions of	of a monument of stones, being at the nument of stones at the center of the of stones, being at the southwest comes, being at the northwest comes, being at the northwest corner of Chapter Six, of Title XXXII, of the General Assembly of Arigona and Chapter Six, of Title XXXII, of the General Assembly of Arigona and the control of the c	southeast corner of said south end of said claim; rner of said claim; thence said claim; thence said claim; thence said claim; thence easter-
Dated and posted on the ground th	his 26 day of un	1901
	By Ben B.	lunchand
		aquix

Howell Ming Co, Any 26"1901 Agua Fria

RECORDED AT REQUEST O

Jen Blanchard

January 27" A. D., 1902

At 9 O'chock UN

In Book O Of Mines

Pages 508

Records of Yavapai County, Arizona.

By Julivan Deputy.

AMENDED

Motice of Mining Location.

To All Whom It May Concern:
This mining claim, the name of which is the October Such
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral depos-
its, was entered upon and located for the purpose of exploration and purchase by American Cofsfeen
Company Incomporated under the laws of arizonal
the undersigned, on the day of 19
The length of this claim is 1500 feet, and us
claim 680 feet in a Northerly
direction, and 820 feet in a
Suittly direction from the center of the discovery monument, at which
this notice is posted, lengthwise of the claim, together with 300 feet in
width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and prem-
ises is from the to the to the
The claim is situated and located in the Big Big Mining District, in Javahal County, in the Territory of Arizona, about One 2016
in Garafial County, in the Territory of Arizona, about One The
in a Westerly direction from Val Verde
5 miller
The surface boundaries of the claim are marked upon the ground as follows: Beginning at 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.
at a point in a Worthing direction 680 feet from
the discovery monument, (at which this notice is posted), being in the center of the World and line of said
claim; thence NGCOW 300 feet to a mon, being
the IV, W, corner of said claim; thence 524°W /5'00 feet
to a 12.182 being at the S. W. corner of said claim;
thence $\int 6.6^{\circ} C$ $\int \frac{3.00}{100}$ feet to a $\frac{100}{100}$ with the
center of the South end of said claim; thence S 60°C 300 feet
to a mon , being at the S , E , corner of said claim;
thence $N^2 4^{\circ} \mathcal{E}$ 15'00 feet to a mon, at the
corner of said claim; thence NGCOW 300
feet to the place of beginning.
All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of
an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895, and
amended March 2nd, 1899.
This is an Amended Location Notice of the Mining
an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895, and amended March 2nd, 1899. This is an Amended Location Notice of the Copper Seach Mining Claim, located by On the On the On the On the On the One of the On
On the 26 day of
Chiefut 1901, and recorded in Book 60 of Records of Mines, at page 508
in the office of the County Recorder of the aforesaid County of Javasza to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original
Location Notice.
Dated and posted on the ground this 23 day of fan 19.02
Dated and posted on the ground this 23 rd day of fan 1902 Chuencau Opper
Company. //
B 121 1
dy den Hanchon
/ agent

RECURRED) AT IT MUEST OF Records of Yavapai County, Alizzea,

Charles Battye

Notice of Mining Location. LODE CLAIM.

TO ALL WHOM IT MAY CONCERN	: , ,	
	which is Coppen Prince and i	11
This mining claim, the name of	which is which is	
Mining Claim, situate on lands belonging	ng to the United States of America, and i	n which there are val-
	on and located for the purpose of explora	
Rowell Minny Co	surpany by Ben Bl	auchard)
2 /		
agent-		
n 1 th	day of august, 190	
the undersigned on the 76	day of <i>lugus</i> , 19.0	./.
m	1500	
The length of this claim is	7 0 0 0	teet,
and the claim	300	foot
in a northerly direction, and in a southerly direction from the center	/ 1	Teet,
in a northerly direction, and	1200	feet
in a southerly direction from the center	of the discovery shaft, at which this not	tice is posted, length-
wise of the claim, together with three	hundred (300) feet in width of the sur	face grounds, on each
side of the center of said vein. The	general course of the lode deposit and I	premises is from the
northerly to the southerly.	Anna Floring	
The claim is situated and located	in the Aqua Firea	Mining District, in
Junesharia	15000	X
County, in the Territory of	of Arizona, about)
Loutherly !	direction from Silver 13	ell mue V
III a	t direction from 22	. # 6
bounded on the hon	of Arizona, about 1500 feet direction from Silven B the by the Coppen Pre	nee 2 minus
		Ţ,
The surface boundaries of the cla	aim are marked upon the ground as follo	ows: Beginning at a
	2	3 2000
monument of stones at a point in a nor		
	ich this notice is posted), being in the ce	
	feet to a monument of stones, being th	
said claim; thence southerly 1500 feet to	a monument of stones, being at the sout	theast corner of said
claim; thence westerly 300 feet to a mon	nument of stones at the center of the sou	th end of said claim;
thence westerly 300 feet to a monument	of stones, being at the southwest corner	of said claim; thence
ly 300 feet to the place of beginning.	ones, being at the northwest corner of said	ciaim; thence easter-
	Chapter Six, of Title XXXII, of the Re	ovised Statutes of 11
United States and of an Act of the	General Assembly of Arizona, entitled	"An Act Concerning
Mines "approved March 20th 1895 and	d amended March 2nd, 1899, and March	16 1901
Dated and posted on the ground t	this 26 day of Auge Rowell Minning By Ben Blan	ish 1901
	Howell Mining	Company
	BRA	1.1/2
	'sy suiseu	cenary agent
3	L	2

Copper Princesta.

Howell Ming 60

Aug 36" 1901

Agna Fria

RECORDED AT REQUEST OF

Ben Blanchard
January 27" 1. D., 1902

At 9 0000 AN

In Book 60 M/ Misses

Paged 5-11

Records of Yavapal County, Aircean

P Farley

County Roffelor.

Cyllivaniania.

AMENDED

Motice of Mining Location.

To All Whom It May Concern:
This mining claim, the name of which is the Copper Princess
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral depos-
its, was entered upon and Jocated for the purpose of exploration and purchase by Auerican Cofofoen
Company enconfavorated under the laws of arizonal
the undersigned, on the 23 rel day of 4 and 1902
The length of this claim is 1500 feet, and WE
claim 135 feet in a Strolliers
direction and 1365
Southerly, direction from the center of the discovery monument, at which
this notice is posted, lengthwise of the claim, together with 200 feet in
width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and prem-
ises is from the \mathcal{N} \mathcal{E} to the \mathcal{S} \mathcal{N}
The claim is situated and located in the Brig Brig Mining District,
in Yarapai County, in the Territory of Arizona, about one & one half no
ina Westerly direction from Val Verde
Smillers
The surface boundaries of the claim are marked upon the ground as follows: Beginning at
at a point in a Northurly direction 135 feet from
the discovery monument, (at which this notice is posted), being in the center of the North end line of said
claim; thence N 660 m 300 feet to a mon, being
the N W corner of said claim; thence \$2400 13:00 feet
to a mon being at the S, W, corner of said claim;
thence SCC C 300 feet to a mon at the
center of the South end of said claim; thence SCC°E 300 feet
to a non , being at the 5 , C corner of said claim;
thence N24°E 1500 feet to a mon, at the
N, E, corner of said claim; thence NGC 6 W 300
feet to the place of beginning.
All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of
an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895, and
amended March 2nd, 1899.
This is an Amended Location Notice of the Managing Col
Claim, located by O4 000 CC 10000000 265
amended March 2nd, 1899. This is an Amended Location Notice of the Copper Connecess Mining Claim, located by Arvele Mining on the 26 day of legeth 19.01, and recorded in Book 60 of Records of Mines, at page 511.
in the office of the County Recorder of the aforesaid County of Jovapue to which reference is hereby
made, and this Amended Location Notice is made and posted to correct errors in the description in the said original
7 N. H. 95 C.
Dated and posted on the ground this 28 day of fan 19 0 2
american waker
Dated and posted on the ground this 23 0 9 Churchan 19.02 Churchan
B. B. V.D.
134/ Ben 1 Hanchord
agent.

Copper Concess
Set I marting

RECORDED AT RECUEST OF

In Book 61 of Minus Prages 44-46

Records of Vavapai County, Aug. T.

By Charles Battye

116

Notice of Mining Location. LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:
This mining claim, the name of which is Copper Coal. Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by
the Housell Mining Company, By Ben Blanchard Ligent
this late to the second second
The length of this claim is fuller humandred feet,
and 1100 claim 146 feet,
in a northerly direction, and 354 feet in a southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred (300) feet in width of the surface grounds, on each side of the center of said vein. The general course of the lode deposit and premises is from the northerly to the southerly. The claim is situated and located in the legisla Aria Mining District, in Jarafale County, in the Territory of Arizona, about 2000 feet in width of the surface grounds, on each side of the center of said vein. The general course of the lode deposit and premises is from the northerly to the southerly. Mining District, in direction from the silver Belt much thousand on the worth by the best Road claim.
The surface boundaries of the claim are marked upon the ground as follows: Beginning at a
monument of stones at a point in a northerly direction // 6 feet from the discovery shaft (at which this notice is posted), being in the center of the north end line of said claim; thence easterly 300 feet to a monument of stones, being the northeast corner of said claim; thence westerly 300 feet to a monument of stones at the center of the south end of said claim; thence westerly 300 feet to a monument of stones, being at the southwest corner of said claim; thence westerly 300 feet to a monument of stones, being at the southwest corner of said claim; thence northerly 1500 feet to a monument of stones, being at the northwest corner of said claim; thence northerly 1500 feet to the place of beginning.
All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895, and amended March 2nd, 1899, and March 16, 1901.
Dated and posted on the ground this third gay of June 1901.
the Howell Mining
Ben Blanchard
a. N

RECORDED AT PEQUEST OF

Ben Blanchard

August 25" A.D., 1901

119 - O'clock Cls

In Brok I of Minus



Motice of Mining Location.

To All Whom It May Concern:
This mining claim, the name of which is the Coppes Road
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral depos-
its man and lasted to the sound for the
Company Sucorporated under the laws of Arizonal the undersigned, on the 23 rd day of Jan 19.02
the undersigned on the 23 rel day of lan 1002
The length of this claim is 1500 feet, and W.
claim 180 feet in a Milliar
direction, and 1320 feet in a
Southerly direction from the center of the discovery monument, at which
this notice is posted, lengthwise of the claim, together with 300 feet in
width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and prem-
ises is from the \mathcal{N} \mathcal{E} to the \mathcal{S} \mathcal{N}
The claim is situated and located in the Bag Blug Mining District,
in Lavahai County, in the Territory of Arizona, about one & one quarter r
in a Westerly direction from Val Vende
Smellert
The surface boundaries of the claim are marked upon the ground as follows: Beginning at
1
at a point in a OV orthuly direction 180 feet from
the discovery monument, (at which this notice is posted), being in the center of the North end line of said
claim; thence NGG°W 300 feet to a Non , being
the N. W. corner of said claim; thence \$240W /500 feet
to a mon being at the S, M, corner of said claim;
thence $S \in C \circ E$ 300 feet to a mon at the
center of the Santh end of said claim; thence 5 66 6 300 feet
to a hom, being at the corner of said claim;
thence N24°E 1500 feet to a 12001 at the
NE corner of said claim; thence NGG U 300
feet to the place of beginning.
All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of
an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895, and amended March 2nd, 1899. Much 16.1901
This is an Amended Location Notice of the Coppel Goed Mining
Claim, located by Howell Mining Co.
on the 32d day of
June 1901, and recorded in Book 59 of Records of Mines, at page 535
in the office of the County Recorder of the aforesaid County of Juvupus to which reference is hereby
made, and this Amended Location Notice is made and posted to correct errors in the description in the said original
Location Notice.
Dated and posted on the ground this 2320 day of an 1902
american hpstorupany.
B. B. Bland
of our one
' agent.

RECORDED AT BEOLIEST OF

639 ingolef to the contraction of the contraction o

J. J. Fisher

[Jan 31" 1. 1., 1902

18 10 ochoch, an

In Book 61 of Mines

Prager 40-42

Records of Vavagat County, Advance,

By Charles Battyening

121

Notice of Mining Location. LODE CLAIM.

TO ALL WHOM IT MAY CONCERN		,
This mining claim, the name of Mining Claim, situate on lands belong it uable mineral deposits, was entered upon	which is of ben Dengto the United States of America, an	d in which there are val-
Howell Mining	Company By Bu	Blunchard
the undersigned on the 26 th The length of this claim is and the claim	/ / '	
the undersigned on the 26 Th	day of august, 19.	0/
The length of this claim is	15010	feet,
and the claim	105	feet,
in a southerly direction from the centwise of the claim, together with the side of the center of said vein. The northerly to the southerly. The claim is situated and located	nich this notice is posted), being in the feet to a monument of stones, being to a monument of stones, being at the someonet of stones at the center of the t of stones, being at the southwest corners, being at the northwest corner of somes, being at the northwest corner of some Chapter Six, of Title XXXII, of the General Assembly of Arizona, entitle	mis notice is posted, length- he surface grounds, on each and premises is from the Mining District, in Les Verde Smellen Reacle Municy Cla follows: Beginning at a e center of the north end the northeast corner of southeast corner of said south end of said claim; mer of said claim; thence said claim; thence easter- e Revised Statutes of the led "An Act Concerning"

Copper De Howell Wing lee Aug 26" 1901 Agua Fria

RECORDED AT MEDNEST OF

January 27 1. D., 1902 11 9 0000 (60 of mines

Records of Vavapai County, Alizzan

Motice of Mining Location.

To All Whom It May Concern:
This mining claim, the name of which is the by See Dyke
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral depos-
its, was entered upon and located for the purpose of exploration and purchase by American Coffee
Company enconfronted under the laws of Anyonal
the undersigned, on the 23 rd day of Jan 1902
The length of this claim is 1500 feet, and we
claim 150 feet in a Multirly
Q direction, and 1350 feet in a
Soullity direction from the center of the discovery monument, at which
this notice is posted, lengthwise of the claim, together with 300 feet in
width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and prem-
ises is from the VE to the SV .
The claim is situated and located in the Big Bug Mining District, in Gavapai County, in the Territory of Arizona, about one & one quarter m
in Gavapai County, in the Territory of Arizona, about one & one quarter m
in a Westerly direction from Val Verde Smer
The surface boundaries of the claim are marked upon the ground as follows: Beginning at Q. 22201
at a point in a Northerly direction 150 feet from
the discovery monument, (at which this notice is posted), being in the center of the North end line of said
claim; thence NGG°W 300 feet to a mon being
the NW corner of said claim; thence \$240W 1500 feet
to a 12202 being at the S, W, corner of said claim;
thence S 66° E 300 feet to a mon at the
center of the South end of said claim; thence 566 & 300 feet
to a 122 022 , being at the S & corner of said claim;
thence N24°E 1500 feet to a mon at the
N, E corner of said claim; thence N. 6.6° W 300
feet to the place of beginning.
All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of
an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895, and
amended March 2nd, 1899.
This is an Amended Location Notice of the Mining
Claim, located by Stocke running Co.
amended March 2nd, 1899. This is an Amended Location Notice of the Coffe Sche Mining Claim, located by Arville Mining on the 26 day of Crefust 1901, and recorded in Book 60 of Records of Mines, at page 5/5,
190/, and recorded in Book 60 of Records of Mines, at page 9/3,
in the office of the County Recorder of the aforesaid County of Javasac to which reference is hereby
made, and this Amended Location Notice is made and posted to correct errors in the description in the said original
Location Notice. Dated and posted on the ground this 237-01 day of 2 and 10 02
Dated and posted on the ground this 20
Dated and posted on the ground this 23 rd day of fan 19 02 By Ben Dlanchord
Dy Ben Hanchord
1 agust

10 000 61 of Misses

Pages 64-66 Nicords of Yavapai County, Ariz man

Lopper Products

Sowell Ming Co.

Aug. 76"1901

Agua Fria,

Gen Blanchard

January 27 1. 11, 1902

In Book 60 of Mines

Pages 510

Records of Variages County, Mines

Notice of Mining Location. LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:	0	0	
This mining claim, the name of wh Mining Claim, situate on lands belonging	to the United States of Ar	nerica, and in which there are val-	
Howell Mining Con	and located for the purpo	se of exploration and purchase by	`
Orowar mining as of	900009 09.000	o , z pros , a . A deger	·
the undersioned on the 26th	day of auga	st 1901	
the undersigned on the 26th The length of this claim is	1500	feet,	
and We claim			
in a northerly direction, and	1206	feet	
in a southerly direction from the center of wise of the claim, together with three hu side of the center of said vein. The gen northerly to the southerly.	undred (300) feet in widtl ieral course of the lode de	h of the surface grounds, on each posit and premises is from the	
The claim is situated and located in	Arizona about Zur	miles	
in a South Westerly and bounded on the no	direction from the rth by the Cofe	Val Verde Dmeller Joen Peach,	
The surface boundaries of the claim	are marked upon the gro	ound as follows: Beginning at a	
monument of stones at a point in a norther feet from the discovery shaft (at which line of said claim; thence easterly 300 fee said claim; thence southerly 1500 feet to a re- claim; thence westerly 300 feet to a monum- thence westerly 300 feet to a monument of northerly 1500 feet to a monument of stones y 300 feet to the place of beginning.	this notice is posted), being to a monument of stones monument of stones, being nent of stones at the center stones, being at the south	ng in the center of the north end es, being the northeast corner of g at the southeast corner of said r of the south end of said claim; west corner of said claim; thence	78
All done under the provisions of Ch. Juited States, and of an Act of the Gen	neral Assembly of Arizon	a, entitled "An Act Concerning	
Dated and posted on the ground this.	Howell	Mining Comboans	
Dated and posted on the ground this.	by Ben	Blanchard agent	\

AMENDED

Motice of Mining Location.

To All Whom It May Concern:
This mining claim, the name of which is the Copper Orduce
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral depos-
its, was entered upon and located for the purpose of exploration and purchase by Juneau Cofosen
Company Inconferrated under the laws of arizonal
the undersigned, on the 23 day of Jan 1902
The length of this claim is 1500 feet, and WL
claim 175 feet in a Multity
direction, and 1325 feet in a
Soullierly direction from the center of the discovery monument, at which
this notice is posted, lengthwise of the claim, together with 300 feet in
width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and prem-
ises is from the \mathcal{N} , \mathcal{E} , to the \mathcal{S} .
The slaim is aituated and located in the RAR RAR RAR Wining District
The claim is situated and located in the Big Bug Mining District, in Gavafui County, in the Territory of Arizona, about one mile
in a Westerly direction from Val Verde
in a Westerry direction from Wall work
Smelter
The surface boundaries of the claim are marked upon the ground as follows: Beginning at 9 22102.
at a point in a Northerly direction 175 feet from
the discovery monument, (at which this notice is posted), being in the center of the worth end line of said
claim; thence NGG°W, 300 feet to a 122021, being
the N, W, corner of said claim; thence \$ 24°W /3'00 feet
to a Mon corner of said claim;
thence $566^{\circ}E$ 300 feet to a 2200, at the
center of the South end of said claim; thence 5 66°E 300 feet
to a mon , being at the S. E, corner of said claim;
thence N24°E 1500 feet to a mon at the
NE corner of said claim; thence NG6° U 300
feet to the place of beginning.
All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of
an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895, and
amended March 2nd, 1899.
This is an Amended Location Notice of the Copper Coduce Mining
Claim, located by Howelle & Mining Co
amended March 2nd, 1899. This is an Amended Location Notice of the Copper Coduce Mining Claim, located by on the 26; day of
Mugust 1901, and recorded in Book (20 of Records of Mines, at page 310,
in the office of the County Recorder of the aforesaid County of further to which reference is hereby
made, and this Amended Location Notice is made and posted to correct errors in the description in the said original
Location Notice.
Dated and posted on the ground this 23 rd day of Jan 1902
unercan opper
Company.
mujoury.
Dy Ben Hanchone
A agent.

RECORDED AT REQUEST OF


Records of Vavapal County, Aric 12.

Dy Charles Battye

Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior,

Office of U. S. Surveyor General,
Huerry Chrisana
Dec 20, 1802
f
I, U. S. Surveyor General for Anizona,
do hereby certify that the foregoing and hereto attached Field Notes and Return of the
Survey of the Mining Claim of Mericary Capper Company
known as the, Inon King, Western Copper, Barranga
Sure three Castern Copper, tobber thiel, Jine Nock Californ
Platter, Copper France No 1. Copper Thince No. 2, Capper
Prince Capper Stout, Copper Vair, New Road of the
Copper Reade, Copper Reach, Copper Princers, Copper
Copper Made, comper reach, capper reach, copper
Roald, Copper Dyke, and Cupper Troduce
Marapai County, Arizona,
County, Strong County,
in Section 16,16,24,22,428, Township No. 131, Range No. 15.
In Section 47.6.2.2.2.1. Township No. 1.0.1. , Italige No. 1.
designated as Survey No. 1714
executed by hisher , U. S. Deputy Mineral
To be told with war
Surveyor, Och Challe 19038, under my instructions dated
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Sefetember 17, 1903, have been critically examined and the
necessary corrections and explanations made, and the said Field Notes and Return, and
the Survey they describe, are hereby approved. A true copy of the copy of the location
the burvey they describe, are nereally approved. It true copy of the copy of the reduced
certificate filed by the applicant for survey is included in the field notes.
Augh Atree
U. S. Surveyor General for Anizona.
J. S. San Voyor



by J. J. Fisher u.s. D. m. Surveyor,