

**M
S
.**

0

1

7

1

5

MINERAL SURVEY NO. 1715

Claims	M & B Desc. Pg. No.	Improvements Pg. No.	Loc. Notices Pg. No.
Carolina	9	20	5
Henry George Hill	4	21	13
Jack Of Clubs	15	20	10
Key to the Situation	11	22	12
La Luisa	8	20	11
Leviathan	12	21	1
McGinty	1	21	14
Nancy Hanks	17	20	3
Pajaro	2	21	8
Paragon	14	19	2
Red Hill	10	20	9
Sulphide	7	21	4
Wee Wee	13	21	6
Yo Tambien	5	21	15
	16	20	7

(4-683.)

Mineral Survey No. 1715

Lot No.

Gila

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Cochise Copper Mining Co.—known as the

Hill—Yo Tambien—McGinty—Paragon—Carolina—Key to the Situation

~~KNOWN AS THE~~

Red Hill—Lee—Wee—Leviathan—Henry—George—Nancy—Hanks—Barbara—Sulphide

La Cruise and Jack of Clubs. Situate in the Warren Mining District,

Cochise County, Arizona Territory

Section Approximately, Township 25S, Range 24E G. A. S. R. E. & M.

Surveyed under instructions dated September 20th., 1902

by Geo. C. Clark

U. S. Deputy Mineral Surveyor.

Claim located Various Acres, 1

Survey commenced September 21st 1902, 1

Survey completed October 7th 1902, 1

Address:—Bisbee, Cochise County Arizona Territory—

PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

WE, W. E. Wisdom and Harry Burgham,

do solemnly swear that we will well and faithfully execute the duties of chain carriers; that we will level the chain upon even and uneven ground and plumb the tally-pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with instructions given us, in the survey of the Mining Claim of

The Cochise Copper Mining Co. known as the Hill, Mc Ginty, Pacagan, Carolina, by to the situation, known as the Red Hill, Wee-wee, Leviathan, Henry George, Nancy Hanko, Pajaro, Sulphide, La Lucia Jack of Clubs situate in Varren mining district,

Cochise County, Arizona, in Section _____, Township No. _____, Range No. _____

W. E. Wisdom, Chainman.
Harry Burgham, Chainman.

Subscribed and sworn to by the above-named persons before me this 21st day of September, 1802

J. K. Williams

I, _____, do solemnly swear that I will well and truly perform the duties of axeman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of _____

known as the _____ more fully described in the preceding affidavit.

No

_____, Axeman.

Subscribed and sworn to by the said _____ before me this _____ day of _____, 18 _____

I, _____, do solemnly swear that I will well and truly perform the duties of flagman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of _____

known as the _____ more fully described in the preceding affidavit.

_____, Flagman.

Subscribed and sworn to by the said _____ before me this _____ day of _____, 18 _____

J. K. Williams

NOTARY PUBLIC
COCHISE COUNTY, ARIZONA TERR.
MY COMMISSION EXPIRES NOV. 30 1904

Feet.

1715

Beginning at cor.No.1,the S.E.cor.,identical with locat.
and with cor.No.5, Henry George ,a claim of this group-
A pine post 4 ft.long,4 ins.sq.set 1 ft.in the ground in
a mound of stones & scribed 1-1715 L.L.

Whence U.S.M.M.No.4 brs.S 27¹/₂ °E 3180.3 ft.and a rock
~~xxxx~~ in place 1.9 x 1.8 x 13.5 ft.,chiseled x-1-5-1715
B.R.brs.N 12°13'E 65.7 ft.

Thence N 11°13'W

700.00 To original E side center,identical with W side center
Henry George of this survey

1267.80 Same bearing to cor.No.2,the N.E.cor.,identical with cor.
No.4, Henry George,a claim of this group-
A pine post 4 ft.long,4 ins.sq.set in the ground in a
mound of stones & scribed 2-1715 L.L.

Whence a rock in place 3 x 3.6 x 4 ft.,chiseled x-2-4-
1715 B.R.brs.N 58°35'W 21.7 ft.and original location
brs.N 11°13'W 87 ft.

Thence N 74°17'W

300.00 To original N end center

600.00 Same bearing to cor.No.3,the N.W.cor.,identical with
cor.No.5 Wee Wee ,a claim of this survey-
A pine post scribed 3-1715 L.L.

Whence original location brs.N 11°20'W 100 ft.

Thence S 11°13'E

740.00 To original W side center

1267.80 Same bearing to cor.No.4,the S.W.cor.,identical with
location & with cor.No.6 Nancy Hanks,a claim of this group.
A pine post 4 ft.long,4 ins.sq.set in the ground in a
mound of stones & scribed 4-1715 L.L.

Whence a rock in place,1 ft.high,2x 2.5 ft.,chiseled
x-4-6-1715 B.R.brs.N 85°31'E 58.9 ft.

Thence S 74°17'E

300.00 To original S end center

600 ft. Same bearing to cor.No.1,the place of beginning-

LEDGE

The presurable course of the vein on this claim as near-
as can be determined from the present development ,is
from the Discovery Shaft N 11°13'W 845 ft.& from the
same point S 11°13'E 422 ft.

FEET

1715

Beginning at cor.No.1,the S.E.cor,identical with locat.
and with cor.No.5 Pajaro Lode of this group-

A pine post 4 ft.long,4 ins.sq.set over + chiseled in
bedrock in a mound of stones & scribed 1-1715 N.H.L.

Whence a flat rock on point of hill,10 ft.sq.chiseled
x-1-5-1715 B.R.brs.S 76°12'E 96.8 ft.and U.S.M.M.No.4
brs.S 29°54'E 2704.4 ft.

Thence N 80°28'W

550.00 To cor.No.2,identical with cor.No.2 Rucker No. 614 &
No.2,Iron Monster No.1049

A pine post 4 ft.long,4 ins.sq.set in the ground in
mound of stones & scribed 2-1715 N.H.L.

Whence a rock in place level with surface brs.N 3°21'W
54.7 ft.Scribed 2-1715 B.R.

Thence N 66°37'W

49.20 To cor.No.3,identical with cor.No.1 Iron Monster^{N°1049} & Cor.
No.1,Copper Jack No.1047-

A pine post 4 ft.high,4 ins.sq.set in the ground in a
mound of stones & scribed 3-1715 N.H.L.

Whence a rock in place level with surface 3 ft.sq.
chiseled x-3-1715 B.R.brs.N 66°W 34 ft.

Thence N 7°47'E

119.50 ft.To cor.No.4,identical with cor No.2 Copper Jack No.
1047,A pine post 4 ft.long,4 ins.sq.set in the ground in
a mound of stones & scribed 4-1715 N.H.L.

Whence a rock in place,6 ins.high,1.4 x 2.8 ft.,chisel-
ed x-4-1715 B.R.brs.N 13°45'E 89.9 ft.

Thence N 73°34'W

407.2 Along line 2-3 Copper Jack Lode No.1047 to cor.No.5-

Q A nail in the roof of a frame shed 10 ft.sq.facing S
Whence A pine post 4 ft.long,4ins.sq.set 2 ft.in the
ground in a mound of stones & scribed W.C.2-1715 N.H.L.

brs.S 73°34'E 45.6 ft.and a second post of same dimensions
and scribing,set 2 ft.in the ground in a mound of stones
brs.N 42°39'E 10 ft.and a rock in place level with the
surface 2.5 x 3.1 ft.,chiseled x 5-1715 B.R.brs.S 80°E
31.2 ft.and original location brs.S 42°50'W 271 ft.

Thence N 42°39'E

115.7 ft. to original W end center-

410.70 Same bearing to cor.No.6,the N.W.cor.,identical with
location & with cor.No.4,Leviathan Lode of this group-
A pine post in a mound of stones scribed 6-1715 N.H.L.

Thence S 74°17'E

800.00 To cor.No.1,Leviathan & No.5 Henry George,claims of this survey

1055.20 Same bearing to cor.No.7,the N.E.cor,identical with location & with cor.No.6 Henry George & No.4 Pajaro, lodes of this group-

A pine post 4 ft.long,4 ins.sq.set 1 ft.in the ground in a mound of stones & scribed 7-1715 N.H.L.

Whence a rock in place 2.3 x 25 x 3.5 ft.,chiseled x-4-6-7-B-R. 1715 brs.S 11°00'E 35.4 ft.

Thence S 42°32'W

190.00 To pine post 4 ft.long,4 ins.sq.set in the ground in a mound of stones & scribed 1715 N.H.L.,& is identical with location for E end center Nancy Hanks & W end center Pajaro of this survey-

490.1 ft.Same bearing to cor No.1,the place of beginning-

LEDGE

The course of the vein on this claim as nearly as can be determined from the present development is,from the disc.shaft N 80°W 650 ft.& from the same point S 80°E 450 ft.

Feet-

1715

- Beginning at cor.No.1,the S.E.cor.,identical with locat.
and with cor.No.4,Sulphide lode of this survey-
- A pine post 4 ft.long,4 ins.sq set 1 ft.in the ground
in a mound of stones & scribed 1-1715 H.G.L.
- Whence a rock in place,2½ x 3 x 3.5 ft.chiseled x-1-4-1715
B.R.brs.N 3°56'E 13 ft.and U.S.M.M.No.4 brs.S 18°23'E
2821 ft.
- Thence N 31°23'W
- 307.13 To cor.No.2,identical with cor.No.3 Sulphide & No.2 La
Luisa,claims of this survey
- A pine post 4 ft.long,4 ins.sq set in the ground in a
mound of stones & scribed 2-1715 H.G.L.
- Whence a flat rock in place,level with the surface,XXXXXXXXXX
2.5 x 3.7 ft.,chiseled x-2-3-1715 B.R.brs.N 23°18'W 33.6 ft.
- Thence N 8°12'45"W
- 256.00 To original W end center La Luisa of this survey-
- Whence original E side center brs.N 88°16'E 42.9 ft.
- 550.00 Same bearing to cor.No.3 La Luisa & No.4 Jack of Clubs,
Claims of this survey-
- 1000.00 Same bearing to cor.No.3,the N.E.cor.,identical with
location & with cor.No.3 Jack of Clubs & No.4 Red Hill,
and No.1 Wee Wee ,Claims of this survey-
- A pine post scribed 3-1715 H.G.L.
- Thence N 74°17'W
- 227.00 To N end center,2 pine post 4 ft.long,4 ins sq.set in
a mound of stones & scribed 1715 H.G.L.
- Whence original N end center brs.N 12°34'W 54.5 ft.
- 527.90 Same bearing to cor.No.4,the N.W.cor.,identical with
cor.No.2 Leviathan lode of this survey-
- A pine post scribed 4-1715 H.G.L.
- Whence original location brs.N 11°13'W 87 ft.
- Thence S 11°13'E
- 567.80 To original W side center
- 1267.80 Same bearing to cor.No.5,the S.W.cor.identical with
location & with cor.No.1,Leviathan of this group
- A pine post scribed 5-1715 H.G.L.
- Thence S 74°17'E
- 300.00 To S end center,identical with location
- 455.20 Same bearing to cor.No.6,identical with cor.No.7 Nancy
Hanks & No.4 Pajaro,Claims of this survey-
- A pine post scribed 1715 H.G.L.
- Thence S 77°29'10"E
- 129.22 To cor.No.1,the place of beginning-

- Ledge -

The presumed course of the vein on this claim, as nearly as
can be determined from development done, is from the disc.
TUN. N 01 S 44 W 242 N 11°13' W 1127 E 4

Beginning at cor.No.1,the S.E.cor.,identical with locat.
and with corners

No.3 Henry George

No.3 Jack of Clubs, Claims of this Survey

No.4 Red Hill

A pine post 4 ft.long,4 ins.sq.set 1 ft.in the ground
in a mound of stones & scribed 1) 1715 W.W.L.

Whence a rock in place 1.8 x 1.9 x 2.5 ft.,chiseled x-
1-3-4-1715 brs.S 11°45'W 36.7 ft.and U.S.M.M.No.4 brs.
S 16°53'E 4106 ft.

Thence N 21°00'E

300.00 To E end center,identical with location

587.20 Same bearing to cor No.2,the N.E.cor.,identical with
location & with cor.No.1,Copper Wedge Lode No.1583-
Whence a flat rock in place 3½ x 4 ft.,chiseled x -2-
1715^{B.R.} brs.S 32°56'E 98.7 ft.

This corner is a pine post 4 ft.long,4 ins.sq.set in the
ground in a mound of stones & scribed 2-1715 W.W.L.

Thence N 80°24'W

680.00 To original location for the N side center,

1252.50 Same bearing to cor.No.5,Copper Wedge No.1583-

1332.90 Same bearing to cor No.3,the N.W.cor.,identical with
location-

A pine post 4 ft.long,5 ins.sq.set in the ground in a
mound of stones & scribed 3-1715 W.W.L.

Whence a rock in place 6 ins.high,1.4 x 3.4 ft.,chiseled
x-3-1715 B.R.brs. due N 68.6 ft.

Thence S 21°00'W

289.60 To original location for W end center

458.50 Same bearing to cor.No.4,the S.W.cor.

A pine post 4 ft.long 4 ins.sq.set in the ground in a
mound of stones & scribed 4-1715 W.W.L..

Whence original location brs.S 21°04'W 140 ft. and a
rock in place,level with surface,2 ft.sq.,chiseled x-
4-1715 B.R.brs.S 72°00'E 115.8 ft.

Thence S 78°32'E

188.00 To cor.No.5,identical with cor No.3 Leviathan Lode of
this survey-

A pine post 4 ft.long,4 ins.sq.set in the ground in a
mound of stones & scribed 5-1715 W.W.L.--

Whence a flat rock in place level with the surface 1.7
x 2.3 ft.,chiseled x 3-5-1715 B.R.brs.S 71°26'E 28.7 ft.

Feet.

Wee-Wee 2

	Thence S 74°17'E
600.00	To cor.No.2, Leviathan Lode of this survey and No.4 Henry George of this group, whence original location for S side center brs. S 17°46'W 78.5 ft.
1127.90	Same bearing to cor.No.1, the place of beginning-

LEDGE

The presumed course of the mineral bearing vein, as nearly as can be determined from present development is from Discovery Shaft No.1, S 80°24'E 130 ft. & N 80°24'W 1200 ft.

FIELD-

1715

Beginning at cor.No.1, the S.E.cor., identical with locat. and with cor.No.4 Key to the Situation & No.2, Jack of Clubs, Claims of this survey-

A pine post 4 ft.long, 4 ins.sq.set 1 ft.in the ground in a mound of stones & scribed 1-1715 R.H.L.

Whence a rock in place $2\frac{1}{2} \times 3.7 \times 4.1$ ft., chiseled x-1-2-4-1715 B.R.brs.N $25^{\circ}36'E$ 121.5 ft.and U.S.M.M.No.4 brs S $10^{\circ}18'E$ 3710 ft.

Thence N $21^{\circ}00'E$

~~700-00~~
7803 To cor.No.3, Key to the Situation, a claim of this group-
1461.60 Same bearing to cor.No.2, the N.E.cor., identical with locat.

A pine post 4 ft.long, 4 ins.sq.set in the ground in a mound of stones & scribed 2-1715 R.H.L.

Whence center wash 20 ft.wide, course S, bears $862^{\circ}19'W$ 75 ft. and at same bearing a porphyry outcrop on E bank of wash, chiseled at base x-2-1715 B.R.85.9 ft.

Thence N $62^{\circ}19'W$

High Hill
93.00 To cor.No.1, ~~Warren Bay~~ Lode No.1681

300.00 Same bearing to original location for N end center-

600.00 Same bearing to cor.No.3, the N.W.cor., identical with locat.

A pine post 4 ft.long, 4 ins.sq.set in the ground in a mound of stones & scribed 3-1715 R.H.L.

Whence cor.No.3 Bessie Lode No.1583 brs.N $62^{\circ}19'W$ 38.1 ft.& a rock in place $2 \times 1.9 \times 3.4$ ft., chiseled x-3-1715 B.R.bears S $58^{\circ}12'W$ 71.8 ft.

Thence S $21^{\circ}00'W$

293.20 To cor.No.2 Bessie No.1583

587.00 Same bearing to cor.No.1 Bessie No.1583

874.40 Same bearing to cor.No.1, Copper Wedge No.1583 and No.2 Wee-Wee, a claim of this survey-

1461.60 Same bearing to cor.No.4, the S.W.cor., identical with location & with cor.No.1 Wee Wee, No.3 Henry George, and No.3 Jack of Clubs, all claims of this group.

A pine post scribed 4-1715 R.H.L.

Thence S $62^{\circ}19'E$

300.00 To original location for S end center-

600.00 Same bearing to cor.No.1, the place of beginning-

Ledge

The course of the vein as nearly as can be determined from the present development & outcrop, is from the S end center of location N $21^{\circ}00'E$ 1461.6 ft.

FEET

1715

Beginning at cor.No.1,the S.E.cor,identical with locat.
and with cor.No.4 Carolina Lode of this survey-

A pine post 4 ft.long,4 ins.sq.set in the ground in a
mound of stones & scribed 1)1715 K.S.L.

Whence a pine post 4 ft.long,4 ins.sq.set 1 ft.in the
ground in a mound of stones & scribed 1-4-1715 W.C.brs.
N 88°32'W 6 ft.& a second post of identical dimensions &
scribing,set in a mound of stones S 88°32'E 22 ft.&
U.S.M.M.No.4 brs.S 10°09'E 3585.20 ft.

Thence N 30°52'E

535.00 To wash 10 x 20 FT, COURSE S. SAME BEARING
985.20 To cor.No.2,the N.E.cor.,identical with location and with
cor.No.3,Carolina Lode of this survey-

A pine post scribed 2-1715 K.S.L.

Thence N 88°32'W

40.00 To center wash 10 ft.deep,20 ft.wide,course S

189.00 Same bearing to original N end center

256.20 Same bearing to cor No.3,the N.W.cor.

A pine post 4 ft.long 4 ins.sq.set 1 ft.in the ground in
a mound of stones & scribed 3-1715 K.S.L.

Whence original location,a pine post 4 ft.long,4 ins,sq,
set in the ground in a mound of stones & scribed 3-1715-
W.C.brs N 88°32'W 15 ft.& a second post of same dimensions
& scribing brs.S 88°32'E 15 ft.

Thence S 21°W

780.30 To cor.No.4,identical with cor.No.1,Red Hill lode of
this survey & with cor No 2 Jack of Clubs of this Group.

A pine post scribed 4-1715 K.S.L.

Whence original location to the S.W.cor.brs.S 21°35'W
203 ft.

Thence S 8°12'45"E

124.60 To cor No.5,the S.W.cor.,identical with cor.No.4 La
Luisa & No.1,Jack of Clubs,Claims of this survey-

A pine post scribed 5-1715 K.S.L.

Thence S 88°32'E

6.49 To pine post 4 ft.long,4 ins.sq,identical with location
for the S end center

12.49 Same bearing to cor.No.1,the place of beginning-

LEDGE

The bearing of the vein as nearly as can be determined
from present development,is from the S end center of
location N 17°30'E 880.00 ft.

- Beginning at cor.No.1,the S.E.cor.,identical with locat.
and with cor.No.4 Paragon & No.5 La Luisa,Claims of this
group-
- A pine post 4 ft.long,4 ins.sq.set in the ground in a
mound of stones & scribed 1-1715 C.L.
- Whence a rock in place 2.4 x 2.7 x 3.6 ft.,chiseled x
1-4-5-1715 B.R.brs.S 12°46'W 13 ft.and U.S.M.M.No. 4
brs.S 0°31'E 3514 ft.
- Thence N 30°52'E
- 985.20 To cor.No.2,the N.E.cor.,identical with location-
a pine post 4 ft.long,4 ins.sq.set in the ground in a
mound of stones & scribed 2-1715 C.L.
- Whence a rock in place 3.5 x 4.5 x 5.6 ft.,chiseled x
2-1715 B.R.brs.N 34°06'W 65.3 ft.
- Thence N 88°32'W
- 300.00 To Mound of stones,identical with location for the N
end center
- 600.00 Same bearing to cor.No.3,the N.W.cor.,identical with
location & with cor.No.2,Key to the Situation,A claim of
this survey-
- A pine post 4 ft.long,4 ins.sq.set in the ground in a mound
of stones & scribed 3-1715 C.L.
- Whence a rock in place 1.5 x 2.5 x 2.8 ft.chiseled x-
2-3-1715 B.R.brs.N 58°12'E 71.9 ft.
- Thence S 30°52'W
- 450.00 To center Wash 10 ft.deep,20 ft.wide course S.
- 985.20 Same bearing to cor.No.4,the S.W.cor.identical with
location & with cor.No.1,Key to the Situation,a claim
of this group,
- A pine post scribed 4-1715 C.L.
- Thence S 88°32'E
- 190.00 TO WASH 10 FT DEEP 30 FT WIDE, COURSE S. — ~~SAME BEARING~~
- 300.00 To original location for S end center
- 600.00 Same bearing to cor No.1,the place of beginning.

LEDGE

The presumed course of the vein on this claim as nearly
as can be determined from the present development is
from the S end center N 30°52'E 985.20 ft.

FEET

1715

Beginning at cor.No.1,the S.E.cor.,identical with locat.
and with cor.No.3 Mc Ginty Lode of this group-

A pine post 4 ft.long,4 ins.sq.set 1 ft.in the ground
in a mound of stones & scribed 1-1715 P.L.

Whence A rock in place 2 x 2.4 x 3 ft.,chiseled x-1715-
1- 3 B.R. brs.N 12°54'E 42.1 ft.and U.S.M.M.No.4 brs.
S 10°42'W 3583.20 ft.

Thence N 31°05'E

1500.00 To cor.No.2,the N.E.cor.,identical with location-

A pine post 4 ft.long,4 ins.sq.set in the ground in a mound
of stones & scribed 2 - 1715 P.L.

Whence a rock in place level with the surface 2.7 x 4.6
ft.chiseled x-2-1715 B.R. brs.S 11°13'E 56.9 ft.

Thence S 89°25'W

313.00 To point whence original N end center brs.N 4°31'E 11 ft.

704.00 Same bearing to cor.No.3,the N.W.cor.

A pine post 4 ft.long,4 ins.sq.set in the ground in a mound of
stones & scribed 3-1715 P.L.

Whence original location brs.N 81°30'W 89 ft. & a rock
in place 1.5 x 2.4 x 3.2 ft.chiseled x-3-1715 B.R.br.
N 46°21'E 34 ft.

Thence S 30°52'W

511.30 To cor.No.2 Carolina Lode of this survey-

1496.50 Same bearing to cor.No.4,the S.W.cor.identical with locat.
and with cors.No.1 & 5 respectively of the Carolina and
La Luisa Lodes of this Group.

A pine post scribed 4-1715 P.L.

Thence N 89°25'E

~~300.00 To cor.No.4 MCGINTY & No.6 LA LUISA, CLAIMS OF THIS GROUP - SAME BEARING~~

345.30 To mound of stones identical with location for the S end
center

697.30 Same bearing to cor No.1,the place of beginning.

LEDGE

The presumed course of the ledge as nearly as can be
determined from the present development is from the S
end center of location N 31°05'E 1500 ft.

FEET.

Beginning at cor No.1, the S.E. cor., identical with location and with cor. No. 5 Key to the Situation & No. 4 La Luisa, Claims of this survey-

A pine post 4 ft. long, 4 ins. sq. set 1 ft. in the ground in a mound of stones & scribed 1-1715 J.C.L.

Whence a Pine post 4 ft. long, 4 ins. sq., set in the ground in a mound of stones & scribed 1-4-1715 W.C. brs. S 88°32'E 3.49 ft. & a second post of same dimensions & scribing brs. S 84°54'15"E 30 ft. and U.S.M.M. No. 4 brs. S 10°20'E 3588 ft.

Thence N 8°12'45"W

62.00 To original location for the E end center
124.60 Same bearing to cor. No. 2, the N.E. cor. identical with cor. No. 4 Key to the Situation & No. 1, Red Hill, Claims of this Survey & with location for N.E. Cor.

A pine post scribed 2-1715 J.C.L.

thence N 62°19'W

300.00 To S end center Red hill of this survey, identical with location for the N side center

600.00 Same bearing to cor. No. 3, the N.W. cor., identical with locat. and with cor. No. 4 Red Hill, No. 1 Wee Wee & No. 3 Henry George, all claims of this survey

A pine post 4 ft. long, 4 ins. sq. set in the ground in a mound of stones & scribed 3-1715 J.C.L.

Thence S 8°12'45"E

200.00 To W end center, identical with location

450.00 Same bearing to cor. No. 4, the S.W. cor., identical with location & with cor. No. 3 La Luisa of this survey

A pine post scribed 4-1715 J.C.L.

Thence N 84°54'15"E

306.00 To orig. S. side center

486.77 Same bearing to cor No. 1, the Place of beginning-

LEDGE

The presumed course of the vein on this claim as nearly as can be determined from the development done, is from Discovery Cut No. 1, N 86°00' W 380 ft. & S 84°00' E 90 ft.

Feet.

1715

14

Beginning at cor.No.1, identical with location for the S side center & with cor.No.2, Sulphide & No.6 McGinty, Claims of this survey

A pine post 4 ft. long, 4 ins. sq. set 1 ft. in the ground in a mound of stones & scribed 1-1715 L.L.L.

Whence ^{a rock in place} 2.4 x 3.4 x 4.3 ft., chiseled x-1-2-6-1715 B.R. brs. S 46°21'W 27.3 ft. ~~US.M.M.N.4 brs. S 5°41'E 2992 FT~~

365.00 Thence S 87°16'30"W
 754.25 To cor.No.2, the S.W. cor., identical with location & with cor.No.3, Sulphide & No.2 Henry George, Claims of this survey—A pine post scribed 2-1715 L.L.L.

Thence N 8°12'45"W

256.00 To original W end center

550.00 Same bearing to cor.No.3, identical with location & with cor.No.4 ~~Jack of Clubs~~ of this survey—

A pine post 4 ft. long, 4 ins. sq. set in the ground in a mound of stones & scribed 3-1715 L.L.L.

Whence a rock in place 2.4 x 4.5 x 6.3 ft., chiseled x-3-4-1715 B.R. brs. N 89°56'W 43.2 ft.

Thence N 84°54'15"E

486.77 To cor.No.4, identical with cor.No.1, ~~Jack of Clubs~~ and No.5 Key to the SITUATION, both of this survey—

A pine post scribed 4-1715 L.L.L.

Thence S 88°32'E

12.49 To cor.No.1 Key to the Situation & No.4 Carolina, Claims of this survey—

312.49 Same bearing to S end center Carolina of this group—

612.49 Same bearing to cor.No.5, identical with cor.No.1 Carolina and No.4 Paragon, Loes of this survey—

A pine post scribed 5-1715 L.L.L.

Thence N 89°25'E

300.00 To cor.No.6, identical with cor.No.4 McGinty of this group—

A pine post scribed 6-1715 L.L.L.

Whence original location for the N.E. cor. brs. N 3°41'E 126 ft.

Thence S 8°12'45"E

206.45 To cor.No.7, identical with cor.No.5 McGinty of this group

A pine post scribed 7-1715 L.L.L.

Whence original location for the E end center brs. due E 21 ft and original S.E. cor. brs. S 12°32'E 360 ft.

Thence S 60°34'W

681.17 To cor No.1, the place of beginning—

LEGE

The presumed course of the mineral bearing vein on this claim as nearly as can be determined from the development & outcrop is from cor No. 7, S 65° W 1400 FT.

Feet-

1715

- Beginning at cor.No.1, identical with location for E end center and with cor.No.1 McGinty & No.4 Yo Tambien, claims of this survey-
- A pine post 4 ft.long, 4 ins.sq.set 1 ft.in the ground in a round of stones & scribed 1-1715 S.L.
- Whence a rock in place 1 x 2 x 3 ft., chiseled x 1-1715 B.R.brs.N 45°42'E 74.8 ft.and U.S.M.M.No.4 brs.S 3°3'E 2734 ft
- Thence N 31°23'W
- 289.70 To cor.No.2, identical with location & with cor.No.1 La Luisa & No.6 McGinty, claims of this survey
- A pine post scribed 2-1715 S.L.
- Thence S 87°16'30"W
- 365.00 *To WASH 15 x 30 FT, COURSE S --- SAME BEARING -*
754.25 To cor.no.3, the N.W.cor, identical with cor.No.2 LaLuisa & No.2, Henry George, Claims of this survey
- A pine post scribed 3-1715 S.L.
- Whence original location brs.N 11°45'W 26.3 ft.
- Thence S 31°23'E
- 120.00 To original W end center
- 307.13 Same bearing to cor.No.4, the S.W.cor, identical with cor.No.1 Henry George, a claim of this survey also identical with location-
- A pine post scribed 4-1715 S.L.
- Thence S 77°29'10"E
- 199.00 To Wash 70 ft.wide, 20 ft.deep, course S
- 671.7 Same bearing to cor.No.5, the S.E.cor, identical with cor.No.5 Yo Tambien & No.3 Pajaro, claims of this survey-
- A pine post scribed 5-1715 S.L.
- Whence original S.E.cor.brs.S 74°12'E 374 ft.
- Thence N 24°17'E
- 215.40 to cor.No.1, the place of beginning-

LEDGE

The presurable course of the ledge on this claim, as nearly as can be determined from present development, is from cor.No.1, N 85°02'W 300 ft.

PAJARO LODE

14
10

Feet.

1715

Beginning at cor.No.1, the S.E.cor., identical with locat. and with cor.No.2 Hill & No.6 Yo Tambien, claims of this survey-

A pine post 4 ft.long, 4 ins.sq., set 1 ft.in the ground in a mound of stones & scribed 1-1715 P.L.

Whence a rock in place 2.4 x 3.5 x 4 ft., chiseled x-1-2-6-1715 B.R.brs.S 33°18'W 31.7 ft.and U.S.M.No.4 brs. S 3°13'W 2111.3 ft.--

Thence N 42°39'E

100.00 To cor.No.2, the N.E.cor.

A pine post 4 ft.long, 4 ins.sq.set in the ground in a mound of stones & scribed 2-1715 P.L.

Whence a rock in place level with surface 1.8 x 3 ft. chiseled x- 2-1715 B.R.brs.S 27°22'W 11 ft.

and original location for the E end center brs.N 43°19'E 201.7 ft.& original location for the N.E.cor. brs.N 43°30'E 400 ft.

Thence N 49°21'W

32.84 To intersection line 6-1 Yo Tambien of this survey at N 24°17'E 104.15 ft.from cor.No.6

551.7 ft.Same bearing to cor.No.3, identical with cor.No.5

Sulphide & No.5 Yo Tambien, claims of this survey-

A pine post 4 ft.long, 4 ins.sq.set in the ground in a mound of stones & scribed 3-1715 P.L.

Whence original location, identical with cor.No.1, Mc Ginty Lode of this survey, brs.N 24°17'E 215.4 ft.

Thence N 77°29'10"W

472.7 To wash course N & S, 70 FT WIDE, 20 FT DEEP - SAME BEARING.
671.70 To cor.No.4 Sulphide & No.1 Henry George, Claims of this

survey-

800.90 Same bearing to cor.No.4, the N.W.cor., identical with location and with cor.No.6 Henry George & No.7 Nancy Hanks.

Claims of this group-

A pine post scribed 4-1715 P.L.whence U.S.M.M.no.4 brs S 20°35'E

Thence S 42°39'W

190.00 To original W end center-

490.10 Same bearing to cor.No.5, the S.W.cor, identical with location & with cor.No.1 Nancy Hanks lode of this group-

A pine post 4 ft.long, 4 ins.sq.scribed 5-1715 P.L.

700.00 To wash 100 ft.wide, 20 ft.deep, course N & S-

818.00 To cor.no.3 Hill lode of this survey & Cor.No.3, Rucker No.614-

1485.20 Same bearing to cor.io.1, the place of beginning.

LEDGE

The presumed course of the vein on this claim, as nearly as can be determined from present development, is from cor.no.1 N 72°03'W 1220 FT

FEET.

1715

Beginning at cor.No.1,the S.E.cor.,identical with locat. and with cor.No.6,Union No.1341.

A pine post 3 1/2 ft.high,4 ins.sq.set in the ground in a mound of stones & scribed 1-1715 H.L.

Whence a pine post 4 ft.long,4 ins.sq set 1 ft.in the ground in a mound of stones & scribed 1-1715 W.C.H.brs. N 69°26'W 65.6 ft.Spray Shaft brs.S 39°21'W,Holbrook Flag-pole brs.S 66°16'W and a rock in place,level with surface 4 ft.sq.,chiseled x-1-1715 B.R.brs.N 89°13'W 90 ft. and U.S.M.M.No.4 brs.S 2°5'E 1703.5 ft.

217.3 To Eendcenter Thence N 24°17'E
484.6 ft.To cor No.2,the N.E.Cor.identical with cor.No.1 Pajaro and No.6 Yo Tarbien,claims of this survey,

A pine post scribed 2-1715 H.L.

Whence original location brs.N 25°06'E 839.5 ft.

Thence N 80°28'W

667.20 To cor No.3,the N.W.cor.identical with cor,No.3 Rucker No.614,

A pine post 3 1/2 ft.high,set in the ground in a mound of stones & scribed 3-1715 H.L.

Whence A pine post 4 ft.long,4 ins.sq.set 1 ft.in the ground in a mound of stones & scribed 3-1715 W.C.H.brs. S 12°02'W 20.7 ft.& a rock in place 1.2 x 2.7 x 3.5 ft. chiseled x-3-1715 B.R.brs.S 53°38'E 67.5 ft.

Thence S 24°17'W

297.30 To cor No.4,identical with location & with cor No.5 Union No.1341,

A pine post 3 ft.high,4 ins.sq.set in the ground in a mound of stones & scribed 4-1715 H.L.

Whence a rock in place,level with surface 3 1/2 x 4 ft. chiseled x-4-1715 B.R.brs.S 27°13'W 54.3 ft.and cor. No.5 Rucker,identical with No.4 Union No.1341 brs.S 24° 17'W 285.7 ft.

Thence S 68°36'E

342.00 To mound of stones,identical with location for S ^{side} end center

646.00 Same bearing to cor.No.1,the place of beginning.

LEDGE

The course of the vein on this claim,as nearly as can be determined from present development,is from Disc. Shaft No.1,N 68°34'W 340 ft. & S 68°34'E 305 ft.from the same point.

PLAT.

1715

- Beginning at cor.No.1,a pine post 4 ft.long,4 ins.sq. set 1 ft.in the ground in a mound of stones & scribed 1-1715 Y.T.L.
- Whence a rock in place 1.5 x 2 x 25 ft.,chiseled x-1-1715 B.R.brs.N 21°54'W 45.6 ft.and U.S.M.M.No.4 bears S 5°07'W 2304 ft.
- Thence N 60°32'E
- 1104.00 To cor.No.2,the S.E.cor.
- A pine post 4 ft.long,4 ins.sq.set 1 ft.in the ground in a mound of stones & scribed 2-1715 Y.T.L.
- Whence original location brs.N 63°E 121 ft.and original location for E end center brs.N 37°12'W 297 ft.and a rock in place level with surface 2 x 3.6 ft.,chiseled x-2-1715 B.R.brs.N 0°38'E 34.8 ft.
- Thence N 39°01'W
- 272.60 To east end center ~~identical with location.~~
- 557.20 To cor.No.3,the N.E.cor.,identical with location & with cor.No.2 McGinty Lode of this survey.
- A pine post 4 ft.long,4 ins.sq.set 1 ft.in the ground in a mound of stones & scribed 3-1715 Y.T.L.
- Whence a rock in place 2 1/2 x 2 x 3.6 ft.chiseled x-3-1715 B.R.brs.S 54°36'E 49.2 ft.
- Thence S 60°32'W
- 1104.00 To cor.No.4,identical with cor.No.1 McGinty & No.1 Sulphide,Claims of this group.
- A pine post scribed 4-1715 Y.T.L.
- Thence S 24°17'W
- 215.40 To cor No.5,identical with cors.No.5 & 3 respectively of the Sulphide & Pajaro,lodes of this survey.
- A pine post 4 ft.long,4 ins.sq.set 1 ft.in the ground in a mound of stones & scribed 5-1715-Y.T.L.
- Whence original location brs.N 39°30'W 170 ft.& a rock in place 1.8 x 2.4 x 3 ft.,chiseled x-1715 B.R.bears due E 38.45 ft.
- Thence S 39°01'E
- 246.00 To mound of stones,identical with location for W end center
- 557.20 Same bearing to cor.No.6,the S.W.cor.,identical with location & with cors.No.1 & 2 respectively of the Pajaro and Hill,Claims of this survey-
- A pine post scribed 6-1715 Y.T.L.
- Thence N 24°17'E
- 215.40 To cor.No.1,the place of beginning

- 'LEGE' -

The presumed course of the vein on this claim,as nearly as can be determined from the present development is from Disc.Cut No 1 N 60°32'E 420 FT & S 60°32'W 680. Thence S 24°17'W 215 FT.

Beginning at cor.No.1, the S.W.cor., identical with locat. and with cors.No.1 & 4 respectively of the Sulphide and Yo Tambien, claims of this survey-

A pine post 4 ft.long, 4 ins.sq.set 1 ft.in the ground in a mound of stones & scribed 1-1715 M.G.L.

Whence a rock in place, 2 ft.high, 1 x 3 ft., chiseled x-1-1715 & 4-1715 B.R.brs.N 45°42'E 74.8 ft.and U.S.M.M. No.4 brs.S 3°03'E 2754 ft.

Thence N 60°32'E

1104.00 To cor.No.2, the S.E.cor., identical with location & with cor.No.3 Yo Tambien Lode of this survey-

A pine post scribed 2-1715 M.G.L.

Thence N 31°23'W

289.70 To cor.No.3, the N.E.cor., identical with cor.No.1 of the Paragon Lode of this survey & with orig.location for E.end center.

A pine post scribed 3-1715 M.G.L.

Whence original location brs.N 31°00'W 211 ft.

Thence S 89°25'W

397.30 To cor.No.4, identical with cor.No.6 La Luisa Lode of this survey-

A pine post 4 ft.long, 4 ins.sq.set 1 ft in the ground in a mound of stones & scribed 4-1715 M.G.L.

Whence a flat rock in place, level with the surface, 4.5 x 5 ft., chiseled x - 4- 6-1715 B.R.brs .S 11°26'E 24.6 ft.

Thence S 8°12'45"E

206.45 To cor.No.5, identical with cor.No.7, La Luisa Lode of this Group-

A pine post 4 ft.long, 4 ins.sq.set in the ground in a mound of stones & scribed 5-1715 M.G.L.

Whence a rock in place 2.5 x 3.5 x 4.6 ft.chiseled x-5-7-1715 B.R.brs.S 87°14'W 21.3 ft.

Thence S 60°34'W

681.17 To cor.No.6, identical with cor.No.2 Sulphide & No.1 La Luisa, claims of this survey-

A pine post scribed 6-1715 M.G.L.

Whence original location brs. N 31°40'W 195 ft.

Thence S 31°23'E

17.40 To mound of stones, identical with location for W end center

289.70 Same bearing to cor.No.1, the place of beginning-

--- L E D G E ---

The presumed course of the mineral bearing ledge on this claim as nearly as can be determined from the work done & the surface cropping visible, is from the disc.tunnel No.1 N 60°34'E 920ft and S 60°34'W 170ft.

--- AREAS ---

Total & Net Area	Hill	-----	5.420 ⁰	Acres
"	"	" Paragon-----	-20.535	"
"	"	" Key to te Situation-----	3.192	"
"	"	" McGinty-----	8.265	"
"	"	" Red Hill-----	-18.895	"
"	"	" Nancy Hanks-----	-10.349	"
"	"	" Yo Tambien-----	-16386	"
"	"	" Leviathan-----	-15.568	"
"	"	" Wee-Wee-----	-15.504	"
"	"	" Henry George-----	-13.083	"
"	"	" Jack of Clubs-----	3.206	"
"	"	" Sulphide-----	8.159	"
"	"	" La Luisa-----	-15.130	"
"	"	" Carolina-----	-11.823	"
"	"	" Pajaro 100-3-021 -----	-10.817	"
		" Copper King confl.	0.038	
		" Yo Tambien "	0.595	
			<u>0.633</u>	
Net		" Pajaro-----	-10.184	"
		<u>Net Area of Group-----</u>	<u>174.000</u>	Acres
			174.799	

IMPROVEMENTS

I certify that the ^{value of the labor} improvements on this group, placed thereon by the claimants or their grantors is not less than 500 dollars for each claim thereof & that said improvements consist of-

Pajaro.

No.1	Discovery Shaft & Drift at bottom, from cor. No.1, Pajaro N 72°03'W 860.00 ft. Shaft 7.5 x 5 ft. 326 ft. deep. Drift 4x6x380 ft., course N 2°26'W	\$ 8250.00 5700.00
------	--	-----------------------

Total Value Shaft & Drift \$13950.00

No.2	Tunnel 4x6x30 ft., course N 71°30'W brs. from cor No.1 N 72°03'W 973 ft.	240.00
------	---	--------

No.3	Shaft 4x6x22 ft. brs. from cor. No.3 Hill N 24°20'E 40 ft.	260.00
------	--	--------

No.4	Tunnel 4x6x34 ft. course N 87°W, brs from same point N 24°30'W 95 ft.	270.00
------	--	--------

The hills on which this group of claims are located are very steep, the average slope being about 40°, the trend is N & S, cut by the Canon as shown in the accompanying map of the group-

That this shaft & drift No.1 develop the whole group is a self evident fact that needs no further explanation- The method of development from a central shaft with drifts & cross-suts from the same is the only practical method of ore extraction & is universally the method used in this district-by all large companies, namely, The Copper Queen Con. Mining Co. operating adjoining this group & working about 200 claims from 2 Main Shafts- The South Bisbee Copper Mining & Townsite Improvement Co. working by this method about 60 claims, among which are surveys No.1392-1393-1394 comprising 32 Claims-all worked from one shaft-the patents being granted on this shaft- The Bisbee West Copper Mining Co. working 24 Claims from one shaft, 6 patented No.1606-The Lowell & Arizona Copper Co. working 15 Claims & obtaining patent on The same from one shaft, Survey No.1410-& numerous others could be cited- In addition the country on which this group is located is inaccessible N of Shaft No1, and it is therefore not only the most economical, but the only method that could be used to extract ore & develop the property-

A 1/15 undivided interest in this shaft & drift No.1, has been allotted to each claim of this survey, value of the same \$930.00

Total Value No.2 No.3 & No.4- - - - -	\$ 770.00
1/15th. Interest in Shaft & Drift No.1	930.00
Total Value of work on Pajaro	\$ 1700.00

HILL

No.1	<i>Disc.</i> Shaft 4x6x20 ft. brs from E end center N 68°34'W 305 ft.	\$ 240.0
No.2	Tunnel 4x6x30 ft., course N 30°W brs from cor. No.2 S 64°40'W 145 ft.	240.0
No.3	Shaft 4x6x11 ft. brs from cor. No.4 N 79°E 190 ft.	110.0
	1/15 Interest in shaft & drift No.1, Pajaro	930.0
	Total Improvements Hill Lode-- -- -- -- --	\$1520.00

Yo Tambien

No.1	<i>Disc.</i> Open Cut 4x15x12 ft., course S 46°40'E brs from N end center of claim S 60°32' ^W 420 ft.	100.0
	1/15th. interest in Shaft & Drift No.1 on Pajaro	930.0
	Total improvements Yo Tambien -- -- -- -- --	\$1030.0

Mc Ginty

No.1	<i>Disc.</i> Tunnel 4x6x110 ft., course N 60°30'E brs. from cor. No.6 N 77°E 190 ft.	880.0
	1/15th. interest in Shaft & Drift No.1 Pajaro	930.0
	Total Improvements McGinty	\$1810

Paragon

No.1	Disc. Cut 4x12x12 ft., course S 42°15'E brs. from cor. No.4 N 78°E 450.00 ft.	100.0
No.2	Tunnel 4x6x28 ft. course S 52°43'E, brs from same point N 70°35'E 401 ft.	280.0
No.3	Open Cut 4x12x12 ft., course N 85°W, brs. from cor. No.2 S 49°15'W 409 ft. Value of cut \$100 Shaft at face of cut 4x6x10 ft. value \$100	200.0
No.4	Open cut 4x12 x 12ft., shaft at face 4x6x22 ft., course of cut S 86°15'W, bear from cor No.2 S 53°11'W 311 ft.	360.0
No.5	Open cut 4x12x12 ft. course N 82°W, shaft at face 4x6x10 ft. bear from cor. No.2 S 75°54'W 502 ft.	200.0
	1/15 interest in Shaft & Drift No.1 Pajaro	930.0
	Total Improvements Paragon -- -- -- -- --	\$32070.00

Carolina

No.1	Disc. Shaft 4x6x79 ft. brs from S end center N 30°52'E 100 ft.	1185.0
No.2	Tunnel 4x6x24 ft., course S 45°21'E brs from same point N 71°15'E 280 ft.	240.0
	1/15th. interest in Shaft & Drift No.1 Pajaro	930.0
	Total Improvements Carolina	\$32355.00

Key to the Situation

No.1	Disc. Shaft 4x6x30 ft. brs from S end center N 7°30'E 210 ft.	360.0
No.2	Open-cut 4x12x12 ft. course N 78°34'W brs. from cor. No.1 N 30°E 450 ft.	100.0
No.3	Open-cut " " " N 77°05'W. brs from S end center N 17°30'E 490 ft.	100.0

1/15 Interest in Shaft + Drift No.1 PAJARO 930.0
TOTAL IMPROVEMENTS KEY TO THE SITUATION \$11490.

No.1	Disc. Cut 4x12x12, course N 21°E, brs from south end cent. N 21°E 100 ft.	\$ 100.00
No.2	Open cut 4x6x10, course S 48°34'W, Shaft at face 4x6x23 ft., bear from same point N 23°10'E 350. ft.	320.00
No.3	Open cut 4x12x12, course N 56°45'W brs. from same point N 54°W 230 ft.	100.00
No.4	Shaft 4x6x21 ft. brs from same point N 41°27'E 350 ft.	250.00
	1/15 Interest in Shaft & Drift No.1 Pajaro	930.00
	Total Improvements Red Hill Lode - - - - -	\$ 1700.00
	Wee-Wee Lode	
No.1	Disc. Shaft 4x6x30ft. brs from E end cent. N 80°24'W 130 ft.	360.00
No.2	Open cut 4x14x20ft., course E, brs. from same point N 60°16' W 680 ft.	200.00
	1/15 interest in Shaft & Drift No.1 Pajaro	930.00
	Total Improvements Wee-Wee Lode	\$ 1490.00
	Leviathan	
No.1	Disc. Shaft. 4x6x20 ft. brs from S end cent N 11°13'W 422ft.	240.00
No.2	Shaft 4x6x21 ft. brs. from same point N 24°3'W 910.00 ft.	250.00
	1/15 Interest in Shaft & Drift No.1 Pajaro	930.00
	Total Improvements Leviathan Lode	\$ 1420.00
	Henry George	
No.1	Disc. Tunnel 4x6x22 ft., course N 15°12'E brs. from S end center N 11°13'W 140 ft.	200.00
No 2	Cut 4x10x12 ft., course N 34°07'E, Shaft 4x6x25 ft. at face bear from same point N 58°42'W 250 ft.	400.00
No.	1/15 Interest in Shaft & Drift No.1 Pajaro	930.00
	Total Improvements Henry George Lode	\$1530.00
	Nancy Hanks	
No.1	Disc. Shaft 4x6x12 ft. brs. from point on line 7-1 at 190 ft. from cor. No.7 N 80°W 450 ft.	120.00
No.2	Shaft 4x6x65 ft. brs. from same point N 69°01'W 251 ft.	780.00
	1/15 Interest in Shaft & Drift No.1 Pajaro	930.00
	Total Improvements Nancy Hanks Lode	\$1830.00
	Sulphide	
No.1	Disc. Open Cut 4x12x12 ft., course N 85°02'W, Shaft in face 4x6x30 ft. bear from cor No.1 N 85°2'W 430 ft.	460.00
	1/15 Interest in Shaft & Drift No.1, Pajaro	930.00
	Total Improvements Sulphide Lode	\$1390.00
	La Luisa	
No.1	Disc. Tunnel 4x6x90 ft, course N 83°26'E, cross-cut 4x6x10 ft. at 30 ft., course S, Winze at face of Cross-cut 4x6x10ft. Center of Tunnel Mouth bears S 85°W 830 ft. from cor.	
No. 7.		870.00

La Luisa (cont.)

No.2	Grading for Hoist 30x60 ft. bears from cor. No.1 Carolina Lode of this survey S 11°E 100 ft.	\$200.00
	1/15 Interest in Shaft & Drift No.1, Pajaro	930.00
	Total Improvements La Luisa Lode	\$ 2100.00
	Jack of Clubs	
No.1	<i>Disc.</i> Cut 4x15x12 ft., course E, Shaft at face 4x6x30 ft. bear from E end center N 86°W 90 ft.	460.00
No.2	Cut 4x12x12 ft., course S 45°14'W, bears from the point N 87°52'W 227 ft.	100.00
	1/15 Interest in Shaft & Drift No.1 on Pajaro	930.00
	Total Improvements Jack of clubs	\$1490

	Total value Improvements Pajaro	\$1700.00
"	" " Hill	1520.00
"	" " Yo Tambien	1030.00
"	" " McGinty	1810.00
"	" " Paragon	2070.00
"	" " Carolina	2355.00
"	" " Key to the Sit.	1490.00
"	" " Red Hill	1700.00
"	" " Wee-Wee	1490.00
"	" " Leviathan	1420.00
"	" " Henry George	1530.00
"	" " Nancy Hinks	1830.00
"	" " Sulphide	1300.00
"	" " Jack of Clubs	1490.00
	Total Improvements on Group - - - - -	\$22825.00

This group of claims adjoins the Town of Bisbee on the East & its Southern boundaries are about 1400 ft. N of the Spray Shaft-

It is situated in the Warren Mining District, Cochise County Arizona, on unsurveyed lands, approximately in Township No. 23 S, Range No. 24 E, of the Gila & Salt River Base & Meridian

ADJOINING OWNERS

Highlier
North: ~~Warren~~ No. 1681, Donald McPhun Owner

Claims Owned By -- Bubacher, names unknown

Vacant Ground

East: Claims owned by the Copper King of Arizona, names unknown-

South. Union No. 1341, Rucker No. 614, Copper Jack No. 1047

Iron Monster No. 1049, All owned by the Copper Queen Con. Mining Co.

West:--Bessie & Copper Wedge, Surveys No. 1583 Donald McPhun, Owner

Vacant Ground

Instrument

The survey was made with a Lietz Mountain & Mining Transit, The courses were deflected from the true Meridian as determined by solar observations, checked by an observation on polaris

The distances were measured with a 300 ft. steel tape
MAGNETIC VARIATION 11°55'E throughout-

Bisbee Arizona
October 7th. 1902

A. C. Clark
U.S. Deputy Mineral Surveyor

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Geo. C. Clark

United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines corners and boundaries described in the foregoing field notes of the survey of the mining claim

of The Cochine Copper Mining Co, known as the Hill, Yo Tambien, Paragon Carolina, key to the situation, Red Hill, We Wee, Leviathan, Henry George Mancy Hawks Papers, Sulphide, La Luisa and Jack of Clubs and mine thirty and showing the respective capacities in which they acted.

W. E. Wisdom , Chairman.

Harry Burgham , Chairman.

..... , Axman.

..... , Flagman.

FINAL OATHS OF ASSISTANTS.

We, W. E. Wisdom and Harry Burgham do solemnly swear that we assisted Geo. C. Clark

....., United States Deputy Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of The Cochine Copper Mining Co

known as the Hill, Yo Tambien, McInty, Paragon Carolina, key to the situation, Red Hill, We Wee, Leviathan, Henry George Mancy Hawks, Papers, Sulphide, La Luisa + Jack of Clubs

....., represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for

Arizona

X W. E. Wisdom , Chairman.

X Harry Burgham , Chairman.

..... , Axman .

..... , Flagman.

Subscribed and sworn to by the above-named persons before me

this 15 day of September, 1902

S. A. Williams

NOTARY PUBLIC
COCHISE COUNTY, ARIZONA TERR.
MY COMMISSION EXPIRES NOV. 25 1904

Notice.

By virtue of the laws of the United States, the laws of the Territory of Arizona, and the District mining laws of Warren District, we have this day located and claim fifteen hundred (1500) feet on ~~each~~ this ledge lode or vein:

Commencing at this monument & running seven hundred & fifty (750) ft, in an easterly, and seven hundred & fifty (750) ft in a Westerly direction

monument
 We also claim three hundred (300) ft, on each side the center of the ledge for working purposes.

This claim shall be known the "La Luisa" mine, and is situated about one half (1/2) mile east of the Smelters of the Copper Queen Con. M. Co.

Locators

Witness

G. W. Hill

Max Goldenstein

C. B. Watts

1889.
 Jan. 7th. Warren District, Cochise Co. A. T.

Filed and recorded at of W. H. Brophy February 28th A. D. 1889 at 9 A. M.

Book 9 page 97-8, Record of Mines, Cochise County Records.

Location Notice. February 12th 1890.

By virtue of the laws of the United states, the laws of arizona, and the District Mining laws of Warren District, We have this day located and claim One thousand(1000) feet on this lode lead or vein of mineral bearing quartz

Commencing at this monument at the Westerly end line of the McGinty mining claim and running one thousand(1000) feet in a Westerly direction to monument on the Northerly side line of the Rucker mine, being the Westerly center end of claim, We also claim three hundred(300) feet on each side of the center of ledge for working purposes marked by monuments on the ground.

Is situated in Dubacher canon one half mile more or less East of the Smelter of the C. Q. Con M. Co. in Warren District-Cochise Co. Arizona. And shall be known as the Pajaro Mine.

Locators,

Witness

G. W. Hill

Max Goedenstein

J. W. Bartholomew

C. B. Watts.

Filed and recorded at request of J. W. Bartholomew March 31st A. D. 1890, at 3-30 P. M. Book 9 page 146, record of Mines, Cochise County Records.

Location Notice. February 12th 1890.

By virtue of the laws of the United States and the laws of Arizona, and the District Mining laws of Warren District. We have this --located & claim fifteen (1500) hundred feet on this lead lode or vein of mineral bearing quartz;

Commencing at this monument at the Easterly end line of the Pajaro mining claim and running fifteen hundred (1500) feet in an Easterly direction to monument, being the Easterly center end of claim.

We also claim three hundred (300) feet on each side of center of ledge for working purposes, marked by monuments on the ground,

Is situated in Dubacher Canon one half mile east of the Smelter of the C. Q. Con. M. Co. in Warren Dist. Cochise County Arizona, and shall be known as the McGinty Mine.

Locators,

Witness

G. W. Hill.

Max Goldenstein.

J. W. Bartholomew

C. B. Watts.

Filed and recorded at request of J. W. Bartholomew March 31st A. D. 1890, at 3-30 P. M. Book ⁷page 147, Record of Mines. Cochise County Records.

Location Notice. February 15th 1890.

By virtue of the laws --the United States, the laws of Arizona and the District mining laws of Warren Dist, We have this day located and claim Fifteen hundred(1500) feet on this lead, lode, or vein of mineral bearing quartz.

Commencing at this monument and running one thousand(1000) feet in a Northerly and five hundred(500) feet in a Southerly direction to monuments.

We also claim three hundred(300) feet on each side of the center of ledge for working purposes, marked by monuments on the ground,

Is bounded on the east by the Carolina Mining claim, and is situated in Dubacher Canon one half mile more or less east of the C. Q. Con. M. Co. Smelter in Warren Mining District Cochise Co. Arizona, and shall be known as the Red Hill Mine.

Locators

Witness

Max Goldenstein

G. W. Hill

J. W. Bartholomew

C. B. Watts.

Filed and recorded at request of J. W. Bartholomew March 31st A. D. 1890,
at 3-30 P. M. Book 9 page 148, Record of Mines Cochise County Records.

Location Notice. March 23rd, 1890

By virtue of the laws of the United States, the laws of Arizona, and District Mining laws of Warren District, We have this day located and claim fifteen hundred (1500) feet on this lode, lead, or vein of mineral bearing quartz.

Commencing at this monument and running fifteen hundred (1500) feet in a Northerly direction to monument being the Northerly center end. We also claim three hundred (300) feet on each side of the center of ledge for working purposes, being marked by monuments upon ground. Is bounded on the West by the Red Hill Mining claim and is situated in Dubacher Canon one half mile more or less east of C. Q. Con. M. Cos. smelter in Warren District. Cochise Co. Arizona. And shall be known as the Carolina Mine.

Locators,

Witness,
Max Goldenstein

C. W. Hill
J. V. Bartholomew
C. B. Watts.

Filed and recorded at request of J. W. Bartholomew March 31st A. D. 1890, at 2-30 P. M. Book 9 page 149, Record of Mines, Cochise county Records.

Location Notice.

The undersigned has this day located & claims 1500 feet in length of the mineral bearing ground with width at the easterly end 100 feet more or less & at the westerly end 300 feet more or less being a fractional claim. Described as follows. Commencing at this initial ^{the} monument and running Northerly 50 feet to a monument thence westerly 1500 feet to monument thence southerly 150 feet to monument being the westerly center end of claim thence southerly 150 feet to monument thence easterly 1500 feet to monument thence 50 feet in a Northerly direction to place of beginning.

Is situated in Dubacher Canyon one half mile more or less North of the Holbrook Hoist near Bisbee Warren Dist. Cochise Co. A.T. and comprises all the vacant ground lying between the La Luisa M.C. on the South the Giltedge M.C. on the east & the Caroline, Black Tail & Red Hill M.Cs on the North shall be known as the Sulphide

November 30th, 1892.

Witness

C.B. Watts.

C.H. McNally)

Filed and recorded at request of C.B. Watts January 27th A.D. 1893, at 1 P.M. Book 9 page 304, Record of Mines.

Location Notice.

The undersigned has this day located and claims Fifteen hundred(1500) feet in length & Six hundred(600) feet in width of this mineral bearing ground.

Commencing at this the initial monument & running 300 feet in a South easterly direction to monument-thence 1500 feet in a Northeasterly direction to monument.Thence 300 feet in a Northwesterly direction to monument,being N.E.center end of claim,thence 300 feet in a Northwesterly direction to monument-thence 1500 feet in a Southwesterly direction to monument Thence 300 feet in Southeasterly direction to place of beginning.

Is bounded on the N:W. side by the Pajaro & McGinty M.Cs, is about one half mile more or less N.E.of the Holbrook Hoist, in Warren Dist.

Cochise Co.near Bisbee A.T.shall be known as the "Yo" Tambien" M.C.

January 1st, 1893.

Witness

C.B.Watts

R.P.Stevens

Filed and recorded at request of C.B.Watts, February 14th A.D.1893, at

1 P.M. Book 9 page 311, Record of Mines.

Amended Notice of Location.

The undersigned has this day located and claims 1500 feet in length and 600 feet in width of this mineral bearing ground.

Commencing at this ^{the} initial monument and running 300 feet in an norrhth-easterly direction to monument, thence 1500 feet in a westerly direction to monument, thence 300 feet in a southerly direction to monument, being the westerly ~~center~~ end of claim, thence 300 feet in a southerly direction to monument, thence 1500 feet in a easterly direction to monument, thence 300 feet in an northeasterly direction to pñace of beginning.

Is situated in Warren District, Cochise Co. near Bisbee Arizona, & one half mile more or less northerly from the Holbrook Hoist. Is bounded partly on the south by the "Rucker" M.C. & on the easterly end by the "Pajon" M.C. This an amended notice of location of the "Nancy Hanks"

M.C. May 30th 1893.

Witness

C.B. Watts.

J.H. Mathias

Chas Story

Filed and recorded at request C.B. Watts June 9th A.D. 1893, at 3-30 P.M.

Book 9 page 326, Record of Mines.

Notice of Location.

Notice is hereby given that the undersigned, in compliance with the requirements of the mining Act of Congress, Approved May 10, 1872, ----- have this day located and claim 1500 hundred linear feet along the course of this lead, lode or vein of mineral bearing quartz, and 300 feet in width on each side of the middle of said lead, lode or vein, situate in the Warren Mining District, County of Cochise County Arizona, and more particularly described as follows, to wit:

Commencing at this monument of stones, being the center of the Southerly end of claim, and upon which this notice is posted; thence easterly 300 feet to a monument of stones; thence Northerly 1500 feet to a monument of stones thence Westerly 300 feet to a monument of stones; ~~thence~~ being the center of the Northerly end of claim; thence West~~erly~~erly 300 feet to a monument of stones; thence Southerly 1500 feet to a monument of stones; thence easterly 300 feet to place of beginning.

This Claim is situated about one half mile north easterly from the Holbrook Hoist of the C. Q. C. M. Co. near Bisbee, is bounded on the south by ~~La Lucia~~ La Luisa & McGinty M. Cs, on the West by the Carolina M. C. and shall be known as the Paragon Mine

Located April 6th 1894,

Witness
Chas Strong)
J. H. Mathias)
C. B. Watts, Locator

Filed and recorded at request of August Joerrs Nov. 7th A. D. 1896, at 1 P. M. Book 13 page 257 Record of Mines.

Location Notice.

38

Notice is hereby given that the undersigned, in compliance with the requirements of the mining Act of Congress, approved May 10, 1872, ---- have this day located and claim 1500 hundred linear feet along the course of this lead, lode or vein of mineral bearing quartz, and 300 feet in width on each side of the middle of said lead, lode or vein, situate in the Warren Mining District, County of Cochise Arizona, and more particularly described as follows, to wit:

Commencing at this monument of stones, being the center of the South end of claim, and upon which this notice is posted; thence west 300 feet to monument of stones; thence North 1500 feet to a monument of stones; thence east 300 feet to a monument of stones; being the center of the North end of claim; thence east 300 feet to a monument of stones; thence South 1500 feet to a monument of stones; thence West 300 feet to place of beginning.

This claim is situated in the Warren Mining District adjoining at the South the ~~unista~~ mine on the West-Rucker and Independence mine and at the North end the McGinty mine, and shall be known as the Hill Mine.

Located January 7 1895.

Peter^a Hansen
Anton Muhlein
G. W. Hill

Filed and recorded at request of P. C. Hansen Feb 12th A. D. 1895, at 2-1 Book 13 page 120 Record of Mines.

Notice of Mining Location.
Quartz claim.

To all whom it may concern:

This mining claim, the name of which is The Key to the Situation Mining claim, situated on lands belonging to the United States of America, and in which there are valuable mineral deposits was entered upon and located for the purpose of exploration and purchase by C. B. Watts, of Bisbee, the undersigned, on the 5th day of Sept, 1897.

The length of this claim is Fifteen hundred (1500) feet, and the claim is 100 feet in a Southerly direction and 1400 feet in a Northerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 200 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Southerly to the Northerly. The claim is situated and located in Warren Mining District, Cochise County, in the Territory of Arizona, about 1000 yds in a Northerly direction from the Holbrook Hoist of the C. Q. C. M. Co. in Bisbee.

The surface boundaries of the claim are marked upon the ground as follows Beginning at the northerly side line of La Luisa M. C. at a point in a Southerly direction 100 Feet from the discovery shaft (at which this notice is posted), being in the center of the Southerly end line of said claim; Thence easterly 200 feet to a monument of stones, being the S. E. corner of said claim; thence Northerly 750 ft to a monument at the center of the Easterly side line of said claim; thence Northerly 750 Feet to a monument being at the N. E. corner of said claim; thence Westerly 200 ft to a monument at the center of the Northerly end of said claim; thence Westerly 200 feet to a monument being at the N. W. corner of said claim; thence Southerly 750 Feet to a monument being at the center of the Westerly side line of said claim; thence Southerly 750 Feet to a monument at the S. W. corner of said claim; thence Easterly 200 ft to the place of beginning.

Comprises all vacant ground between the Carolina on the E. Red Hill on the W. & La Luisa on the S. All done under the provisions of Chapter Six, of Title 32, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines" approved March 20th, 1895,

Dated and posted on the ground this 5th day of September 1897.

C. B. Watts, Locator.

Filed and recorded at request of Joseph Muhem Dec. 4th A. D. 1897, at 1 P. M. Book 14 page 416, Record of Mines.

Notice of Mining Location.
Quartz claim.

To all whom it may concern:

This mining claim, the name of which is the "Jack of Clubs" Mining claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by C. B. Watts of Bisbee the undersigned on the 5th day Sept. 1897.

The length of this claim is One thousand (1000) feet, and the claim is 100 feet in an Easterly direction and 900 feet in a Westerly direction from the center of the discovery shaft at which this notice is posted, lengthwise of the claim, together with 200 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the easterly to Westerly. The claim is situated and located in Warren Mining District, Cochise County, in the Territory of Arizona, about 1000 yds in a Northerly direction from the center-Holbrook Hoist of the C. O. C. M. Co. The surface boundaries of the claim are marked upon the ground as follows; Beginning at the Westerly side line of the "Key to the Situation" M. C. at a point in an Easterly direction 100 Feet from the discovery shaft (at which this notice is posted), being in the center of the easterly end line of said claim; thence Southerly 200 ft to a monument of stones, being the S. E. corner of said claim; thence Westerly 500 ft to a monument at the center of the Southerly side line of said claim; thence Westerly 500 Feet to a monument being at the N. W. corner of said claim; thence northerly 200 ft to a monument at the center of the Westerly end of said claim; thence Northerly 200 feet to a monument being at the N. W. corner of said claim; thence Easterly 500 Feet to a monument being at the center of the Northerly side line of said claim; thence easterly 500 feet to a monument at the N. E. corner of said claim; thence Southerly 200 feet to the place of beginning, comprising all vacant ground between La Luisa on the South, Red Hill on the North and the "Key to the Situation" on the E.

All done under the provisions of Chapter Six, of Title 32, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines" approved March 20th 1895. Dated and posted on the ground this 5th day of Sept, 1897.

C. B. Watts

Filed and recorded at request of Joseph Muhelm Dec. 4th A. D. 1897, at 1 P. M. Book 14 pages 417, Record of Mines, Cochise county Rec^ords.

Notice of Mining Location.

Quartz claim.

To All Whom It May Concern:

This mining claim, the name of which is the Henry George Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by C.B. Watts the undersigned on the 5th day of Nov. 1897.

The length of this claim is 1500 feet and said claim is 1450 feet in a Northerly direction and 50 feet in a southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds on each side of the center of said claim. The general course of the lode deposit and premises is from the Southerly to the Northerly.

The claim is situated and located in Warren Mining District, Cochise County, in Territory of Arizona, about in a Northerly direction from Holbrook Hoist of C. Q. M. Co. The surface boundaries of the claim are marked upon the ground as follows: Beginning at the Northerly side line of the Haacy Hanks M. C. at a point in a Southerly direction 50 feet from the discovery shaft (at which this notice is posted), being in the center of the end line of said claim, thence Easterly 300 feet to a monument being the S. Easterly corner of said claim, thence northerly 750 ft. to a monument at the center of the easterly side line of said claim; thence northerly 750 feet to a monument being at the N. Easterly corner of said claim; thence Westerly 300 feet to a monument at the center of the Northerly end of said claim; thence Westerly 300 feet to a monument being at the N. Westerly corner of said claim; thence Southerly 750 feet to a monument being at the center of the Westerly side line of said claim; thence Southerly 750 Feet to a Monument at the S. Westerly corner of said claim; thence Easterly 300 ft. to the place of beginning.

All done under the provisions of Chapter 6, of Title 32, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled An "Act Concerning Mines" approved March 20th 1895.

Dated and posted on the ground this 5th day of Nov. 1897.

C. B. Watts

Filed and recorded at request of Joe Muhlem Feb. 3rd, A. D. 1898, at 1 P. M. Book 14 page 475 Record of Mines Cochise County Records.

Notice of Mining Location.

To all whom it may concern: Quartz claim.

This mining claim the name of which is the Leviathan Mining Claim situated on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by G.W. Hill, J.H. Mathias & Jos M. Maheim the undersigned, on the 4th day of February 1898. The length of this claim is 1500 feet, and the claim is 300 feet in a Southerly direction and 1200 feet in a Northerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds on each side of the center of said claim.

The general course of the lode deposit and premises is from the Southerly to the Northerly. The claim is situated and located in Warren Mining District Cochise County, in the territory of Arizona, about 500 yards in a northerly direction from Old Shaft of the C. Q. C. M. Co. of Bisbee.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at the Northerly side line of the "Nancy Hanks" M. C. at a point in a southerly direction 300 feet from the discovery shaft (at which this notice is posted), being in the center of the Southerly end line of said claim; thence Easterly 300 ft to a monument, being the S. E. corner of said claim; thence Northerly 750 ft to a monument at the center of the easterly side line of said claim, thence Northerly 750 Feet to a monument being at the ^{at the center of the northerly end of said claim,} N. E. corner of said claim; thence Westerly 300 Feet to a monument being at the N. W. corner of said claim; thence Southerly 750 Feet to a monument being at the center of the Westerly side line of said claim; thence Southerly 750 Feet to a monument at the S. W. corner of said claim; thence easterly 300 ft to the place of beginning.

All done ^{under} the provisions of Chapter Six, of Title 32, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines", approved March 20th, 1895.

dated and posted on the ground this 4th day of February 1898.

G. W. Hill
J. H. Mathias
Jos M. Maheim

Filed and recorded at request of Joseph Maheim Mar. 16th A. D. 1898, at 10-²¹ Book 14 page 505, Record of Mines, Cochise County Records.

Notice of Mining Location.
Quartz Claim.

To All Whom It May Concern:

This mining claim, the name of which is the "Wee Wee" Mining claim, situate on lands belonging to the United States of America, and in which there are valuable ^{mineral} deposits, was entered upon and located for the purpose of exploration and purchase by C. B. Watts the undersigned, on the first day of February 1899. The length of this claim is 1500 feet, and said claim is 50 feet in a Easterly direction and 1450 feet in a Westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the West to East. The claim is situated and located in the Warren Mining District, in Cochise County, in the Territory of Arizona, about 100 yards in a N. Westerly direction from the Pojan shaft of the C. C. Mng Co. of Bisbee.

The surface boundaries of the claim are marked upon the ground as follows:

Beginning at Westerly side line of the Red Hill M.C at a point in a Easterly direction 50 feet from the discovery shaft (at which this notice is posted), being in the center of the Easterly end of claim; thence Northerly 300 feet to a monument & stake, being the N.E. corner of said claim; thence Westerly 750 feet to a monument & stake at the center of the Northerly side line of said claim; thence Westerly 750 feet to a monument & stake being at the N.W. corner of said claim; thence southerly 300 feet to a monument & stake at the center of the Westerly end of said claim; thence Southerly 275 feet to a monument & stake, being at the S.W. corner of said claim; thence easterly 750 feet to a monument and stake being at the center of the Southerly side line of said claim; thence easterly 750 feet to a monument & stake at the S.E. corner of said claim; thence Northerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines" approved march 20th, 1895.

dated and posted on the ground this First day of Feb. 1899

C. B. Watts, Locator.

Filed and recorded at request of S. K. Williams)
at 12 A.M. march 18th A.D. 1899, in Book 16 page)
21, Record of Mines, Cochise County Records.)

Jos Muhelm
Witness.

(4-687.)

Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior,

Office of U. S. Surveyor General,

Phoenix, Arizona.

October 20th 1902, 18

I, U. S. Surveyor General for District of Arizona, do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of Cochise Copper Mining Company, known as the Leviathan, Hill, Yo Tambien and other lode claims, situate in Warren mining district, Cochise County, Arizona, in Section approx., Township No. 23 S., Range No. 24 E., (unsurveyed), designated as Survey No. 1715, executed by Geo. C. Clark, U. S. Deputy Mineral Surveyor, Sept. 21-Oct. 7, 1902, 18, under my instructions dated Sept. 20th, 1902, 18, have been critically examined and the necessary corrections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. A true copy of the copy of the location certificate filed by the applicant for survey is included in the field notes.

Mugh H. Price

U. S. Surveyor General for Arizona.

COCHISE

1715

