

MS
-

0

1

7

7

1

Recd. 9/1/1903

Notes & forms copied.
C.M.
Completed.

H.L. 11/10/03

NOV 25 1903

(4-683.)

Mineral Survey No. 1771

Lot No.

Prescott

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Geo. B. Russel

KNOWN AS THE

American Eagle, Gold Bug & Moonrion

Hassaydenpa

Mining District.

Yavapai

County,

Arizona

Section 31, Township 13 N, Range 2 W

Surveyed under instructions dated March 6, 1903

by A. B. Mader

U. S. Deputy Mineral Surveyor

Claim located See Location Notices, 1

Survey commenced Aug 5th, 1903, 1

Survey completed Aug 6th, 1903, 1

J. O. S. Tomlinson
Prescott A. T.
Agent for Claimant

PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

WE, Ed. Tomlinson and Charles Richter,

do solemnly swear that we will well and faithfully execute the duties of chain carriers; that we will level the chain upon even and uneven ground and plumb the tally-pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with instructions given us, in the survey of the Mining Claim of Geo. B. Russel

known as the American Eagle, Gold Bug and Mormon
situate in Hassayampa mining district
Yavapai County, Arizona
in Section 31, Township No. 13 N, Range No. 2 W

Ed Tomlinson, Chainman.

Charles Richter, Chainman.

Subscribed and sworn to by the above-named persons before me this 4 day of Aug, 1903

W. B. Braddock
Notary Public
My commission expires April 27, 1907.

I, _____, do solemnly swear that I will well and truly perform the duties of axman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of

known as the _____
more fully described in the preceding affidavit.

_____, Axman.

Subscribed and sworn to by the said _____
before me this _____ day of _____, 190____

I, _____, do solemnly swear that I will well and truly perform the duties of flagman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of

known as the _____
more fully described in the preceding affidavit.

_____, Flagman.

Subscribed and sworn to by the said _____
before me this _____ day of _____, 190____

American Eagle Lode.

feet

Beginning at Cor.No.1

Identical with corner of the location and with cor.
No.2 of the Gold Bug lode of this survey.

A pine post 4" X 4" X 5½' long set 12" in the ground and
surrounded by a mon. of stones 2' base by 2½' high
and scribed 1 A E 1771 whence,

U. S. Mineral Monument No.1771 bears S. 40° 1' E.
3564½ ft.

No bearings available.

Thence N. 54° 54' W.

1500 To Cor. No.2.

Identical with corner of the location.

A pine post 4" X 4" X 5½' long set 12" in the ground
and scribed 2 A E 1771 and surrounded by a mon. of
stones 2' base X 2½' high.

No bearings available.

Thence N. 35° 6' E.

300 To the West center end.

Identical with the location.

A pine post 4" X 4" X 5½' long set 12" into the
ground scribed W C E A E 1771.

600 To Cor. No.3.

Identical with corner of the location.

A pine post 4" X 4" X 5½' long set 12" in the ground
and scribed 3 A E 1771 and surrounded by a mon. of
stones 2' base X 2½' high.

No bearings available.

Thence South 54° 54' E.

1500 To Cor. No.4.

Identical with corner of the location and with Cor.
No.3 of Gold Bug lode of this survey.

A pine post 4" X 4" X 5½' long set 12" in the ground
scribed 4 A E 1771 and surrounded by a mon. of stones
2' base X 2½' high.

No bearings available.

feet

Thence S. 35° 6' W.

205 Cross wagon road bears North 80° W. and South 80° E.

300 To the east center end.

Identical with the location and with the west center end of the Gold Bug lode of this survey.

600 To the place of beginning.

The variation at all the corners is 14" E.

This claim is located in the Hassayampa Mining District, Yavapai County, Arizona, on surveyed land, in Sec.31, T. 13 N. R. 2 W.

This claim is bounded on the north by U. S. public land, on the east by the Gold Bug lode of this survey, on the south by U. S. public land and on the west by U.S. public land.

Ledge.

The course and length of the ledge on the American Eagle lode is from the discovery shaft S. 54° 54' E. 550 ft. to the east center end and N. 54° 54' W. 950 ft. to the west center end and is traceable by croppings.

Gold Bug Lode.

feet	<p>Beginning at Cor. No.1 Identical with corner of the location. A pine post 4" X 4" X 5½' long set 12" in the ground and scribed 1 G B 1771 and surrounded by a mon. of stones 2' base X 2½' high whence The U. S. Mineral Monument No.1771 bears S. 30° 28' E. 2471.1 ft. No bearings available. Thence N. 60° W.</p>
64.16	<p>Intersect line 3-4 of the Mormon lode of this survey at a point S. 11° 20' E. 397.56 ft. from Cor. No.3.</p>
1200	<p>To Cor. No.2 Identical with the corner of the location and with Cor. No.1 of the American Eagle lode A pine post scribed 2 G B 1771 No bearings available. Thence N. 35° 6' E.</p>
300	<p>To the west center end. Identical with the location and with the east center end of the American Eagle lode. A pine post scribed W C E G B 1771</p>
395	<p>Cross wagon road bears N. 80° W. and S 80° E.</p>
600	<p>To Cor. No.3. Identical with the corner of the location and with Cor. No.4 of the American Eagle lode A pine post scribed 3 G B 1771. No bearings available. Thence S. 60° E.</p>
735	<p>Cross wagon road bears east and west.</p>
1160.02	<p>Intersect line 2-3 of the Mormon lode of this survey at a point S. 78° 40' W. 147.16 ft. from Cor. No.2.</p>
1200	<p>To Cor. No.4. Identical with corner of the location. A pine post 4" X 4" X 5½' long set 12" in the ground and scribed 4 G B 1771 and surrounded with a mon. of stones 2' base X 2½' high.</p>

feet

A juniper tree 18" in dia. scribed B T 4 G B 1771 bears N. 49° 55' E. 61 ft.

No other bearings available.

Thence S. 35° 6' W.

300 To the east center end.

Identical with the location.

A pine post 4" X 4" X 5½' long set 12" in the ground and scribed E C E G B 1771 surrounded by a mon. of stones 2' base X 2½' high.

380 Cross gulch 18" wide course S. 80° E. bears N. 80° W.

600 To the place of beginning.

The variation at all the corners is 14° E.

This claim is located in the Hassayampa Mining District, Yavapai County, Arizona, on surveyed land, in Sec. 31, T. 13 N. R 2 W.

This claim is bounded on the north by U. S. public land, on the east by the Mormon lode of this survey, on the south by U. S. public land, on the west by the American Eagle lode.

Ledge

The course and length of the ledge on the Gold Bug lode is from the discovery monument N. 60° W. 750 ft. to the west center end and S. 60° E. 450 ft. to the east center end.

SURVEY NO.1771
Mormon Lode.

feet

Beginning at Cor. No.1

Identical with corner of the location.

A pine post 4" X 4" X 5½' long.set 12" in the ground and scribed 1 M 1771 and surrounded by a mon. of stones 2' base X 2½' high whence

The U. S. Mineral monument No.1771 bears S. 22° 46' E. 1301.4 ft.

A juniper tree 20" in dia. scribed 1 M 1771 B T bears S. 57° 51' W. 35.5 ft.

A juniper tree 22" in dia. scribed B T 1 M 1771 bears N. 43° 22' E. 39.7 ft.

Thence N. 11° 20' W.

1095 Cross gulch 4 ft. wide, course N. 70° E. and bears S. 70° W.

1190 Cross wagon road bears N. 45° E. and S. 45° W.

1500 To Cor. No.2.

Identical with corner of the location

A pine post 4" X 4" X 4½' long set 12" in the ground and scribed 2 M 1771. and surrounded by a mon. of stones 2' base X 2½' high.

A pine tree 18" in dia. scribed B T 2 M 1771 bears N. 27° 14' W. 18.7 ft.

No other bearings available

Thence S. 78° 40' W.

147.16 Intersect line 3-4 of the Gold Bug lode at a point N.60° W. 39.98 ft. from Cor. No.4.

300 To the north center end.

Identical with the location.

A pine post 4" X 4" X 4½' long set 12" in the ground and scribed N C E M 1771 and surrounded with a mon. of stones 2' base X 2½' high.

An oak tree 6" in dia. scribed B T N C E M 1771 bears S. 38° 44' E. 14 ft.

600 To Cor. No.3.

Identical with corner of the location

A pine post 4" X 4" X 5½' long. set 12" in the ground

5

feet

and scribed 3 M 1771 and surrounded with a mon. of stones 2' base X 2½' high.

No bearings available.

Thence S. 11° 20' E.

397.56 Intersect line 1-2 of the Gold Bug lode at a point N. 60° W. 64.16 ft. from Cor. No.1.

480 Cross gulch 1 ft. wide, course N. 70° E. bears S. 70° W.

1500 To Cor. No.4

Identical with corner of the location

A pine post 4" X 4" X 5½' long set 12" in the ground and scribed 4 M 1771 and surrounded with a mon. of stones 2' base X 2½' high.

No bearings available.

Thence N. 78° 40' E.

300 To the south center end.

Identical with the location.

A pine post 4" X 4" X 5½' long set 12" in the ground and scribed S C E M 1771 and surrounded by a mon. of stones 2' base X 2½' high.

600 To the place of beginning.

The variation at all the corners is 14° E.

This claim is located in the Hassayampa Mining District, Yavapai County, Arizona, on surveyed land, in Sec. 31, T. 13 N., R. 2 W.

This claim is bounded on the north by the Gold Bug lode and U. S. public land, on the east by U. S. public land, on the south by the lode, George B. Russell claimant, unsurveyed, on the west by U. S. public land and the Gold Bug lode of this survey.

Ledge.

The course and length of the ledge on the Mormon lode is from the discovery cut N. 11° 20' W. 250 ft. to the north center end and S. 11° 20' E. 1250 ft. to the south center end.

\$500.00 EXPENDITURE.

I certify that the value of the Labor and Improvements upon the American Eagle, Gold Bug and Morrison claims, placed thereon by the claimants and his grantors, is not less than five hundred dollars per claim and that said improvements consist of:-
American Eagle

The discovery shaft No.1 the center of which bears N. 26° W. 622 ft. from Cor. No.1 and is 8 X 8 X 40 ft. deep ----- Value \$800.00

Shaft No.2 which bears N. 27° 5' W. 650 ft. from Cor. No.1 and is 8 X 12 X 15 ft. deep ----- Value 400.00

Tunnel No.3 which bears N. 28° 40' W. 670 ft. from Cor. No.1 and is 4 X 6 X 200 ft. long, having a course of S. 55° E. ----- Value 2000.00

Cut No.4 the mouth of which bears N. 30° 35' W. 803 ft. from Cor. No.1 and is 5 X 25' X 6' face ----- Value 100.00

Cut No.5 the center of which bears N. 31° 50' W. 865 ft. from Cor. No.1 and is 20 X 20 X 6' deep ----- Value 600.00

Cut and tunnel No.6 the mouth of which (cut) bears S. 31° 50' E. 618 ft. from Cor. No.3 which is 5 X 25 with 8 ft. face and a tunnel 3 X 6 X 30' long bearing S. 35° W. ----- Value 300.00

Shaft No.7 which bears S. 24° 50' E. 585 ft. from Cor. No.3 and is 6 X 6 X 20' deep----- Value 200.00

Gold Bug

Discovery Shaft No.1 which bears N. 78° 55' E. 288 ft. from Cor. No.2 and is 5 X 7 X 425 ft. deep, timbered----- Value 7650.00

Hoist and Engine House the South-East Cor. of which bears N. 88° 45' E. 255 ft. from Cor. No.2 and is a timber and corrugated iron building 40 X 70' the long side bearing N. 48° E. and contains hoisting engine and boiler and pump----- Value 2700.00

A boarding house the south-west Cor. of which bears N. 73° 30' W. 455' from Cor. No.4 and is 16 X 38' the long side bearing north and south, of wood, with a kitchen addition 8 X 10 at the north-east Cor. ----- Value 250.00

A bunk house 18 X 30' the north-east corner of which bears N. 73° 30' W. 475 ft. from Cor. No.4, the long

\$15000.00

DEC 2. 1903

OFFICE.
ROOM 7, PRESCOTT NATIONAL BANK BUILDING

10

A. B. MADER, C. E.
U. S. DEPUTY MINERAL SURVEYOR.

SURVEYS FOR PATENT AND MINE WORKINGS
A SPECIALTY.
SPECIFICATIONS, EXAMINATIONS AND REPORTS ON
ALL ENGINEERING WORK.

Surv. No 1771

Dec. 1st 1903.

PHONE OFFICE, 318.
RESIDENCE, 148

PRESCOTT, ARIZONA.

Paragraphs to be inserted in field notes of Survey
No 1771 - under the head of Expenditure of \$500 for
American Eagle lode - viz:

Shaft No 6, the center of which bears N34°-25' W, 892 ft. from
Cor. No 1 and is 4' x 6' x 10' deep. Value \$100.00

Tunnel No 9 - the mouth of which bears S44°-30' W, 190 ft. from
Cor. No 4 and is 5' x 6' x 30' long bearing N30° E and then 4' x 6' x 330'
long bearing N55° W Value \$3000.00

The sum of \$3100.00 is to be added to the total amount
expended.

A. B. Mader
U. S. Dep. Min. Surveyor.

\$15000.00

Addendum

side of which bears north and south----- Value 100.00
 In discovery Shaft No.1 a drift at the 100 ft. level
 4 X 6 X 200 ft. long bears N. 60° W.
 A drift at the 120 ft. level 4 X 6 X 95 ft. long
 bears S. 60° E.
 A drift at the 200 ft. level is 4 X 6 X 170 ft.
 long, course N. 60° E.
 A drift at the 300 ft. level is 4 X 6 X 700 ft. long
 course N. 55° W.
 A drift at the 400 ft. level is 4 X 6 X 70 ft. long
 course N. 55° W.

Value of drifts ----- 12000.00

A winze between the 2nd and 3rd levels 4 X 4 X 100
ft. deep----- Value 700.00

Mormon

The discovery cut No.1 the mouth of which bears
 S. 37° 10' W. 395 ft. from Cor. No.2 and is 5 X 15
 X 10' face with a tunnel 4 X 6 X 6' long-- Value 100.00
 Shaft No.2 which bears S. 34° 30' W. 395 ft. from
 Cor. No.2 and is 5 X 7 X 85 ft. deep, timbered,

----- Value 1275.00

This shaft is covered with a wood and corrugated iron
building, 35 X 60', the long side bearing N. 35° E.

----- Value 400.00

Shaft No.3 which bears S. 6° 20' W. 695 ft. from
Cor. No.2 and is 5 X 7 X 50' deep, timbered,

----- Value 900.00

Cut No.4 the mouth of which bears N. 50° 15' W.
510 ft. from Cor. No.1 and is 6 X 25 X 6' face

----- Value 100.00

Cut No.5 the mouth of which bears S. 1° 30' W. 440'
ft. from Cor. No.2 and is 5 X 18 X 10' face with a
tunnel 4 X 6 X 5' long, course of cut in tunnel

N. 2° E. ----- Value 100.00

Total \$30675.00

A. B. Mader
U.S. Deputy Mineral Surveyor

Survey No 1771

This survey was made
with a Gurley Light Mountain
Transit with Solar Attachment.

The courses were deflected
from the true meridian
as determined by direct
solar observations.

The distances were measured
with a 200 ft. steel tape.

A. B. Meade
U. S. Dep. Min. Surveyor.

Survey N^o 1771Table of Areas

<u>American Eagle Lode</u>	-----	20.661 Acres
<u>Gold Bug Lode</u>	-----	16.463 "
<u>Mormon Lode</u>	-----	20.661
Less conflict with Gold Bug Lode	<u>2.780</u>	
	<u>net area</u>	<u>17.881 "</u>
<u>Total Area</u>		<u>55.005 Acres</u>

For improvement see corrections
 filed Dec 2, 1903.

NOTES OF THE ESTABLISHMENT
OF U. S. MINERAL MON. NO. 1771.
HASSAYAMPA MINING DISTRICT, YAVAPAI COUNTY, ARIZ.

14

This monument was established in conjunction with Mineral Survey No. 1771 American Eagle et al. claims. These claims are on surveyed land but no signs of section corners or quarter section corners were to be found although diligent search for the same was made within a radius of two miles. I, therefore, establish this U. S. Mineral Monument.

On a pointed prominent hill about 600 feet high and on the west bank of the Hassayampa River, I chisel a cross for the exact corner point on a granite boulder 6' X 5' X 4' above the ground, and chisel U.S.M.M. No. 1771 H. M. D. in letters $1\frac{3}{4}$ " long, and erect a monument of stone alongside and partly on this granite boulder, 3' base X $5\frac{1}{2}$ ' high, whence

Center of Spruce Mountain bears N. $86^{\circ} 7'$ E.

Center of Senator Mountain bears S. $49^{\circ} 4'$ E.

A pointed quartz mountain bears N. $0^{\circ} 6'$ E. about 2 mi.

Dwelling house of Ruppert's ranch on the Hassayampa River bears S. $72^{\circ} 25'$ E. about 1 mile.

The Cook house of the Mescal Mill on the Hassayampa River bears S. $3^{\circ} 4'$ E.

A sharp bend in the Hassayampa River where its course changes from S. E. to W. bears S. $10^{\circ} 26'$ E.

The E. end of Antelope Peak bears S. $38^{\circ} 14'$ W.

A juniper tree 17" in dia. scribed B. T. U. S. M. M. No. 1771, bears N. $30^{\circ} 21'$ W. 67 ft.

A. B. Mader

U. S. Dep. Min. Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by A. B. Mader
 United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines
 corners and boundaries described in the foregoing field notes of the survey of the mining claim
 of Geo. B. Russel
 known as the American Eagle, Gold Bug and Mormon
 and showing the respective capacities in which they acted.

Ed Toulinson, Chairman.
Charles Richter, Chairman.
 _____, Axman.
 _____, Flagman.

FINAL OATHS OF ASSISTANTS.

We, Ed Toulinson
 and Charles Richter, do solemnly swear that we assisted A. B. Mader
 _____, United States Deputy Mineral Surveyor, in marking the corners and
 surveying the boundaries of the mining claim of Geo. B. Russel
 _____, known as the American
Eagle, Gold Bug and Mormon, represented
 in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under
 his direction; and that said survey has been in all respects, to the best of our knowledge and
 belief, faithfully and correctly executed, and the corner and boundary monuments established
 according to law and the instructions furnished by the United States Surveyor-General for
Arizona.

Ed Toulinson, Chairman.
Richter, Charles, Chairman.
 _____, Axman .
 _____, Flagman.

Subscribed and sworn to by the above-named persons before me
 this First day of September, 1903

A. B. Mader
Notary Public
 My commission expires Apr 1 1907.

(4-686.)

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, A. B. Mader, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated March, 6, 1903, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Geo. B. Russel, known as the American Eagle, Gold Bug and Mormon, situate in Hassayampa Mining District, Yavapai County, Arizona, in Section 31, Township No. 13 N, Range No. 2 W, and designated as Survey No. 1771, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

A. B. Mader

U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said A. B. Mader

U. S. Deputy Mineral Surveyor, before me W. B. Maudsley

Notary Public

this First

day of September 1, 1903.

W. B. Maudsley

Notary Public

2-154

My commission expires 4/20/04.

Affidavit of Five Hundred Dollars Improvements.

We, J. B. Ammitage, and R. E. Sloan

of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the American Eagle, Gold Bug & Mormon mining claim, situate in Yasayampa Mining district, Yavapai County, Arizona Territory, for which Geo. B. Russel

has made application for survey prior to application for patent under the provisions of the Act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon by the applicant and his grantor exceed Five Hundred Dollars in value ^{per claim,} and further that we are not personally interested in said mine.

J. B. Ammitage
R. E. Sloan

TERRITORY OF ARIZONA,
County of Yavapai } ss:

Sworn to and subscribed before me, this 27th

day of August, 1903



[Signature]
Notary Public

My commission expires April 22nd 1907.

"MORMON"

NOTICE OF LOCATION.

KNOW ALL MEN BY THESE PRESENTS:

That we, the undersigned, have this day located fifteen hundred (1500) linear feet of this vein or lode, bearing precious metals, with all dips, spurs, angles and variations, with surface ground three hundred (300) feet on each side of the center of vein, with all mineral deposits contained therein, and all timber growing within the limits of said claim, and all water and water privileges thereon or appurtenant thereto, under and according to the provisions of the United States Mining Laws, under which it is located.

This claim commences at this Monument and Notice placed upon the ledge, and runs 250 feet in a Westerly direction and 1250 feet in a Easterly direction along the ledge from discovery shaft.

The exterior boundaries are as follows, viz:

Commencing at a monument of stone on North boundary line, distant three hundred (300) feet in a Northerly direction from discovery monument; thence in a Easterly direction parallel with the ledge 1500 feet to monument of stone at S. E. corner of claim; thence in a Southerly direction at right angles across the ledge six hundred (300) feet to monument of stone at S. W. corner of claim; thence in a Westerly direction parallel with the ledge fifteen hundred (1500) feet to monument of stone at N. W. corner of claim; thence at right angles across the ledge in a Easterly direction six hundred (300) feet to monument of stone at N. W. corner of claim; thence in a Easterly direction parallel with the ledge 250 feet to monument on West boundary and place of beginning.

This ledge may be more generally described as situated about one mile North of Hassayampa River, where road to Jersey Lily crosses said stream, in Hassayampa Mining District, Yavapai County, Territory of Arizona, and shall be known as the MORMON Mining Claim.

Dated on the ground this first day of February, 1896.

James P. Newland
Fred Crone
Jas. B. Tomil son, Jr.

Recorded at request of Mrs. Tomilson, Feby. 24th A. D. 1896, at 11:50 o'clock A. M., in Book 42 of Mines, pages 326 et seq., Records of Yavapai County, Arizona.

(Seal)

F. A. Tritle,
County Recorder

By M. O. Archibald, Deputy.

TERRITORY OF ARIZONA,)

:SS.

COUNTY OF YAVAPAI.)

I, P. J. FARLEY, County Recorder in and for the County of Yavapai, in the Territory of Arizona, and Custodian of the Records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of notice of location of "MORMON" Mining Claim, as the same appears of record in my office in Book 42 of Mines, pages 326 et seq., Records of Yavapai County, Arizona,

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal, this 2nd day of March, A. D. 1903.

P. J. Farley
County Recorder

By *Jim Coon*
Deputy Recorder.

"GOLD BUG"

NOTICE OF LOCATION:

KNOW ALL MEN BY THESE PRESENTS:

That I the undersigned, have this day located Fifteen Hundred (1,500) linear feet of this vein or lode, bearing precious metals, with all dips, spurs, angles and variations, with surface ground three hundred (300) feet on each side of the center of vein, with all Mineral Deposits contained therein, and all Timber growing within the limits of said claim and all Water and Water Privileges thereon or appurtenant thereto, under and according to the provisions of the United States Mining Laws, under which it is located.

This claim commences at this monument and notice placed upon the ledge, and runs seven hundred & fifty (750) feet in a northeasterly direction and seven hundred & fifty (750) feet in a southwest-erly direction along the ledge.

The exterior boundaries are as follows, viz: Commencing at monument of stone on west boundary line, distant three hundred (300) feet in a westerly direction from discovery Monument; thence in a northeasterly direction parallel with the ledge seven hundred & fifty (750) feet to monument of stone at N. W. corner of claim; thence in a southeasterly direction at right angles across the ledge six hundred (600) feet to monument of stone at N. E. corner of claim; thence in a southwesterly direction with the ledge fifteen hundred (1,500) feet to monument of stone at S. E. corner of claim; thence at right angles across the ledge in a North westerly direction six hundred (600) feet to monument of stone at S. W. corner of claim; thence in a northeasterly direction parallel with the ledge seven hundred & fifty (750) feet to monument on west bound-ary and place of beginning.

This ledge may be more generally described as situated about five miles south of Prescott, crossing the Sterling Ravine, and heretofore known as the "Old Sterling", the "Rescued" and "Regenerated", and lies about one mile south of the old McKinzey ranch, in Hassayampa Mining District, Yavapai County, Arizona Terr-itory, and shall be known as the "GOLD BUG" Mining Claim.

Dated on the ground this 7th day of August, 1893.

Charles O'Neil.

Recorded at request of Charles O'Neil, Aug. 26th A. D. 1893, at 11:30 o'clock A. M., in Book 36 of Mines, pages 563-565, Rec-ords of Yavapai County, Arizona.

(L.S.)

Alex. O. Brodie,

County Recorder.

TERRITORY OF ARIZONA,)

:SS.

COUNTY OF YAVAPAI.)

I, P. J. FARLEY, County Recorder in and for the County of Yavapai, in the Territory of Arizona, and Custodian of the records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of notice of location of "GOLD BUG" Mining Claim, as the same appears of record in my office in Book 36 of Mines, pages 563-565, Records of Yavapai County, Arizona

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal, this 2nd day of March, A. D. 1903.

C. J. Farley
County Recorder

By Sam Coon
Deputy Recorder.

"AMERICAN EAGLE"

NOTICE OF LOCATION.

KNOW ALL MEN BY THESE PRESENTS:

That I the undersigned have this day located Fifteen hundred (1500) linear feet of this vein or lode, bearing precious metals, with all dips, spurs, angles and variations, with surface ground three hundred (300) feet on each side of the center of vein, with all mineral deposits contained therein, and all timber growing within the limits of said claim, and all water and water privileges thereon or appurtenant thereto, under and according to the provisions of the United States Mining Laws, under which it is Located.

This claim commences at this monument and notice, placed upon the ledge, and runs 550 feet in a Easterly direction and 950 feet in a Westerly direction along the ledge.

The exterior boundaries are as follows, viz:

Commencing at a monument of stone on North boundary line, distant three hundred (300) feet in a Northerly direction from discovery monument; thence in a Easterly direction parallel with the lode 550 feet to monument of stone at N. E. corner of claim; thence in a Southerly direction at right angles across the ledge six hundred (600) feet to monument of stone at S. E. corner of claim; thence in a Westerly direction parallel with the ledge fifteen hundred (1500) feet to monument of stone at S. W. corner of claim; thence at right angles across the ledge in a Northerly direction six hundred (600) feet to monument of Stone at N. W. corner of claim; thence in an Easterly direction parallel with the ledge 950 feet to monument on North boundary and place of beginning.

This ledge may be more generally described as situated about six miles South of Prescott, crossing the Sterling Ravine, and heretofore known as the "Old Sterling", the "Rescue" and "Regenerated", and lies about one mile south of the old McKinzey Ranch, in Hassayampa Mining District, Yavapai County, Arizona Territory, and shall be known as the "American Eagle" Mining Claim.

Dated on the ground this 10 day of April, 1895.

Witnessed by)
John Curtin)

Charles O'Neil.

Recorded at request of C. O'Neil, June 8th A. D. 1895, at 9 o'clock A. M., in Book 42 of Mines, pages 140-1, Records of Yavapai County, Arizona.

(Seal)

F. A. Tritle, County Recorder

By M.O. Archibald, Deputy.

TERRITORY OF ARIZONA,)

:SS.

COUNTY OF YAVAPAI.)

I, P. J. FARLEY, County Recorder in and for the County of Yavapai, in the Territory of Arizona, and Custodian of the records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of notice of location of "AMERICAN EAGLE" Mining Claim, as the same appears of record in my office in Book 42 of Mines, pages 140-1, Records of Yavapai County, Arizona.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal, this 2nd day of March, A. D. 1903.

P. J. Farley
County Recorder

By Sam Baan
Deputy Recorder.

4-687.

**SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD
NOTES AND SURVEY OF MINING CLAIM.**

Department of the Interior.

Office of U. S. Surveyor-General,

Phoenix, Arizona.

Nov. 28, 1903

I, U. S. Surveyor-General for Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of Geo. B. Russell

....., known as the
American Eagle, Gold Bug & Mormon

situate in Hassayampa mining district,

Yavapai County, Arizona

in Section 31, Township No. 13 N., Range No. 2 W.

....., designated as Survey No. 1771

executed by A. B. Mader, U. S. Deputy Mineral

Surveyor, Aug 5th - 6th 1903, 190..., under my instructions dated

March 6th 1903, 190..., have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant. for

survey is included in the field notes.

Frank S. Liggett

U. S. Surveyor-General for ARIZONA

Survey No 1771.
 Prescott Land District
 Surveyed Aug 5-6, 1903.
 by A. B. Woadar, U. S. Dep. Min. Sur.
 Scale 400' to 1".

