

M1689

(4-683.)

Mineral Survey No. 1786

Lot No
GIAS Land District.
FIELD NOTES
OF THE SURVEY OF THE MINING CLAIM OF
Peter Johnson
KNOWN AS THE
Johnson Lode
Mining District,
Cochise County, Arizona.
Section Approximately Township 10°235, Range 24 E (UISURV.)
Surveyed under instructions dated March 30th, 1903
by Geo.C. C/ar/K, U. S. Deputy Mineral Surveyor.
Claim located April 30th, 1896
Survey commenced June 14th., 1903
Survey completed June 15-th , 1903
o 6—160
Claimants Address.
- Bisboo, Cochise County Arizona

PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

WE AL	@ Hann	all and o	7. S. Sn	neth,
do solemnly swear th level the chain upon of the same; that we wi	at we will well and even and uneven gro Il report the true dis	faithfully execute the and and plumb the ta tance to all notable o	duties of chain Hy-pins, either b bjects, and the t	carriers; that we will y sticking or dropping rue length of all lines ance with instructions
given us, in the surve	y of the Min <mark>i</mark> ng Clai	m of	.	
known as the	Jaki	Non Lode	2	
situate in		County.	luzon	mining district
in Section,	, Township No.	Range No.	maun	ryel.
		H. D. H.	anna	- / \
	Subscrib	1	/ 1	persons before me this
			y com	refior Experience 3)
I,		, do sole	mnly swear that	I will well and truly
known as the more fully described i				
				, Axman.
	Subscrib	ed and sworn to by th	e said	
				isday of
			,	
150				t I will well and truly
tions given me and	to the best of my		the survey of	s, according to instruc- the Mining Claim of
more fully described i			***************************************	
				, Flagman.
	Subscrib			
	,		, 190	

No.

4114b3m6-02

Beginning at cor No. 1 the S.W. cor. identical with location, and with corners No. 1 and 3 respectively Union Lode No. 1341, Sunrise Lode No. 1069, and with the N.E. cor Holbrook Lode No. 363, a pine post 3 ft high 4 ins square set 1 ft in the ground in a mound of stones and scribed 1-1786 J.L. whence a porphory cropping 1 ft high 50 ft long chiseled X1-1786 B.R. brs N. 54°10'W. 85.5 ft. and U.S.M.M. No. 4 brs S. 8° 37'E. 1254 ft. and the N.E. cor Union Lode No. 1341 brs N. 15°14'E. 479.45 ft.

Thence N. 45°33'E.

240.00 to cor No.2 identical with cor No.7 Union Lode No.

1341, a pine post 3 1/2 ft high, 4 ins square, set 1 ft in the ground in a mound of stones and scribed 2-1786

J.L. whence a rock in place 1 ft high **xinexequare* chiseled X2-1786 B.R. brs S. 13°22' E. 12.5 ft.

Thence N. 08°45'W.

298.00 to cor No. 3 identical with original location for W. side center and with corners No.1 and 6 respectively of Hill survey No. 1215 and Union survey No.1341, a pine post 4 ft long, 4 ins square, set in the ground 1 in a mound of stones and scribed 3-1786 J.L. whence a rock in place 1 ft high chiseled X3-1786 B.R. brs N. 88° 30'E. 68.5 ft, and U.S.M.M. No.4 brs S. 2°5'E. 1703.5 ft.

Thence N. 24°17' E.

- 434.6 to corners No. 1 1 2 respectively of the Yo Tambien, Pajaro and Hill surveys No. 1715.
- 493.7 same bearing to cor No.4 the N.W. cor, a pine post 4 ft long 4 ins square, set 1 ft in the ground in a mound of stones and scribed 4-1786 J.L. whence a rock in place level with the surface 10 ft square chiseled X4-1786 B.R. brs N.34°45'E. 103.5 ft.

Thence S. 65° 18' E.

250.00 to original location for N. end center.

474.89 same bearing to cor No.5 the N.E. cor identical with location, apine post 4 ft long 4 ins square set 1 ft in the ground in a mound of stones and scribed 5-1786

J.L. whence a rock in place 1 - 1-2 ft chiseled X5
1786 B.R. brs S. 24°30'E. 45.6 ft.

Thence S. 13°06'W.

603.00 to original location for E. side center.

same bearing to cor No.6 to S.E. cor identical with location, and with the S.W. cor unsurveyed Portland Lode, a line No. 2-3 Sunrise Lode No.1069, a pine post 4 ft long 4 ins square set 1 ft in the ground in a mound of stones and scribed 6-1786 J.L. whence a rock in place 1 X 3 X 4 ft chiseled X6-1786 B.R. brs N. 52°15'W. 65.8 ft. to cor No. 2 Sunrise Lode No.1069, brs S. 65° 18'E. 446.5 ft.

Thence N. 65° 18' W.

300.00 to original location for S. end center.

590.8 same bearing to cor No. 1, the place of beginning.

----JEDGE----

The presumed course of the vein on this claim is from the S. end center N. 12°6'E. 986.8ft.

----AREAS----

Total and net area Johnson Lode1/.583 Acres.

----ADJOINING CLAIMS----

NORTH; Portland Lode, Copper King Mining Co., owners.

EAST; Portland Lode, Copper King Mining Co., owners.

SOUTH; Sunrise Lode, No. 1069 Copper Queen Consolidated

\$720.00

I certify that the value of the labor and improvements on this claim placed thereon by the claimant or his grantors is not less than five hundred dollars and that said improvements consist of; -No.1 Discovery shaft 4 X 6 X 10 ft bears from cor No.1 N. 84°05'E 280 ft Value \$100.00 No.2 Shaft 4 X 6 X 20 ft bears from same point N. 70°38'E \$200.00 430 ft Value No.3 Shaft 4 X 6 X 10 ft bears from same point Value \$100.00 N. 41° 15'E 720 ft No. 4 Tunnel 4 X 6 X 40 ft, course N.63°W. bears from same point N.84°05'E. \$320.00 Value 615 ft.

Total improvements Johnson Lode

Feet.

Survey No. 1786.

Mining Company, owners.

SOUTH; Holbrook, No. 368, same owners.

WEST; Union No. 1341, same owners.

Hill, Pajaro and Yo Tambien, surveys No. 1715, Cochise Copper Company, owners.

----LOCATION----

This claim is located at the head of Johnson Canyon, adjoining the town of Bisbee, in the Warren Mining District, Cochise County, Arizona. All unsurveyed lands approximately in Township 23S. Range 24 E. G. & S.R.B.&.M.

----INSTRUMENT----

The survey was made with a Buff Transit. The courses were deflected from the true meridian, as determined by direct solar observations, checked by an observation on Polaris.

Magnetie Variation 11.50E

Bisbee, Arizona,

June 15th 1903.

(digned.) Leo. C. Clark.

U.S. Deputy Mineral Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

f A list of the names of the indiv	viduals employed by Oco. C. Clark
United States Deputy Mineral Surve	eyor, to assist in running, measuring, and marking the lines
corners and boundaries described in	the foregoing field notes of the survey of the mining claim
of Pu	ter Johnson
known as the	ter Johnson ahnson Soele
and showing the respective capacition	es in which they acted.
	H. D. Hannah Chainman.
	H.D. Hannah, Chainman.
	, Axman.
	, Fiagman.

	OATHS OF ASSISTANTS.
We,	4. D. Hauch, do solemnly swear that we assisted
and D. L. Smeth	do solemnly swear that we assisted
600 .C.Clark, United	States Deputy Mineral Surveyor, in marking the corners and
surveying the boundaries of the mi	ning claim of
Put	n Johnson, known as the
V	lynowy og the
Jahr	, known as the , represented
in the foregoing field notes as heaving	g been supposed by soid denote mineral supposed by soid denote mineral supposed by
	g been surveyed by said deputy mineral surveyor and under
	has been in all respects, to the best of our knowledge and
	uted, and the corner and boundary monuments established
	ions furnished by the United States Surveyor-General for
Mizona	
	H. D. Hannah , Chainman. J. L. Luitt , Chainman.
	J. W. Iswell , Chainman.
	, Axman .
	, Flagman.
Subscr	ribed and sworn to by the above-named persons before me
th	is 25 th day of Jane , 1903
	//
	Holary Publi
2 107	Stolary Publi
. 6—167	Mylen

FINAL OATH OF U.S. DEPUTY MINERAL SURVEYOR

I, Geo. C. Clark , U. S. Deputy Mineral
Surveyor, do solemnly swear that, in pursuance of instructions received from the United
States Surveyor General for Hrizona, dated
March 30th 1903, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of Peter Johnson
Claim of Petri Johnson, known as the
Jahren on Toroll
situate in . Warren Mining District,
Cochese County, Augura in Section
situate in . Warren Mining District, Co chire County, augma in Section approximately, Township No. 3 & S. Range No. 34 & Charactery & S. R. B&M,
and designated as Survey No. 1786, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or his grantors
are as therein fully stated, and that the character, extent, location and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
$\mathcal{L}_{\mathcal{L}}}}}}}}}}$
Juo. C. Clark
U.S. Deputy Mineral Surveyor.
Charles Garage
Subscribed and sworn to by the said 600.C.Clark.
U. S. Deputy Mineral Surveyor, before methisthis
day of June 1903
Tokensen
3-154 Notory Fublic
My Communion Experes Sept. 9, 1903)
() xpines sept. 9, 1903)

Affidavit of Five Hundred Dollars Improvements.

Tac, H.D. Hannah, and F.L. Omith
of lawful age, being first duly sworn according to law, depose and say: That we
are acquainted with the Johnson Tole mining claim,
situate in Warren Mining district, Cochiel County,
are acquainted with the Johnson Foll mining claim, situate in Warren Mining district, Coolist County, Arizona Territory, for which Peter Johnson
ha $\mathcal L$ made application for survey prior to application for patent under the provisions
of the Act of Congress, approved May 10, 1872; and that the labor done and improve-
ments made thereon by the applicant and his grantor S exceed Five Hundred
Dollars in value, and further that we are not personally interested in said mine.
H. D. Hannah
Il Smith
TERRITORY OF ARIZONA, County of Cuchise S8:
Sworn to and subscribed before me, this 25th
SEAL day of Une , 1903
My Commission Expires Sept 9, 1903.

MOTICE OF HIMING LOCATION.

To all whom it May Concern:

This mining claim the name of which is the JOHNSON mining claim, situate on large belonging to the United States of Americ. and in which there are valuable mineral deposits, was entered upon and located for the purpose of emploration and purchase by Peter Johnson the undersigned on the thirtieth day of April 1896.

The length of then claim is fifteen hundred feet and I claim cloven hundred feet in a northerly direction and four hundred fefact in a southerly direction, from the center of the discovery shaft at which this natice is posted, lengthwise of the claim, together with three hundred feet in width of the surface grounds on e ach side of the centurof said claim. The general course of t the lade deposit and promines is from the northerly to the southerly. The claim is situated and locatedir Warren Mining District in cochise County in the permitory of Arizone, about three quarters of a mile in a southeast, direction from the town of Fishee. The surface boundaries of the claim are narked upon the ground as follows: Reginning at a reaff or rock of quarts north of Peter Johnson House and running parellel with the policy : at a point in districtly direction eleven bondred feet from the discovery shaft (at which this notice is ported), being in the rester of the north end line of said claim thence easterly three hundred feet to a monument of stones being the south east corner of said elsin, thones satherly 750 feet to a monument of atomes at the center of the east side line of said claim, thence 750 feet to a monument of stones being at the south each entract f said elmin, thence 500 feet to amountent of atomos at the equal rof the south and of said elaim, thence northerly 300 feet to pronunent of stones being at the south went corner of said elaim, thence northerly 750 feet to a monument of stones being at the center of the north side line of said claim, thence northerly 750 feet to a monument of stones at the north west cornered caid elein, thence easterly 300 feet to the place of beginning.

All done under the provinions of Chapter fir of Eitle HOCCIA the Revised Statutes of the United States and of an Act of the General Assembly of Arifons ontitled "An Act Communications" approved March 20th 1895.

Dated and poster or the ground this 30th day of April 1706.
Peter Johnson.

Filed and recorded at request of Peter Johnson July 25th A.T. 1096 at 9 A. M. Back 14 Record of Mines Page 58.

JOHNSON LODE

Torritory of Aritona) . County of Cochine) 68

I, Frank Hare, County Recorder in and for said county. hereby acrising that I have compared the ore-going copy with the original Rosation of the Johnson Mining Claim filed and recorded in my office July 25th ,1506 in Book M Pecord of Times page 55 hill that the case is a full, true and correct copy of such original and of the whole thereof.

With one my hand and a "paint seal this little day of Mebruary A:D. 1903 .

Frank Hare County Recorder.

By R. M. Hattich, Defuly.

2 Marian

SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.


Department of the Interior.

Office of U. S. Surveyor-General,

	Phoenix, Arizona
	Lift. 39", 190.3
I, U. S. Surveyor-General for	Arizona
do hereby certify that the foregoing and hereto	attached Field Notes and Return of the Survey of the
Mining Claim of Peter Johnson	·
	, known as the
Johnson L	ode
situate in Warre	nining district,
CochiseCo	ounty, Ariz ón
in Section approx, Township No.	23 S., Range No. 24 E. unsurveyed G. &. S. R. B. &. M.
, designated as Survey No	1786
executed byGeoC. C.	Lark U. S. Deputy Mineral
Surveyor, June 14 & 15 1903.	, 190, under my instructions dated
March 30th, 190.3.	have been critically examined and the necessary cor-
rections and explanations made, and the said F	ield Notes and Return, and the Survey they describe,
are hereby approved. A true copy of the copy	of the location certificate filed by the applicant for
survey is included in the field notes.	rank P. Sugallo
4115\b5m6-02	U. S. Surveyor-General forArizona

JOHNSON LODE

SurveyNo 1786



June 15th 1903

Geo. C. Clark