

M
S
0
1
8
0
0

100/03

(4-683.)

Mineral Survey No. 1800

Lot No. _____

Gila — Land District.
15

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Walter Maximilian Steiss

KNOWN AS THE

King - Wolfram Queen - May Flower - East Chance, Surprise, Golden
Treasure - Cracker Jack - Dividend, Oregon, Gray-Trench - Warrior
Blue Bird - Red Bird - Boulder - Yellow Jacket and Juniper - Black Beauty
Cochise — Mining District.

Cochise County, Arizona

Section s 34 23 & 10, Township s 15 & 16 S, Range 22 E

Surveyed under instructions dated April 25, 1903
by Philip Contzen
U. S. Deputy Mineral Surveyor

Claim located _____, 1

Survey commenced May 7th, 1903

Survey completed May 25th, 1903

PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

We, Casimiro R. Barthelmy and W. W. Miller,

do solemnly swear that we will well and faithfully execute the duties of chain carriers; that we will level the chain upon even and uneven ground and plumb the tally-pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with instructions given us, in the survey of the Mining Claim of Walter Maximilian

Stein
*King - Wolfpass Queen - May - Flower - Last Chance - Surprise, Hidden Treasure
Cracker Jack - Dividend - Oregon - Gray - French - Warrior - Blue Bird
known as the Red Bird - Bolder - Yellow Jacket and Juniper & Black Beauty*
situate in Cochise mining district

Cochise County, Arizona
in Sections 34-2-3-10 Township No. 15-16, Range No. 22 E

Casimiro R. Barthelmy, Chairman.

W. W. Miller, Chairman. ✓

Subscribed and sworn to by the above-named persons before me this 1st day of May, 1903

John Wets
My Commission Expires January 24th, 1907.

I, W. W. Miller, do solemnly swear that I will well and truly perform the duties of axman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of

Walter Maximilian Stein

*King - Wolfpass Queen - May - Flower - Last Chance - Surprise, Hidden Treasure
Cracker Jack - Dividend - Oregon - Gray - French - Warrior - Blue Bird
known as the Red Bird - Bolder - Yellow Jacket and Juniper & Black
Beauty*
more fully described in the preceding affidavit.

W. W. Miller, Axman.

Subscribed and sworn to by the said W. W. Miller
before me this 1st day of

May, 1903

John Wets
My Commission Expires January 24th, 1907.

I, Casimiro R. Barthelmy, do solemnly swear that I will well and truly perform the duties of flagman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of

Walter Maximilian Stein

known as the _____
more fully described in the preceding affidavit.

Casimiro R. Barthelmy, Flagman.

Subscribed and sworn to by the said Casimiro
R. Barthelmy before me this 1st day of

May, 1903

John Wets
My Commission Expires January 24th, 1907.

feet

Beginning at Cor. No. 1.

Identical with Cor. No. 1. Wolfram Queen of this survey and with location monument.

Set a granite stone 40 X 10 X 8ins. 15ins. in the ground chiseled I-1800-K on N.E. face, whence
A mesquite 6ins. in diam. brs. S. 19° 44' W. 15.6ft.
and a mesquite 4ins. in diam. brs. N. 38° 47' W. 40.4ft.
each blased and scribed B.T. I-1800 ..

S. sec cor. bet. Secs. 34 & 35 Tp. 15S.R.22E. brs.
S. 41° 02' 36"W, 5184.33. dist.

Thence N. 17° 40' E.

Va. 13° 40' E.

405 Road, crs. N.E. and S.W.

1115 Top of ridge; course N.E. and S.W.

I463.I Cor. No. 3. Identical with loc. Set a granite rock 32x12x10", 12" in ground and chiseled 2-1800 K. on the S. W. face.

A cross (X) and B.R. 2-1800 K. chiseled on a rock showing 4 X 3 X 3ft. above ground brs.S. 53° 12'E.

13.5

A cross (x) and B.R. 3-1800 K. chiseled on a granite boulder showing 13 X 12 X 13ft. above ground brs.
S. 3° 6' E., 32.1 ft. dist.

Thence S. 88° 47' W.

Va. 13° 40' E.

I41 North Center, Identical with location monument, which is a md. of stone 3 X 2 X 3ft.

540 Foot of descent.

44I Cor. No. 5; Identical with location monument.

Set a granite stone 40 X 18 X 9ins. marked 3-1800K. on S.H., 15ins. in the ground. Whence

A cross (X) and 3-1800-BR chiseled on a granite rock showing 3 X 3 X 3ft. above ground, brs. 376° 14'E.
50.1 ft. dist. No other bearings.

Thence S. 31° 15' W.

Va. 13° 40' E.

Feet	
1080	Wash, course Easterly.
1415	Road; course N.E. and S.W.
✓ 1498.07	<p>Cor. No. 4.</p> <p>Identical with location monument.</p> <p>Set a limestone 36 X 30 X 12ins. 14ins. in the ground, marked 4 - 1800 K. on N.E. face. Whence</p> <p>A cross (X) and B.R. 1800- 4 . on a quartz stone showing 3 X 3 X 3 ft. above ground brs. S 3° 56' E. 38.9ft.</p> <p>A cross (X) and 4-1800 . chiseled on a limestone showing 3 X 3 X 3 ft. above the ground brs. S. 35° 26'E. 45.2 ft. dist.</p>
	<p style="text-align: center;">-----</p> <p style="text-align: center;">Thence N. 88° 47' E.</p> <p style="text-align: center;">Va. 12° 40' E.</p>
30.	Road; course N.E. and S.W.
500.	<p>South Center monument, which is a Granite 3 X 3 X 3ft.</p> <p>Identical with location monument.</p>
	Wash; course S. Easterly.
540.	To cor. No. I.
	<p style="text-align: center;">-----</p> <p style="text-align: center;"><u>WOLFRAM QUEEN.</u></p> <p style="text-align: center;">1800 A.</p>
	Beginning at Cor. No I.
	<p>Identical with location monument, and cor. No. I.</p> <p>I mark same 2-1800 W.Q. on N.E. face.</p> <p>of the King of this survey. Whence</p>
	<p>S. Sec. cor. bet. secs. 34 & 35 of this Tp. brs. S 41° 02' 36" W. 5184.33 dist. (Tp. 15S. R. 22 E.)</p>
	<p style="text-align: center;">-----</p> <p style="text-align: center;">Thence N. 88° 47' E.</p> <p style="text-align: center;">Va. 12° 40' E.</p>
150.	South end Center. Identical with location monument.
304.	Road; course N.E. and S.W.
375.	Gulch; course S. Easterly.
450.	<p>Cor. No. 2.</p> <p>Identical with location monument.</p> <p>Set a granite rock 33 X 18 X 13 ins. 14ins. in the ground chiseled 2 -1800 W.Q. on N.W. face.</p>

Feet.

From which a cross (X) and B.R. 2-1800 . . . chiseled on a granite boulder showing 6 X 4 X 3 feet above ground brs. S. 21° 31' W. 67.8 ft. dist.

A cross (X) and 2-1800 B.R. chiseled on a granite boulder showing 3 X 3 X 3ft. above ground, brs. S. 53° 20' W., 41.1 ft. dist.

Thence N. 17° 40' E.

Va. 12° 40' E.

750. E.S.L. Mon. Identical with location monument.

1500. Cor. No. 3.

Identical with location monument.

Set a granite stone 36 X 15 X 8ins. chiseled 3-1800 W.C. on S.E. face. 15ins. in the ground. From which

A cross (X) and 3-1800 B.R. chiseled on a granite boulder 3 X 3 X 3ft. above ground, brs. N. 54° 34' W. 20.2 ft. dist.

A cross (X) and 3-1800 B.R. chiseled on a boulder showing 3 X 3 X 3ft. above the ground, brs. S. 72° 54' W. 19.1 ft. dist.

Thence S. 88° 47' W.

Va. 12° 40' E.

300. North center monument, identical with location mon.

450. Cor No. 4.

Identical with location monument.

Set a granite stone 40 X 20 X 17 ins. 15ins in the ground, chiseled 4-1800 . . . on S.E. face. Whence

A cross (X) and B.R. 4- 1800 . . . chiseled on a boulder showing 3 X 3 X 3 ft. above ground brs.S. 60° 3' W. 16.2 ft. dist.

A cross (X) and B.R. 4-1800 . . . chiseled on a granite boulder showing 6 X 4 X 3 ft. above ground brs. S. 44° E. 43 ft. dist. Dos Cabezas Peak brs. N 71° E.

Thence S. 17° 40' W.

Va. 12° 40' E.

36.9 Cor. No. 2-King of this survey.

750 W.S.L. Mon. Identical with location monument.

1500 Cor. No. 1. Identical with location monument, & place of beginning.

Feet.

Beginning at Cor. No. 1.

Identical with location monument.

Set a granite stone 35 X 12 X 10ins. set 14 ins. in the ground marked I- 1800 M.F. on N.E. face.

A Juniper tree 6ins. in diam. brs. N. 29° 35' W. 144.4 feet dist, and a juniper 4ins. in diam brs. S. 54° 40' W. 58ft. each scribed and blazed B.T. I-1800 . S. Sec. cor. to secs. 34 & 35 of this Tp. brs. S55° 03' 45" W. 4218.27 ft. dist. (Tp. 15S, R. 22 E.)

Thence N. 88° 47' E.

Va. 13° 40' E.

- 100. To Cor.No. 3-Last Chance of this survey.
- 300. South center monument; identical with location.mon.
- 399.7 Cor.No.4. Last Chance.
- 600. Cor. No. 2.

Identical with location monument.

Set a granite stone 40 X 25 X 10ins. 15ins. in the ground, chiseled 2-1800 M.F.

A cross (X) and B.R. 2-1800 . chiseled on a granite boulder 3 X 3 X 3ft. above ground, brs. S. 64° 30'W. 59.8 feet distant.

A walnut tree 13 ins. in diam. blazed and scribed 2-1800 . B.T. brs. N. 56° 15' E. 124ft. dist.

Thence N. 5° W.

Va. 13° 40'E.

- 66. Enter wash, course Easterly.
- 70. Road, course N.E. and S.W.
- 130. Leave wash.
- 750. Wash; course S. Easterly.
- 1500. Cor. No. 3.

Identical with location monument.

Set a granite boulder 40 X 12 X 8ins. 15ins. in the ground chiseled 3-1800 M.F. on S.W. face

A cross (X) and B.R. 3-1800 . chiseled on a granite boulder 3 X 3 X 3 ft. above ground, brs.S. 1°E. 82ft.

A cross and B.R.3-1800 . chiseled on a granite boulder 3 X 3 X 1ft. above ground brs. N64°15'E. 7.3ft.

SURVEY 1800

Feet

Thence S. 88° 47' W.

Va. 12° 40' E.

- 75. Cor. No. 2. Wolfram Queen of this survey.
- 300. North Center monument. Identical with location mon.
- 375. S. Center Mon. of W.Q. of this survey.
- 525. Cor. No. I of K. and W.Q. of this survey.
- 600. Wash 40ft. wide. course S. Easterly. & cor. point for Cor. No. 4. May Flower, which is

Not set as it falls in wash, where permanent corner could not be established, whence

Old location cor. brs. S. 88° 47' W. - 70ft. dist.

At a point S. 5° E. 20ft. dist. I set a granite stone

40 X 15 X 12ins. chiseled W.C. 4-1800 H.F. whence

A mesquite 4ins. in diam. blazed and scribed W.C.

4-1800 BT., brs. S. 7° 12' W. 28.6 ft. dist.

A mesquite 4ins. in diam blazed and scribed W.C. 4-

1800 BT., brs. S. 78° 38' W. 17.5 ft. dist.

Thence S. 5° E. from cor. point in wash.

Va. 12° 40' E.

- 30. W.C. of Cor. No. 4.
- 600. Top of ridge brs. N.E. and SW,
- 750. West Center monument. Identical with location mon.
- 1500. Cor. No. I. Identical with location monument.

LAST CHANGE LOBE.

Beginning at cor. No. I

Identical with location monument.

Set a granite stone 30 X 8 X 8 ins. 12ins. in the ground, chiseled I-1800 L.C. on N.W. face.

A cross (X) and B.R. I-1800 inscribed on a granite rock 10 X 8 X 3ft. brs. S. 25° 36' E. 77.5 ft. dist.

A cross (X) and B.R. I-1800 scribed on a quartz rock 5 X 4 X 2ft. above ground brs. S. 51° 8' E. 73ft.

Cor. To secs. 34 & 35 brs. S. 76° 06' 05" W. 3482.2ft.

Thence N. 36° 40' W.

Va. 12° 40' E.

Fect. WEST
500. South Center Monument; identical with location Mon.
600. Cor. No. 3.
Identical with location monument.
Set a granite stone 34 X 10 X 6 ins. 12 ins in the ground
marked 2-1800 L.C. on N.E. face.
A cross (X) and B.R. 2-1800 . chiseled on a granite
stone 5 X 3 X 2ft. above ground, brs. S 66° 50' W. 99.7'
(X)
A cross-and B.R. 2-1800 . chiseled on a granite rock
3 X 2 X 2ft above ground, brs N 81° 31' E. 140.2ft.

Thence N. 26° E.
Va. 13° 40' E.

25. Road; course N.E. and S.W.
750. West Center monument. Identical with loc. Mon.
900. Wash and road; course S.E.
1225 Cor. No. 3.
Set a granite stone 30 X 20 X 10 ins. 14 ins. in the ground,
chiseled 3-1800 L.C. on E. face.
A cross (X) and B.R. 3-1800 . chiseled on a boulder
showing 8 X 6 X 4ft. above ground, brs. S. 9° 27' E.
60.5 feet. dist
A walnut tree 24 ins. in diam. blazed and scribed B.T.
3-1800 . Brs. N. 81° 55' E. 45.7 ft. dist.
Location Monument brs. N. 26° E. 275ft. dist.

Thence N. 88° 47' E.
Va. 13° 40' E.

100. Wash 40ft. wide. course N. Easterly.
299.7 Cor. No. 4.
Identical with North Center Mon.
Set a granite stone 43° X 18 X 12 ins. 15 ins. in the
ground, chiseled 4-1800 L.C. on S. face.
A hackberry tree 8 ins. in diam brs. N. 8° 27' W. 37ft.
and a hackberry 4 ins. in diam brs S. 67° 55' W. 40.6
ft. each blazed and scribed 4-1800 . . . B.T.

Survey 1800-

Feet.

Thence S. 36° 40' E.

Va. 13° 40' E.

300. Cor. No. 5.

Identical with location monument.

Set a granite stone 30 X 20 X 8 ins. 12 ins. in the ground marked 5-1800-L.C. on W. face

A cross (X) and 5-1800LC, B.R., chiseled on a granite rock 4 X 3 X 2 ft. brs. S. 27° E. 180 ft. dist.

Thence S. 36° W.

Va. 13° 40' E.

655. Top of ridge; course Easterly

750 E. Center Mon. which is a granite boulder 3 X 3 X 2 ft.

850. Road, course N.E. and S.W.

990. Wash 10 ft. wide. course Easterly

997. Wire fence. course E. and W.

1230. Top of spur. course Easterly.

1500. Cor. No. I. the place of beginning.

Surprise Lode.

Beginning at Cor. No. I.

Identical with location monument.

Set a granite stone 30 X 10 X 6 ins. 14 ins. in the ground, chiseled I-1800-S. on E. face.

(X)
A cross-and B.R.-I-4-1800 . chiseled on a granite boulder showing 6 X 5 X 3 ft. above ground brs. S. 88° 41' W.- 128.2 ft. dist.

A cross (X) and B.R.-I-4-1800 . chiseled on a granite boulder showing 5 X 5 X 4 ft. above ground brs. S. 77° 16' E. 17.5 ft.

Standard corner of secs. 34 & 35 brs. S. 80° 30' W. 1956.8 feet. dist. (Tp. 15S, R. 22 E.)

Thence S. 36° 40' E.

(Va. 13° 40' E. throughout this lode)

300. To original South West Gen. Mon.

390. Wire fence runs N. & S.

402.7 Intersect 1st Standard Parallel South at a point 2170.5 ft. E. of standard Cor. bet. secs. 34 & 35,

Feet.

467.5ft. West of 1/4 sec. cor. for sec. 35 T. 15 S. R. 22 E.

500. Road, course S. Easterly.

600. Cor. No. 2.

Set a granite stone 30 X 12 X 10 ins. set 12 ins. in the ground, marked 3-1800 S. on N.E., whence
A cross (X) and B.R. 3-3-1800 . chiseled on a granite rock 8 X 6 X 5 ft. above ground brs. N. 35° 49' E., 45.8 ft. dist.

A cross (X) and B.R. 3-3-1800 . chiseled on a granite rock 12 X 12 X 8 ft. above ground brs. N77° 50' W. 48.9 ft. dist.

Thence N. 53° 30' E.

366. Intersect 3rd. Standard at a point 3502.2ft. E. of Standard cor. bet. secs. 35 & 34, and 135.8ft. from 1/4 sec. cor. for sec. 35 (Tp. 15 S.R. 22 E.)

400. Spur. Course N.E. and S.W.

525. Wire fence. Course N.E. & S.W.

740. S.S.L. Center Mon. Identical with location mon.

1470. To original ^{Loc.} Cor. No. 3.

Set a granite stone 30 X 30 X 12 ins. 12 ins. in the ground chiseled 3-1800 S. On S.W. face. Whence

A cross (X) and B.R. 3-1800 . chiseled on a granite stone showing 4 X 3 X 3 ft. above ground bears S. 47° 16' E. 10.1 ft. dist.

A cross (X) and B.R. 3-1800 S chiseled on a quartz stone 4 X 4 X 3 ft. above ground brs. S. 65° W. 75ft. dist.

Thence N. 36° 40' W.

150. Cor. No. 1. of Last Chance of this survey.

300. To original N.E. Center Mon.

450. S.E. Center Last Chance of this survey.

600. To original Cor. No. 4.

Set a granite stone 40 X 30 X 12 ins. 15 ins. in the ground chiseled 4-1800-S. on S.E. face.

No bearings.

Thence S. 53° 30' W.

SURVEY 1800-

- Feet.
- 750. To original NWS.L. Mon.
- 1330. Road, course N. & S.
- 1375 Road, course N.W. and S.E.
- 1470. To cor. No. 1. the place of beginning.

HIDDEN TREASURE LOBE.

Beginning at original Cor. No. 1.

Set a granite stone 43 X 20 X 10ins. chiseled I-1800HT on S.E.

A cross (X) and B.R. I-I-1800 . chiseled on a granite boulder 10 X 6 X 4ft. above ground hrs. N. 23° 31' W. 173.8 ft. dist.

A cross (X) and BR. I-I-1800 . chiseled on a granite rock 6 X 6 X 5 ft. above ground, hrs. S. 66° 15' E.

174.1' dist. Standard Cor. bet. secs. 34 & 35 hrs N. 64°-24' W. 609 ft. dist. (Tp. 15S, R 22 E.)

Thence S. 36° 40' E.
va. 12° 35' E.

- 341.4 Intersect sec. line 3-3 at 456.7ft from C.C. of Sess. 2 & 3, & N. 2153.3ft from 1/4 sec. cor bet. secs. 2 & 3.
- 300. To original S.W.E. Corner Mon.
- 600. Cor. No. 2.

Identical with Loc. Mon.

Set a granite stone 30 X 10 X 8ins. ^{chiseled} 2-1800 H.T. on S.E. face.

A cross (X) and 2-2-1800 B.R. . chiseled on a granite boulder 8 X 8 X 4ft. hrs. N. 10° 40' W. 7.6ft dist.

A cross (X) and B.R. 2-2-1800 . chiseled on a granite boulder 13 X 10 X 6ft above ground hrs. N. 53° 34' W. 37.3 ft. dist.

Thence N. 67° E.

va. 12° 35' E.

- 372. Wire fence, course N.W. and S.E.
- 373. Wash, course S.E.
- 1000. Wash, course S.E.
- 1355. Wire fence course N. & S.
- 1417. Road, course N. & S.
- 1500., To original Cor. No. 3. and Cor. No. 3 of Surprise.

Foot

Survey-1800

of this survey, which I mark 3-1800 H.T. on S.E.

Thence N. 36° 40' W.

Va. 12° 40' E.

197.3 Intersect 3rd Standard at a point 2170.5ft. East of Standard Cor. of Secs. 34 & 35 and 467.5ft. W. of 1/4 sec. cor. to sec. 35 N.E.T. 153.R.22 E.

300. To original N.E. Center monument.

600. Cor. No. 4 Identical with original loc. mon. and cor. No. 1 Surprise of this survey which is marked 4-1800 S. on S.W.

Thence S. 67° W.

Va. 12° 40' E.

530. Wash course N.W. and S.E.

540. Trail, course N.W. and S.E.

827. 3rd S.C. brs. 1169.1 ft. W. and 1/4 sec. cor. to 55 brs E 1468.9ft. (Tp. 15S. R. 22 E.)

1316. Wire fence, course N.W. & S.E.

1345.4 Intersect S.E.C. Line bet. secs. 2 & 3, 2408.1ft N. of 1/4 cor., and 201.9ft S. of C.C.

1350. Trail, course N.W. & S.E.

1500. To Cor. No. 1, the place of beginning.

Cracker Jack Lode.

Beginning at Cor. No. 1 Identical with the orig. loc. mon. & cor. No. 1 Hidden Treasure, I mark same 1-1800C.J. on S.E. face.

Standard. Cor. sec. 34 & 35 brs N. 64° 34' W. 609ft.

Thence S. 36° 40' E.

Va. 12° 42' E.

241.4 Intersect sec. line bet. secs. 2 & 3 at a point 457ft. S. of C.C. to secs. 2 & 3 and 2123ft N. of 1/4 sec. cor. bet secs. 2 & 3, Tp. 16 S. R. 22 E.

300. N.E. center Mon. Identical with loc. and with S.W. Center of Hidden Treasure of this survey.

600. Cor. No. 2. Identical with loc. mon. and Cor. No. 2 H.T. I mark the same 2-1800 C.J. on N.W. face.

Thence S. 53° 30' W.

Va 12° 35' E.

266.97 Intersect line bet. secs. 2 & 3, at S 903.8ft from C.C. & N. 1706.2 from 1/4 sec. cor.

703. To Orig. S.E.S.C. mon.

1250. Wash 60 ft. wide, course S.E.

SURVEY 1800-

Fect.

1400. Cor. No. 3. Identical with loc. Mon.
 Set a granite stone 30 X 12 X 12 ins. 12 ins. in the
 ground, chiseled 3 -1800-CJ on N.W. face
 A cross (X) and B.R. 1-3-1800 . chiseled on a granite
 rock 20 X 10 X 6ft. above ground brs. N. 67° 8' E.
 45.4 Ft. dist.
 An oak 4ins. in diam, scribed and blazed 1-3-1800 B.T.
 brs. S. 19° 20' W. 10.8 ft. dist.

 Thence N. 36° 40' W.

Va. 12° 35' E.

85. Gulch, course S.E.
 240. Gulch, course S.E.
 380.. Gulch, course Easterly,
 300. S.W. End Center.
 365.00 Gulch, S. Easterly. course.
 600. To original Cor. No. 4.

Set a granite stone 30 X 30 X 6ins. 12 ins. in the
 ground chiseled 4-1800 G.J. on N.E.
 A cross (X) and B.R. 4-6-1800 . chiseled on a gran-
 ite rock 5 X 5 X 4 ft. above ground brs. N. 77° 3' E.
 55 ft. dist.
 A cross (X) and B.R. 4-6 1800 . chiseled on a granite
 boulder 20 X 10 X 8ft. brs. N. 74° 17' W. 22.5 ft. dist.

 Thence N. 55° 30' E.

Va. 12° 35' E.

378 Gulch, course N.W.
 700. To original N.W.SL. Mon.
 1295. Gulch, course N.E.
 1400. Cor. No. I. the place of beginning.

SURVEY- 1800- .

Feet.

DIVIDEND LOTS.

Beginning at Cor. No. 1. Identical with Location Mon. and Cor. No. 3-Cracker Jack of this survey.

I mark the stone I-1800 D. on N.W. face.

$\frac{1}{2}$ sec. cor. bet secs. 2 & 3 of Tp. 16S, R. 22 E. brs. S. $41^{\circ} 46.1'$ N. 1405.2ft.

Thence S. $34^{\circ} 43'$ W.

Va. $12^{\circ} 35'$ E.

390. Wash course S.E.

716.3 To original Cor. No. 2. Identical with S.S.L. Mon. Set a granite stone 30 X 20 X 10ins. 15ins. in the ground scribed 2-1800 D.

A granite boulder 100 X 50 X 50 ins. is chiseled a cross (X) and I-2-1800 which bears N. $11^{\circ} W. 46.2ft.$ A cross and I-2-1800 chiseled on an oak 10ins in diam. which is blazed, brs. N. $88^{\circ} 53'$ E, 25.2 ft. dist.

Thence S. $40^{\circ} 27'$ W.

Va. $12^{\circ} 40'$ E.

390. Gulch course S.E.

717.7 To original Cor. No. 5.

Set a granite stone 30 X 30 X 10ins, 12ins. in the ground chiseled 5-1800 D. on N.W. face.

A cross (X) and I-3-5-1800 . E.R. chiseled on a granite boulder 5 X 5 X 2 ft. brs. N. $12^{\circ} E. 18.5 ft. dist.$

A cross and (X) and I-3-5-1800 . chiseled on a granite boulder 10 X 9 X 6ft' brs. N. $86^{\circ} 13' W. 11.5 ft.$

Thence N. $36^{\circ} 40'$ W.

Va. $12^{\circ} 40'$ E.

340. To original S.W. E center mon.

480. To original cor. No. 4.

Set a granite stone 32 X 12 X 10ins. 12ins. in the ground chiseled 4-1800D. on S.E. face. Whence

An oak 14ins. in diam. blazed and scribed 2-3-4-1800 B.T. brs. N. $34^{\circ} 48'$ W. 207 ft. dist.

An oak 8ins. in diam blazed and scribed 2-3-4-1800BT

SURVEY NO. 1800

Foot.

hrs. S. 37° 49' W. 41ft. dist.

Thence N. 45° 5' E.

Va. 12° 40' E.

708. Cor. No. 5, Identical with W.S.L. Mon.

Set a granite stone 40 X 20 X 10 ins. chiseled 5-1800D on S.E. face.

A cross (X) and 5-1800 . chiseled on a granite boulder 6 X 4 X 3 ft. hrs. N. 75° 36' E., 17ft. dist.

An oak 18ins. in diam. blazed and scribed 5-1800 B.T hrs. S. 59° 46' W., 14.3 ft. dist.

Thence N. 22° 15' E.

Va. 12° 40' E.

708.3 Cor. No. 6. Identical with location and Cor. No. 4 -

Cracker Jack of this survey.

I mark the same 6-1800 B. on S.W. face.

Thence S. 36° 40' E.

Va. 12° 40' E.

500. N.E. Center Mon. Identical loc. Mon. & S.W. Cen. Mon

Cracker Jack of this survey.

600. Cor. No. ~~1~~, the place of beginning.

OREGON LODGE.

Beginning at original Cor. No. 1. Identical with Cor. No. 3-Dividend of this survey.

I mark the same 1-1800-0 on S.E. face.

$\frac{1}{4}$ sec. cor. bet. secs. 2 & 3 Tp. 16S., R 22E. hrs. S. 71° 8.5' E. 1420. ft. dist.

Thence S. 48° 41' E.

Va. 12° 40' E.

148.8 To original N.E.Center Mon.

448.8 To, original Cor. No. 3. Identical with loc. mon.

Set a granite stone 36 X 26 X 10ins 14ins. in the ground marked 3-1800 0. on N.W.

A cross (X) and 3-1800 . chiseled on a granite rock

SURVEY No. 1800-

Fect.

8 X 6 X 4ft. brs. S. 10° 40' E. 69.5 ft.

Thence S. 38° 9' W.

Va. 13° 40' E.

1115. Gulch, course S.E.

750. To original S.S.L. Mon.

1090. Gulch, course S.E.

1315. Gulch, course S.E.

1499.5 To original Cor. No. 3.

Set a granite stone 30 X 12 X 6ins. 12ins. in the ground marked 3-1800 O. on N.E. face.

A cross (X) and 5 -1800 . chiseled on a granite rock 10 X 6 X 4ft. above ground, brs. N. 57° 40' W. 46.7 ft.

(X)
A cross-and 5-1800 . chiseled on a granite rock 8 X 6 X 5 ft. S. 35° W. 76 ft. dist.

Thence N. 48° 41' W.

Va. 13° 40' E.

197.5 Wire fence, course N.E. & S.W.

300. To original S.W. Center Mon.

444.5 Cor. No. 4. Identical with S.S.Mon. Black Beauty.

Set a granite stone 35 X 8 X 6ins. 14ins. in the ground chiseled 4 -1800-0. on S. face.

A cross (X) and 4 1800 . chiseled on a granite boulder 10 X 8 X 6ft, brs. N. 12° W. 7.6ft. dist.

A cross (X) and 4 -1800 . chiseled on a granite boulder 12 X 10 X 8ft. brs. S 54° 9' W. 12.6 ft dist.

Thence N. 35° 51.5' E.

Va. 13° 40' E.

784. Cor. No. 5, Identical with N.S.L. Mon. and Cor. No. 3 Divided of this survey.

I mark the cane 5-1800-D on S. side.

Thence N. 40° 37' E.

Va. 13° 40' E.

717.7 Cor. No. 1. the place of beginning.

SURVEY-1800

Feet.

BLACK BEAUTY LODGE.

Beginning at Cor. No. 1. Identical with cor. No. 3-
Dividend, Cor. No. 5-Oregon and with loc. mon.
I mark same I-1800 BB on S.W. face
 $\frac{1}{2}$ sec. cor. bet. secs. 2 & 3 T. 16S.R.22E. brs. N. 87° -
 15° E. 1811.6ft dist.

Thence N. 36° 40' W.

Va. 13° 40' E.

340. To N.E. Center. Identical with loc. mon. and S.W. Cen-
ter- Dividend.

480. Cor. No. 2. Identical with location and Cor. No. 4-
Dividend of this survey.

I mark the same 2-1800-B.B. on S.W. face.

Thence S. 40° 5' W.

Va. 13° 40'E.

570. Gulch, course N.W. & S.E.

850. Gulch, course N.W. and S.E.

1450. To Cor. No. 3.

I set a granite stone 30 X 20 X 8ins. 12ins. in the
ground, chiseled 3-1800 BB. on S.E. face.

A cross and B.R. 3-3 1800 chiseled on a granite stone
3 X 3 X 1ft. above ground brs. N. 49° 13'W. 4.9 ft.

A cross and B.R. 3-5-1800 chiseled on a granite stone
8 X 6 X 4 ft. above ground, brs. S. 29° -20'W. 15.9 ft.

Thence S. 36° 40' E.

Va. 13° 40' E.

392. To original S.W.E Center Mon.

592. To original Cor. No. 4.

Set a granite stone 40 X 10X 10ins. 15ins. in the
ground chiseled 4-1800 BB. on N. face.

A cross (X) and B.R. 4-1800 chiseled on a granite
boulder 5 X 4 X 2ft. brs. N. 7° -14'E. 15.2ft. dist.

A cross (X) and B.R. 4-1800 chiseled on a granite
boulder 7 X.3 X 2ft. brs. S. 29° E. 7 ft. dist.

Feet	Survey 1800
	Thence N. 35° 51.5' E. Va. 12° 50' E.
704.1	S.L. Mon. Identical with Cor. No. 4 Oregon this survey.
1479.7	Cor. No. 1, place of beginning. Gray Lode Beginning at cor. No. 1 inden. with loc. mon. set a granite stone 35 X 10 X 8ins. marked 4-1800 G. on S.E. face. A cross (X) and B.R. 1-1800 chiseled on a granite boulder 10 X 8 X 6ft. brs. N. 32° 42' E. 22ft. dist. A cross (X) and B.R. 1-1800 chiseled on a granite boulder 8 X 7 X 5ft. brs. S. 73° 14' E. 44.6ft. dist. 1/2 Sec. cor. bet. secs 2 & 3 Tp. 16 S. R. 22 E. brs. S. 67° 49' E. 2598.3ft dist. Thence S. 36° 40' E. Va. 12° 50' E.
15.	Culch, course N.W.
130.	Road course N.E. and S.W.
300.	To orig. N.E. End Center Mon.
524.5	To orig. Cor. No. 2 set a granite stone 35 X 20 X 10 ins 14 ins. in the ground, chiseled 2-1800 G on the S.E. face. A cross (X) and B.R. 2-1800 chiseled on a granite rock, showing 15 X 10 X 8ins. above ground brs. N. 85° 13' W. 20 ft. dist. A cross (X) and B.R. 2-1800 chiseled on a granite rock 40 X 20 X 10 ins. above ground brs. S. 56° 35' E. 18ft. Thence 45° 05' W. Va. 12° 45' E.
266.	Cor. No. 3 Identical with loc., Cor. No. 4-Dividend and Cor. No. 2 Black Beauty of this survey. I mark same 3- 1800 G on N.W. <hr/> Thence S. 40° 05' W. Va. 12° 45' E.

SURVEY 1800 -

Feet.

1250. To original Cor. No. 4.

Set a granite rock 30 X 30 X 12ins. 12ins. in the ground
chiseled 4-1800 G. on S.E. face.

A cross (X) and B.R. 2-4-1800 chiseled on a granite
rock 8 X 6 X 6 ft. above ground brs. N. 24° 36'E. 25ft.

A cross (X) and B.R. 2-4-1800 chiseled on a granite
boulder 10 X 8 X 4ft. brs. N. 66° 34'E. 29ft. dist

Thence N. 36° 40' W.

Va. 12° 45' E.

300. Original S.W. Center mon.

500. To original Cor. No. 5.

Set a granite stone 40 X 10 X 8ins. 14ins. in the ground
chiseled 1-5-1800 G. on S.E. face

A cross (X) and B.R. 1-5-1800 chiseled on a granite
boulder brs. N. 19° 48'E. 49.6ft. dist.

Thence N. 40° 5' E.

Va. 12° 45' E.

150 Gulch, course Northerly.

450. Gulch, course Northerly.

750. To original N.S.L. Mon.

1000. Gulch, course Northerly.

1051. Road, course N.E. & S.W.

1488. Wash, course N.W.

1500. Cor. No. 1, the place of beginning.

TRENCH LODE.

Beginning at Cor. No. 1. Identical with location and
I mark same 1-1800 T. on S. face
Cor. No. 5-Gray of this survey $\frac{1}{4}$ cor. 2-3 T. 16SR22E.

$\frac{1}{4}$ sec. cor. bet eods 2 & 3 Tp. 16S, R22E. brs. N.

85°-39' 23" ^E 3195.7ft dist.

Thence S. 36° 40' E.

Va. 12° 45' E.

300., N.E. Center Mon. Identical with location and S.W. Cen-
ter Mon. of the Gray of this survey.

500. Cor. No. 2. Identical with location and Cor. No. 4

SURVEY 1800-

Fect.

of the Gray of this survey.

I mark the same 3-1800 T. on N.W. face.

Thence S. 40° 5' W.

Va. 13° 45' E.

220. To original Cor. No. 3. Identical Cor. No.3-Black B. of this survey.

I mark the same 3-1800 T. on N.W. face.

Thence N. 36° 40' W.

Va. 13° 45' E.

200. To original W. Center Mon.

480. Road, course N.E. and S.W.

490. Wash, course N.E.

500. To original Cor. No. 4.

Set a granite stone 30 X 10 X 10ins. 12ins. in the ground chiseled 4-1800 T. on S.E. face.

A cross and B.R. 4-1800 chiseled on a granite rock 30 X 10 X 8ft. above ground brs. N. 9° 51'W, 32.3 ft.

An oak 14ins. in diam. blazed and scribed 4-1800 B.T. brs. S. 30° 26' E. 51.2 ft. dist.

Thence N. 40° 5' E.

Va. 13° 45' E.

105. Wash course N.W.

140. Road, course N.E. and S.W.

220. Cor. No. 1 the place of beginning.

WARRIOR LODGE.

Beginning at Cor. No. 1.

Identical with loc. Mon.

Set a granite stone 30 X 12 X 10ins. 12 ins. in the ground, chiseled I - 1800 W. on S.W. face.

An oak 8ins. in diam. scribed and blazed I-1800

B.T. brs. S. 29° 58' E. 125 ft. dist.

A cedar 6ins. in diam. blazed and scribed I-1800

B.T. brs. N. 4° 24' E. 19. 2 ft. dist.

SURVEY 1800-

Feet.

1/4 sec. cor. bet. secs. 10 & 3 T. 16 S., R. 23 E. brs. S. 15° 16' 24" E. 2152 ft. dist.

Thence S. 36° 40' E.

Va. 12° 44' E.

100. S.W. Center of Trench of this survey.

300. N.E. Center Mon of stones. Identical with loc., Cor. No. 3- Trench, and cor. No. 3 Black Beauty, of this survey.

582. To original Cor. No. 3.

A granite rock in place 6 X 5 X 3 ft. above the general surface, chiseled cross (X) and 1800 W. on N.W. face. Whence,

A cross (X) and B.R. 1-2-1800 chiseled on a granite boulder 2 X 2 X 1ft. brs. N. 57° 2' W. 17.6 ft. dist.

B. R.

A cross (X) and 1-2-1800 chiseled on a granite boulder 10 X 8 X 7ft. brs. S. 9° 26' W. 31ft. dist.

Thence S. 49° 50' W.

Va. 12° 40' E.

650. Old side line loc. mound of stones.

1355. To original Cor. No. 3.

Set a granite stone 40 X 30 X 12ins. 15ins. in the ground chiseled -3-1800 W. on N.E. face.

B.R.

A cross (X) and 1-2-3-4-1800 chiseled on a granite boulder 3 X 2 X 2 ft. brs. N. 10° 30' E. -16.6ft. dist.

A cross (X) and 1-2-3-4-1800 B.R. chiseled on a granite boulder 4 X 3 X 2ft. brs. S. 78° E. -11. ft. dist.

A cross (X) and 1-2-3-4-1800 B.R. chiseled on a granite boulder 6 X 5 X 4ft. brs. S. 7°-40' W. 41.8 ft.

Baldy Peak brs. S. 60° 40' W.

Thence N. 36° 40' W.

Va. 12° 46' E.

242. To S.W. Center Mon. of stones.

520. Road, course N.E. & S.W.

530. Gulch, course N.E.

5 42. To original Cor. No. 4.

Feet.

Set a granite stone 30 X 20 X 8ins. marked 4-1800 W. on S.E. face.

B.R.

A cross (X) and 4-1800-chiseled on a granite rock 5 X 5 X 5 ft. above ground, brs. S. 4° 20' E. 15.1 ft.

(X)

A cross-and 4-1800 B.R. chiseled on a granite rock 7 X 5 X 3 ft. above ground, brs. N.16° 35'W. 41.6ft.

Thence N. 56° 23' E.

Va. 12° 46' E.

- 510. Wash, course S.W.
- 630. Road, course S.W. and N.E.
- 650. To original NS.C. Mon. of stones.
- 875. Gulch, course N.E.
- 1010. Gulch, course N.E.
- 1360. Spur, course N.W. & S.E.
- 1350. Wash, course N.E.
- 1358.1 Cor. No. 1. The place of beginning.

BLUE BIRD LODGE

Beginning at Cor. No.1. Identical with loc. and Cor. No. 2-Warrior.

I mark the same 1-1800 B.B. on S.W. face.

3 sec. cor. bet. secs. 10 & 3 Tp. 16S., R 22E. brs. S. 10° 49' 36" E. 1801ft. dist.

Thence S. 36° 40' E.

(Va. 12° 40'E. throughout lode.)

- 310. To S.W. Center Mon. of Stones of Black Beauty.
 - 300. To N.E. Center Mon. of stones.
 - 510. Cor. No. 4-Black Beauty of this survey.
 - 600. To original Cor. No. 2.
- A granite stone 30 X 10 X 8ins. was set 12ins. in the ground marked 2-1800 B.B. ^{on} N.W. face.
- A cross (X) and 2-1800 B.R. chiseled on a granite rock 12 X 9 X 6ins. above ground, brs. N.53°-13'W. 23ft.
- A cross (X) and 2-1800 B.R. chiseled on a granite

SURVEY-1800-A.

Feet.

Rock, 12 X 10 X 8ins. above ground hrs. S 13°W. 8.5ft.

Thence S. 49° 50' W.

656. To original S.L. Mon of stones.

1355. To original Cor. No. 3.

No. Bearings.

Thence N. 36° 40' W.

300. To original S.W. Cen. Mon. of stones.

600. To original Cor. No. 4.

I mark same 4-1800 B.B. on S.L. face.

Thence N. 49° 50. E,

Va. 13° 45' E.

705. To W.S.L. Mon. of stones.

1355. Cor. No. I, the place of beginning.

RED BIRD LODGE.

Beginning at Cor. No. I. Identical with loc. and Cor. No. 3. -Blue Bird of this survey.

I mark the same I-1800-R-B- on S.W. face.

3 sec. cor. bet. secs. 10 & 5 Tp. 16S, R22E. hrs. S 52' 14" W. 1287.9ft. dist.

Thence S. 36° 40' E.

Va. 13° 45' E.

60 . To N.B.L Center Mon. of stones.

340. Gulch, course N.E.

360. To original Cor. No. 3.

A granite rock in place 50X40X30ins. chiseled 3-1800 R.B. on N.W. Face.

A cross (X) and B.R. 3-1800 chiseled on a granite rock 15 X 13 X 10ins. hrs. N. 56°-74'E., 11.5 ft. dist.

A cross (X) and B.R. 2-1800 chiseled on a granite rock 60 X 40 X 30ins. hrs. S. 80° 40' W., 15.3ft. dist.

Thence S. 39° 54' 42" W.

Va. 13° 45' E.

740. To original S.L. Mon. of stones.

Feet	Survey 1800
1306.8	Intersect sec. line 3-10 T. 16S.R. 22 E. at a point 604ft. W. of $\frac{1}{4}$ cor. & 2047ft. E. of sec. cor. 3,4,9 & 10.
1390.4	To orig. cor. No. 3, identical 2-Juniper Set a granite stone 30x10x6ins chiseled 3-1800 B. on N.E. face A cross (x) and B.R. 3-5-1800 chiseled on a granite stone 4 X 3 X 2 ft. above ground brs. N. 39° 18' W. 29ft. dist. A cross (x) and B.R. 3-5-1800 chiseled on a granite rock 2x3x4ft. above ground brs. S. 76° 39' E. 17.5ft. Thence N. 36° 40' E. Va. 12° 44' E.
60.	Gulch, course N.E.
79.4	Intersect sec. line at a point 705.1 W. of $\frac{1}{4}$ cor. 3-10 and 1945.9 E. of Cor. 3,4,9, 10. T. 16S.R. 22 E.
300.	To orig. S.W. Center Mon. of stones.
395.	Gulch, course N.E.
600	Cor. No. 4 Ident. with loc. & Cor. No. 3. Blue Bird of this survey. Thence N. 49° 50' E. Va. 12° 44' E.
690.	To orig. N.E. side line Mon. of stones.
1355.	Cor. No. 1 the place of beginning. BOLDER LODGE. Beginning at Cor. No. 1 Identical with loc. Set a granite stone 30 X 10 X 8ins 12ins. in the ground marked 1-1800 B. on S.W. face. Whence A cross (x) and B.R. 1-1800 chiseled on a granite boulder 40 X 20 X 12 ins. brs. N. 63° 04' E. 30.7 ft. dist. A cross (x) and B.R. 1-1800 chiseled on a granite boulder 30 X 18 X 16ins. N. 16° 34' E. 11.7ft. $\frac{1}{4}$ sec. cor. bet secs. 3 & 10 Tp. 16 S. R. 22 E. brs. S. 51° 33' 34" E. 2212.5ft. Thence S. 36° 40' E. Va. 13° 06' E.
58.	Cor. No. 4 Warrior of this survey.
300.	N. End Center. Identical with loc.
358.	S.W. Center Warrior of this survey.

Feet.

Survey 1800

600. To orig. Cor. No. 2 Ident. with loc. & Cor. No. 3 of the Warrior and Cor. No. 4 of the Blue Bird of this survey.
I mark same 2-1800 B. on N.W. face.
Thence S. $56^{\circ} 23' W.$ Va $12^{\circ} 45' E.$
604. S.S.L. Mon of stones. Identical with loc.
1308. To orig. Cor. No. 3. Ident. with loc. mon.
A granite 30 X 30 X 30 ins. chiseled a cross (x) at cor. point and 5-1800. Whence
A cross (x) and B.R. 3-1800 chiseled on a granite boulder 30 X 30 X 30 ins. brs. S. $82^{\circ} 33' E.$ 17' dist.
A cross (x) and B.R. 5-1800 chiseled on a granite boulder 10 X 10 X 8ft. brs N. $43^{\circ} 05' E.$ 11.3ft.
Thence N. $36^{\circ} 40' W.$ Va. $12^{\circ} 45' E.$
500. S.E. Cen. Mon. Ident. with loc.
- 495.5 Intersect line bet. secs. 3 & 4 at N. 609.7ft. from cors. 3, 4, 9 & 10, and S. 2021.3ft. from $\frac{1}{2}$ cor. bet secs 3 & 4.
574. Gulch, course S.W.
609. Cor. No. 4 Ident. with loc.
A granite stone 40 X 30 X 10 scribed 4-1800 B.
A cross (X) and B.R. 1800 chiseled on a granite boulder 5 X 5 X 3ft. brs. S. $1^{\circ} 35' W.$ 14.8ft. dist.
A cross (X) and B.R. 4-1800 chiseled on a granite boulder brs. N. $83^{\circ} 42' E.$ 39.3ft. dist.
Thence N. $56^{\circ} 23' E.$ Va. $12^{\circ} 45' E.$
- 100.2 Intersect line bet. secs. 3 & 4 at N. 777.96ft from cor. 3, 4, 9, & 10 and S. 1853.⁰4ft from $\frac{1}{2}$ cor. bet secs. 3 & 4.
475. Gulch course N.W.
585. Gulch course N.W.
604. N.S.L. mon. of stones. Ident. with loc.
885. Road, course E. & W.
1308. Cor. No. 1 place of beginning.
Yellow Jacket Lode.
Beginning at Cor. No. 1 Ident. with loc. and Cor. No. 2

Feet.

Survey-1800

- of the Boulder, Cor. No. 3-Warrior, and Cor. 4-BlueBird
I mark the same I-1800 Y.J. on S.W. face.
- $\frac{1}{2}$ sec. cor. bet. secs 10 & 5 hrs. S. $56^{\circ} 55' 44''$ E.
1640ft, Tp. 16 S. R. 22 E.
- Thence S. $56^{\circ} 40'$ E. Va. $13^{\circ} 45'$ E.
300. N.E.E. Cen. Mon. Identical with loc. & S.W. Cen. of the
Blue Bird of this survey.
- 600., Cor. No. 3 Ident. with loc. Cor. No. 3-Blue Bird and
Cor. No. 4-Red Bird. I mark the same Y.J. 3-1800 on N.W.
- Thence S. $56^{\circ} 22'$ W. Va $13^{\circ} 45'$ E.
604. S.S.L. Mon. Ident. with loc.
- 763.25 Intersect sec. line 3-10 1652ft. W. of $\frac{1}{2}$ cor. 3-10 &
999ft. E. of sec. cor. 3, 4, 9 10.
1208. Cor. No. 3. Ident. with loc. & cor. No. 4-Juniper.
Set a granite stone 30 X 30 X 12 ins. 12ins. in the
ground chiseled 3-1800 Y.J.
A cross (x) and B.R. 3-4-1800 chiseled on a granite
boulder 3 X 2 X 2ft. hrs N. $11^{\circ} 50'$ E. 29.2ft.
A cross (x) and B.R. 3-4-1800 chiseled on a granite
boulder 5 X 4 X 3 ft. hrs. S. $17^{\circ} 09'$ E. 9.4ft dist.
Thence N. $56^{\circ} 40'$ W. Va. $13^{\circ} 45'$ E.
300. S.W. End Cen. Mon. Ident. with loc.
- 302.7 Intersect sec. line 3-10 3202.6ft W. of $\frac{1}{2}$ cor. 3-10
and 448.8 ft. E. of sec. cor. 3, 4, 9, 10.
435. Gulch, course S. Westerly.
600. Cor. No. 4. Ident. with loc. and Cor. No. 3 Boulder of
this survey.
- Thence N. $56^{\circ} 22'$ E.
Va. $13^{\circ} 45'$ E.
604. N.S.L. Mon. Ident. with loc. and S.S.L. Mon of the Bol-
der of this survey.
1208. Cor. No. 1 the place of beginning.
Juniper Lode.
Beginning at Cor. No. 1 Identical with loc. cor.
No. 3-Yellow Jacket, Cor. No. 3-Blue Bird and cor.

SURVEY -1800.

- Foot. No. 4 of the Red Bird of this survey.
 I mark the same I-1800 J. on S.W. face.
 1/4 Sec. cor. sec. 10 & 3, brs S.67°50'54" E. 1096.8ft dist
 Thence S. 36° 40' E.
 (Va. 13°-45'E. throughout this lode.)
300. N.E.E Center Mon. Identical with loc. mon. and S. W.
 Center of the Red Bird of this survey.
503. Intersect sec. line 3-10 (See Red Bird of this survey)
 600. Cor. No. 2. Identical with loc. and Cor. No. 3 Red
 Bird of this survey.
 I mark same 2-1800 J. on N.W. face.
 Thence S. 56° 22' W.
538. Gulch, course S.W.
604. S.S.E. Mon. Identical with loc. mon.
733. Gulch, course S.W.
1088. Gulch, course S.W.
1163. Gulch, course S.W.
1200. Cor. No. 3. Identical with loc. mon.
 Set a granite stone 34 X 18 X 8ins' 16ins. in the ground
 chiseled J. 3-1800 . on N.E. face.
 A cross (X) and B.R. 3-1800 chiseled on a granite rock
 8 X 8 X 6ft. above ground, brs. N. 15° 30' E. 41.1 ft.
 A cross (X) and B.R. 3-1800 chiseled on a granite
 rock 4 X 5 X 3 ft. above ground brs. S 79°-13'E, 55.8ft.
 Thence N. 36° 40' W.
- 444.15 Intersect sec. line 3-10 (See Yellow Jacket this survey)
 500. S.E. Center Mon. Identical with loc.
480. Gulch, course S.W.
600. Cor. No. 4. Identical with. loc. and cor. No.3-Yellow
 Jack of this survey.
 I mark same 4-1800 J. on S.E. face.
 Thence N. 56° 22' E.
604. N.S.E. Mon. Identical with loc. and S.S.E. Mon of the
 Yellow Jacket of this survey.
1308. Cor. No. 1. the place of beginning.

SURVEY-1800

Location.

This claim is located in sec. 35-Tp. 158., R.22 E., (unsurveyed), and in Secs. 2, 3, & 10 of Tp. 168., R22 E.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements upon this claim, placed thereon by the claimants or his grantors, is not less than five hundred dollars, and that said improvements consist of:

No.1	Discovery shaft 4x6x30 , from Cor. No. I - King brs. N. 59° 15'W.-520 ft.	\$ 250.00
No.2.	Shaft 4x6x31 ft. brs. from Cor.No.I-King N-6°W. 725ft.	350.00
Wolfram Queen Lode		
No.1.	Discovery shaft 4x6x54ft. brs. from S.end Gen.Mon N. 17° 40'E. -386ft. dist.	250.00
No. 2.	S. end of cut 4x4x45', course N. 17° 40' E. brs. from S. Gen. Mon. N. 17° 40' E.-352ft. dist.	300.00
No.3.	S. end of cut 5x6x30ft. Course N. 17° 40'E., brs from S. Center Mon. N. 17°-40'E. 368ft. dist.	200.00
No.4.	Shaft 4x6x40ft. brs. from S.Gen.Mon.N.17°-40'E. 405ft.	300.00
No.5.	S.end of cut 4x6x50', course N17°-40'E. brs. from S. Gen. Mon. N.17°-40'E.--440ft. dist.	300.00
No.6.	Shaft 4x6x18', brs. from S. Gen. Mon.N.17°-40'E.498ft.	100.00
No.7.	A cut 3x3x36', course N.17°40'E/brs. from S.Gen. Mon. N. 17°-40'E. 520 ft. dist.	300.0
No.8.	S. end cut 4x4x12', course N.17°-40'E., brs. from S. Gen. Mon. N. 17°-40'E. 545' dist.	50.0
No.9.	A cut 4x4x5ft. brs from S. Gen. Mon. N.17°-40'E.605ft.	35.0
No.10.	Cut 4x4x35, course N.E. brs. from Cor.No.I, N40 1/2° E. 670ft.	300.0
No.11.	Cut 4x4x12, course N.E. brs. from Cor.No.I. N. 51°-45'E. 560 ft. dist.	50.0
No.12.	Cut 4x4x16', course N.E., brs from Cor.No.I, N55°E. 505ft. dist.	50.

HAY FLOWER LODE.

No.1.	Discovery shaft 4x6x10' brs. S.end Gen.Mon.N5°W.700ft.	50.
-------	--	-----

Improvement

SURVEY-1800-

Value.

No. 3.	Shaft 4x6x10ft. from S. End Gen. brs. N-5°W.-450ft.	\$ 50.00
No. 3.	Shaft 4x6x10ft. from S. end Gen. brs N5°W. 463ft. dist.	50.00
No. 4.	Shaft 4x6x10' from S. end Gen. Mon. brs N5°W. 485 ft.	50.00
No. 5.	Shaft 4x6x10', brs. N5°W.-715ft. from S. end Gen. Mon.	50.00
No. 6.	Shaft 4x6x39' brs. from S. End Gen. N8°-45'W. -746ft.	250.00
No. 7.	Shaft 4x6x30ft. from S. end Gen. N. 5-3/4°W. 830ft. dist.	150.00
No. 8.	Cut 3x6x30ft. course Northerly, from S. end Gen. Mon. brs. N. 5-3/4°W. 840ft. dist.	100.00
No. 9.	Shaft 4x6x10' from S. end Gen. brs. N. 5-1/3°W. 835 ft.	50.00

LAST CHANCE LODE.

From Cor. No. 4:

No. 1.	Discovery shaft No. 1.-4x6x10', brs. S26°W. 310ft.	50.00
No. 2.	Shaft 4x6x70ft. brs. S. 65° W. 138ft. dist. N. end	600.00
No. 3.	Cut, 3x10x35ft. course S-10°E./brs. S64-1/2° W. 140ft. N. end	150.00
No. 4.	Cut 3x6x77ft course S-10°E./brs. S-45°W. 155ft. N. end	300.00
No. 5.	Cut 5x6x50ft. course S-10°E./brs S. 35-1/3°W. 315ft.	300.00

SURPRISE LODE.

From Cor. No. 4.

No. 1.	Discovery shaft No. 1. 4x6x40ft. brs. S. 9°W. 350ft.	400.00
No. 2.	Shaft 4x6x30ft. brs S-II-1/3°W. 575ft. dist.	150.00

HIDDEN TREASURE LODE.

From Cor. No. 3:-

No. 1.	Disc. Shaft 4x6x10ft. brs N. 44°-15'E. 735ft. dist.	100.00
No. 2.	Shaft 4x6x10ft. brs. N. 46 1/2°. 545ft. dist.	50.00
No. 3.	Shaft 4x6x54ft. brs N. 56 1/2°E. 945ft. dist.	400.00

CRACKER JACK LODE.

From Cor. No. 3:-

No. 1.	Disc. Shaft 4x6x37ft. brs. N. 38 1/2°E. 745ft. dist.	500.00
No. 2.	Shaft 4x6x10ft. brs. N. 37°E. 400ft. dist.	100.00
No. 3.	Shaft 4x6x54ft. brs. N. 38°E. 1100ft. dist.	300.00

Improvement.	SURVEY-1890.	Value
	<u>DIVIDEND</u>	
No. 1.	Disc. Shaft 4x6x10ft. From ^{Cor. 5} hrs. 7. 2°W. 365ft.	\$100.00
No. 2.	No. 18 & 17 BB. are credited to Dividend.	\$900.00
	OREGON LODE.	
	From Cor. No. 5:-	
No. 1.	Disc. Shaft 4x6x35ft. hrs. 2. 36° 40' N. -185ft. dist.	250.00
No. 2.	W. end. of cut 4x6x35' hrs. 8. 71½° N. 355ft.	150.00
No. 3.	From Cor. No. 5. shaft 4x6x18' hrs. 51½° N. 230ft.	150.00
	GRAY LODE.	
No. 1.	From N. E. Center Mon. Disc. shaft 4x6x10ft. hrs. S. 27°-10' W. -515ft. dist.	100.00
No. 2.	From Cor. No. 4. shaft 4x6x35' hrs N. 11° W. 245 ft.	350.00
No. 3.	10ft. of Disc. Shaft-Trench are credited to the Gray.	100.00
	BLACK BEAUTY LODE.	
No. 1.	From W. Cen. Mon. disc. shaft. 4x6x10' hrs. N. 40° E. 10ft.	100.00
No. 2.	From Cor. No. 5. shaft 4x6x50' hrs. N. 45° E. -185 ft.	500.00
	FRENCH LODE.	
No. 1.	From E. end. Center disc. shaft 4x6x30, 10ft. of which are credited to the Gray, hrs. S. 40°-5' W-35ft. dist.	500.00
	WARRIOR LODE.	
	From ^{Cor. 2}	
No. 1.	Disc. shaft 4x6x33ft. hrs. S. 78° W. 235ft. dist.	500.00
No. 2.	Shaft 4x6x8' hrs. S. 83° W. 190ft. dist.	100.00
No. 3.	Cut 20x4x46' course S. 51° W., hrs. S. 75-1/2° W. 365ft.	400.00
No. 4.	Shaft 4x6x10' hrs. S. 73-1/2° W. 310ft. dist	100.00
No. 5.	Shaft 4x6x20' hrs. S-78° W. 330ft. dist.	150.00
	BLUE BIRD LODE.	
No. 1.	From Cor. No. 4. disc. cut 4x6x33' hrs. S. 73° E. 365ft.	150.00
No. 2.	From Cor-4- shaft 4x6x10' hrs. S. 39-1/2° E. -280ft.	100.00
No. 3.	From W. end. Mon. cut 5x6x30' hrs S. 51° E. 230' hrs. N 50° E.	150.00
No. 4.	W. end. -Mon., cut 4x10x8' course N. 50° E, hrs. S. 51° E. 275ft. dist.	25.00
No. 5.	From N. End. Mon. cut 10x4x3', hrs. S. E., hrs. S. 70 1/2° E. 455'	35.00
No. 6.	From Cor. No. 4. cut 4x4x40' course S. E. hrs. S. 71-1/2° E. 385ft. dist.	250.00

IMPROVEMENT.	SURVEY-1800.	VALUE.
No.7.	From Cor. No.4.:- A cut 5x5x40ft. course S.E. brs. S. 72°E. 435ft.	\$ 250.00
No.8.	A shaft 4x6x46ft. brs. S. 80°E. Value	\$400.00
No.9.	Tunnel 4x6x110, course Southerly, brs, N83°W.-375ft.	750.00
No.10.	A cut 3x4x320ft. brs. N. 50°W/brs. S.85°E. 380' dist. W.end	200.00
No.11.	A cut 3x4x320ft. W. end. brs. S. 80°E. 400ft.	300.00
No.12.	A cut 4x4 110 course N.50°W. West end bears N. 89° W. 650ft. dist.	250.00
No.13.	A cut 6x6x40ft. course N. 50°W. West end brs. N. 85° W. 375ft. dist.	200.00
No.14.	Shaft 4x10x10 ft. brs. N. 80 ^{1/2} °W. 550ft. dist.	100.00
No.15.	Shaft 4x6x10 brs. N. 75-3/4°W. 830ft. dist.	100.00
No.16	Cut 6x6x58 course N. 50°W. S. end brs N. 63°E. From Cor. No. 4. Value \$400.00	
No.17.	Cut 4x6x50, course N. 50°W/brs. N. 64°E. From Cor. No. 4. Value \$500.00	

(No. 8 & 17 are to be credited to the Dividend)

RED PIPE LOAN.

From Cor. No.1:

No.1.	Disc. shaft 4x6x10ft. brs S.30°W. 340ft. dist.	100.00
No.2.	Cut 5x6x30ft. course S.W., brs. S.40°W. 465ft.	200.00
No.3.	Shaft 4x6x9ft. brs. S. 42-3/4°W. 565ft. dist.	200.00
No.4.	Shaft 4x6x12ft. brs. S. 45°W. 595ft. dist.	100.00

Bolder Lode.

From Cor. No.2.

No.1.	Disc. shaft 4x6x10ft. brs N. 77°W. 405ft. dist.	100.00
No.2.	Shaft 4x6x20ft. brs. S. 20°-45'W. 137ft. dist	200.00
No.3.	Shaft 4x6x10ft. brs. S 56°-45'W. 645ft. dist.	100.00
No.4.	Shaft 4x6x15ft. brs N. 71°W. 1022ft. dist.	150.00

YELLOW JACKET LODE.

From Cor. No.2.

No.1.	Disc. Shaft 4x6x10ft. brs N. 72°W. 376ft. dist.	100.00
No.2.	Cut 4x10x40ft. course S. 56°-30'W. brs. N. 36°-40'W 327ft. From E. end Gen. Men.	300.00
No.3.	Tunnel 4x6x130ft. course S. 33°E. brs. From N. end.	

-50-

IMPROVEMENT	SURVEY-1800.	VALUE.
	From Cor. No. 5.	\$
No. 2.	Shaft 4x3x5ft. hrs. N. 55°W. 335ft. dist.	35.00
No. 3.	North end of a tunnel 4x6x113ft., course S. 19°E. and which has two crosscuts one on each side, each being 23ft. in length, hrs. N. 73°W. 335ft. dist.	300.00
No. 4.	East end of a tunnel 4x6x113ft., with crosscuts 335 ft. in total length, course S. 30°E. hrs. N77°W. 430ft.	1300.00
No. 7.	South end of a tunnel 4x6x136ft. with a crosscut 15ft long at 15ft., and crosscut 50ft. long at 50ft., and whose course is N. 17°E. hrs. N. 34°W. 107ft. dist.	1000.00
No. 8.	Tunnel 4x6x70ft. with cuts, course N. 17°E. hrs. N. 58° 30'W. 335ft. dist.	500.00
No. 9.	Tunnel 4x6x18ft. course N. 45°W. hrs. N. 50.5°W. 305ft.	100.00
No. 10.	Cut 4x6x30 ft hrs N. 73°E. 300ft. dist.	100.00
No. 11.	Cut 4x6x30ft. hrs N. 37.5°E. 300ft. dist.	100.00

Juniper. Code.

No. 1.	From Cor. No. 5. Shaft 4x6x14ft. hrs. N. 40°W. 335ft. dist.	100.00
No. 2.	From Cor. No. 4. Shaft 4x6x14ft. hrs. N. 66°E. 134ft. dist.	100.00
No. 3.	Tunnel 4x6x71ft. course S. 30°E. hrs. N. 33° 45'E. 335 ft. dist.	300.00

TOTAL IMPROVEMENT.

Total Value Improvements	Wolfram Queen	\$1925.00	
"	King	500.00	
"	May Flower	800.00	
"	Last Chance	1300.00	
"	Surprise	550.00	
"	Hidden Treasure	550.00	
"	Cracker Jack	700.00	
"	Dividend	1000.00	
"	Oregon	550.00	
"	Gray	550.00	
"	Black Beauty	600.00	
"	Trench	500.00	
"	Warrior	1050.00	
"	Blue Bird	3250.00	\$900.00 Cr.
"	Red Bird	600.00	
"	Boulder	550.00	
"	Yellow Jacket	4225.00	
"	Juniper	700.00	
Total Value Improvements on group - -		\$19900.00	

SURVEY-1800

LEDGES.

The ledges on these claims run throughout the center of each lode, from End Center to End Center judging from present developments and surface indications.

AREAS.

Total and Net Areas:

	Acres.		Acres.
King	15.587:	Trench	2.458.
Wolfram Queen	14.660:	Black Beauty	17.367.
May Flower	20.610:	Oregon	15.985.
Surprise	20.240:	Warrior	14.335.
Last Chance	17.524:	Blue Bird	18.629.
Hidden Treasure	20.070:	Red Bird	14.892.
Cracker Jack	19.280:	Bolder	16.616.
Dividend	15.186:	Yellow Jacket	16.616.
Gray	16.846:	Juniper	16.616.
- - - - -	- - - - -	- - - - -	- - - - -

TOTAL AND NET AREA OF GROUP 293.517Acres.

INSTRUMENT.

The survey was made with a Young & Son's Light Mountain Transit, with solar attachment. The courses were deflected from the true meridian, as determined by Solar Observations checked by an observation on polaris.

The distances were measured with a 50ft. and a 100ft. steel tapes.

Philip Contzen.

U.S. Deputy Mineral Surveyor.

Tucson, Arizona.

June , 1902.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Philip Coutzen
 United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines
 corners and boundaries described in the foregoing field notes of the survey of the mining claim
 of Walter Maximillian Steiss
 known as the King - Malfram Queen - May Flower - East Chance - Surprise - Hidden Treasure - Cacker Jack - Dividend - Oregon - Gros - French - Warrior - Blue Bird - Red Bird - Bolder - Yellow Jacket - Juniper - Black Beauty
 and showing the respective capacities in which they acted.

- Casimiro R. Barthelmy, Chairman.
- W. W. Miller, Chainman.
- W. W. Miller, Azman.
- Casimiro R. Barthelmy, Flagman.

FINAL OATHS OF ASSISTANTS.

We, Casimiro R. Barthelmy
 and W. W. Miller, do solemnly swear that we assisted Philip
Coutzen, United States Deputy Mineral Surveyor, in marking the corners and
 surveying the boundaries of the mining claim of Walter Maximillian
Steiss, known as the King - Malfram Queen - May Flower - East Chance - Surprise - Hidden Treasure - Cacker Jack - Dividend - Oregon - Gros - French - Warrior - Blue Bird - Red Bird - Bolder - Yellow Jacket - Juniper - Black Beauty, represented
 in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under
 his direction; and that said survey has been in all respects, to the best of our knowledge and
 belief, faithfully and correctly executed, and the corner and boundary monuments established
 according to law and the instructions furnished by the United States Surveyor-General for
Arizona

- Casimiro R. Barthelmy, Chairman.
- W. W. Miller, Chainman. ✓
- W. W. Miller, Azman. ✓
- Casimiro R. Barthelmy, Flagman.

Subscribed and sworn to by the above-named persons before me
 this 25th day of May, 1903

John W. Lys
Notary Public
 My Commission Expires Jan 24 1904

(4-686.)

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, Philip Contzen, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated April 25 - 1903, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Walter Maximilian Stein

*King - Malcolm Owen - May Flower - Spot Chance - Surprise - L. B. Allen
Treasure - Gaeher Jack - Dividend - Oregon - Croft - French - Warring
Blue Bird - Bird of Paradise - Boulder - Yellow Jacket - and I in part
Black Beauty*
situate in Cochise Mining District,

Cochise County, Arizona, in Section 5
35-2-3-10, Township No. 15-16, Range No. 22 E
and designated as Survey No. 1800

as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Philip Contzen
U. S. Deputy Mineral Surveyor

Subscribed and sworn to by the said Philip Contzen
U. S. Deputy Mineral Surveyor, before me
this 25th
day of May 1903

John Mels
Notary Public

My Commission Expires January 24th 1904

Affidavit of Five Hundred Dollars Improvements.

We, Casimiro R. Bartelmy and W. W. Miller

of lawful age, being first duly sworn according to law, depose and say: That we King - Walfram Queen - May Flower - East Chance - Surprise - Golden Treasure
Golden Jack - Diamond - Oregon - Gray - French - Warrior - Blue Bird - Red Bird
Birds - Yellow Jacket and Juniper & Black Beauty mining claims,

situate in Cochise Mining district, Cochise County,

Arizona Territory, for which Walter Maximilian

Stein

has made application for survey prior to application for patent under the provisions
of the Act of Congress, approved May 10, 1872; and that the labor done and improve-
ments made thereon by the applicant and his grantor exceed Five Hundred
Dollars in value, and further that we are not personally interested in said mines


Casimiro R. Bartelmy
Witness

TERRITORY OF ARIZONA,
County of Pima } ss:

Sworn to and subscribed before me, this 25th

day of May, 1903

John Metz
Notary Public



My Commission Expires January 24th, 1907.
My Commission Expires January 24th, 1907.

AMENDED

Notice of Mining Location.

37

LODE CLAIM.

To All Whom It May Concern:

This mining claim, the name of which is the King Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Walter Maximillian Stein,

a citizen of the United States.
(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 24th day of March, 1903.

The length of this claim is 1500 feet and 588 feet in a southerly direction, and 912 feet in a northerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the discovery monument of said claim. The general course of the lode deposit and premises is from the northerly to the southerly.

The claim is situated and located in the Cochise Mining District, in Cochise County, in the Territory of Arizona, about 3/4 mile in a N. Easterly direction from Russellville, located in T. 15 S. R. 122 E. of the Gila and Salt River Base and Meridian, Arizona.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones

at a point in a southerly direction 588 feet from the discovery shaft (at which this notice is posted), being in the center of the south end line of said claim; thence easterly 300 feet to a monument of stones, being the S. East corner of said claim; thence northerly 1500 feet to a monument of stones, being at the N. East corner of said claim; thence westerly 300 feet to a monument of stones at the center of the north end of said claim; thence westerly 300 feet to a monument of stones, being at the N. West corner of said claim; thence southerly 1500 feet to a monument of stones at the S. West corner of said claim; thence easterly 300 feet to place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the King Mining Claim, located by Isidore Boerick on the 26th day of December 1899, and recorded in Book 16 of Records of Mines, at page 23, in the office of the County Recorder of the aforesaid County of _____ which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 24th day of March, 1903.

Walter Maximillian Stein
and recorded at request of B. F. Halderman
at 1st 1903 at 9 a. m. Book 23 page 578 Record of Mines.

territory of Arizona,)
:SS.
County of Cochise.)

39

I, Frank Hare County Recorder in and for said
County, hereby certify that I have compared the foregoing copy with
the original amended location notice of the "*Juno*" mining claim,
filed and recorded in my office on the *18th April 1903*,
in Book *47* page *123* Records of Mines, and that the same is a full,
true and correct copy of such original and of the whole thereof.
Witness my hand and seal of office, this *20th* day of April 1903.

Frank Hare
County Recorder.

Notice of Mining Location.

LODE CLAIM.

To All Whom It May Concern:

This mining claim, the name of which is the Grand Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Walter Macmillan Steir

a citizen of the United States
(Locator must insert either "a citizen of the United States" or, "who has declared his intention to become a citizen of the United States.")
the undersigned, on the 24 day of March 1903.

The length of this claim is 220 feet and 55 claim feet in a North Easterly direction, and 165 feet in a South Westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the discovery monument of said claim. The general course of the lode deposit and premises is from the N. Easterly to the S. Westerly.

The claim is situated and located in the Cochise Mining District, in Cochise County, in the Territory of Arizona, about 3/4 mile in a N. Easterly direction from Russellville located 3 1/2 miles S. 16 1/2 W. 22 E. of the Gold and Silver River Base and monument Arizona

The surface boundaries of the claim are marked upon the ground as follows: Beginning at

a monument of stones
at a point in a North Easterly direction 55 feet from the discovery shaft (at which this notice is posted), being in the center of the N. East end line of said claim; thence S. Easterly 300 feet to a monument of stones, being the N. East corner of said claim; thence S. Westerly 220 feet to a monument of stones, being at the S. West corner of said claim; thence North Westerly 300 feet to a monument of stones at the center of the S. West end of said claim; thence North Westerly 300 feet to a monument of stones, being at the N. West corner of said claim; thence N. Easterly 220 feet to a monument of stones at the N. East corner of said claim; thence S. Easterly 300 feet to place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Grand Mining Claim, located by Walter Macmillan Steir on the 21 day of June 1899 1900, and recorded in Book 17 of Records of Mines, at 112 in the office of the County Recorder of the aforesaid County of Cochise which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 24 day of March 1903.

Walter Macmillan Steir
and recorded at the request of B. F. Halderman April 18 1903
at 9 of an Book 24 Records of Mines Page 123

MINERAL SURVEY NO. 1800

Claims	M & B Desc.	Improvements	Loc. Notices
Black Beauty	15	28	12
Blue Bird	20	28	14
Bolder	22	29	18
Cracker Jack	10	27	3
Dividend	12	28	10
Gray	16	28	8
Hidden Treasure	9	27	7
Juniper	24	30	17
King	1	26	1
Last Chance	5	27	5
May Flower	4	26	4
Oregon	13	28	16
Red Bird	21	29	13
Surprise	7	27	15
Trench	17	28	2
Warrior	18	28	6
Wolfram Queen	2	26	9
Yellow Jacket	23	29	11

Territory of Arizona,)

SS.

County of Cochise.)

41

I, Frank Hays County Recorder in and for said County hereby certify that I have compared the foregoing copy with the original amended location notice of the *Cracker Jack* mining claim, filed and recorded in my office on the 1 day of *April* 1913, in Book 23 page 587, Record of Mines, and that the same is a full, true and correct copy of such original and of the whole thereof.

Witness my hand and seal of office, this 6 day of April 1908.

Frank Hays
County Recorder.

AMENDED

Notice of Mining Location.

LODE CLAIM.

To All Whom It May Concern:

This mining claim, the name of which is the Cracker Jack Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Walter Maximillian Stein

a citizen of the United States
(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 24th day of March 1903.

The length of this claim is 1400 feet and 1 claim 650 feet in a South westerly direction, and 750 feet in a northeasterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the discovery monument of said claim.

The general course of the lode deposit and premises is from the northeasterly to the southwesterly

The claim is situated and located in the Cochise Mining District, in Cochise County, in the Territory of Arizona, about 1/8 mile in a southerly direction from Russellville, located in Sec. 3 T. 16 S. R. 22 E. of the Gila and Salt River Base and Meridian, Arizona.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones

at a point in a South westerly direction 650 feet from the discovery shaft (at which this notice is posted), being in the center of the S. west end line of said claim; thence South easterly 300 feet to a monument of stones, being the S. West corner of said claim; thence North easterly 1400 feet to a monument of stones, being at the S. East corner of said claim; thence North westerly 300 feet to a monument of stones at the center of the N. east end of said claim; thence North westerly 300 feet to a monument of stones, being at the N. E. corner of said claim; thence South westerly 1400 feet to a monument of stones at the N. W. corner of said claim; thence South easterly 300 feet to place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Cracker Jack Mining Claim, located by Mrs. R. Moore, J. H. Cornellison, O. J. Smith on the 17th day of April 1898 190, and recorded in Book 111 of Records of Mines, at pages 608-609 in the office of the County Recorder of the aforesaid County of Cochise to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 24th day of March 1903
Walter Maximillian Stein

and recorded at request of B. F. Halderman April 1st 1903 at 9 A.M. Book 23 page 587 Record of Mines.

territory of Arizona,)

43

City of Cochise.)

I, Frank Hale County Recorder in and for said County,
 do hereby certify that I have compared the foregoing copy with the original
 and location notice of the "May Flower" mining claim, filed and
 recorded in my office on the 1 day of April 1903, in Book 23 page 593.
 and of mine, and that the same is a full, true and correct copy of
 the original and of the whole thereof.
 Witness my hand and seal of office, this 6 day of April 1903.

Frank Hale
 County Recorder.

AMENDED

Notice of Mining Location.

LODE CLAIM.

To All Whom It May Concern:

This mining claim, the name of which is the May Flower
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Walter Maximillian Stein
a citizen of the United States.

(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")
the undersigned, on the 24th day of March 1903.

The length of this claim is 1500 feet
and 9 claim 700 feet
in a southerly direction, and 800
feet in a northerly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the discovery monument of said claim. The general course of the lode deposit and premises is from the northerly to the southerly.

The claim is situated and located in the Cochise Mining District, in Cochise County, in the Territory of Arizona, about 1/2 mile in a northwesterly direction from Russellville, located in T. 15 S. R. 21 E. of the Gila and Salt River Base and Meridian, Arizona.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones

at a point in a southerly direction 700 feet from the discovery shaft (at which this notice is posted), being in the center of the south end line of said claim; thence easterly 300 feet to a monument of stones, being the S. East corner of said claim; thence northerly 1500 feet to a monument of stones, being at the N. East corner of said claim; thence westerly 300 feet to a monument of stones at the center of the north end of said claim; thence westerly 300 feet to a monument of stones, being at the N. West corner of said claim; thence southerly 1500 feet to a monument of stones at the S. West corner of said claim; thence easterly 300 feet to place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the May Flower
Mining Claim, located by W. J. Smith & P. C. Smith
on the 2nd day of September 1898, and recorded in Book 14 of Records of Mines, at page 707, in the office of the County Recorder of the aforesaid County of Cochise which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 24th day of March 1903.
Walter Maximillian Stein
and recorded at request of B. F. Balderman April 1st
at 9 A.M. Book 23 page 593 Record of Mines

territory of Arizona,)

45

:SS.
County of Cochise.)

I, Frank Hare County Recorder in and for said County,
do hereby certify that I have compared the foregoing copy with the original
intended location notice of the "Last Chance" mining claim, filed and
recorded in my office on the 1 day of April 1903, in Book 23 page 589
Record of Mines, and that the same is a full, true and correct copy of
such original and of the whole thereof.
Witness my hand and seal of office, this 6 day of April 1903.

Frank Hare
County Recorder.

AMENDED

Notice of Mining Location.

LODE CLAIM.

To All Whom It May Concern:

This mining claim, the name of which is the East Chance
 Mining Claim, situate on lands belonging to the United States of America, and in which there are
 valuable mineral deposits, was entered upon and located for the purpose of exploration and
 purchase by Walter Maximillian Stein
a citizen of the United States
 (Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")
 the undersigned, on the 24th day of March 1903.

The length of this claim is 1500 feet
 and 3 claim 210 feet
 in a northeasterly direction, and 1290
 feet in a south westerly direction from
 the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together
 with 300 feet in width of the surface grounds, on each
 side of the discovery monument of said claim. The general course of the lode deposit and prem-
 ises is from the northeasterly to the south westerly

The claim is situated and located in the Cochise Mining District, in
Cochise County, in the Territory of Arizona, about 1/2 mile
 in a easterly direction from Russellville located in
T. 15 S. R. 22 E. of the Gila and Salt River Base
and Meridian, Arizona.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at
a monument of stones

at a point in a north easterly direction 210 feet from
 the discovery shaft (at which this notice is posted), being in the center of the n. east
 end line of said claim; thence south easterly 300 feet to a monument
of stones, being the S. East corner of said claim; thence
south westerly 1500 feet to a monument of stones, being
 at the S. West corner of said claim; thence north westerly 300 feet
 to a monument of stones at the center of the S. West end of said
 claim; thence north westerly 300 feet to a monument of stones, being
 at the N. West corner of said claim; thence north easterly 1500
 feet to a monument of stones at the N. east corner of said
 claim; thence S. easterly 300 feet to place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of
 the United States, and an Act of the General Assembly of Arizona, entitled "An Act to Revise
 and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the East Chance
 Mining Claim, located by P. C. Smith + O. J. Smith + J. N.
Carmelison on the 17th day of
April 1898, and recorded in Book 14 of Records of Mines, at
 page 610, in the office of the County Recorder of the aforesaid County of Cochise
 to which reference is hereby made, and this Amended Location Notice is made and posted to
 correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 24th day of March 1903.

Walter Maximillian Stein

and recorded at request of B. F. Halderman
April 1st 1903 at 9 A. M. Book 23 page 5-89 Record of Mines

Territory of Arizona,)
) 1903.
County of Cochise.)

I, Frank Hare County Recorder in and for said County hereby certify that I have compared the foregoing copy with the original amended location notice of the mining claim "Warrior", filed and recorded in my office on the 1 day of April 1903 in Book 23 page 576 Record of Mines, and that the same is a full, true and correct copy of such original and of the whole thereof.
Witness my hand and seal of office, this 6 day of April 1903.

Frank Hare
County Recorder.

AMENDED

Notice of Mining Location.

LODE CLAIM.

To All Whom It May Concern:

This mining claim, the name of which is the Warrior
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Walter Maximillian Stein
a citizen of the United States
(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")
the undersigned, on the 24th day of March 1903.

The length of this claim is 1353 feet
and 1 claim 1138 feet
in a S. Westerly direction, and 215
feet in a N. Easterly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together
with 300 feet in width of the surface grounds, on each
side of the discovery monument of said claim. The general course of the lode deposit and premises is from the N. easterly to the S. westerly

The claim is situated and located in the Cochise Mining District, in
Cochise County, in the Territory of Arizona, about 3/4 mile
in a S. Westerly direction from Russellville. Located in
Sec. 3 T. 16 S. R. 22 E. of the Gila and Salt River
Base and Meridian, Arizona

The surface boundaries of the claim are marked upon the ground as follows: Beginning at
a monument of stones

at a point in a N. Easterly direction 215 feet from
the discovery shaft (at which this notice is posted), being in the center of the N. East
end line of said claim; thence S. Easterly 300 feet to a monument
of stones, being the S. East corner of said claim; thence
S. Westerly 1353 feet to a monument of stones, being
at the S. West corner of said claim; thence N. Westerly 300 feet
to a monument of stones at the center of the S. West end of said
claim; thence north westerly 300 feet to a monument of stones, being
at the N. West corner of said claim; thence north easterly 1353
feet to a monument of stones at the N. East corner of said
claim; thence S. Easterly 300 feet to place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of
the United States, and an Act of the General Assembly of Arizona, entitled "An Act to Revise
and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Warrior
Mining Claim, located by Lideon Boericke
on the 5th day of
October 1898, and recorded in Book 16 of Records of Mines, at
page 25, in the office of the County Recorder of the aforesaid County of Cochise
to which reference is hereby made, and this Amended Location Notice is made and posted to
correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 24th day of March 1903.

Walter Maximillian Stein
and recorded at request of B. F. Calderman April 1st
at 9 A.M. Book 23 page 576 Record of Mines

Territory of Arizona.)

County of Pinal.

50

I, [Name], County Recorder in and for said County
do hereby certify that I have compared the foregoing copy with the original
general location notice of the "Hidden Treasure" mine, filed and rec-
orded in my office on the 1st day of April 1903, in book 23 page 577
and find it a true and correct copy of the original of the said notice.
Witness my hand and seal of office this 6th day of April 1903

Francis [Signature]

County Recorder.

AMENDED

Notice of Mining Location.

LODE CLAIM.

To All Whom It May Concern:

This mining claim, the name of which is the Hidden Treasure Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Walter Maximilian Stein

a citizen of the United States.

(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.") the undersigned, on the 24th day of March 1903.

The length of this claim is 1500 feet and 725 claim

in a north easterly direction, and 775 in a southwesterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each

side of the discovery monument of said claim. The general course of the lode deposit and premises is from the n. easterly to the s. westerly

The claim is situated and located in the Cochise Mining District, in Cochise County, in the Territory of Arizona, about 1/8 mile in a southerly direction from Russellville located in T. 15 S. & 16 S. R. 22 E. of the Gila and Salt River Base and Meridian, Arizona.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones

at a point in a north easterly direction 725 feet from the discovery shaft (at which this notice is posted), being in the center of the N. East end line of said claim; thence south easterly 300 feet to a monument of stones, being the S. East corner of said claim; thence south westerly 1500 feet to a monument of stones, being at the S. West corner of said claim; thence north westerly 300 feet to a monument of stones at the center of the S. West end of said claim; thence north westerly 300 feet to a monument of stones, being at the N. West corner of said claim; thence north easterly 1500 feet to a monument of stones at the N. East corner of said claim; thence south easterly 300 feet to place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Hidden Treasure Mining Claim, located by W. M. Stein

on the 27th day of December 1899, and recorded in Book 14 of Records of Mines, at page 610, in the office of the County Recorder of the aforesaid County of Cochise to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 24th day of March 1903.

Walter Maximilian Stein and recorded at request of B. F. Halderman April 1 1903 at 9 A. M. Book 23, page 577 Record of Mines.

Territory of Oklahoma,

51

County of ...

I, Frank ... in and for said County,
 hereby certify that I have compared the foregoing copy with the original
 record in my office on the 1st day of April 1903, in Book 23 page 580
 and that it is a true and correct copy of
 the original as of the date stated.
 Witness my hand and seal of office, this 6th day of April 1903.

Francis ...
 County Recorder.

AMENDED

Notice of Mining Location.

LODE CLAIM.

To All Whom It May Concern:

This mining claim, the name of which is the Gray
 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Walter Maximilian Steins
a citizen of the United States.
 (Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")
 the undersigned, on the 24th day of March 1903.

The length of this claim is 1500 feet
 and 1011 claim feet
 in a S. Westerly direction, and 1396
300 feet in a North easterly direction from
 the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together
 with 300 feet in width of the surface grounds, on each
 side of the discovery monument of said claim. The general course of the lode deposit and prem-
 ises is from the N.E. to the S.W.

The claim is situated and located in the Cochise Mining District, in
Cochise County, in the Territory of Arizona, about 1/2 mile
 in a S.E. direction from Russellville. Located in Sec. 3
T. 16 S. R. 22 E. of the Gila and Salt River Base and
Meridian, Arizona.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at
a monument of stones

at a point in a N.E. direction 1011 feet from
 the discovery shaft (at which this notice is posted), being in the center of the S.W.
 end line of said claim; thence Southeasterly 300 feet to a monument
of stones, being the S.W. corner of said claim; thence
North easterly 1500 feet to a monument of stones being
 at the S.E. corner of said claim; thence North westerly 300 feet
 to a monument of stones at the center of the N.E. end of said
 claim; thence North westerly 300 feet to a monument of stones, being
 at the N.E. corner of said claim; thence South westerly 1500
 feet to a monument of stones at the N.W. corner of said
 claim; thence South easterly 300 feet to place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of
 the United States, and an Act of the General Assembly of Arizona, entitled "An Act to Revise
 and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Gray
 Mining Claim, located by B. S. Smith, O. J. Smith + J. N. Cornelison
 on the 30th day of
April 1898, and recorded in Book 14 of Records of Mines, at
 page 647, in the office of the County Recorder of the aforesaid County of Cochise
 to which reference is hereby made, and this Amended Location Notice is made and posted to
 correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 24th day of March 1903.

Walter Maximilian Steins
 and recorded at request of B. F. Halderman
April 1st 1903 at 9 A.M. Book 23 pages 580 Record of Mines

Territory of Arizona,)

)

County of Cochise.)

I, Frank Dyer County Recorder in and for said county, hereby certify that I have compared the foregoing copy with the original recorded location notice of the Wolfram Queen Mining claim, filed and recorded in my office on the 1 day of April 1903, in Book 23 page 590 Record of Deeds, and that the same is a full, true and correct copy of said original and of the title thereof.

Inness by hand and seal of office, this 6 day of April 1903.

Frank Dyer
County Recorder.

AMENDED

Notice of Mining Location.

LODE CLAIM.

To All Whom It May Concern:

This mining claim, the name of which is the Wolfram Queen
Mining Claim, situate on lands belonging to the United States of America, and in which there are
valuable mineral deposits, was entered upon and located for the purpose of exploration and
purchase by Walter Maximilian Stein,
a citizen of the United States.
(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 24th day of March 1903.

The length of this claim is 1500 feet
and 1 claim 386 feet
in a southerly direction, and 1114
feet in a northerly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together
with 300 feet in width of the surface grounds, on each
side of the discovery monument of said claim. The general course of the lode deposit and prem-
ises is from the northerly to the southerly

The claim is situated and located in the Cochise Mining District, in
Cochise County, in the Territory of Arizona, about 3/4 mile
in a northeasterly direction from Russellville. Located in
T. 15 S. R. 22 E of the Kila and Salt River Base
and Meridian, Arizona.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at
a monument of stones

at a point in a southerly direction 386 feet from
the discovery shaft (at which this notice is posted), being in the center of the south
end line of said claim; thence easterly 300 feet to a monument
of stones, being the N. East corner of said claim; thence
northerly 1500 feet to a monument of stones, being
at the N. East corner of said claim; thence westerly 300 feet
to a monument of stones at the center of the north end of said
claim; thence westerly 300 feet to a monument of stones, being
at the N. West corner of said claim; thence southerly 1500
feet to a monument of stones at the S. West corner of said
claim; thence easterly 300 feet to place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of
the United States, and an Act of the General Assembly of Arizona, entitled "An Act to Revise
and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Wolfram Queen
Mining Claim, located by O. J. Smith + P. C. Smith
on the 2nd day of
September 1898 1901, and recorded in Book 14 of Records of Mines, at
page 705, in the office of the County Recorder of the aforesaid County of Cochise
to which reference is hereby made, and this Amended Location Notice is made and posted to
correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 24th day of March 1903.

Walter Maximilian Stein
and recorded at request of B. F. Balderman April
1903 at 9 A. M. Book 23 page 590 Record of Mines.

AMENDED

Notice of Mining Location.

LODE CLAIM.

To All Whom It May Concern:

This mining claim, the name of which is the Dividend Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Walter Maximilliam Stein a citizen of the United States.

(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.") the undersigned, on the 24th day of March 1903.

The length of this claim is 1500 feet and 1010 claim feet in a northeasterly direction, and 490 feet in a southwesterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the discovery monument of said claim. The general course of the lode deposit and premises is from the N. easterly to the S. westerly.

The claim is situated and located in the Cochise Mining District, in Cochise County, in the Territory of Arizona, about 1/4 mile in a southwesterly direction from Russellville, located in Sec. 3, T. 16 S. R. 22 E. of the Gila and Salt Rivers Base and Meridian, Arizona.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones

at a point in a north easterly direction 1010 feet from the discovery shaft (at which this notice is posted), being in the center of the N. east end line of said claim; thence southeasterly 300 feet to a monument of stones, being the S. East corner of said claim; thence southwesterly 1500 feet to a monument of stones, being at the S. West corner of said claim; thence north westerly 300 feet to a monument of stones at the center of the S. West end of said claim; thence north westerly 300 feet to a monument of stones, being at the N. West corner of said claim; thence northeasterly 1500 feet to a monument of stones at the N. East corner of said claim; thence southeasterly 300 feet to place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Dividend Mining Claim, located by O. J. Smith & J. N. Cornwell on the 17th day of

April 1898, and recorded in Book 14 of Records of Mines, at page 13, in the office of the County Recorder of the aforesaid County of Cochise to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 24th day of March 1903.

Walter Maximilliam Stein

Filed and recorded at request of B. F. Calderman April 1st 1903 at 9 a. m. Book 23 page 586, Record of Mines.

Territory of Arizona,)

57

)

County of Cochise.)

I, Frank Hara County Recorder in and for said County
hereby certify that I have compared the foregoing copy with the original
amended location notice of the mining claim "Yellow Jacket", filed and
recorded in my office on the) day of April 1898 in Book 23 page 594
Record of Mines, and that the same is a full, true and correct copy of
such original and of the whole thereof.

Witness my hand and seal of office, this 6 day of April 1898.

Frank Hara
County Recorder.

AMENDED

Notice of Mining Location.

LODE CLAIM.

To All Whom It May Concern:

This mining claim, the name of which is the Yellow Jacket
Mining Claim, situate on lands belonging to the United States of America, and in which there are
valuable mineral deposits, was entered upon and located for the purpose of exploration and
purchase by Walter Maximillian Steins

a citizen of the United States
(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 24th day of March, 1903.

The length of this claim is 1420 feet
and 1 claim 212 feet
in a N. easterly direction, and 1208
feet in a S. Westerly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together
with 300 feet in width of the surface grounds, on each
side of the discovery monument of said claim. The general course of the lode deposit and prem-
ises is from the N. easterly to the S. Westerly

The claim is situated and located in the Cochise Mining District, in
Cochise County, in the Territory of Arizona, about 1 mile
in a S. N. direction from Russellville, located in
Sec. 3 T. 16 S. R. 22 E. Gila and Salt River Base
and Meridian, Arizona

The surface boundaries of the claim are marked upon the ground as follows: Beginning at
a monument of stones

at a point in a N. easterly direction 212 feet from
the discovery shaft (at which this notice is posted), being in the center of the N. east
end line of said claim; thence S. easterly 300 feet to a monument
of stones, being the N. east corner of said claim; thence
S. Westerly 1420 feet to a monument of stones being
at the S. west corner of said claim; thence N. Westerly 300 feet
to a monument of stones at the center of the S. West end of said
claim; thence N. Westerly 300 feet to a monument of stones, being
at the N. West corner of said claim; thence N. easterly 1420
feet to a monument of stones at the N. east corner of said
claim; thence S. easterly 300 feet to place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of
the United States, and an Act of the General Assembly of Arizona, entitled "An Act to Revise
and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Yellow Jacket
Mining Claim, located by B. F. Halderman + C. Halderman +
W. Cornelison on the 18th day of
April 1898, and recorded in Book 14 of Records of Mines, at
page 564 in the office of the County Recorder of the aforesaid County of Cochise
to which reference is hereby made, and this Amended Location Notice is made and posted to
correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 24th day of March, 1903
Walter Maximillian Steins

and recorded at request of B. F. Halderman April,
3 at 9 a. m. Book 23, page 594 Record of Mines

Territory of Arizona,)

:SS.

County of Cochise.)

I, Frank Hare County Recorder in and for said County hereby certify that I have compared the foregoing copy with the original amended location notice of the "mining claim" *Black Beauty*, filed and recorded in my office on the 1 day of April 1903 in Book 23 page 585 Record of Mines, and that the same is a full, true and correct copy of the original and of the whole thereof.

Witness my hand and seal of office, this 6 day of April 1903.

Frank Hare
County Recorder.

AMENDED

Notice of Mining Location.

LODE CLAIM.

To All Whom It May Concern:

This mining claim, the name of which is the Black Beauty Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Walter Maximilliam Stein a citizen of the United States.

(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.") the undersigned, on the 24th day of March 1903.

The length of this claim is 1450 feet and 10 claim feet in a south westerly direction, and 1440 feet in a north easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the discovery monument of said claim. The general course of the lode deposit and premises is from the N. easterly to the S. Westerly.

The claim is situated and located in the Cochise Mining District, in Cochise County, in the Territory of Arizona, about 3/4 mile in a south westerly direction from Russellville, located in Sec. 3, T. 16 S. R. 22 E. of the Gila and Salt River Base and Meridian, Arizona.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones

at a point in a westerly direction 10 feet from the discovery shaft (at which this notice is posted), being in the center of the S. West end line of said claim; thence south easterly 300 feet to a monument of stones, being the S. West corner of said claim; thence north easterly 1450 feet to a monument of stones, being at the S. East corner of said claim; thence north westerly 300 feet to a monument of stones at the center of the N. East end of said claim; thence north westerly 300 feet to a monument of stones, being at the N. East corner of said claim; thence south westerly 1450 feet to a monument of stones at the N. West corner of said claim; thence south easterly 300 feet to place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Black Beauty Mining Claim, located by O. J. Smith & J. N. Cornelison on the 17th day of April 1898, and recorded in Book 14 of Records of Mines, at page 5612, in the office of the County Recorder of the aforesaid County of Cochise to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 24th day of March 1903.
Walter Maximilliam Stein

and recorded at request of B. F. Halderman 1st 1903 at 9 a.m. Book 23 page 585 Record of Mines.

AMENDED

Notice of Mining Location.

LODE CLAIM.

To All Whom It May Concern:

This mining claim, the name of which is the Red Bird
 Mining Claim, situate on lands belonging to the United States of America, and in which there are
 valuable mineral deposits, was entered upon and located for the purpose of exploration and
 purchase by Walter Maximilliam Stein
a citizen of the United States
 (Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")
 the undersigned, on the 24th day of March 1903.

The length of this claim is 1450 feet
 and 318 claim feet
 in a N. easterly direction, and 1132
300 feet in a S. westerly direction from
 the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together
 with 300 feet in width of the surface grounds, on each
 side of the discovery monument of said claim. The general course of the lode deposit and prem-
 ises is from the N. easterly to the S. westerly

The claim is situated and located in the Cochise Mining District, in
Cochise County, in the Territory of Arizona, about 1 mile
 in a S. westerly direction from Russellville, located in Sec. 3
T. 16. S. R. 22. E. of the Gila and Salt River Base
and Meridian, Arizona.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at
a monument of stones

at a point in a N. easterly direction 318 feet from
 the discovery shaft (at which this notice is posted), being in the center of the N. east
 end line of said claim; thence S. Easterly 300 feet to a monument
of stones, being the S. East corner of said claim; thence
S. Westerly 1450 feet to a monument of stones, being
 at the S. West corner of said claim; thence N. Westerly 300 feet
 to a monument of stones at the center of the S. West end of said
 claim; thence N. Westerly 300 feet to a monument of stones, being
 at the N. West corner of said claim; thence N. Easterly 1450
 feet to a monument of stones at the N. East corner of said
 claim; thence S. Easterly 300 feet to place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of
 the United States, and an Act of the General Assembly of Arizona, entitled "An Act to Revise
 and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Red Bird
 Mining Claim, located by O. J. Smith + P. L. Smith
 on the 10th day of
Sept. 1898, and recorded in Book 111 of Records of Mines, at
 page 766, in the office of the County Recorder of the aforesaid County of Cochise
 to which reference is hereby made, and this Amended Location Notice is made and posted to
 correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 24th day of March 1903.

Walter Maximilliam Stein

and recorded at request of B. F. Walderman April 1st 1903
 at 9 A. M. Book 23 page 588 Record of Mines.

Territory of Arizona,)
 :SS.
County of Cochise.)

I, Frank Hare County Recorder in and for said County
hereby certify that I have compared the foregoing copy with the original
amended location notice of the "Blue Bird" mining claim, filed and rec-
orded in my office on the 1 day of April 1903, in Book 23 page 584
record of Mines, and that the same is a full, true and correct copy of
such original and of the whole thereof.

In witness my hand and seal of office, this 6 day of April 1903

Frank Hare
County Recorder.

AMENDED

Notice of Mining Location.

LODE CLAIM.

To All Whom It May Concern:

This mining claim, the name of which is the Blue Bird

Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Walter Maximilliam Stein
a citizen of the United States.

(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 24th day of March 1903.

The length of this claim is 1355 feet
and 230 claim 230 feet
in a S. Westerly direction, and 112.5
feet in a N. Easterly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together
with 300 feet in width of the surface grounds, on each
side of the discovery monument of said claim. The general course of the lode deposit and premises is from the N. E. to the S. W.

The claim is situated and located in the Cochise Mining District, in
Cochise County, in the Territory of Arizona, about 3/4 mile
in a S. W. direction from Russellville, located in
Sec. 3, T. 16 S., R. 22 E. of the Gila and Salt River
Base and Meridian, Arizona

The surface boundaries of the claim are marked upon the ground as follows: Beginning at
a monument of stones

at a point in a S. W. direction 230 feet from
the discovery shaft (at which this notice is posted), being in the center of the S. W.
end line of said claim; thence S. Easterly 300 feet to a monument
of stones, being the S. W. corner of said claim; thence
N. Easterly 1355 feet to a monument of stones, being
at the S. E. corner of said claim; thence N. Westerly 300 feet
to a monument of stones at the center of the N. E. end of said
claim; thence N. Westerly 300 feet to a monument of stones, being
at the N. E. corner of said claim; thence S. Westerly 1355
feet to a monument of stones at the N. W. corner of said
claim; thence S. Easterly 300 feet to place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of
the United States, and an Act of the General Assembly of Arizona, entitled "An Act to Revise
and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Blue Bird
Mining Claim, located by O. J. Smith & P. E. Smith
on the 10th day of
Sept. 1898 1900, and recorded in Book 14 of Records of Mines, at
page 648, in the office of the County Recorder of the aforesaid County of Cochise
to which reference is hereby made, and this Amended Location Notice is made and posted to
correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 24th day of March 1903.
Walter Maximilliam Stein
and recorded at request of B. F. Halderman
April 1st 1903 at 9 a.m. Book 23 page 584 Record of Mines.

Territory of Arizona,)

:ss.

County of Cochise.)

I, Frank Here County Recorder in and for said County hereby certify that I have compared the foregoing copy with the original amended location notice of the "Surprise" mining claim, filed and recorded in my office on the 1 day of April 1903, in Book 23 page 582 record of lines, and that the same is a full, true and correct copy of such original and of the whole thereof.

Witness my hand and seal of office, this 6 day of April 1903

Frank Here
County Recorder.

AMENDED

Notice of Mining Location.

LODE CLAIM.

To All Whom It May Concern:

This mining claim, the name of which is the Surprise Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Walter Maximillian Stein a citizen of the United States.

(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.") the undersigned, on the 24th day of March 1903.

The length of this claim is 1500 feet and 159 feet in a North easterly direction, and 1341 feet in a South westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the discovery monument of said claim.

The general course of the lode deposit and premises is from the north easterly to the south westerly

The claim is situated and located in the Cochise Mining District, in Cochise County, in the Territory of Arizona, about 1/4 mile in an easterly direction from Russellville, located in T. 15 S. R. 22 E. of the Gila and Salt River Base and Meridians, Arizona.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones

at a point in a north easterly direction 159 feet from the discovery shaft (at which this notice is posted), being in the center of the N. East end line of said claim; thence South easterly 300 feet to a monument of stones, being the S. East corner of said claim; thence South westerly 1500 feet to a monument of stones, being at the S. West corner of said claim; thence north westerly 300 feet to a monument of stones at the center of the S. West end of said claim; thence north westerly 300 feet to a monument of stones, being at the N. West corner of said claim; thence north easterly 1500 feet to a monument of stones at the N. East corner of said claim; thence South easterly 300 feet to place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Surprise Mining Claim, located by Otto Moore, P. L. Smith, J. N. Cornelison & P. J. Smith on the 17th day of April 1898, and recorded in Book 14 of Records of Mines, at page 611, in the office of the County Recorder of the aforesaid County of Cochise to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 24th day of March 1903.

Walter Maximillian Stein
led and recorded at request of B. F. Waldenman
April 1st 1903 at 9 A. M. Book 23, page 582, Record of Mines.

AMENDED

Notice of Mining Location.

LODE CLAIM.

To All Whom It May Concern:

This mining claim, the name of which is the Oregon Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Walter Maximillian Stein a citizen of the United States.

(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.") the undersigned, on the 24th day of March 1903.

The length of this claim is 1500 feet and 2 claim 750 feet in a north easterly direction, and 750 feet in a south westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the discovery monument of said claim. The general course of the lode deposit and premises is from the N. Easterly to the S. Westerly.

The claim is situated and located in the Cochise Mining District, in Cochise County, in the Territory of Arizona, about 1/2 mile in a South westerly direction from Russellville. Located in Section 3 T. 116 S. R. 22 E. of the Gila and Salt River Base and Meridian, Arizona

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones

at a point in a N. Easterly direction 750 feet from the discovery shaft (at which this notice is posted), being in the center of the S.W. end line of said claim; thence south easterly 300 feet to a monument of stones, being the S. West corner of said claim; thence N. Easterly 1500 feet to a monument of stones, being at the S. East corner of said claim; thence north westerly 300 feet to a monument of stones at the center of the N. East end of said claim; thence north westerly 300 feet to a monument of stones, being at the N. East corner of said claim; thence south westerly 1500 feet to a monument of stones at the N. West corner of said claim; thence north easterly 300 feet to place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Oregon Mining Claim, located by Otto Moore + P.S. Smith on the 19th day of May 1898, and recorded in Book 14 of Records of Mines, at page 67, in the office of the County Recorder of the aforesaid County of Cochise which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 24th day of March 1903.
Walter Maximillian Stein
and recorded at request of B. F. Halderman 1st 1903 at 9 a.m. Book 23, page 579 Records of Mines

Territory of Arizona,)

County of Cochise.)

County of Cochise.)

I, Frank Ware County Recorder in and for said County
do hereby certify that I have compared the foregoing copy with the original
recorded location notice of the "white oak" *juniper*, filed and
recorded in my office on the 1 day of April 1903 in Book 23 page 581
and that the same is a full, true and correct copy of
the original and of the whole thereof.

In witness my hand and seal of office, this 6 day of April 1903.

Frank Ware
County Recorder.

AMENDED

Notice of Mining Location.

LODE CLAIM.

To All Whom It May Concern:

This mining claim, the name of which is the Juniper Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Walter Maximillian Stein

a citizen of the United States.

(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 21th day of March 1903.

The length of this claim is 1214 feet and 10 claim 10 feet

in a N. Easterly direction, and 1204 feet in a S. Westerly direction from

the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each

side of the discovery monument of said claim. The general course of the lode deposit and premises is from the N. E. to the S. W.

The claim is situated and located in the Cochise Mining District, in Cochise County, in the Territory of Arizona, about 1 1/2 mile

in a S. Easterly direction from Russellville, located in Sec. 3

T. 16 S. R. 22 E. of the Gila and Salt River Base and Meridian, Arizona

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones

at a point in a N. E. direction 10 feet from

the discovery shaft (at which this notice is posted), being in the center of the N. E. end line of said claim; thence south easterly 300 feet to a monument of stones

, being the S. E. corner of said claim; thence south westerly 1214 feet to a monument of stones, being

at the S. W. corner of said claim; thence north westerly 300 feet to a monument of stones at the center of the S. W. end of said

claim; thence north westerly 300 feet to a monument of stones, being

at the N. W. corner of said claim; thence north easterly 1214 feet to a monument of stones at the N. E. corner of said

claim; thence south easterly 300 feet to place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Juniper Mining Claim, located by O. J. Smith

on the 1st day of August 1898 1900, and recorded in Book 14 of Records of Mines, at

page 64, in the office of the County Recorder of the aforesaid County of Cochise

to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 24th day of March 1903.

Walter Maximillian Stein

and recorded at request of B. F. Halderman April 1st 1903

B. M. Book 23 page 581 Record of Mines

Territory of Arizona,)
 :SS.
County of Cochise.)

71

I, Frank Hare County Recorder in and for said
County, hereby certify that I have compared the foregoing copy with
the original amended location notice of the "*Boeder*" mining claim,
filed and recorded in my office on the *18th April 1903*,
in Book ~~20~~ page *124* Records of Mines, and that the same is a full,
true and correct copy of such original and of the whole thereof.
Witness my hand and seal of office, this *20th* day of April 1903.

Frank Hare

County Recorder.

AMENDED
Notice of Mining Location.
LODE CLAIM.

To All Whom It May Concern:

This mining claim, the name of which is the Palmer
Mining Claim, situate on lands belonging to the United States of America, and in which there are
valuable mineral deposits, was entered upon and located for the purpose of exploration and
purchase by Walter Macmillan, Miner a citizen of
the United States.
(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")
the undersigned, on the 21 day of March 1903.

The length of this claim is 1214 feet
and 261 claim 261 feet
in a North Easterly direction, and 953
300 feet in a South Westerly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together
with 300 feet in width of the surface grounds, on each
side of the discovery monument of said claim. The general course of the lode deposit and prem-
ises is from the North Easterly to the South Westerly.

The claim is situated and located in the Cochise Mining District, in
Cochise County, in the Territory of Arizona, about 1 mile
in a North Easterly direction from Remondino
located in Sec 3 T. 16 S. R. 20 E. of the Gila
and Salt River Base and Meridian Arizona

The surface boundaries of the claim are marked upon the ground as follows: Beginning at
a monument of stone

at a point in a North Easterly direction 261 feet from
the discovery shaft (at which this notice is posted), being in the center of the North East
end line of said claim; thence South Easterly 300 feet to a monument
of stone, being the North East corner of said claim; thence
South Westerly 1214 feet to a monument of stone, being
at the South West corner of said claim; thence North Westerly 300 feet
to a monument of stone at the center of the South West end of said
claim; thence North Westerly 300 feet to a monument of stone, being
at the North West corner of said claim; thence North Easterly 1214
feet to a monument of stone at the North East corner of said
claim; thence South Easterly 300 feet to place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of
the United States, and an Act of the General Assembly of Arizona, entitled "An Act to Revise
and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Palmer
Mining Claim, located by Walter Macmillan
on the 21 day of
June 1899 1903, and recorded in Book 17 of Records of Mines, at
page 111, in the office of the County Recorder of the aforesaid County of Cochise
to which reference is hereby made, and this Amended Location Notice is made and posted to
correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 21 day of March 1903.
Walter Macmillan, Miner
and recorded at the request of P. F. Leadenman April 18th
1903 at 9 am Book 17 Record of Mines page 111

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior.

Office of U. S. Surveyor-General,

Phoenix, Arizona.

July 9, 1903.

I, U. S. Surveyor-General for Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of Walter Maximillian Stein, known as the: King, Wolfram Queen, May Flower, Last Chance, Surprise, Hidden Treasure, Cracker Jack, Dividend, Oregon, Black Beauty, Gray, Trench, Warrior, known as the Blue Bird, Red Bird, Bolder, Yellow Jacket and Juniper

situate in Cochise mining district, Cochise County, Arizona

in Section 3, 4, 2, 34 & 9, Township No. 15 - 16, Range No. 22 E.

G. & S. R. B. & M. designated as Survey No. 1800

executed by Philip Contzen, U. S. Deputy Mineral

Surveyor, May 7th to 25th, 1903, under my instructions dated

April 25th, 1903, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

[Handwritten signature of Hugh A. Price]

U. S. Surveyor-General for Arizona.