

MS -

0

1

8

0

4

5/29/03

Plated 8/5/03
y m b

Notes filed
C2 gm

(4-683.)

Mineral Survey No. 1804

Lot No.

Prescott Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

F. E. Lane

KNOWN AS THE

1900 - 1900 No 1 and 1900 No 2

Hassayampa Mining District,

Yavapai County, Arizona

Section 13 (approx), Township 12 N, Range 2 W.

Surveyed under instructions dated May 7, 1903
by A. B. Mader
U. S. Deputy Mineral Surveyor.

Claim located See location notices. 1

Survey commenced May 12th, 1903

Survey completed May 13th, 1903

o 6-100

Address -
Andrews & Patten, Atty's -
Prescott,
Arizona -

PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

We, Alex Nyberg and A. B. Mader, do solemnly swear that we will well and faithfully execute the duties of chain carriers; that we will level the chain upon even and uneven ground and plumb the tally-pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with instructions given us, in the survey of the Mining Claim of F. E. Lane

known as the 1900 1900 No 1 & 1900 No 2 situate in Hassayampa mining district Yavapai County, Arizona in Section 13, Township No. 11 N, Range No. 1 W

x Alex Nyberg, Chairman. A. B. Mader, Chairman.

Subscribed and sworn to by the above-named persons before me this 10th day of May, 1903

F. W. Girard Justice of the Peace Lyra Creek, Ariz.

I, Alex Nyberg, do solemnly swear that I will well and truly perform the duties of axman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of F. E. Lane

known as the 1900 - 1900 No 1 & 1900 No 2 more fully described in the preceding affidavit.

Alex Nyberg, Axman.

Subscribed and sworn to by the said Alex Nyberg before me this 10th day of

May, 1903 F. W. Girard Justice of the Peace

I, Alex Nyberg, do solemnly swear that I will well and truly perform the duties of flagman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of F. E. Lane

known as the 1900 - 1900 No 1 & 1900 No 2 more fully described in the preceding affidavit.

Alex Nyberg, Flagman.

Subscribed and sworn to by the said Alex Nyberg before me this 10th day of

May, 1903 F. W. Girard Justice of the Peace

1900 LODE.

Feet

Beginning at cor. No. 1

Identical with cor. of the location and with cor. No. 2 of the 1900 No.1 Lode of this survey. A granite stone 6 x 6 x 26 in. set 12 ins. in the ground and chiseled 1,1900-1804 with a mon. 2 1/2 ft. base by 3 ft. high alongside.

Whence the U.S.M.M. No.1804 brs. N.25° 32' W. 2942.8 ft.

No brs. available.

Thence S.33° 11' E.

- 250 Across gulch 5 ft. wide. Course S. br'g. N.
- 1440 To N. edge of Crook Canyon. Course S.W. brs.N.E.
- 1495 To S. edge of Crook Canyon. Course S.W. brs. N.E.
- 1500 To cor.No. 2.

Identical with the location.

A granite stone 6 x 8 x 32 ins. ^{set 12" in the ground and} chiseled 2,1900, 1804, surrounded by a mon. of stones 2 1/2 ft. base by 3 ft high.

A box elder 7 ins. in diam. brs. S. 50° 16' E. 1.3 ft. Described B.T.2,1900,1804.

A box elder tree 10 ins. in diam. brs. N. 73° 51'W. 21.8 ft. Described B.T. 2,1900,1804.

Thence N. 63° 5' E.

- 155 across S. edge of Crook Canyon. Brs.E. Course W.
- 270 To N. edge of Crook Canyon.
- 300 To the S.C.E.

A granite stone 7 x 9 x 17 ins. set 12ins. in the ground and chiseled S.C.E. 1900,1804 with a mon. of stone 2 1/2 ft. base by 3 ft. high alongside.

A maple tree 10 ins in diam. brs S. 40° 47' E. 66 1/2 ft. Described B.T. S.C.E. 1900,1804. A

box elder tree 9 ins. in diam. brs. S. ^{40°} 51' W. 65.7 ft. Described B.T. S.C.E. 1900,1804.

- 420 Across trail. Brs. N.W. and S.E.
 - 600 To cor.No. 3
- Identical with cor. of the location.

SURVEY NO. 1804.

Feet A granite stone 6 x 12 x 20 ins. set 12 ins. in the ground and chiseled 3, 1900, 1804.
 No brs. available.
Thence N. 33° 11' W.
 Up hill.

320 Across ravine . 1 ft. wide. Course S.W.
 780 Across ravine 1 ft. wide. Course S.
 970 Across trail. Brs. S. 75° W. and N. 50° E.
 1500 To cor. No. 4. X
 Identical with cor. of the location and with cor. No. 3 of the 1900 No. 1 lode of this Survey.
 A granite stone 6 x 11 x 24 ins. set 12 ins. in the ground and chiseled 4, 1900, 1804. No brs. available.
Thence S. 63° 5' W.
 Down steep hill.

282 Across trail. Brs. N.W. and S.E.
 300 To the N.C.E. Identical with the location and with the S.C.E. of the 1900 No. 1 lode of this Survey.
 A mon. of stones 2 1/2 ft. base by 3 ft. high.
 470 Across gulch 5 ft. wide. Course S. brs. N.
 600 To the place of beginning.

Var. at all the cors. is 14° E.

This claim is located in the Hassayampa Mining District, Yavapai County, Arizona, on unsurveyed land in what would approximately be if surveyed, Sec. 13 Tp. 11 N R. 2 W G. & S. R. Meridian.

ADJOINING CLAIMS.

To the N., the 1900 No. 1 lode of this Survey; to the S. unknown claim; to the E., U.S. public land; to the W. U.S. public land.

LEDGE.

The course and length of the ledge on the 1900 lode is from the N.C.E. to the S.C.E. S. 33° 11' E. 1500 ft. and is traceable by croppings.

SURVEY NO.1804.

1900 No.1 LODE.

Feet

Beginning at Co.r No. 1

Identical with the location, and with cor.No. 2 of the 1900 No. 2 lode of this survey. A ^{oat} ~~cross~~ grained granite stone 9 x 10 x 17 ins. set 12 in. in the ground and chiseled 1,1900 No.1,1804. No brs. available, and raised a mon. of stone 2 1/2 ft. base by 3 ft. high alongside. Whence

The U.S.M.M. No.1804 brs.N.22° 31' W. 1447 1/2 ft.

(Thence S.28° 27' E.

570 Across gulch. 4 ft. wide. Course S. brs. N.

1500 To cor.No. 2.

Identical with ^{Cor. of} the location and with cor.No.1 of the 1900 lode of this survey

A granite stone chiseled 2,1900 No.1,1804.

No brs. available.

Thence N. 63° 5' E.

130 Across gulch. 5 ft. wide. Course S. brs. N.

300 To the S.C.E.

Identical with the location and with the N.C.E. of the 1900 lode of this survey. A mon. of stones 2 1/2 ft. base by 3 ft. high.

318 Across trail. Brs. N.W. and S.E.

Up hill ~~cor. 2~~

600 To cor.No. 3.

Identical with cor. of the location and with cor. No. 3 of the 1900 lode of this survey.

A granite stone chiseled 3, 1900 No.1, 1804.

No brs. available .

Thence N. 28° 27' W.

1065 Across gulch 5 ft. wide. Course S. brs. N.

Up steep hill.

1500 To cor.No. 4

Identical with cor. of the location, and with cor. No. 3 of the 1900 No. 2 lode of this survey.

A granite stone 10 x 12 x 20 ins. set 12 ins. in the ground and chiseled 4,1900 No.1,1804. No brs. available.

SURVEY NO. 1804.

Feet

Thence S. 63° 5' W.

- 112 Across ravine 6 ins. wide. Course S.
- 185 Across ravine, 6 ins. wide. Course S.E.
- 278 Across trail, brs. N. 30° W. and S. 30° E.
- 300 To the N.C.E.

Identical with the location and with the S.C.E of the 1900 No. 2 lode of this survey.

A mon. of stone 2 ft. base by 3 ft. high, surrounding a pine stake 3 ins. by 5 ins. by 6 ft. long, ^{12" in the ground} described N.C.E. 1900 No. 1, 1804. No hrs. available.

- 420 Across gulch 2 ft. wide. Course S. brs. N.
- 535 Across gulch 1 ft. wide. Course S.E. brs. N.W.
- 600 To the place of beginning.

Variation at all the cors. is 14° E.

This claim is located in the Hassayampa Mining District, Yavapai County, Arizona, on unsurveyed land in what would approximately be if surveyed, Sec. 13--
Tp. 11 N R. 2 W G. & S. R. Meridian.

ADJOINING CLAIMS.

To the N. the 1900 No. 2 Lode of this Survey; to the S. the 1900 Lode of this survey; to the E., U.S. public land; to the W. U.S. public land.

LEDGE.

The course and length of the ledge on the 1901 lode is from the N.C.E. to the S.C.E. , S. 28° 27' E. 1500 ft. and is traceable by croppings.

1900701

SURVEY NO.1804.

Feet

1900 NO.2 LODE.

Beginning at cor.No.1

Identical with cor. of the location.

A porphyry stone 10 x 12 x 28 ins. set 12 ins. in the ground, and chiseled 1900 No.2, 1804, with a mon. of stones 2 1/2 ft. base by 3 ft. high alongside.

Whence

The U.S.M.M. No. 1804 brs. N.79° 14' E. 198.7 ft.
No brs. available.

Thence S. 29° 58' E.

Down hill

1350 Across gulch 1 ft. wide. Course S.E. brs. N.W.

1500 To cor.No 2

Identical with cor of the location and with cor.No. 1 of the 1900 No.1 lode of this survey. A coarse grained granite stone chiseled 2,1900 No.2,1804.

No brs. available.

Thence N. 63° 5' E.

65 Across gulch 1 ft. wide. Course S.E. brs. N.W.

180 Across gulch 2 ft. wide. Course S.

300 To the S.C.E.

Identical with the location and with the N.C.E of the 1900 No.1 lode of this survey.

A pine stake in a mon, of stones, scribed S.C.E. 1900 No. 2, 1804.

322 Across trail. Brs. N. 30° W. and S. 30° E.

415 Across ravine 6 ins. wide, Course S.E.

488 Across ravine 6 ins. wide. Course S.

600 To cor.No. 3. A granite stone chiseled 3,1900 No.2, 1804.

No brs. available.

Thence N. 29° 58' W.

670 Across ravine 12 ins. wide. Course N.70° E.

Brs. S.W.

925 Across gulch 3 ft. wide. Course S.80° E. Brs.N.W.

1500 To cor.No. 4.

Identical with cor.of the location. A granite stone 5 x 7 x 30 ins. set 12 ins. in the ground, and chiseled 4,1900 No.2, 1804, with a mon of stone

SURVEY NO. 1804.

Feet 2 1/2 base by 3 ft. high alongside..

No brs. available.

Thence S. 63° 5' W.

15 Across gulch 2 ft. wide. Course S. 15° E. Brs. N. 15° W.

300 To N.C.E.

Identical with the location. A mon of stone 2 1/2 ft. base by 3 ft. high on a ridge. Down hill.

600 To the place of beginning.

Var. at all the cors. is 14° E.

This claim is located in the Hassayampa Mining District, Yavapai County, Arizona, on unsurveyed land in what would approximately be if surveyed, Sec. 13 Tp 2N, R. 2W G. & S.R. Meridian.

ADJOINING CLAIMS.

To the N. unknown claim; to the S. the 1900 No. 1 lode of this survey; to the E. U.S. public land; to the W. U.S. public land.

LEDGE.

The course and length of ledge on the 1900 No. 2 lode is from the N.C.E. to the S.C.E. S. 29° 58' E. 1500 ft. and is partially traceable by croppings.

FIVE HUNDRED DOLLARS EXPENDITURE.

I certify that the labor and improvements upon these claims placed thereon by the claimants and the ir grantors, is not less thsn \$500.00 per claim, and that said improvements consist of:

The 1900 Lode.

Discovery shaft No. 1, which brs. from cor.No. 4 S.61° 18' W. 296 ft., and is 5 x 8 x 200 ft. deep, timbered, Value \$5000.00

Shaft No. 2, which brs. from cor.No. 4 S.39° 5'W. 320 ft. and is 4 x 6 x 8 ft. deep. Value \$50.00

Shaft No. 3, which brs, from cor. No. 4 S 35° 20'W. 330 ft. and is 6 x 6 x 5 ft. deep. Value \$50.00

Shaft No. 4, which brs. from cor.No. 4 S.26° 50'W. 352 ft. and is 5 x 8 x 5 ft. deep, Value \$50.00

Shaft No. 5, which brs. from cor.No. 4 S.17° 50'W. 374 ft. and is 4 x 6 x 86 ft. deep, timbered with a drift at 50 ft. down 24 ft. to the S., and a drift at 86 ft. down 4 x 6 x 24 ft. N. Value \$2450.00

Shaft No 6 which brs. from cor.No 4 S.14° 45' W. 390 ft. and is 4 x 6 x 10 ft. Value 100.00

Total Value \$7700.00

1900 NO.1 LODE:

Discovery shaft No. 1, which brs. from cor.No. 1 N.63° 39' E.300 ft. and is 4 x 6 x 10 ft. deep. Value \$100.00

Tunnel No. 2, the mouth of which brs. from cor.No.1 S.65° 5'E. 550 ft. and the course of which tunnel is N.28° 27' W. and is 4 x 6 x 385 ft. long. Value \$3850.00

Shaft No. 3, which brs. from cor. No..1 S.81° 15'E. 372 ft. and is 4 x 6 x 50 ft. deep Value 500.00

Cut and shaft No. 4, with the center of which brs. from cor. No. 1 N. 76° E. 308 ft. The cut is 20 x 25 x 10 ft. deep. Value \$1500.00

The shaft is 6 x 6 x 85' deep. Value \$1275.00

SURVEY NO.1804.

Shaft No. 5 which brs. from cor.No. 3 S.66° 5'W.
297 ft., and is 7 x 9 x 8 ft. deep.

Value \$125.00

Total Value \$7350.00

1900 NO.2 LODE:

Dis. shaft No.1, which brs. from cor.No.1 N.63° 39'E.
300 ft. and is 4 x 6 x 10 ft. deep.

Value \$100.00

Shaft No. 2, which brs. from cor. No. 2 N.2° 20' W.
330 ft. and is 4 x 6 x 10 ft. deep,

Value \$100.00

Cut No. 3, which brs. from cor. No. 2 N.5° 55' E.
510 ft. and is 7 x 30 x 15 ft. face, with a tunnel at
the face 4 x 6 x 5 ft. bearing N. 29° 58' W. and a
second tunnel at the face 4 x 6 x 21 ft. , bearing due

N. Value \$600.00

Cut No. 4 which brs. from cor. No. 2 N.3° 15' W.
700 ft. and is 5 x 15 x 10 ft. deep.

Value \$300.00

Shaft No. 5, which brs. from cor.No. 2, N.28° 20'E.
415 ft. and is 4 x 6 x 75 ft. deep.

Value \$1500.00

Grand total for three claims \$17,650.00

This survey was made with a Gurley light mountain
transit with solar attachment. The courses were de-
flected from the true meridian as determine d by solar
observation. The distances were measured with a 200
ft. steel tape.

A. B. Mader

U.S. Deputy Mineral Surveyor.

In survey for patent, No. 1804, there being no Sec. cor. or U.S.M.M. within 2 1/2 miles of the ground surveyed, U.S.M.M. No. 1804 was established. On a ledge of granite in place, 9 ft. x 10 ft. by 6 inches above the ground chiseled a cross for the exact corner, and U.S.M.M. No. 1804, H.M.D. in letters 3 inches high, and erected a mon. 3 ft. base by 4 ft. high alongside.

This min. mon. is approximately in the S.E. 1/4 of Sec. 11, Tp. 11 N. R. 2 W. G. & S. R. Meridian, and is about 2 3/4 miles S. 29° W. from Palace Station, where the Crowned King Road leads to Crook Canyon.

A small cut near the top of a rounded hill brs. S. 4° 44' E. about 1400 ft.

Top of sharp peak brs. N. 73° 40' W about 1 mile.

Highest point of ridge to the E. brs. S. 50° 23' E. about 3 miles.

A shaft on a low ridge brs. S. 89° 56' W. 1/2 mile.

A. B. Mader
U. S. Dep. Min. Suror

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by A. B. Mader
 United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines
 corners and boundaries described in the foregoing field notes of the survey of the mining claim
 of J. E. Lane
 known as the 1900 — 1900 No. 1 & 1900 No. 2
 and showing the respective capacities in which they acted.

- Alex Nyberg, Chairman.
- A. B. Mader, Chairman.
- Alex Nyberg, Axman.
- Alex Nyberg, Flagman.

FINAL OATHS OF ASSISTANTS.

We, Alex Nyberg
 and A. B. Mader, do solemnly swear that we assisted A. B. Mader
Mader, United States Deputy Mineral Surveyor, in marking the corners and
 surveying the boundaries of the mining claim of J. E. Lane
 _____, known as the 1900 —
1900 No. 1 and 1900 No. 2, represented
 in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under
 his direction; and that said survey has been in all respects, to the best of our knowledge and
 belief, faithfully and correctly executed, and the corner and boundary monuments established
 according to law and the instructions furnished by the United States Surveyor-General for
Arizona

- Alex Nyberg, Chairman.
- A. B. Mader, Chairman.
- Alex Nyberg, Axman.
- Alex Nyberg, Flagman.

Subscribed and sworn to by the above-named persons before me
 this 2nd day of June, 1903

J. W. Girard
 Justice of the Peace
 Lynne Creek, Arizona

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, A. B. Mader, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated May 7, 1903, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of F. E. Lane, known as the 1900 - 1900 No 1 and 1900 No 2, situate in Hassaryampa Mining District, Yavapai County, Arizona, in Section 13, Township No. 11 N, Range No. 1 W, and designated as Survey No. 1804, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

A. B. Mader

U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said A. B. Mader

U. S. Deputy Mineral Surveyor, before me Henry J. Andrews

a Notary Public this 8th

day of June 1903

My Commission expires May 26th 1907.

Henry J. Andrews

Notary Public

Affidavit of Five Hundred Dollars Improvements.

We, C. C. Sturkey, and Alex Nyberg

of lawful age, being first duly sworn according to law, depose and say: that we are acquainted with the 1900, 1900 No 1 & 1900 No 2 mining claim, situate in Hasayampa Mining district, Yavapai County, Arizona Territory, for which F. E. Lane

has made application for survey prior to application for patent under the provisions of the Act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon by the applicant and his grantor exceed Five Hundred Dollars in value, and further that we are not personally interested in said mine.

x C. C. Sturkey
x Alex Nyberg

TERRITORY OF ARIZONA, }
County of Yavapai } ss:

Sworn to and subscribed before me, this 2nd day of Jan, 1903, 1893

J. W. Finney
Justice of the Peace
Hyva Creek Ariz.

"1900"

NOTICE OF LOCATION.

KNOW ALL MEN BY THESE PRESENTS:

That the undersigned, have this day Located Fifteen Hundred (1,500) linear feet of this vein or lode, bearing precious metals, with all dips, spurs, angles and variations, with surface ground Three Hundred (300) feet on each side of the center of vein, with all Mineral Deposits contained therein, and all Timber growing within the limits of said claim, and all Water and Water Privileges thereon or appurtenant thereto, under and according to the provisions of the Mining Laws of the United States, under which it is Located.

This claim commences at this Monument and Notice placed upon the ledge, and runs Fifteen Hundred (1,500) feet in a Southerly direction along the ledge from discovery shaft.

The exterior boundaries are as follows, viz:

Commencing at this Monument and Notice, and running Three Hundred (300) feet in an Easterly direction to monument of stone at N. E. corner of claim; thence in a Southerly direction parallel with the ledge Fifteen Hundred (1,500) feet to monument at S. E. corner of claim; thence at right angles across the ledge in a West-erly direction Six Hundred (600) feet to monument at S. W. corner of claim; thence parallel with the lode in a Northerly direction Fifteen Hundred (1,500) feet to monument at N. W. corner of claim; thence at right angles across the ledge in an Easterly direction Three Hundred (300) feet to monument upon the ledge and place of beginning.

This ledge may be more generally described as situated Three miles south of Palace Station. Eight miles north of Walnut grove vally, in Hassayampa Mining District, Yavapai County, Arizona Territory, and shall be known as the "1900" Mining Claim.

Dated on the ground, this 1st day of January, 1900.

THOS THOMPSON.

Recorded at request of Thomas Thompson, April 2nd A. D. 1900, at 9 o'clock A. M., in Book 47 of Mines, page 93, Records of Yavapai County, Arizona.

(Seal)

W. I. Johnson,
County Recorder

By E. E. Osenburg, Deputy.

Territory of Arizona,)
:SS.
County of Yavapai.)

I, P. J. FARLEY, County Recorder in and for the County of Yavapai, in the Territory of Arizona, and Custodian of the Records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of notice of location of "1900" Mining Claim, as the same appears of record in my office in Book 47 of Mines, page 93, Records of Yavapai County, Arizona.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal, this 25th day of April, A. D. 1903.

P. J. Farley

County Recorder.

"1900 NO.1"

NOTICE OF LOCATION.

KNOW ALL MEN BY THESE PRESENTS:

That the undersigned, have this day Located Fifteen Hundred (1,500) linear feet of this vein or lode, bearing precious metals, with all dips, spurs, angles and variations, with surface ground Three Hundred (300) feet on each side of the center of vein, with all Mineral Deposits contained therein, and all Timber growing within the limits of said claim, and all Water and Water Privileges thereon or appurtenant thereto, under and according to the provisions of the Mining Laws of the United States, under which it is Located.

This claim commences at this Monument and Notice placed upon the ledge, and runs Fifteen Hundred (1,500) feet in a Southerly direction along the ledge, from discovery shaft.

The exterior boundaries are as follows, viz:

Commencing at this Monument and Notice, and running Three Hundred (300) feet in an Easterly direction to monument of stone at N. E. corner of claim; thence in a southerly direction parallel with the ledge Fifteen Hundred (1,500) feet to monument at S. E. corner of claim; thence at right angles across the ledge in a West-erly direction Six Hundred (600) feet to monument at S. W. corner of claim; thence parallel with the lode in a Northerly direction Fifteen Hundred (1,500) feet to monument at N. W. corner of claim; thence at right angles across the ledge in an Easterly direction Three Hundred (300) feet to monument upon the ledge and place of beginning.

This ledge may be more generally described as situated Three miles south of Palace Station. Eight miles north of Walnut grove Vally, in Hassayampa Mining District, Yavapai County, Arizona Territory, and shall be known as the "1900 NO.1" Mining Claim.

Dated on the ground, this January 1th day of 1900.

Witness:

TOM THOMPSON.

L. D. Bennett

C. E. Paine.

Recorded at request of Tom Thompson, April 2, A. D. 1900, at 9 o'clock A. M., in Book 47 of Mines, page 94, Records of Yavapai County, Arizona.

(Seal)

W. I. Johnson,
County Recorder

By E. E. Osenburg, Deputy.


Territory of Arizona,)

:SS.

County of Yavapai.)

I, P. J. FARLEY, County Recorder in and for the County of Yavapai, in the Territory of Arizona, and Custodian of the Records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of notice of location of "1900 NO.1" Mining Claim, as the same appears of record in my office in Book 47 of Mines, at page 94, Records of Yavapai County, Arizona.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal, this 25th day of April, A. D. 1903.


County Recorder.

"1900 NO.2"

NOTICE OF LOCATION.

KNOW ALL MEN BY THESE PRESENTS:

That the undersigned, have this day Located Fifteen Hundred (1,500) linear feet of this vein or lode, bearing precious metals, with all dips, spurs, angles and variations, with surface ground Three Hundred (300) feet on each side of the center of vein, with all Mineral Deposits contained therein, and all Timber growing within the limits of said claim, and all Water and Water Privileges thereon or appurtenant thereto, under and according to the provisions of the Mining Laws of the United States, under which it is Located.

This claim commences at this Monument and Notice placed upon the ledge, and runs Fifteen Hundred (1,500) feet in a Southerly direction along the ledge from discovery shaft.

The exterior boundaries are as follows, viz:

Commencing at this Monument and Notice, and running Three Hundred (300) feet in an Easterly direction to monument of stone at N. E. corner of claim; thence in a Southerly direction parallel with the ledge Fifteen Hundred (1,500) feet to monument at S. E. corner of claim; thence at right angles across the ledge in a Westerly direction Six Hundred (600) feet to monument at S. W. corner of claim; thence parallel with the lode in a Northerly direction Fifteen Hundred (1,500) feet to monument at N. W. corner of claim; thence at right angles across the ledge in an Easterly direction Three Hundred (300) feet to monument upon the ledge and place of beginning.

This ledge may be more generally described as situated Three miles south of Palace Station, Eight miles north of Walnut grove vally, in Hassayampa Mining District, Yavapai County, Arizona Territory, and shall be known as the "1900 NO.2" Mining Claim.

Dated on the ground, this Jan. 1th day of ____, 1900.

Witness:
L. D. Bennett
C. E. Paine.

THOS. THOMPSON.

Recorded at request of Tom Thompson, April 2nd A. D. 1900, at 9 o'clock A. M., in Book 47 of Mines, page 95, Records of Yavapai County, Arizona.

(Seal)

W. I. Johnson,
County Recorder

By E. E. Osenburg, Deputy.

Territory of Arizona,)

:SS.

County of Yavapai.)

I, P. J. FARLEY, County Recorder in and for the County of Yavapai, in the Territory of Arizona, and Custodian of the Records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the notice of location of "1900 NO.2" as the same appears of record in my office in Book 47 of Mines, page 95, Records of Yavapai County, Arizona.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal, this 25th day of April, A. D. 1903.

P. J. Farley

County Recorder.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior.

Office of U. S. Surveyor-General,

Phoenix, Arizona

Sept. 29, 1904

I, U. S. Surveyor-General for Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of F. E. Lane

known as the 1900, 1900 No. 1 and 1900 No. 2

situate in Hassayampa mining district, Yavapai County, Arizona

in Section, Township No., Range No. designated as Survey No. 1804

executed by A. B. Mader, U. S. Deputy Mineral Surveyor, May 12-13, 1903, 190, under my instructions dated

May 7, 1903, 190, have been critically examined and the necessary corrections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. A true copy of the copy of the location certificate filed by the applicant for survey is included in the field notes.

Frank A. Lyall

U. S. Surveyor-General for Arizona

Survey No. 1804,
 Prescott Land District
 Surveyed May 12-13, 1903.
 by
 A. B. Mader, U. S. Dep. Min. Surveyor.
 Scale 400' to an in.

