

**M
S
-**

**0
1
8
0
9**

MINERAL SURVEY NO. 1809

Claims	<u>Lodes</u>	M & B Desc.	Improvements	Loc. Notices
Annex		7	20	4
Bohner		5	19	3
Mountain View		3	19	1
Ohio		9	20	5
Pikes Peak		1	19	2
	<u>Millsites</u>			
Annex		16		8
Mountain View		12		7
Pikes Peak		14		6

6/3/03

Gulch notes engd.
S. H.

Not & Comb'd

(4-683.)

Mineral Survey No. 1809 A & B.

Lot No. _____

~~Tucson~~ Prescott Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

The Pikes Peak Gold and Copper Mining Company,

KNOWN AS THE

Pikes Peak, Mountain View, Bohner, Annex and Ophirode Claimsand Pikes Peak, Mountain View and Annex Millsite Claims Mining District,
Pikes Peak Mining District,
Mesa Co. County, Arizona.Section 31, Township 7 North, Range 1 West.
and Section 6, Township 6 North, Range 1 West.
Surveyed under instructions dated June 3rd, 1903,by Robert Q. Patrick,
U. S. Deputy Mineral Surveyor.

(Amended)

Claim located May 27th, 1903Survey commenced June 4th, 1903Survey completed June 9th, 1903.o 6-160 Millsite claims located April 15th 1903.Address of claimants, L. E. Herwin, Secy.
Phoenix, Arizona.

PRELIMINARY OATHS OF ASSISTANTS IN
SURVEY OF MINING CLAIM.

We, Emory Strait and J. Wilfred Brunell,

do solemnly swear that we will well and faithfully execute the duties of chain carriers; that we will level the chain upon even and uneven ground and plumb the tally-pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with instructions given us, in the survey of the Mining Claim of The Pikes Peak Gold and Copper Mining Co.

known as the Pikes Peak Mountain View Bohner Annex, & This Lode Claims, & Pikes Peak Mountain View and Annex Mining Claims, situate in Pikes Peak mining district

Marrowpa County, Arizona,
in Section _____, Township No. _____, Range No. _____.

Emory Strait, Chainman.

J. Wilfred Brunell, Chainman.

Subscribed and sworn to by the above-named persons before me this

Tue. the 1st day of June, 1903.

Hector A. Patrick,

U.S. Deputy Mineral Surveyor,

I, Charles A. Seales, do solemnly swear that I will well and truly perform the duties of axman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of

Pikes Peak Gold and Copper Mining Company

known as the known as above

more fully described in the preceding affidavit.

Charles A. Seales, Axman and Hesquai

Subscribed and sworn to by the said Charles A.

Seales, before me this 4th day of June, 1903.

Hector A. Patrick,

U.S. Deputy Mineral Surveyor,

I, _____, do solemnly swear that I will well and truly perform the duties of flagman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of

known as the _____

more fully described in the preceding affidavit.

_____, Flagman.

Subscribed and sworn to by the said _____

before me this _____ day of _____
_____, 190____.

Survey No. 1809-A.

Pikes Peak Lode Claim, page 1.

Beginning at Corner No. 1.

Identical with corner of location at the S.W. cor. of the claim, and with Cor. No 4. of the Mountain View lode claim of this survey.

A redwood post 4 ins. square, 5 ft long, set 18 ins. in the ground, in a mound of stone and scribed 1-4-1809-A, whence.

A paloverde 5 ins. diam. blazed and scribed

B.T.-1-4-1809-A. bears. $N.34^{\circ}30'E.$ 64 ft.

No other bearing objects available.

The South 1/4 Section Corner. Sec. 31 - T. 7 N.

R. 1 W. S & S. R. M. bears. $S.11^{\circ}44'W.$ 3192.6 ft.

Pikes Peak. Bears East about $\frac{1}{2}$ mile.

A high rocky peak bears. $N.9^{\circ}E.$ about 1 mile.

722 ft.

- Whence $S.79^{\circ}28'E.$ -

Var. $14^{\circ}30'E.$

300

To monument at the south end center of the claim, identical with the monument of the location and with the North end center of the Mountain View lode claim of this survey.

A redwood post 4 ins. square, 5 ft long, set 2 ft in the ground, in a mound of stone, and scribed S.E.C. 1809-A. on N. side and N.E.C. on S. side, whence

A paloverde 3 $\frac{1}{2}$ ins. diam.

bears. $N.37^{\circ}15'E.$ 29 ft 4 ins

A paloverde 3 $\frac{1}{2}$ ins. diam.

bears $S.37^{\circ}13'E.$ 28 ft. 8 ins

Each blazed and scribed B.T.-S.E.C. N.E.C.-1809-A.

The discovery shaft bears. $N.100^{\circ}32'E.$ 685 ft.

- The course of the vein from the South End Center is $N.100^{\circ}32'E.$ 1500 ft.

600

To Cor. No. 2.

Identical with cor. of the location and with cor. No. 3. of the Mountain View lode claim of this survey.

A redwood post 4 ins. square, 5 ft long, set 18 ins. in the ground, in a mound of stones, and scribed 2-3-1809-A. whence.

A paloverde 5 ins. diam. blazed and scribed B.T. 2-3-1809-A. bears. $S.10^{\circ}E.$ 64 ft. 5 ins.

Trail on top of ridge 45 ft. east. bears. South.

No other bearing objects available.

Survey No. 1809-A.

Pikes Peak, Colorado Claim, Page 2.

	Ft. 21.	— Then N. $10^{\circ} 32' E.$ —
		Var. $14^{\circ} 30' E.$
150	Top high ridge bears South.	
1145	Deep ravine bears S. $38^{\circ} W.$	
1500	To Cor. No. 3. Identical with the cor. of the location. A redwood post 4 ins square, 5 ft long, set 20 ins. in the ground, in mound of stone, scribed 3-1809-A, no bearing objects available.	
	— Then N. $79^{\circ} 28' W.$ —	
		Var. $14^{\circ} 30' E.$
300	To monument at the North End Center of the claim, identical with the monument of the location. A redwood post 4 ins. square, 5 ft. long, set 22 ins. in the ground, in a mound of stone and scribed. N.E.C.-1809-A, on S. side whence. A paloverde 4 ins. diam. bears. S. $39^{\circ} 00' E.$, 45 ft. A paloverde 4 $\frac{1}{2}$ ins. diam. bears. S. $80^{\circ} 00' E.$, 50 ft. 6 in. Each blazed and scribed. B.T. N.E.C.-1809-A.	
600	To Cor. No. 4. Identical with the corner of the location. A redwood post 4 ins. square, 5 ft. long, set 20 ins. in the ground, in a mound of stone, and scribed, 4-1809-A. whence, A paloverde 3 $\frac{1}{2}$ ins. diam. Blazed and scribed B.T. 4-1809-A. by S. $61^{\circ} 22' W.$, 35 ft. No other bearing objects available. This corner stands in east side deep ravine, bearing S. $20^{\circ} W.$	
	— Then. S. $10^{\circ} 32' W.$ —	
		Var. $14^{\circ} 30' E.$
225	Ravine, at bend. bears N. $83^{\circ} E.$ up stream and S. $51^{\circ} W.$ down.	
600	Deep ravine bears. S. $70^{\circ} W.$	
670	Road to hoist, top of ridge bears West.	
975	Ravine bears. S. $70^{\circ} W.$	
1200	Sharp ridge bears. S. $63^{\circ} W.$	
1420	Ravine bears. S. $50^{\circ} W.$	
1500	To Cor. No. 1, the place of beginning.	

Survey No. 1809-A.

Mountain View Lode claims, page 1.

Bearing at Corner No. 1.

Identical with the South West corner of the location and with the Northwest Cor. No. 4 of the location of the Annex Lode claims of this survey.

A redwood post, 4 ins. square, 5 ft. long, set 12 ins. in the ground, in crevice in bedrock, in a mound of stone 5 ft. diam. at base, 3 ft. hi: and scribed, 1-4-1809-A., whence.

A (+) chiseled on face of nearly vertical porphyry dyke, 8 ft. high x 6 ft. w. on E. side of ravine and facing Westerly.

bears. $N.4^{\circ}27'W. 27ft.$

and underneath it is (+) chiseled B.R.: 1-4-1809-A,

Pikes Peak mountains. bears. $N.59^{\circ}E.$ about $\frac{1}{2}$ miles.

Iron Mountain bears. $S.11^{\circ}E.$ about 3 miles.

This cor. stands in east edge narrow rocky ravine, bearing South.

The S. $\frac{1}{4}$ sec. cor. Section 31 - T. 7 N. R. 1 W. of

L. and J. R. M. bears. $S.12^{\circ}49'W. 1693.4ft.$

Feet,

— Then. $S.79^{\circ}28'E.$ —Var. $14^{\circ}30'E.$

300

To the monument at the South End Center of the claim. Identical with the monument of the location and with the North End Center of the Annex Lode claims of this survey.

A redwood post, 4 ins. diam. 5 ft. long, set 2 ft. in the ground, in a mound of stone, and scribed S.E.C.-1809-A-on North Side and N.E.C. on S. Side. whence.

A palownde 3 $\frac{1}{2}$ ins. diam bears. $N.26^{\circ}13'W.$ 39ft.

A palownde 3 $\frac{1}{2}$ ins. diam bears. $S.64^{\circ}28'E.$ 77ft.

Each blad and scribed B.T. S.E.C.-N.E.C.-1809-A.

Whence - the course of the vein is

$N.10^{\circ}32'E. 1500ft.$

335

Shaft 6x7 ft 10 ft deep.

525

Top sharp ridge bears. $S.20^{\circ}E.$

600

To Cor. No. 2.

Identical with the cor. of the location and with Cor. No. 3 of the Annex. lode claims of this Survey.

A redwood post 4 ins. square, 5 ft. long, set 18 ins. in the ground, in a mound of stone, and scribed 2-3-1809 A. whence

A palownde 4 ins. diam, blad and scribed B.T.-2-3-1809-A. bears. $N.81^{\circ}57'E.$ 21 ft.

No other bearing object available.

Survey No. 1809-A.

Mountain View Lode Claim - page 2.

Feet.

- Thence N. $10^{\circ} 32' E$. —Var. $14^{\circ} 30' E$.

500	Ravine	bears. S. $26^{\circ} E$.
975	Wide Ravine	bears. S. $52^{\circ} E$.
1425	High Ridge	bears. S. $60^{\circ} W$, and North.
1500	To Cor. No. 3.	

Identical with Cor. No. 2. Pikes Peak lode of this Survey.

- Thence N. $79^{\circ} 28' W$. —Var. $14^{\circ} 30' E$.

300	To the monument at the North End Center of the claim. identical with the monument of the location and with the S. End Center of the Pikes Peak lode of this survey.
	The discovery shaft bears. S. $10^{\circ} 32' W$. 600 ft.

600

To Cor. No. 4.

Identical with the corner of the location and with Cor. No. 1. of the Pikes Peak lode claim of this survey.

- Thence S. $10^{\circ} 32' W$.Var. $14^{\circ} 30' E$.

100	Ravine	bears. N. $80^{\circ} W$.
300	Cor. No. 2. of the Bohner. Lode Claim of this Survey.	
350	Ravine.	bear. West.
675	Top high Ridge	bear. S. $40^{\circ} W$.
1500	To Cor. No. 1. at the place of beginning.	

Survey No.-1809-A.

Bohner Lode Claim, part.

Beginning at Corner No. 1.

Identical with the corner of the location, the S.E. cor.,
 A redwood post. 4 ins square, 5 ft. long, set 2 ft. in
 the ground in a mound of stone, and scribed
 1-1809-A. on W. side. whence.

A paloverde 3½ ins. diam bears. $N.46^{\circ}20' E$ 27 ft. 3 in.

A paloverde 3 ins. diam bears. $S.62^{\circ}E. 56$ ft. 6 in.

Each glazed and Scribed B.T.-1-1809-A.

The S. ¼ Cor. Section 31 - T. 7 N. R. 1. W. & a cut
 S. R. M. bears. $S.13^{\circ}18'W.$ 1.393.6 ft.

Pikes Peak Mountain bears. $N.56^{\circ}E. 3\frac{1}{4}$ mi.

Iron Mountain Peak. bears. $S.12^{\circ}E. 3$ mi.

Feet.

— Thence. $N.10^{\circ}32'E.$ —Var. $14^{\circ}30'E.$

300 Cor. No. 1. of Mountain View lode and No. 4 of Annex lode of this survey, in narrow
 rocky ravine, from North and bends to S.W.

1125 Top high ridge bears. $S.40^{\circ}W$

1450 Ravine. bears. West.

1500 To Cor. No. 2,

Identical with the cor. of the location, on
 line 4-1 of Mountain View lode, of this survey.
 A redwood post. 4 ins square, 5 ft. long, set 18 ins in the
 ground in a mound of stone, and scribed.

2-1809-A. whence.

A paloverde 4 ins diam. glazed and scribed B.T.-2-1809-A. bears. $S.32^{\circ}12'E.$ 18 ft.

Cor. No. 1-4. of Pikes Peak and Mountain View lodes of this survey, bears $N.10^{\circ}32'E.$ 300 ft.

— Thence. $N.79^{\circ}28'W.$ —Var. $14^{\circ}30'E.$

150 Ravine bears. $S.10^{\circ}W$

300 To the monument at the North End Center of
 the claim, Identical with the monument of the
 location.

A redwood post. 4 ins. square, 5 ft. long set 2 ft. in the
 ground in a mound of stone. and scribed N.E.C.
 1809-A. on the S. side. whence.

A paloverde, 3 ins. diam. bears. $N.23^{\circ}08'E$ 21 ft. 4 in.

A paloverde. 4 ins. diam. bears. $S.46^{\circ}48'E.$ 49 ft. 6 in.

From North end center, the course of the vein is $S.10^{\circ}32'W.$

1500 ft.

Survey No. 1809-A.

Bohner Lode Pa. 2.

First.

- 410 Ravine, bears. South, 100 ft. S. joins main ravine & bears S.W.
600 To Cor. No. 3.

Identical with the corner of the location.
A redwood post, 4 ins. square, 5 ft. long, set 20 ins.
in the ground, in mound of stone, and scribed
3-1809-A. on east side, whence.

A palo verde 3 $\frac{1}{2}$ ins. diam.

bears. S. 39° 5' E. 70 ft.

A Mesquit 6 ins. diam.

bears. N. 36° 7' W. 25 ft.

Each blazed and scribed. B.T.-3-1809-A.

This cor. stands on top of ridge, on east side of road
to Hoist on Pikes Peak lode off this survey. ridge bears. N. 15° E.

- Thence S. 10° 32' W. —

Var. 14° 30' E.

- 400 North bank of Garfias Wash. 100 ft wide. bears S. 44° E.

880 Foot of rocky bluff.

- 1500 To Cor. No. 4.

Identical with the corner of the location.

A redwood post, 4 ins. square, 5 ft. long, set 18 ins.
in the ground, in a mound of stone, and scribed
4-1809-A. on East side.

No bearing objects available.

- Thence S. 79° 28' E. —

Var. 14° 30' E.

- 97 West bank of Garfias Wash. 80 ft. wide between banks. bears S. 26° E.

- 300 To the monument at the Southern Center of the
claim. Identical with that of the location.

A redwood post, 4 ins. square, 5 ft. long, set 2 ft in
the ground in a mound of stone, and scribed

S.E.C.-1809-A. on N. Side. Whence discovery shaft lies N. 10° 32' E. 400 ft.

A mesquit 7 ins. diam.

bears. S. 14° 10' E. 80 ft

A mesquit 6 ins. diam., bears to North.

bears. N. 59° 42' E. 32 ft. 6

Each blazed and scribed. B.T.-S.E.C.-1809-A. The bearing
tree also marked at base with a cross (X) from which
the bearing and distance were taken.

From this monument the discovery shaft.
bears N. 10° 32' E. 400 ft.

- 570 Brow of low Mesa.

- 600 To Cor. No. 1. at the place of beginning.

Survey Nov. 1809-A.

Annex Lake, page

Beginning at Cor. No. 1

Identical with the S.W. cor. of the location.

A redwood post 4 ins. square. 5 ft. long set 18 ins. in the ground. in a mound of stones. 5 ft. diam at base 3 ft. high and scribed - 1-1809-A. on E. side. whence

A palo verde 3 ins. diam.

bears. $S.42^{\circ}34'E.$ 104 ft.A palo verde. 3 $\frac{1}{2}$ ins. diam.bears. $S.59^{\circ}47'W.$ 50 ft.

Each blazed and scribed. B.T. - 1-1809-A.

The S. $\frac{1}{4}$ Cor. Section 31 - T. 7 N.R. 1W. G. and S.R. Band M. bears. $S.73^{\circ}42'W.$ 576^{ft.}Pikes Peak Mountain. about $\frac{3}{4}$ miles distant bears. $N.30^{\circ}E.$ Bald Mountain about. 3 miles distant bears. $S.62^{\circ}E.$ First - whence. $S.79^{\circ}28'E.$ -Var. $14^{\circ}30'E.$

223 Cor. No. 1. Ohio Lode claims of this Survey.

260 Witness Cor. to point at S. end center of this claim,

A redwood post 4 ins. square. 5 ft. long set

20 ins. in the ground. in a mound of stones and scribed W.C. - S.E.C. - A - 1809-A on N. side

and. W.C. N.E.C. - O - 1809-A. on S. side. whence

A Mesquite 3 $\frac{1}{2}$ ins. diam blazed and scribed B.T. W.C. S.E.C. - A -

N.E.C. - O - 1809 - A.

bears $N.16^{\circ}48'W.$ 31 ft. 8 ins.

No. after bearing abjects available

300 To the point at the South End Center of the claim,

Identical with the locations. post not set because

it falls in edge of Gorfias Wash. Where it is impractical

to establish a permanent monument. bank of wash bears. $S.62^{\circ}E.$

Witness corner. on South End line

bears. $N.79^{\circ}28'W.$ 40 ft.

From the true End Center.

523 The North End Center Ohio Lode of this Survey.

600 To Cor. No. 2.

Identical with the corner of the location,

Not set because it falls in Gorfias Wash

when it is impractical to establish a permanent corner.

Survey No. 1809 -

Annex Lode. pg. 2.

Ft.

Witness Cor. to Cor. No. 2.

On East boundary of claim bro. N. $6^{\circ}48'W.$ 300 ft.

A redwood post. 4 ins. square. 5 ft. long set
12 ins. in ground, on bedrock, in a mound
of stone 5 ft. diam. at base. 3 ft. high and scribed.
W.C.-A-2-1809-A on S. Side. whence.

A paloverde 4 ins. diam

bearo - $N.22^{\circ}35'W.$ 16 ft. 6 ins.

A paloverde. 4 ins. diam.

bearo. $S.64^{\circ}30'E.$ - 36 ft.

Each blazed and scribed B.T.-W.C.-A-2-1809-A,

- Hence $N.6^{\circ}48'W.$

Va. $14^{\circ}30'E.$

From the true corner.

170 North Bank of Garfias Wash. bro. $S.75^{\circ}E.$ -

300 Witness Cor. to Cor. No. 2. Top of bluff -

725 deep Ravine. bearo. $S.66^{\circ}E.$

1480 Ridge bearo. $S.36^{\circ}E.$

1500 To Cor. No. 3.

Identical with the cor. of the location and with
Cor. No. 2. of the Mountain View Lode claims
of this Survey.

- Hence $N.79^{\circ}28'W.$

Va. $14^{\circ}30'E.$

75 Ridge bearo $S.20^{\circ}E.$

265 Shaft. 6 x 9 ft. 12 ft. deep.

300 To the monument at the North end center
of the claim. Identical with that of the South End
Center of the Mountain View Lode of this Survey,
The Discovery shaft bearo. $S.10^{\circ}10'E.$ 170 ft.

The course of the vein from the North end
center is presumed to be $S.6^{\circ}48'E.$ 1500 ft.

600 To Cor. No. 4.

Identical with the corner of the location and with
Cor. No. 1. of the Mountain View Lode Claims of this Survey,

- Hence. $S.6^{\circ}48'E.$

Va. $14^{\circ}30'E.$

900 Grass mouth of ravine. bearo $N.16^{\circ}E.$ up stream

1000 North bank Garfias Wash. 300 ft. wide on this. bearo $S.50^{\circ}E.$

1500 To Cor. No. 1. at the place of beginning.

Survey No. 1809-A.

Ohio Lode, page 1.

Beginning at Cor. No. 1,

On line 1-2. Annex Lode of this Survey.

Identical with the N.W. Cor. of the location.

A redwood post 4 ins. square, 5 ft. long, set
2 ft in the ground, in a mound of stone and
scribed 1-1809-A. on the E. side, whence.

A magnet 6 ins. diam

beams. $N. 78^{\circ} 24' E.$, 9 ft. 9 ins.

A magnet. 8 ins. diam.

beams. $N. 44^{\circ} 48' W.$, 20 ft.

Each blazed and scribed B.T.-1-1809-A.

The S. 1/4 Cor. Section 31-T. 7. N. R. I. W. S. and S.

R. Bond M.

beam 5. 810.66 W. 781.6 ft.

South Bank Gorfias Wash. 55 ft. north ~~beams~~ $54^{\circ} E.$ Pikes Peak. Mountain about 1 mile distant ~~beams~~. $N. 35^{\circ} E.$ A prominent Rocky Peak about 1 1/2 miles distant ~~beams~~ $N. 3^{\circ} 30' E.$

Feet.

— Thence $S. 10^{\circ} 32' W.$ —Var. $14^{\circ} 30' E.$

123 Intersect the South Boundary of Tp. 7 N. R. I. W.
G. and S. R. B. and M. at 750 feet. $N. 89^{\circ} 59' E.$.
The S. 1/4 Cor. of Section 31. and 1882 feet
 $S. 89^{\circ} 59' W.$ of the Cor. to Sections 31 and 32.

220 Small ravine. beams East.

650 Wide ravine. beams. $S. 60^{\circ} E.$ 800 Ridge beams. $S. 52^{\circ} E.$

1500 To Cor. No. 2.

Identical with the corner of the location.
A redwood post 4 ins. square, 5 ft. long, set
2 ft in the ground, in a mound of stone
and scribed, 2-1809-A. on E. side.The edge of perpendicular bluff. North
side narrow canon bearing $S. 45^{\circ} E.$ is 25 ft. south.
No bearing objects available.— Thence $S. 79^{\circ} 28' E.$ —Var. $14^{\circ} 30' E.$ 300 To the monument at the South End
center of the Claim. Identical with the
monument of the location.A redwood post 4 ins. square, 5 ft. long, set 2 ft. in
the ground, in a mound of stone, and scribed on the
N. side. S.E.C.-1809-A. whence

A palo verde 5 ins. diam

beams. $S. 64^{\circ} 04' W.$, 44 ft.

Survey No. 1809-A.

Ohio Lode. Page 2.

7 feet. A palo verde 6 ins. diam. leaves. N. $71^{\circ}47'W.$ 50 ft.
 Each blazed and scribed B.T.-S.E.C.-1809-A.
 From this monument the course of the vein is N. $10^{\circ}32'E.$
 1500 ft.

600 To Cor. No. 3.

Identical with the corner of the location
 A redwood post 4 ins. square, 5 ft long, set 2 ft.
 in the ground, in a mound of stones and
 scribed on the W. side, 3-1809-A., where
 A palo verde 4 1/2 ins. diam. leaves S. $12^{\circ}56'E.$ 50 ft.
 A palo verde, 6 ins. diam. leaves. N. $88^{\circ}20'E.$ 57 ft.
 Each blazed and scribed B.T.-3-1809-A.

— Thence N. $10^{\circ}32'E.$ —Va. $14^{\circ}30'E.$

650 Ridge leaves. S. $70^{\circ}E$
 672 Cor. No. 2 - Pikes Peak mill site, of this Survey,
 Deep ravine leaves. East.
 700 Cor. No. 1-1 - Pikes Peak and Mountain View
 mill sites, of this Survey.

1100 Small ravine leaves. East.

~~1358~~ Cor. No. 4. Mountain View mill site —

1375 Witness Corner. & Cor. No. 4. Ohio Lode.

A redwood post 4 ins. square, 5 ft. long, set
 18 ins. in the ground in a mound of stone
 and scribed. W.C.-4-1809-A. on north side, where,

A palo verde, 3 1/2 ins. diam. blazed and scribed. B.T.

W.C. - 4-1809-A.

leaves. N. $70^{\circ}40'E.$ 27 ft 4 ins.

1435 South Bank Garfias Wash 180 ft wide leaves. S. $70^{\circ}E.$

1489 Intervet South Boundary T. 7 N. R. 1 W. at
 1361 ft. N. $89^{\circ}59'E.$ of the S. 1/4 Cor. to Sec. 31, and

1271 ft. S. $89^{\circ}59'W.$ of the Cor. to Sec. 31 and 32

1500 To Cor. No. 4.

Not. set. as it falls in Garfias Wash. where
 it is impracticable to establish a permanent
 cor. Witness corner. on E side line of claim leaves. S. $10^{\circ}32'W.$ 125 ft.

— Thence N. $79^{\circ}28'W.$

Va. $14^{\circ}30'E.$

223 Cor. No. 2. Annex Lode. of this Survey

20 point at North End Center of the claim.

Survey. No. 1809 - A.

Ohio Land page 3.

- 7 feet. Identical with the location, in center of Gaspas Wash. where it is impractical to establish a permanent monument.
 Witness Corner to this point identical with Witness Cor. to S. end center Annex land of this Survey, on end line of claim bears N. $79^{\circ}28'W$ 263 ft.
 The discovery shaft bears. S. $10^{\circ}32'W$. 720 ft.
 From this point, the presumed course of the vein is. S. $10^{\circ}32'W$.
 From the true end center,
- 523 Point at South End Center, Annex land, and south bank Gaspas Wash. bears. S. $62^{\circ}E$.
- 563 Witness Corner, to North End Center,
- 600 To Cor. No. 1, at the place of beginning.

I hereby Certify that the foregoing are the true and original field notes of this Survey, and that the value of the labor and improvements upon this claim, placed thereon by the claimant and their grantors is not less than five hundred dollars and that said improvements are as herein described. Herbert R. Patrick.

M. I. Deputy Mineral Surveyor.

Survey No. 1809-B.

Mountain View Millsite. page 1.

Beginning at Cor. No. 1,
 On line 3-4 - Ohio Lode Claim of this
 Survey, at S. $10^{\circ} 32' W.$ 485 ft. from Cor. No. 4 of
 same. Identical with the S. W. cor. of the location.
 A redwood post 4 ins. square, 5 ft long. set 2 ft in the
 ground, in a mound of stones, and scribed.
 1-1-1809-B. whence -

A paloverde 4 ins. diam. bldg and scribed. B.T.-1-1-1809-B. bears East, 27 ft.

No other bearing objects available.

The S. 1/4 Cor. Section 31 - T. 7. N. R. 1 W. G. and S. R. Band
 M. bears $N. 69^{\circ} 54' W.$ 1356 ft.

Cor. No. 2. Sur. 1809-A. Mountain View Lode Claim
 bears $N. 8^{\circ} 44' E.$, 2030.54 ft.

Pike Peak mountain. about 1 mile distant bears. $N. 25^{\circ} E.$

Bald Mountain about 3 miles distant bears $S. 60^{\circ} E.$

Ft.

- Thence S. $79^{\circ} 28' E.$ -Var. $14^{\circ} 30' E.$

253 Front of ridge, enters level flat,
 to Cor. No. 2.

Identical with the cor. of the location and with
 Cor. No. 4. of the Pikes Peak. Millsite of this Survey,

A redwood post 4 ins. square, 5 ft. long, set 2 ft in
 the ground, in a mound of stone, and scribed. 2-4-1809-B. whence.

A mesquit 6 ins. diam. bearing east, bldg and scribed
 B.T. - 2 - 4 - 1809-B. +. (bearing and distance taken to (+) bears. $S. 21^{\circ} 8' E.$.59 ft. 5 ins.
 Across (+) chisled on westerly face. of green dyke $3\frac{1}{2} \times 6$ ft.
 above ground, and under + chisled B.R. - 2-4-1809-B, bears $N. 2012' E.$ 200 ft.

- Thence N. $10^{\circ} 32' E.$ -Var. $14^{\circ} 30' E.$

68 South bank. Isopias wash ^{90 ft wide.} bears $S. 58^{\circ} E.$
 223 Cross point of low ridge.
 343 To Cor. No. 3.

Identical with the corner of the location.

A redwood post 4 ins. square, 5 ft long. set 2 ins.
 in the ground, in a mound of stones and
 scribed. - 3-1809-B. whence.

A paloverde 3 $\frac{1}{2}$ ins. diam. bears. North 27 ft.

A mesquit 10 ins. diam. bears. $S. 1055' E.$ 69 ft.

Each bldg and scribed. B.T. - 3 - 1809-B.

Survey No. 1809-B.

Mountain View Millsite page 2

Feet.

— Thence. N. $79^{\circ} 28' W.$
Var. $14^{\circ} 30' E.$

- 90 North bank Gaspes Wash. bears S. $27^{\circ} E.$
 390 South bank Gaspes Wash. bears S. $46^{\circ} 30' E.$
 450 Foot of ridge, ascend,
 633. to Cor. No. 4.

On line 3-4- of Ohio Lode of this survey,
 at S. $10^{\circ} 32' E.$. 142 ft. from Cor. No. 4. of same.

Identical with the corner of the location.

A redwood post 4 ins. square, 5 ft long, set 2 ft.
 in the ground. in a mound of stones, and scribed,
 4-1809-B. whence.

A mesquit 7 ins. diam. blded and scribed, B.T. -4-1809-B. bears N. $62^{\circ} 20' W.$. 57 ft.
 Wthins. Cor. to Cor. No. 4. Ohio lode. bears. N. $10^{\circ} 32' E.$. 17 ft.

— Thence. S. $10^{\circ} 32' W.$ —Var. $14^{\circ} 30' E.$

- 258 Small ravine. bears East.
 343 To. Cor. No. 1. at the place of beginning.

Survey No. 1809-B.

Pikes Peak Miltite. page 1.

Beginning at Cor. No. 1.

On line 3-4.- Ohio Lode Claim. of this survey
at $S 10^{\circ} 32' W.$ 485 ft. from Cor. No. 4. of same.
Identical with the N.W. corner of the location,
and with cor. No. 1. of the Mountain View Milt-
ite claim of this Survey.

A redwood post 4 ins. square. 5 ft long set in
the S. 1/4 cor. Section 31 - Tp. 7. N. R. 1W. & and
S.R. Band M. bears $N. 69^{\circ} 54' W.$ 1356 ft.
Cor. No. 2. Pikes Peak Lode Claim. Sur. 1809-A. bears $N. 0^{\circ} 35' W.$
Pikes Peak Mountain, about 1 mile distant, bears $N. 25^{\circ} E.$
Bald Mountain. about 3 miles distant, bears $S. 60^{\circ} E.$

Feet.

- Thenue. $S. 10^{\circ} 32' W.$ -Var. $14^{\circ} 30' E.$

115 Deep ravine bears east.

343 To Cor. No. 2.

On line 3-4 - Ohio lode. at $N. 10^{\circ} 32' E.$ - 672 ft.
from Cor. No. 3. of same.

Identical with the corner of the location.

A redwood post 4 ins. square. 5 ft long. set 20 ins
in the ground. in mound of stones, and scribed
~~3-1809-B.~~

No bearing objects available.

Thenue. $S. 79^{\circ} 28' E.$ -Var. $14^{\circ} 30' E.$

633 To Cor. No. 3. at foot of hi ridge.

Identical with the cor. of the location.

A redwood post. 4 ins. square. 5 ft. long. set 2 ft
in the ground. in a mound of stones and scribed
~~3-1809-B.~~ Thenue.

A mesquit 4 ins. diam. Plazaed and scribed. B.T. - 3-1809-B. bears $S. 32^{\circ} 30' 21.7' E.$
no other bearing objects available.

- Thenue. $N. 10^{\circ} 32' E.$ -Var. $14^{\circ} 30' E.$

Across flat.

343 To Cor. No. 4.

Identical with the corner of the location and
with Cor. No. 2. of the Mountain View miltite
claims of this Survey,

Survey No. 1809-B.

Pikes Peak, Colorado, page 2

Foot.

Plane N. 79° 28' W.

Vari. 14° 30' E.

380 Foot of ridge, ascended -

633 To Cor. No. 1 at the place of beginning, top of ridge

Survey No. 1809-B.

Annex Millsite page 1.

Beginning at Cor. No. 1.

A redwood post 4 ins. square, 5 ft. long, set 2 ft. in the ground in a mound of stones, and scribed 1-1809-B, whence

A mesquite 3 ins. diam

bears. $N.89^{\circ}30' E.$ 26 ft

A mesquit. 6 ins. diam.

bears. $S.47^{\circ}5' E.$ 42 ft

Each blazed and scribed. B.T. 1809-B.

The corner of the location bears. $N.17^{\circ}30' W.$ 46 ft. $S.1\frac{1}{4}$ cor. of Sec. 33 - T. 7. N. R. 1. W. G and S.R. B and M. bears. $S.68^{\circ}55' W.$ 75 ftCor. No. 2. Annex Lode. Sur. 1809-A. bears. $S.88^{\circ}45' W.$ 101 ftPikes Peak. mountain about 2 miles distant bears. $N.71^{\circ} W.$ A prominent, sharp peak about 3 miles distant bears. $S.41^{\circ}30' E.$

Feet.

- Thence $S.19^{\circ}50' E.$ -Var. $14^{\circ}30' E.$ 288 Intersect South Boundary of T. 7. N. R. 1. W. G and S.R. B and M. at 798 ft. East. of $S.1\frac{1}{4}$ Cor. Section 33, and 1839 ft. West of corner of Sections 33 and 34.355 Wash. 50 ft wide. bears. $S.82^{\circ} E.$

465 To Cor. No. 2.

A redwood post 4 ins. square, 5 ft long, set 12 ins in the ground on bedrock, in a mound of stones 5 ft diam. at base, 3 ft hi., and scribed 2-1809-B. whence

A mesquit. 6 ins. diam. Blazed and scribed ^{B.T.} 2-1809-B. bears. $N.21^{\circ} W.$ 84 ftThe location monument. bears. $S.83^{\circ}20' W.$ 53 ft.

No. other bearing objects available.

- Thence $N.83^{\circ}20' E.$ -Var. $14^{\circ}30' E.$ 200 Top of ridge. bears. $N.40^{\circ} W.$

470 To Cor. No. 3.

Identical with the corner of the location.

A redwood post 4 ins. diam. 5 ft long, set 18 ins in the ground, in a mound of stones, and scribed 3-1809-B. No bearing objects available.

- Thence $N.19^{\circ}50' W.$ -Var. $14^{\circ}30' E.$ 123 Intersect S. Boundary T. 7. N. R. 1. W. G. and S.R. B and M. at 1284 ft. 5 ins. East. of $S.1\frac{1}{4}$ Cor. Sec 33 and 1352 ft. 7 ins. W. of Cor. Sec 33-34M. at 1284 ft. 5 ins. East. of $S.1\frac{1}{4}$ Cor. Sec 33 and 1352 ft. 7 ins. W. of Cor. Sec 33-34

Survey, No. 1809-B.

Annex Millits page 2

Fest. E. side continued.

355 Wash. 40 ft wide. bears N. 80° E.

465 To Cor. No. 4.

Identical with the corner of the location.
 A redwood post 4 ins. square. 5 ft. long. set
 18 ins. in the ground, in a mound of stones, and
 scribed. 4-1809-B. When

A mesquit. lies. diam. blazed and scribed. B.T. 4-1809-B. bears S. $14^{\circ}15' E.$ $63\frac{1}{3}$ ft.

Center of old Well

bears. S. $31^{\circ} W.$ 160 ft.

No other bearing object available.

- Theme, S. $83^{\circ}20' W$ -Var. $140^{\circ}30' E.$

470 To Cor. No. 1. at the place of beginning.

Survey No 1809-A.

General data pa. 1.

Areas.

Given in order in which claims were surveyed.

Sur. 1809-A.

	Acres.
Pikes Peak Lode, a rectangle 600 x 150 ft.	20.660
Mountain View Lode " " " "	20.660
Bolner Lode " " " "	20.660
Annex Lode, a parallelogram 600 x 1500 ft	19.725
Ohio Lode " rectangle " "	<u>20.660</u>
Total Area Lode Claims	102.365

Sur. 1809-B.

Mountain View Millsite, a rectangle	343 x 633 ft.	4,985
Pikes Peak millsite " " "	343 x 633 ft.	4,985
Annex Millsite. a parallelogram 465 x 470 ft.	<u>4,873</u>	<u>J</u>
Total Area millsites.		14,843

Locations

The Pikes Peak, Mountain View, Bolner and Annex Lode Claims are situated in Section 33-T.7 N. R. 1 W., G. and S. R. B. and M., the west half of which is not subdivided.

The Mountain View millsite, Pikes Peak millsite and greater part of Ohio Lode are in section 6.

T. 6 N. R. 1 W. not subdivided.

The Annex Millsite is partly in S.E. 1/4 Sec. 33-T.7 N. R. 1 W. and partly in N.E. 1/4 Sec. 4. T. 6 N. R. 1 W. The claims are therefore all on unsurveyed land.

Surface.

The surface embraced in lode claims rises rapidly to North East and South West from Garfield Wash. The veins dip about 70° to east. The main shafts, and hoists on the Pikes Peak and Ohio Lodes are placed at most advantageous points for opening up the lode and extracting the ore.

The Pikes Peak and Mountain View millsites are in level flat.

Survey, No. 1809-A.

General data part.

Improvements,

I certify that the value of the labor and improvements upon this claim, placed thereon by the claimants and its grantors, is not less than five hundred dollars on eachode, and that said improvements consist of:

Pikes Peakode.

- No. 1. Discovery Shaft, which leaves from S end center, N. $10^{\circ}32' E.$, 685 ft., 6x6 ft., 50 ft. deep, ~~rested~~ value \$500.
 At 30 ft. back in disc. Shaft, a drift 5x6 ft., 35 ft. long, value 245.
 irregular course N.E. connects with No. 2.
 From drift - a ~~Vertical~~ ^{Wing} shaft 6x6 ft., 50 ft. deep, value 500.
 At bottom of this shaft a drift, 5x6-35 ft. long, course east value 280.
 Connected with No. 2. at 85 ft. level (measured on incline) by a narrow way.
 At bottom of disc Shaft, a drift 5x6 ft., 40 ft. long, back E. 360. \$1885.
- No. 2. An incline shaft, at 21 ft. N. $70^{\circ}30' E.$ from N.E. end disc.
 shaft, 5x7 ft., 265 ft. deep, dip about 70° . with hoist.
~~Hoist~~, first 65 ft. \$520 - next 100 ft. 1000, next 100 ft. 1250 = 2770.
 Value of Hoist. Excavations for same, one table. ~~Hoisting~~ value. 330. 3100.
- No. 3. Tunnel, from point on Center line 480 ft. N. $10^{\circ}32' E$
 from S. End Center, face of tunnel bears S. $37^{\circ}30' W.$ 219 ft.
 Course, N. $15^{\circ} E.$ - 5x6 ft., 60 ft. long, with open cut, 6x10 ft. 20 ft. 560. 560.
~~Open Cut~~ - 5x6 ft., 20 ft. long, value 160.
~~Surface~~ drift, or bears. S. $68^{\circ}15' W.$ 56 ft. from S.W. end disc. shaft, 5x8 ft., 100 ft. long. Course, S. $20^{\circ} W.$ value. 800.
 At south end drift, Tunnel 5x6 ft., 18 ft., same course, value 145. 945.
- No. 5 1550 ft. road, built from back, Hoisting Wash to Hoist
 at No. 2. to convey material and supplies to Pikes Peakode, value 250.
 Total Value of improvements on Pikes Peakode \$6740.

Mountain Viewode.

- No. 1. Discovery Shaft, leaves from S. End. Center, N. $10^{\circ}32' E.$, 900 ft., 6x6 ft. x 20 ft. deep. value \$200.
- No. 2. Tunnel, bears. N. $52^{\circ} E.$ 70 ft. from S. end center, 5x6 ft. - 20 ft. long. course. N. $25^{\circ}30' E.$ value \$160.
 Open Cut to face Tunnel 10 ft. - 11, 12 ft. W x 24 long 240.
 Vertical Shaft, in open cut, bears. N. $52^{\circ} E.$ 60 ft. from S. End Center, 7x8 ft., 16 ft. deep. 160. 560.
- No. 3 ~~Surface~~ drift, from point on line 4-1-500 ft. N. $10^{\circ}32' E.$ from Cor. No. 1. bears. S. $75^{\circ} E.$ 15 ft., 5x6 ft., 16 ft. long 80.
 Total value of improvements on Mountain Viewode \$840.

Bohner.ode.

- No. 1. Discovery Shaft, on Center line, 400 ft. N. $10^{\circ}32' E$
 from S. End Center, 6x7 ft., 10 ft. deep. value \$100.
 amt. 100.

Survey. No. 1809-A.

General data, Pa. 3,

Improvements contained.

	Bolmer Lode, contained. brought forward	<u>\$100.</u>
No. 2.	Tunnel, from point on Center line $\frac{327}{327}$ ft N $10^{\circ} 32' E.$ from S. End Center face of Tunnel bears N. $77^{\circ} 20' W.$ 33 ft - 5×7 ft. 10 ft long, ^{bears N. $27^{\circ} 30' E.$} at $8^{\circ} 00'$ \$80	
	Open Cut to face of Tunnel 10×10 ft W. 20 ft long $\frac{4500}{4500}$ \$100.	180.
No. 3.	Tunnel. from point on line 3-4. 710 ft S. $10^{\circ} 32' W.$ from Cor. No. 3, face of Tunnel bears. S. $77^{\circ} 20' E.$ 230 ft, 5×6 ft. 88 ft long bears N. $40^{\circ} E.$ at $90^{\circ} 79^{\circ} 2$ Open Cut 10 ft W. 12 ft face 20 ft long at $5^{\circ} 00'$ \$100.	
	Shaft on E. side of open cut. 10 ft. from tunnel 6×6 ft 27 ft deep. $\frac{270}{270}$ 1162.	
No. 4.	Open drift on Surface. $11.66^{\circ} W.$ 50 ft. from discovery shaft, $5^{\prime} W.$ 82 ft deep. 30 ft. long $\frac{500}{500}$ \$150. (bearing and distance taken to S. end) bears N. $21^{\circ} E.$	150.
	Total Value of Improvements on Bolmer Lode. $\frac{1592}{1592}$	

Annex Lode.

No. 1.	Discovery Shaft. S. $10^{\circ} 10' E.$ 170 ft. from N. End Center. 6×9 ft. - 12 ft deep at $10^{\circ} 00'$	<u>\$120.</u>
No. 2.	Shaft. S. $11^{\circ} 40' W.$ - 84 ft from N. End. Center. 7×7 ft. 19 ft deep. at. $10^{\circ} 00'$	190.
No. 3.	Shaft. S. $18^{\circ} 25' W.$ 190 ft - from N. End center. 5×7 ft. - 12 ft deep. at $10^{\circ} 00'$	120.
X	Open drift. from this shaft. $5^{\prime} W.$ $\times 6$ ft. deep. 25 ft long. bears $11.80^{\circ} W.$ - at $6^{\circ} 00'$	150.
No. 4.	Shaft. S. $74^{\circ} 28' E.$ 35 ft. from N. End Center. 6×7 ft. 12 ft deep. at $10^{\circ} 00'$ - (This shaft partly off the claim was made as an assessment on Annex Claims).	120.
No. 5.	Shaft. From pt on line 2-3 - at 725 $\frac{N. 60^{\circ} 48' W.}{N. 72^{\circ} 38' E.}$ from Cor. No. 2. distant 82 ft. N. $79^{\circ} 30' W.$ - 7×7 ft. 10 ft deep. at $8^{\circ} 00'$	80.
	Total Value of improvements, Annex Lode. $\frac{780}{780}$	

Ohio Lode.

No. 1.	Discovery shaft. On center line at. 720 ft. $S. 10^{\circ} 32' W.$ from N. End. Center. 6×7 ft. $\frac{12}{at 8^{\circ} 00'}$ 12 ft deep. \$96.	
	At Bottom of this shaft. drift. bears. S. $10^{\circ} W.$ 5×6 ft - 20 ft. l. at end of drift. Vertical shaft. 5×7 ft. $\frac{1600}{at 1600}$ 40 ft deep. \$400.	
No. 2	Main Shaft. bears. N. $74^{\circ} E.$ 137 ft. from Discovery Shaft. 6×7 ft. 200 ft. int 100 ft. 100 2nd 100 ft. 125 ft $\frac{2250}{2250}$	656.
	amt.	

Survey No. 1809-A.

General data. page. 4.

Improvements continued.

Ohio. rods continued. Out. forward \$656.

out. paid \$2250.

~~\$656.~~

No. 2. continued.

Hoist. steam boiler, timbering and ladders. 500. 2750.

At 50 ft level, main shaft, a drift 5x6-75 ft long, bears. N. 11° E. and drift 5x6 ft, 107 ft long bears. S. 84° W.

Two drifts. 182 ft at .800 per ft. \$1456.

At 100 ft level, main shaft, a drift - 5x6 ft 75 ft long, bears. S. 10° W. and drift 5x6 ft 100 ft long, bears. N. 10° E. Two drifts 175 ft at 1000 1750. 3206.

No. 3. Shaft, bears. N. 58° E. 33 ft, from discovery shaft, 6x8 ft. ~ 50 ft deep. at .800 per ft.

Total value of improvements Ohio rods.

~~3206.~~ 400.

7012.

Summary of Value of Improvements.

Pikes Peak. rods.	\$6740.
Mountain View. rods.	840.
Boilerer. rods.	1592.
Annex Rod.	780.
Ohio. rods.	7012.
Total.	\$16804.00 \$16764.00

Other Improvements.

On Pikes Peak. Millsite Clairs.

From a point on line 4-1, distant 158 ft. N. 79° 28' W. from Cor. No. 4. A Well 5x5 ft. 80 ft deep. bears. N. 12° E. 40 ft. on Mountain View. Millsite.

From same point. N. W. cor. of barn. 16x30 ft; bears. S. 10° 30' W. - 48 ft. long side bears S. 78° E.

At 300 ft. on same line, 401 - the N.E. cor. of frame boarding house. 16x60 ft. bears. S. 50° W. 38 ft. long side bears. N. 78° W. on Pikes Peak Millsite.

From the same point. N. E. cor. of Ten Stamp Mill building. 50x60 ft. bears. S. 6° 30' E. 194 ft.

The front. 50 ft long. bears. S. 18° 45' E. on Pikes Peak Millsite.

Milling plant consists of 2 batteries of stamps 5 each. 2 True Vanners, 1 Cylindrical Tank and fixtures, 1 Boiler, 1 Engine with accessories.

From the same point on line 4-1 - the S.W. cor. of Blacksmith Shop. 14x16 ft. bears. S. 14° 25' E. 150 ft. long side bears. S. 18° 40' E. on Pikes Peak Millsite.

These improvements belong to claimants herein.

Instrument.

This survey was made with a light mountain Gursley Transit, with solar attachment. The distances were measured with 50 ft and 100 ft. steel tapes.

Survey No. 1809-A.

General data, page 5

Observations.Solar.

Latitude of location $34^{\circ} N.$ Longitude $112^{\circ} 36' W.$
Difference in time 7 hr. 30 min.

12 o'clock Greenwich = $4^{\text{hr}} 30'$ am. at location.

June 4th. Declination from Ephemeris = $N. 22^{\circ} 19' 38''$
Hourly difference, 18.39 sec. The declination
corrected for time and refractions for 9. A.M. =
 $22^{\circ} 21' 27''$ at which time I observed the sun
established a true meridian at corner No. 1 of Pikes
Peak lode, and deflected the courses of line
1-2 - and line 4-1 of the Pikes Peak lode.
and lines 3-4 and 4-1 of the Mountain
View lode.

June.

On June 5th the declin. from Ephemeris is $N. 22^{\circ} 26' 48''$
Hourly diff. 17.41 sec. corrected for time and
refractions = $22^{\circ} 29' 00''$ for 11 o'clock A.M. at
which time I observed the sun at Cor. No. 1 of the
Bohner lode. Established a true meridian from
which I deflected the course of lines 1-2 and
4-1 of the Bohner lode.

On June 6th, the declin. from Ephemeris = $N. 22^{\circ} 33' 37''$
hourly diff. 16.43 sec. corrected for time and refraction
= $22^{\circ} 30' 21''$ for 8 o'clock A.M. at which time I
observed the sun. at cor. No. 1. of the Annex lode.
Established a true meridian, from which I deflected
the course of lines 1-2 and 4-1 of the Annex lode.

On June 8th, the declin. from Ephemeris = $22^{\circ} 45' 05''$
hourly diff. = 14.46 sec. corrected for time and refraction = $22^{\circ} 47' 23''$
for 8 o'clock A.M. at which time I observed the sun at
cor. No. 2. of the Ohio lode. and established a true
meridian, from which I deflected the course of lines
2-1 and 2-3 of the Ohio lode.

On the same date, corrected for time and refraction ~~decl.~~ = $22^{\circ} 47' 41''$
for 11 o'clock A.M., at which time I observed the sun
at cor. No. 1. of the Pikes Peak and Mountain View
millsite claims, identical with each other, and
on line 3-4 of Ohio Lode, and established a true
meridian, from which I deflected the course of lines
#~1 and 1-2 respectively of these claims and
of line 3-4- of Ohio lode.

On June 9th the decl. from Ephemeris = $22^{\circ} 51' 30''$
Hourly diff. 13.44 sec. corrected for time and refraction
declination = $22^{\circ} 53' 08''$ for 10 A.M. at which time I
observed the sun. at cor. No. 1. of the Annex Millsite, and
Established a True Meridian from which I deflected the
course of lines 1-2 and 4-1 of the Annex Millsite claims.

Survey No. 1809-A.

General data page 6.

Observations continued:

Palavis.

From Ephemeris. Eastern Elongation of Palavis occurs at $2^{\text{h}} 55.3^{\text{m}}$. A.M. June 1st for 40° N. Lat. and 90° W. long. decreasing daily 3.92^{m} .

Corrected for lat. and long. for June 4th gives $2^{\text{h}} 58.40.5^{\text{m}}$. A.M. at which time I observed Palavis and set off the azimuth $1^{\circ} 20.6^{\text{m}}$ to west for 34° N. Lat. and established a true meridian with which I connected the lines of all the claims of this survey, to verify the courses.

The needle on this meridian gives a variation of $14^{\circ} 30' E.$

Monuments.

The mounds of stone in this survey are 4 ft. diam. at base. 2 ft. hi. except where otherwise described, and are laid up with large stones in a permanent manner.

The exact corner point is marked with a nail driven in each post.

The disagreement between the field notes and the location certificate of the annex Millsite, in the length and course of lines is due to errors in the latter.

Cor. No. 1. of Pikes Peak and Mountain View millsite was taken on the westerly side because the tie lines to S. 1 $\frac{1}{2}$ Cor. Sec. 31. Would be measured over smooth ground, and more accurate than over the ground to eastward which is broken by cañons. Though cor to Sec. 31-32 - is slightly nearer to east end of claim.

Most of the washes or ravines are without banks, therefore widths could not be given.

The delay in completing this survey has been caused by my illness.

It was impossible to bring Chas. Deales before a notary to make his final oath.

The Pikes Peak tract is joined on the east by the Pikes Peak No. 2. Tr.

The Mountain View tract is joined on the east by the Mountain View No. 2.

The Ohio tract is joined on the west by the Chicago, all owned by the same claimants, herein.

Signed, *Herbert R. Patrick*
M.S. Deputy Min Surveyor

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Herbert R. Patrick

United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines corners and boundaries described in the foregoing field notes of the survey of the mining claims of the Pikes Peak Gold and Copper Mining Co.

known as the Pikes Peak Mountain View, Bolner Annex and Ohio Lode Claims and the Pikes Peak Mountain View and Annex Nullsite Claims and showing the respective capacities in which they acted.

Emory Strait, Chainman.
J. Wilfred Brownell, Chainman.
Charles A. Seales, Axman.
Charles A. Seales, Flagman.

FINAL OATHS OF ASSISTANTS.

We, Emory Strait, J. Wilfred Brownell and Charles A. Seales, do solemnly swear that we assisted Herbert R. Patrick, United States Deputy Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of the Pikes Peak Gold and Copper Mining Co. known as the Pikes Peak Mountain View, Bolner Annex and Ohio Lode Claims and the Pikes Peak Mountain View and Annex Nullsite Claims, represented

26

TERRITORY OF ARIZONA,
County of Marcopha } ss.
Before me, Tho. J. Freath, a Notary Public in and for the
County of Marcopha Territory of Arizona, on this day personally appeared
Emory Strait and J. Wilfred Brownell Esqrs A. Seales
known to me to be the person whose names are subscribed to the foregoing instrument, and acknowledged to me
that they executed the same for the purpose and consideration therein expressed.
Given under my hand and seal of office this eighth day
of July, A. D. 1903
¹⁸⁹³
(My Commission Expires Sept 5th 1904) Tho. J. Freath
Notary Public.

No. 130—ACKNOWLEDGMENT—The H. H. McNeil Company's Red-Line Blanks, Phoenix, Arizona

Herbert R. Patrick
H. H. Deputy Mineral Surveyor

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, Herbert R. Patrick, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated June 3rd, 1903, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of The Pike Peak Gold and Copper Mining Company, known as the Pike Peak Mountain View, Broken Annex, known as the and Old Hodges and Pike Peak Mountain View and Annex Millsite, situate in Pikes Peak Mining District, Marietta County, Arizona, in Section 31, Township No. T.N., Range No. 1 W. and Sec. 6. T. 6 N. R. 1 W. and designated as Survey No. 1809-A and B, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or their grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Herbert R. Patrick
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said Herbert R. Patrick,
U. S. Deputy Mineral Surveyor, before me Elias J. Donley
this 1st day of August, 1903.

Elias J. Donley Clerk
By J. Giffen Deputy Clerk

Affidavit of Five Hundred Dollars Improvements:

We, J Wilfred BroomeLL and W H Ward

of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the ~~Pikes Peak, Mountain View, Bohne's Runney~~ ^{Ohio} mining claims situate in Pikes Peak Mining district, Maricopa County, Arizona Territory, for which The Pikes Peak Gold and Copper Mining Company has made application for survey prior to application for patent under the provisions of the Act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon by the applicant and ~~their~~ grantors exceed Five Hundred Dollars in value, and further that we are not personally interested in said mine.


J Wilfred BroomeLL

W H Ward

TERRITORY OF ARIZONA,
County of Maricopa } ss:

by J Wilfred BroomeLL

Sworn to and subscribed before me this 1st



day of August, 1903

My Commission
Expires Jan 6 1906

L H. Lahmers

Notary Public

Subscribed and sworn to before
me this first day of August 1903
by W. H. Ward

J A Kierland
Notary Public

TERRITORY OF ARIZONA, } ss.
County of Maricopa.

I, B. F. McFALL, County Recorder in and for the County and Territory aforesaid,
hereby certify that I have compared the foregoing copy with the original Amended Notice
of Mining Location or the "MOUNTAIN VIEW" Mining Claim

filed and recorded in my office on the 2nd day of June 1903, in Book
No. 13 of Mining Records
at Page 179, and that the same is a full, true and correct
copy of such original and of the whole thereof.

Witness my hand and seal of office, this 3rd
day of June 1903

B. F. McFall
County Recorder.
By A. S. Arthur
Deputy.

AMENDED NOTICE OF MINING LOCATION.

LODE CLAIM.

31

KNOW ALL MEN BY THESE PRESENTS: That the undersigned, Pikes Peak Gold and Copper Mining Company, a corporation organized under the laws of the Territory of Arizona and having its principal office and place of transacting business at Phoenix, Maricopa County, Arizona, all of the incorporators, stockholders and officers of said corporation being citizens of the United States, does hereby make and file this Amended Notice of Location upon the "Mountain View" Mining Claim.

This mining claim, the name of which is the "Mountain View" Mining Claim, situate on lands belonging to the United States, was entered upon, located and claimed for the purpose of exploration and purchase by the said corporation. The said claim has a length of fifteen hundred (1500) feet, and the said corporation claims six hundred (600) feet along the ledge or vein in a Northerly direction and nine hundred (900) feet in a Southerly direction from the center of the Discovery Shaft, at which this notice is posted, lengthwise of the claim, together with three hundred (300) feet in width of the surface grounds on each side of the center of said ledge or vein. The general course of the lode deposit and premises is from the Northerly to the southerly.

The claim is situated and located in the Pikes Peak Mining District in Maricopa County, Arizona Territory, on the North-easterly side of Garfias Wash and about one-quarter of a mile therefrom, and about three and one-half (3 1/2) miles North-westerly of Baldy Mountain Spring and about one-half mile south-westerly from Pikes Peak mountain, and joins South end of "Pikes Peak" Mining Claim.

The surface boundaries are marked upon the ground as follows: Beginning at a monument of stone at a point in a Northerly direction six hundred (600) feet from the Discovery Shaft (at which this notice is posted) being in the center of the North end line of said claim; running thence Westerly three hundred (300) feet to a monument of stone, being the North-west corner of said claim; thence Southerly fifteen hundred (1500) feet parallel to the ledge or vein to a monument of stone, being the South-west corner of said claim; thence Easterly three hundred (300) feet to a monument of stone at the center of the South end line of said claim; thence Easterly three hundred (300) feet to a monument of stone, being at the South-east corner of said claim; thence Northerly fifteen hundred (1500) feet parallel to the ledge or vein to a monument of stone, being at the Northeast corner of said claim; thence Westerly three hundred (300) feet to the place of beginning.

This Amended Notice is made and filed without waiver of any previous rights for the purpose of correcting and making more specific the boundaries and description of said claim as originally located upon the ground on the 12th day of February, 1893, by J.K.Carty, A.D. McGinnis and J.W.McGinnis; and for the further purpose of describing the said claim as of this date being situate in the Pikes Peak Mining District whereas at the date of the said original location said claim was situate and described in said original location notice as being in the Agua Fria Mining District; the said Pikes Peak Mining District having been organized according to law on the 8th day of January, 1902, and record thereof filed in the offices of the respective County Recorders of Maricopa and Yavapai Counties in which Counties the said district is organized and situate; and this notice ~~for~~ is for the further purpose of correcting any error in prior location or record and to secure all of the benefits of the laws of the United States and of the Territory of Arizona now in force, the said original locators of said mining claim having heretofore by mesne conveyances conveyed said claim to this corporation.

All done under the Laws of the United States and of the Territory of Arizona.

Dated on the ground this 27th day of January 1903.
Date of original location
February 12th, 1893, Book 5 of PIKES PEAK GOLD & COPPER MINING COMPANY
"Mines" page 554, Recorder's Office, Maricopa County.

By John McGinnis President

By C. A. Burns Secretary.

TERRITORY OF ARIZONA, } ss.
County of Maricopa. }

I, B. F. McFALL, County Recorder in and for the County and Territory aforesaid,³²
hereby certify that I have compared the foregoing copy with the original Amended Notice
of Mining Location of the "PIKES PEAK" Mining Claim
filed and recorded in my office on the 2nd day of June 1903, in Book
No. 13 of Mining Records
at Page 187, and that the same is a full, true and correct
copy of such original and of the whole thereof.

Witness my hand and seal of office, this 3rd
day of June 1903

B. F. McFall
County Recorder
By A. S. Arthur
Deputy.

AMENDED NOTICE OF MINING LOCATION

LODE CLAIM.

33

KNOW ALL MEN BY THESE PRESENTS:

Gold and Copper Mining Company, a corporation organized under the laws of the Territory of Arizona and having its principal office and principal place of business at Phoenix, Maricopa County, Arizona all of the incorporators, stockholders and officers of said corporation being citizens of the United States, does hereby file this Amended Notice of Location upon the "Pikes Peak" Mining Claim.

This mining claim, the name of which is the Pikes Peak Mining Claim, situate on lands belonging to the United States of America, was entered upon, located and claimed for the purpose of exploration and purchase by the said corporation. The said claim has a length of fifteen hundred (1500) feet, and the said corporation claims lengthwise along the ledge or vein eight hundred and fifteen (815) feet in a northerly direction and six hundred eighty-five (685) in a southerly direction from the center of the Discovery Shaft, at which this notice is posted, lengthwise of the claim, together with three hundred (300) feet in width of the surface grounds on each side of the center of said ledge or vein. The general course of the lode deposit and premises is from the Northwesterly to the Southerly.

The claim is situated and located in the Pikes Peak Mining District in Maricopa County, Arizona Territory, on the North-east side of Garfield Wash, about one-half mile therefrom, and about three and one-half ($3 \frac{1}{3}$) miles North-west of Baldy Mountain Spring and one-half mile Westerly from Pikes Peak Mountain.

The surface boundaries are marked upon the ground as follows: Beginning at a monument of stone at a point in a Northerly direction eight hundred fifteen (815) feet from the Discovery Shaft (at front _____ which _____ is _____ this notice is posted) being in the center of the North end line of said claim; running thence Westerly three hundred (300) feet to a monument of stone being the North-west corner of said claim; thence Southerly fifteen hundred (1500) feet parallel to the ledge or vein to a monument of stone, being at the South-west corner of said claim; thence Easterly three hundred (300) feet to a monument of stones at the center of the South end line of said claim; thence Easterly three hundred (300) feet to a monument of stones being at the South-east corner of said claim; thence Northerly fifteen hundred (1500) feet parallel to the ledge or vein to a monument of stones being at the North-east corner of said claim; thence Westerly three hundred (300) feet to the place of beginning.

This Amended Notice is made and filed without waiver of any previous rights for the purpose of correcting and making more specific the boundaries and description of said lode and claim as originally located upon the ground on the 23rd day of February, 1893, by J. L. Cartt, A. D. McGinnis and J. W. McGinnis; and for the further purpose of describing the said claim as of this date, being situate in the Pikes Peak Mining District, whereas the date of the said original location said claim was situate and described in said original location notice as being in the "Agua Fria" Mining District; the said Pikes Peak Mining District having been organized according to law on the 8th day of January 1902, and a record thereof filed in the offices of the respective County Recorders of Maricopa and Yavapai Counties in which said District is organized and situate; and this Amended Notice is filed for the further purpose of correcting any error in prior location or record and to secure all of the benefits of the Laws of the United States and of the Laws of the Territory of Arizona now in force, the said original locators of said mining claim having heretofore by mesne conveyances conveyed said claim to said corporation.

All done under the laws of the United States and of the Territory of Arizona.

Dated on the ground this 27 day of May 1903.

Date of original location
February 23rd, 1893, Book 5
of "Mines" page 552 Recorder's
Office Maricopa County.

PIKES PEAK GOLD & COPPER MINING COMPANY

By Amur D. Barnes President
By L. E. Barnes Secretary.

TERRITORY OF ARIZONA, } ss.
County of Maricopa.

34

I, B. F. McFALL, County Recorder in and for the County and Territory aforesaid,
hereby certify that I have compared the foregoing copy with the original Amended Notice
of Mining Location of the "BOHNER" Mining Location
filed and recorded in my office on the 2nd day of June 1903, in Book

No. 13 of Mining Records
at Page 190, and that the same is a full, true and correct
copy of such original and of the whole thereof.

Witness my hand and seal of office, this 3rd
day of June 1903

B. F. McFall
County Recorder.
A. S. Arthur
Deputy.

LODE CLAIM.

KNOW ALL MEN BY THESE PRESENTS: —

Gold & Copper Mining Company, a corporation, organized under the laws of the Territory of Arizona and having its office and principal place of transacting business at Phoenix, Maricopa County, Arizona, all of its incorporators, stockholders and officers being citizens of the United States, does hereby make and file this Amended Notice of Location upon the "Bohner" Mining Claim.

This Mining Claim, the name of which is the "Bohner" Mining Claim, situate on land belonging to the United States, entered upon, located and claimed for the purpose of exploration and purchase by the said corporation. The said claim has a length of fifteen hundred (1500) feet, and the said corporation claims eleven hundred (1100) feet along the ledge or vein in a Northerly direction and four hundred (400) feet in a Southerly direction from the center of the Discovery Shaft, at which this notice is posted, lengthwise of the claim, together with three hundred (300) feet in width of the surface grounds on each side of the center of said ledge or vein. The general course of the lode deposit and premises is from the northerly to the southerly.

The claim is situated and located in the Pikes Peak Mining District on North-easterly side of Garfias Wash in Maricopa County, Arizona Territory and about three-fourths ($\frac{3}{4}$) miles South-westerly from Pikes Peak Mountain, joining West side of "Mountain View" Claim.

The surface boundaries are marked upon the ground as follows: Beginning eleven hundred (1100) feet in a northerly direction from the Discovery Shaft at a stone monument in the center of the North end line of said claim; thence easterly three hundred (300) feet to a monument of stone being the north-east corner of said claim; thence southerly and parallel with said lode, fifteen hundred (1500) feet to a monument of stone being the south-east corner of said claim; thence westerly three hundred (300) feet to a stone monument at the center of the south end line of said claim; thence Westerly three hundred (300) feet to a monument of stone being the South-west corner of said claim; thence Northerly fifteen hundred (1500) feet and parallel to said lode to a stone monument at the north-west corner of said claim; thence easterly three hundred (300) feet to the place of beginning.

This Amended Notice is made and filed without waiver of any previous rights for the purpose of correcting and making more specific the boundaries and description of said claim as originally re-located upon the ground by A.D. McGinnis, J.W. McGinnis and Frank Byler; as an abandoned ~~claim~~ mine on the 18th day of January, 1896; the said claim having formerly been known as the "Arizona" Mining Claim; and for the further purpose of describing the said claim as of this date being situate in the Pikes Peak Mining District, whereas the date of the said original relocation said claim was situate and described in said original relocation notice as being in the Agua Fria Mining District; the said Pikes Peak Mining District having been organized according to law on the 8th day of January, 1902, and record thereof filed in the offices of the respective County Recorders of Maricopa and Yavapai Counties in which counties the said District is organized and situate; and this notice is for the further purpose of correcting any error in prior location or record and to secure all of the benefits of the laws of the United States and of the Territory of Arizona now in force. The said original relocators of said mining claim having heretofore by mesne conveyances conveyed said claim to this corporation.

All done under the laws of the United States and of the Territory of Arizona.

Dated on the ground this 27th day of May 1903.
THE PIKES PEAK GOLD & COPPER MINING COMPANY

Date of original relocation By A. D. McGinnis President
January 18th, 1896, Book 7 of
"Mines" page 305, Recorder's office
Maricopa County.

By J. C. Byler Secretary.

TERRITORY OF ARIZONA, } ss.
County of Maricopa.

I, B. F. McFALL, County Recorder in and for the County and Territory aforesaid,
hereby certify that I have compared the foregoing copy with the original Amended Notice
of Mining Location of the "ANNEKA" Mining claim

filed and recorded in my office on the 2nd day of June 1903, in Book
No. 13 of Mining Records
at Page 182, and that the same is a full, true and correct
copy of such original and of the whole thereof.

Witness my hand and seal of office, this 3rd
day of June 1903

B. F. McFall
County Recorder.
By A. S. Arthur
Deputy.

AMENDED NOTICE OF MINING LOCATION

37

4

LODE CLAIM.

KNOW ALL MEN BY THESE PRESENTS:

GOLD AND COPPER MINING COMPANY, a corporation, organized under the laws of the Territory of Arizona and having its office and principal place of transacting business at Phoenix, Maricopa County, Arizona, all of its incorporators, stockholders and officers being citizens of the United States, does hereby make and file this Amended Notice of Location upon the "Annex" Mining Claim.

This mining claim, the name of which is the "Annex" mining claim, situate on land belonging to the United States, entered upon, located and claimed for the purpose of exploration and purchase by said corporation, has a length of fifteen hundred (1500) feet and the said corporation claims one hundred seventy (170) feet along the ledge or vein in a North^{WEST} direction and thirteen hundred thirty (1330) feet in a South^{EAST} direction from the center of the Discovery Shaft, at which this Notice is posted, together with three hundred (300) feet in width of the surface grounds on each side of the center of said ledge or vein. The general course of the lode deposit and premises is from the Northwesterly to the Southeasterly.

This claim is situated and located in the Pikes Peak Mining District in Maricopa County, Arizona, on the Northerly side of Gaffias Wash about three-fourth (3/4) miles South-west of Pikes Peak Mountain.

The surface boundaries are marked on the ground as follows: Beginning at a monument of stone at the South end of Mountain View mine at a point Northerly one hundred seventy (170) feet from the Discovery Shaft, at which this Notice is posted, being the center of the North end line of said claim; thence Easterly three hundred (300) feet to a monument of stone being the North-east corner of said claim; thence South^{EAST} parallel to said lode fifteen hundred (1500) feet to a monument of stone at the South-east corner of said claim; thence Westerly three hundred (300) feet to a monument of stone at the center of the South end line of said claim (~~anxxixxxxxxxxxxx~~); thence Westerly three hundred (300) feet to a monument of stone at the Southwest corner of said claim; thence North-westerly and parallel to said lode fifteen hundred (1500) feet to a monument of stone at the Northwest corner of said claim; thence Easterly three hundred (300) feet to the place of beginning.

This Amended Notice is made and filed without waiver of any previous rights for the purpose of correcting and making more specific the boundaries and description of said claim as originally relocated upon the ground by A. D. McGinnis as an abandoned mine on the 26th day of June, 1909, ~~saxxxxxxx formerly known as xxxxxxxxxxxx~~

; and for the further purpose of describing said claim as of this date being situate in the Pikes Peak Mining District, whereas at the date of the said original relocation, said claim was situate and described as being in the Morgan City Mining District; the said Pikes Peak Mining District having been organized according to law on the 8th day of January, 1902, and record thereof filed in the offices of the respective County Recorders of Maricopa and Yavapai Counties in which Counties said District is organized and situate; and for the further purpose of correcting any error in prior location or record and to secure all of the benefits of the laws of the United States and of the Territory of Arizona now in force; the said A. D. McGinnis having heretofore by mesne conveyances conveyed said claim to this corporation.

All done under and in accordance with the laws of the United States and of the Territory of Arizona.

Dated on the ground this 27th day of May 1903.

PIKES PEAK GOLD & COPPER MINING COMPANY

Date of original re-location June 26th, 1900,
Book 9 of Mines page 155,
Maricopa County Records.

BY Amer D. McGinnis President

By S. E. Kruining Secretary.

TERRITORY OF ARIZONA, } ss.
County of Maricopa. }

I, B. F. McFALL, County Recorder in and for the County and Territory aforesaid,
hereby certify that I have compared the foregoing copy with the original Amended Notice
of Mining Location of the "OHIO" Mining claim.....
filed and recorded in my office on the 2nd day of June 1903, in Book

No. 13 of Mining Records.....

at Page 103, and that the same is a full, true and correct
copy of such original and of the whole thereof.

Witness my hand and seal of office, this 3rd
day of June 1903


B. F. McFall
County Recorder
By 
A. S. Arthur
Deputy.

AMENDED NOTICE OF MINING LOCATION.

LODGE CLAIM.

39

KNOW ALL MEN BY THESE PRESENTS:

That the undersigned, Pikes Peak Gold and Copper Mining Company, a corporation, organized under the laws of the Territory of Arizona and having its office and principal place of transacting business at Phoenix, Maricopa County, Arizona, all of the incorporators, stockholders and officers of said corporation being citizens of the United States, does hereby make and file this Amended Notice of Location upon the "Ohio" Mining Claim.

This mining claim, the name of which is the "Ohio" Mining Claim situate on lands belonging to the United States was entered upon, located and claimed for the purpose of exploration and purchase by said corporation. The said claim has a length of fifteen hundred (1500) feet and the said corporation claims lengthwise along the ledge or vein seven hundred and twenty (720) feet in a northerly direction and seven hundred and eighty (780) feet in a southerly direction from the center of the Discovery Shaft (at which this Notice is posted) together with three hundred (300) feet in width of the surface grounds on each side of the center of said ledge or vein. The general course of the lode deposit and premises is from the northerly to southerly.

The claim is situated and located in the Pikes Peak Mining District in Maricopa County, Arizona Territory, and about one mile in a South-west direction from Pikes Peak Mountain, said claim having its northerly boundary line coinciding for part of its length with the southerly boundary of the "Annex" Mining Claim.

The surface boundaries are marked upon the ground as follows:- Beginning at a stone monument at a point seven hundred and twenty (720) feet northerly from the Discovery Shaft (at which this notice is posted) being in the center of the North end line of said claim; running thence Easterly three hundred (300) feet to a stone monument, being the North-east corner of said claim; thence Southerly fifteen hundred (1500) feet parallel to said vein or lode to a stone monument, being the South-east corner of said claim; thence three hundred (300) feet westerly to a monument of stone at the center of the South end line of said claim; thence Westerly three hundred (300) feet to a stone monument, being the South-west corner of said claim; thence northerly fifteen hundred (1500) feet parallel to said lode to a stone monument, being the North-west corner of said claim; thence Easterly three hundred (300) feet to the place of beginning.

This Amended Notice is made and filed without waiver of any previous rights for the purpose of correcting and making more specific the boundaries and descriptions of said claim as originally located upon the ground by A. D. McGinnis on the 18th day of January, 1896, the said McGinnis relocating the same as the "Ohio" Mining Claim and as having been abandoned and formerly known as the "Golden Starr" Mining Claim; and for the further purpose of describing the said claim as of this date being situate in the Pikes Peak Mining District, whereas at the date of the said original relocation, the said claim was situate and described as being in the "Agua Fria" Mining District; the said Pikes Peak Mining District having been organized according to law on the 8th day of January 1902 and a record thereof filed in the offices of the respective County Recorders of Maricopa and Yavapai Counties in which Counties the said District is organized and situate; and for the further purpose of correcting any error in prior location or relocation or record and to secure all of the benefits of the Laws of the United States and of the Territory of Arizona now in force; and said original locator, A. D. McGinnis, having heretofore by mesne conveyances conveyed said claim to this corporation.

All done under the laws of the United States and of the Territory of Arizona.

Dated on the ground this 27th day of May 1903.

Date of original relocation
January 18th, 1896, Book 7
of "Mines" page 304
Recorder's Office, Maricopa
County.

PIKES PEAK GOLD & COPPER MINING COMPANY

By Amer D. McGinnis, President

By C. E. Burns, Secretary.

TERRITORY OF ARIZONA, } ss.
County of Maricopa.

40

I, B. F. McFALL, County Recorder in and for the County and Territory aforesaid,
hereby certify that I have compared the foregoing copy with the original location Notice
of the "PIKES PEAK" Mill Site Claim And Water Right
filed and recorded in my office on the 2nd day of June 1903, in Book
No. 13 of Mining Records
at Page 185, and that the same is a full, true and correct
copy of such original and of the whole thereof.

Witness my hand and seal of office, this 3rd
day of June 1903.

B. F. McFall
County Recorder.
By A. S. Arthur
Deputy.

LOCATION NOTICE

OF

THE "PIKES PEAK"

MILL SITE CLAIM AND WATER RIGHT.

KNOW ALL MEN BY THESE PRESENTS:

PIKES PEAK GOLD AND COPPER MINING COMPANY, a corporation organized under the laws of the Territory of Arizona and having its office and principal place of transacting business at Phoenix, Maricopa County, Arizona, all of its incorporators, stockholders and officers being citizens of the United States, has this day located and does hereby locate a mill site for the purpose of erecting suitable works for reducing the ores of the "Pikes Peak" Mining Claim situated in the Pikes Peak Mining District, Maricopa County, Arizona Territory. The exterior boundaries of said Pikes Peak Mill Site Claim are as follows, viz:

Commencing at a stone monument at the North-east corner of claim, which is the South-east corner of the Mountain View Mill Site Claim; running thence in a Westerly direction along the Southerly line of the Mountain View Mill Site Claim six hundred thirty-three (633) feet to a stone monument at the North-west corner of claim and on the Easterly side line of the Ohio Mining Claim, at a point four hundred eighty-five (485) feet from the North-east corner of said Ohio Mining Claim; thence in a Southerly direction along the said Easterly side line of the said "Ohio" Mining Claim three hundred forty-three (343) feet to a stone monument at the South-west corner of claim; thence in an Easterly direction six hundred thirty-three (633) feet to a stone monument at the South-east corner of claim; thence in a Northerly direction three hundred forty-three (343) feet to a stone monument at the North-east corner of claim and place of beginning.

This location may be more generally described as situate in the Pikes Peak Mining District in Maricopa County, Arizona Territory, about twelve (12) miles in a Northwesterly direction from the Frog Tanks Dam and about one (1) mile South of Pikes Peak Mountain. This mill site claim occupies part of the ground originally covered by the Alimo Claim, owned by the said Pikes Peak Gold and Copper Mining Company, the location of the said Alimo Claim hereby being abandoned by said Company.

That said Company has also located in connection with said Mill Site Claim, five hundred (500) inches of the water of the under ground flow, under and in accordance with the laws of the Territory of Arizona regulating the location and possession of water rights for mining and milling purposes.

Dated on the ground this 15th day of April, 1903.

THE PIKES PEAK GOLD AND COPPER MINING COMPANY

WITNESSES

By Amer McGrimes President
 By C E Brown Secretary.

42

TERRITORY OF ARIZONA, } ss.
County of Maricopa.

I, B. F. McFALL, County Recorder in and for the County and Territory aforesaid,
hereby certify that I have compared the foregoing copy with the original location notice
of the "MOUNTAIN VIEW" Mill Site Claim And Water Right
filed and recorded in my office on the 2nd day of June 1903, in Book
No. 13 of Mining Records
at Page 197, and that the same is a full, true and correct
copy of such original and of the whole thereof.
Witness my hand and seal of office, this 3rd
day of June 1903

B. F. McFall
County Recorder.
A. V. Arthur
Deputy.

LOCATION NOTICE

43

OF

THE "MOUNTAIN VIEW"

MILL SITE CLAIM AND WATER RIGHT.

KNOW ALL MEN BY THESE PRESENTS:

PIKES PEAK GOLD AND COPPER MINING COMPANY, a corporation organized under the laws of the Territory of Arizona and having its office and principal place of transacting business at Phoenix, Maricopa County, Arizona, all of its incorporators, stockholders and officers being citizens of the United States, does hereby locate and has this day located a Mill Site for the purpose of erecting suitable works for reducing the ores of the "Mountain View" Mining Claim situate in the Pikes Peak Mining District, Maricopa County, Arizona Territory; the exterior boundaries of said Mountain View Mill Site Claim are as follows:

Commencing at a stone monument at the North-east corner of claim and running thence in a Westerly direction six hundred thirty-three (633) feet to a stone monument at the North-west corner of claim and on the Easterly side line of the "Ohio" Mining Claim, at a point one hundred forty-two (142) feet from the North-east corner of said Ohio Mining Claim; thence in a Southerly direction three hundred forty-three (343) feet along the said East side line of the Ohio claim to a stone monument at the South-west corner of claim; thence in an Easterly direction six hundred thirty-three (633) feet to a stone monument at the South-east corner of claim; thence in a Northerly direction three hundred forty-three (343) feet to a stone monument at the North-east corner of claim and place of beginning.

This location may be more generally described as being situated in the Pikes Peak Mining District in Maricopa County, Arizona Territory, about twelve (12) miles in a North-westerly direction from the Frog Tanks Dam and about one (1) mile South of Pikes Peak Mountain. This mill site claim occupies part of the ground originally covered by the Alimo claim owned by the said Pikes Peak Gold and Copper Mining Company, the location of the said Alimo claim being hereby abandoned by said Company.

That said Company has also located in connection with said Mill Site Claim, five hundred (500) inches, miners' measure, of the water of this Under Ground Flow, under and in accordance with the laws of the Territory of Arizona regulating the location and possession of water rights for mining and milling purposes.

Dated on the ground this 18th day of April 1903.

THE PIKES PEAK GOLD AND COPPER MINING COMPANY

WITNESSES

By Amr D. G. Minn PresidentBY L. C. Brown Secretary.

44

TERRITORY OF ARIZONA, } ss.
County of Maricopa.

I, B. F. McFALL, County Recorder in and for the County and Territory aforesaid,
hereby certify that I have compared the foregoing copy with the original location notice
of the "ANNEKA" Mill Site Claim And Water Right.....
filed and recorded in my office on the.....2nd..... day of.....June..... 1903, in Book
No. 13..... of Mining Records.....
at Page 196....., and that the same is a full, true and correct
copy of such.....original.....and of the whole thereof.
Witness my hand and seal of office, this.....3rd.....
day of.....June..... 1903

B. F. McFall
County Recorder
A. S. Cullum
Deputy.

LOCATION NOTICE

45

THE "ANNEX" MILL SITE CLAIM AND WATER RIGHT.

KNOW ALL MEN BY THESE PRESENTS:

That the undersigned PIKE'S PEAK GOLD & COPPER MINING COMPANY, a corporation organized under the laws of the Territory of Arizona, and having its office and principal place of transacting business at Phoenix, Maricopa County, Arizona Territory, all of its incorporators, stockholders and officers being citizens of the United States, has this day located and does hereby locate a mill site for the purpose of erecting suitable works for reducing the ores of the "ANNEX" Mining Claim, situate in the Pikes Peak Mining District, Maricopa County, Arizona Territory. The exterior boundaries of said "ANNEX" Mill Site Claim are as follows, viz:

commencing at a stone monument at the North-east corner of claim, running thence in a Westerly direction four hundred sixty-six and one-half ($466 \frac{1}{2}$) feet to a stone monument at the Northwest corner of claim; thence in a Southerly direction four hundred sixty-six and one-half ($466 \frac{1}{2}$) feet to a stone monument at the South-west corner of claim; thence in an Easterly direction four hundred sixty-six and one-half ($466 \frac{1}{2}$) feet to a stone monument at the South-east corner of claim; thence in a Northerly direction four hundred sixty-six and one-half ($466 \frac{1}{2}$) feet to a stone monument at the North-east corner of claim and place of beginning. This location may be more generally described as being situate in the Pikes Peak Mining District in Maricopa County, Arizona Territory, about two (2) miles East from the Pikes Peak Group of mines and about two (2) miles Southeast of Pikes Peak Mountain.

That said Company has also located in connection with said mill site claim one thousand (1,000) inches of water of this Under Ground Flow, under and in accordance with the laws of the Territory of Arizona regulating the location and possession of water rights for mining and milling purposes.

Dated on the ground this 15th day of April, 1903.

THE PIKE'S PEAK GOLD AND COPPER MINING COMPANY

BY Amer D'Ginnis President

WITNESSES

BY C E Stevens Secretary.

4-687.

**SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD
NOTES AND SURVEY OF MINING CLAIM.**

Department of the Interior.

Office of U. S. Surveyor-General,

Phoenix, Arizona.

November 25th, 1903.

I, U. S. Surveyor-General for Arizona.....

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of Pikes Peak Gold and Copper Mining Company.....

....., known as the Pikes Peak, Mountain View, Annex, Bohner, lodes, and Pikes Peak, Mountain View and Annex Millsite claims.....

situate in Pikes Peak..... mining district,

Maricopa..... County, Arizona.....

and in Section 31....., Township No. 7 North....., Range No. 1 West.....
and " 6....., " 6 North....., " " 1 West.....

....., designated as Survey No. 1809 A and B.....

executed by Herbert R. Patrick....., U. S. Deputy Mineral

Surveyor, June 4th--June 9th....., 1903., under my instructions dated

June 3rd....., 1903., have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank D. Ingalls

U. S. Surveyor-General for Arizona.

UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (956)
BUREAU OF LAND MANAGEMENT M.S.1809B
ARIZONA STATE OFFICE

NOTICE OF CANCELLATION OF MINERAL SURVEY

The Annex Millsite, Mineral Survey No. 1809B, located in section 4, Township 6 North, Range 1 West, and section 33, Township 7 North, Range 1 West, Gila and Salt River Meridian, Arizona, is hereby canceled.

This claim has not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"Annex Millsite, M.S. 1809B, was canceled March 25, 2002, by memo 9605 (956) M.S. 1809B, which is now a part of the original field notes."

March 25, 2002
Date

Kenny D Hawinkar
Chief Cadastral Surveyor of Arizona