7/20/13

(4-683.)

#### Mineral Survey No. 1822

Lot No.

### FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF Hereny P. Ward, Franklin W. Booker, Harry C. Dankless KNOWN AS THE

Black o Cal Macculacia Mining District, County, Orezand Township 45., Range 29 Surveyed under instructions dated fecuse 154,190,3 U. S. Deputy Mineral Surveyor. Survey commenced.....

,1903 Survey completed....

# PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

o solemnly swear that we	dunn,
	will well and faithfully execute the duties of chain carriers; that we will
	and uneven ground and plumb the tally-pins, either by sticking or dropping
	port the true distance to all notable objects, and the true length of all lines
	g, to the best of our skill and ability, and in accordance with instructions
given us, in the survey of	the Mining Claim of Henry Q. Wood, Franklin W.
	& Harry C. Danuflesq.
nown as the	Blook Cal Sol
ituate in Cafela	en Maccifeir mining district
Garle	@ ~
Crair acc	vnship No. 45, Range No. 29 E. umanage
Section Store Tow	vnship No. 45, Range No. 29 E. emanagel
2.6	
	FLour Chainman.
	; Chainman
	Subscribed and sworn to by the above named persons before me this
	10 4
	day of, 190
	( Hocean
	day of June, 1903
	They form sein Chame hollb.
I, 54.2.	Access, do solemnly swear that I will well and truly
	nan, in the establishment of corners and other duties, according to instruc-
ions given me and to t	the best of my skill and ability, in the survey of the Mining Claim of
There a.	Was Franklin W Booken and
12	3 1
Jarry &	-, Nacciplisa
nown as the	Wood, Franklin W. Broken and E. Daemiklass Black Cal Fords
nore fully described in the	
note tany described in the	Aft of
	June 1
	, Axman.
	Axman.
	Subscribed and sworn to by the said H. Dunn
	Subscribed and sworn to by the said H. Dunn
	Subscribed and sworn to by the said H. L. Dunn before me this 4 day of
	Subscribed and sworn to by the said
	Subscribed and sworn to by the said
	Subscribed and sworn to by the said
	Subscribed and sworn to by the said
N. L. Walter	Subscribed and sworn to by the said A. Dunn  before me this g day of  f Roce  notary Publi  my Commission Expense
	Subscribed and sworn to by the said A. Dunn  before me this 19 day of  1903  C. Rocca Public  My Commercial Expense  do solemnly swear that I will well and truly
perform the duties of flag	Subscribed and sworn to by the said
perform the duties of flag	Subscribed and sworn to by the said A. Dunn  before me this 19 day of  1903  C. Rocca Public  My Commercial Expense  do solemnly swear that I will well and truly
perform the duties of flag	Subscribed and sworn to by the said
perform the duties of flag	Subscribed and sworn to by the said
perform the duties of flag	Subscribed and sworn to by the said
perform the duties of flag	Subscribed and sworn to by the said
perform the duties of flag tions given me and to	Subscribed and sworn to by the said A. Denn before me this day of June 1903  Particle May Contain Replication of Solemnly swear that I will well and truly gman, in the establishment of corners and other duties, according to instructhe best of my skill and ability, in the survey of the Mining Claim of
perform the duties of flag tions given me and to known as the	Subscribed and sworn to by the said  before me this  190  Color  notary Public  my connection Experime  do solemnly swear that I will well and truly  gman, in the establishment of corners and other duties, according to instructhe best of my skill and ability, in the survey of the Mining Claim of  the preceding affidavit.
perform the duties of flag tions given me and to known as the	Subscribed and sworn to by the said A. Denn before me this day of June 1903  Particle May Contain Replication of Solemnly swear that I will well and truly gman, in the establishment of corners and other duties, according to instructhe best of my skill and ability, in the survey of the Mining Claim of
perform the duties of flag tions given me and to known as the	Subscribed and sworn to by the said A. Aum  before me this
perform the duties of flag tions given me and to known as the	Subscribed and sworn to by the said  before me this  190  Color  notary Public  my connection Experime  do solemnly swear that I will well and truly  gman, in the establishment of corners and other duties, according to instructhe best of my skill and ability, in the survey of the Mining Claim of  the preceding affidavit.
perform the duties of flag tions given me and to known as the	Subscribed and sworn to by the said A. Aum  before me this
perform the duties of flag ions given me and to the known as the	Subscribed and sworn to by the said
erform the duties of flag ons given me and to	Subscribed and sworn to by the said

#.

Black Cat Loge -

Beginning at Con. Ho. 1 Of feing Least, 4x6 ins, 5 ft. Lang, set on bed rock, surrounded by mound of store, scribed 1-1822, lolience,

U.S. L. M. NO. 4 bears 5. 87°12' W. 1609 ft.

Queras (x) and B.G. 1-1822, chiscled on quartzite hedrock, expeased 1.5 × 1.5 ft., beard 7.8°02'E. 8 ft.

There 5.71°00 €.

463.5 To Cor. 46. 2

Identical with Cor. 76. 18-1127,
Michigan lade,

of Jeing Jeach, 4×6 ins, 2m

ferre, scribed 2×1822, Coloner

a cross (x) and B.R. 2-1822

chicles on Linestane bedrock,

ex feased 6x 6 ft., hear 0.15° 25 W. 25.5 ft.

There 7. 28°28 E. Va. 13°30' E.

121.29 SE. End. center of the Cocation

Identine with Can. 76.8-1127

Finna lada.

General (x) and BQ. 3-1822 Chineles

1

on quartaite hed noch extensed 1.5 x 2 gh, bears 1. 42°25 th. 24.5 gh. There 7. 7,000 W. Va. 12°45 8. To can House apring peak, 4x6 min. oft. Lang, Net 12 cing, in the ground, to bed noch, surrounded by mount of state, serviced 4-1822, elotiones accord (x) accd 130 4-1812 chiseled on quartite paint 2+2 gh. 2 ft. Ligh, Cara 71. 150 19' W. 18.2 gr. There 5. 28° 28' W. Va. 13°20 €. 8.83 Intersect Ling 17-18 Michigan bode Aur. 26. 1127, ax 71.42°31 W. 483. 51 ft. from Lor. Ho. 18 121.29 Hw. End center of the Cocation 242.58 To car. 26.1, the place of beginning. The survey of the Black Col lode is identical with its focation. Area Total area Block Car look 2.5-46 A. area in Raufbeh with Michegan Code, Sur. 26. 1127 1.227 11 Total and Block Cot Cole 2.546, Sissava in Conflict with Michegan loke, Six. 20. 1/27

Hex area lake claim

5. 83°40' W. 7×8 ft, sunning 7. 60°43'11. 26 ft. to breach

Valery 26

an open can and ternel, The mouth of the open out, bears from as. Ho. v 7. 18°57 W. 105 ft., 6 ft. wide.

sunning 7. 35009 E. 24 ft. and

434. in 4×6 ft. tunnel; theree

7. 53° 44 E. 19 ft. in 1×6 timel,

Value

to breach,

270,00

This warrey was resh dirty a Surley legal mountain transit, fitted with a Bart's wolan attockment. The claures were deflected from as determined by the true meridian absurration with the John attock much. The distances were nearly with with wo and too of the steel topics.

Noto: The dis agreement between the field not and the foother certificate, with regard to the foother of the discovery frink, is due to an enough in the latter.

The grevanced fooition of the ledger exponent which the center ling of the ledger cainsides with the center Ling of the claim, as surveyed and equals in length.

<del>.</del>

Ħ.

This coloring in fourth a feet assending in 7.45, Q.29. E. of the & 355Q. Q.M., among the Copyer Mountain, Mining district, Sna for Cauchy, are gone. In what is France as The Jawan, continuing to Maring on the East,

Expenditure of - ire produced dollars. Descritifes that the contemporarement auton the Chia claim, french thereon her the claim anto and their grantana, is not less than fing Lemons dollars, and that said improvements cousing, and that said improvements cousing

The discovery can. The month of which bears from a faith on line 3-4, 196 gh. from Cor. 76. 2, 5. 35% E. 53 ft. oft. wide, 10 ft. free, running 7. 69°29 E. 14 ft., in noch.

On open coal and ternel,

The month of open cent being from

the same foint an above, 5.8°56'E, 4, 4.

4 ft, wide, sunning Host 1420'E, 14 ft.

in open coul, and 17 ft. in 6x8 ft.

tunnel, to breach.

Taken Take 200,000

A turnel, the fore of which beard from the sawy fraud as above

V

## FINAL OATHS FOR SURVEYS.

#### LIST OF NAMES.

A list of the names of the individuals employed by X. L. Lunn				
United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines				
corners and boundaries described in the foregoing field notes of the survey of the mining claim				
of Henry Q. Wood, Franklin. W. Booker and Horry C. Danklesh known as the Block Cal Sode				
known as the Block class Sade				
and showing the respective capacities in which they acted.				
H. L. Dunn, Chainman & ay man				
, Chainman.				
, Fiagman.				
, Inagman.				
FINAL OATHS OF ASSISTANTS.				
We, I He Dunn				
and, do solemnly swear that we assisted				
White area, United States Deputy Mineral Surveyor, in marking the corners and				
surveying the boundaries of the mining claim of Henry O. Wood, Feauxlin				
W. Booker and Harry C. Daniellesa				
, known as the				
Black Sale, represented				
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under				
his direction; and that said survey has been in all respects, to the best of our knowledge and				
belief, faithfully and correctly executed, and the corner and boundary monuments established				
according to law and the instructions furnished by the United States Surveyor-General for				
Organa.				
Chainman. Vax man				
; Chainman				
, Axmen.				
, Flagman.				
Subscribed and sworn to by the above-named persons before me				
this day of July 1903				
this thing of the same of the				

#### FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, Ja. M. Y	duxater	, U. S. Deputy Mineral
Surveyor, do solemnly swear	that, in pursuance of instr	uctions received from the United
States Surveyor General for	Qri.	, dated
Junes 15/19	03. , I have, in str	ict conformity to the laws of the
		thereunder, and the instructions
of said Surveyor General, fa	uithfully and correctly exe	cuted the survey of the Mining
Claim of Henry O.	wood Franklu	w. Booler
and Harry C.	Dacublesa	known as the
Black of	at Sode	,
situate in Cofefee	mountacir	Mining District,
Traface	County,	Mining District,  Organi, in Section
afeproximate, Township No	. 4 S., Range No. 2	J. D. densurreyed
and designated as Survey N	0. 1822	, as represented
in the foregoing field notes, v	which accurately show the	boundaries of said mining claim
as distinctly marked by mon	uments on the ground, an	d described in the attached copy
of the location certificate, w	hich was received by me	from the Surveyor General with
said instructions, and that al	l the corners of said surve	have been established and per-
		ulations and instructions there-
under; and I do further sol	emnly swear that the fore	egoing are the true and original
		id that the labor expended and
		nt or their grantors
•		tent, location and itemized value
thereof are specified therein	n with particularity and fu	ll detail, and that no portion of
said labor or improvements	so credited to this claim h	as been included in the estimate
of expenditures upon any ot	her claim	•
	/ /	
	1,77	1 W Kilakin
		U.S. Deputy Mineral Surveyor.
0 1 1 1	to by the said.	on dufixate
Subscribed and sworn	to by the said.	Sapr
U.S. Deputy Miner	ral Surveyor, before me	
	, 19	this 14
day of		
	dae	car (abb
		Hofor Dikk!
e 8154	my comes	ussen Cul Ben
	1	Jan of 6-p

## Affidavit of Five Hundred Dollars Improvements.

Me, F. Lunn, and P. Satonan
of lawful age, being first duly sworn according to law, depose and say: That we
are acquainted with the Blaze Cal mining claim,
situate in Cofefeer Mountain Mining district, Gra Lau County,
Arizona Territory, for which Lecury Q. Wood, Franklin W. Booker,
and Trang C. Daemy Cod
hazemade application for survey prior to application for patent under the provisions
of the Act of Congress, approved May 10, 1872; and that the labor done and improve-
ments made thereon by the applicants and the grantor exceed Five Hundred
Dollars in value, and further that we are not personally interested in said mine.
It Dum
R. Lakman
County of Falace Ss:
Sworn to and subscribed before me, this
SEAL day of 1903
day of June, 1903  REAL DE SEAL DE MOLONY Public  My commission express 2001/4
my commerce en der no 2001/6

Amended No' ce of Mining _ocation ode Claim. 10 To All Whom it May Concern:
To All whom it may concern.
To All Whom it May Concern:  This mining claim, the name of which is the Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by
H.P. Wood, F. W. Booker and N.C. Dauntlers
the undersigned, on the 6 day of June 190 3
The length of this claim is 46356 feet,
and we claim 133 feet, in a South Easterly direction, and 330,50
in a South Early direction, and 330,50
feet in a South wester direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with
119,60 feet in width of the surface grounds, on each
Side of the center of said claim. The general course of the lode deposit and premises is from the hour Einst
The claim is situated and located in the Coppun mountain Mining District, in
Anaham County, in the Territory of Arizona, about
direction from
The Douth East come is identical weth
Comin is identical with come 8-1127 Em ma
Comin is reductical well come 8-1/27 Em ma
The surface boundaries of the claim are marked upon the ground as follows: Beginning at
a mound of slones.
, · · · · · · ·
at a point in a Queth Eastaly direction 133 feet from
the discovery shaft (at which this notice is posted), being in the center of the Powell Early
and the same term and the postering setting the electron of the same and an and an and an and an and an
end line of said claim; thence 528°28'W /2/,30 feet to a 4'14" from As or
end line of said claim; thence 528°28'W /2/,30 feet to a 4'14' from for
end line of said claim; thence 528°28'W /2/,30 feet to a 4'14' from for  being the Douth East corner of said claim; thence  N71° W 463.50 feet to a Pround of Hones being at the
end line of said claim; thence 528°28'W /2/,30 feet to a 4'14' from for being the Douth East corner of said claim; thence W71° W 463.50 feet to a mound of Flores being at the
end line of said claim; thence $528^{\circ}28^{\circ}W$ /2/, 30 feet to a 4'1/4" from from the point of Said claim; thence with the corner of the corn
end line of said claim; thence $528^{\circ}28^{\circ}W$ /2/, 30 feet to a 4'1/4" from from the point of Said claim; thence with the corner of the corn
end line of said claim; thence $528^{\circ}28^{\circ}W$ /2/, 30 feet to a 4'1/4" from from being the Douth Sart corner of said claim; thence $N71^{\circ}W$ 463. So feet to a mound of Clones being at the corner of said claim; thence $N28^{\circ}28'$ = 121. 30 feet to a mound of Clones being the center of the mound of corner of said claim; thence $N28^{\circ}28'$ = 121. 30 feet to a mound of Clones being the center of the mound of Clones being at the mound of Clones being the center of the mound of Clones being at the content of Clo
end line of said claim; thence $528^{\circ}28^{\circ}W$ /2/, 30 feet to a 4'X4" from from being the Douth Early corner of said claim; thence $N7/^{\circ}W$ 463. 50 feet to a Pround of Romeo being at the Couth West corner of said claim; thence $N28^{\circ}28^{\circ}E$ /2/, 30 feet to a Pround of Romeo being the center of the Pround of Said claim; thence $N28^{\circ}28^{\circ}E$ /2/3 feet to a Pround of Some being at the Pround West corner of said claim; thence $N28^{\circ}28^{\circ}E$ /2/3 feet to a Pround of Some being at the Pround West corner of said claim; thence $N28^{\circ}28^{\circ}E$ 463. 50 feet to a 4"X6" from factor at the
end line of said claim; thence $528^{\circ}28^{\circ}W$ /2/, 30 feet to a $4''14''$ from $f$ or , being the Douth Earth corner of said claim; thence $N71^{\circ}W$ 463. 50 feet to a Pround of Stones being at the corner of said claim; thence $N28^{\circ}28'$ $= 121.30$ feet to a Pround of Stones being the center of the Pround Corner end of said claim; thence $N28^{\circ}28'$ $= 121.3$ feet to a Pround of Stones being at the Pround of Stones being at the Pround Stones corner of said claim; thence $N28^{\circ}28'$ $= 121.3$ feet to a Pround of Stones being at the Pround Stones corner of said claim; thence $N28^{\circ}28'$ $= 121.3$ feet to a Pround of Stones being at the Pround Stones corner of said claim; thence $N28^{\circ}28$
end line of said claim; thence $528^{\circ}28^{\circ}W$ /2/, 30 feet to a $4''1'4''$ from from being the Douth East corner of said claim; thence $N2/^{\circ}W$ 463. To feet to a Pround of Corner of said claim; thence $N28^{\circ}28'$ F /2/, 20 feet to a Pround of Corner of said claim; thence $N28^{\circ}28'$ F /2/, 20 feet to a Pround of Corner of said claim; thence $N28^{\circ}28'$ F /2/, 3 feet to a Pround of Corner of said claim; thence $N28^{\circ}28'$ F /2/3 feet to a Pround of Corner of said claim; thence $N28^{\circ}28'$ F /2/3 feet to a Pround of Corner of said claim; thence $N28^{\circ}28'$ F /2/3 feet to a Pround of Corner of said claim; thence $N28^{\circ}2$
end line of said claim: thence $528^{\circ}28^{\circ}W$ /2/, 30 feet to a 4'X4" from from the point of the said claim: thence with the feet to a said claim; thence with the feet to a said claim; thence with the feet to a said claim; thence with feet to
end line of said claim; thence \$28.28 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
end line of said claim; thence 528°28'W /2/,30 feet to a 4'14' from from the point of the Douth Early corner of said claim; thence with the corner
end line of said claim: thence $528^{\circ}28^{\circ}W$ /2/, 30 feet to a 4'X4" from from the point of the said claim: thence with the feet to a said claim; thence with the feet to a said claim; thence with the feet to a said claim; thence with feet to
end line of said claim; thence \$28.28 W
end line of said claim; thence 528°28 W 21,30 feet to a 4'X6" from from the point of said claim; thence with the corner of said claim; thence with
end line of said claim; thence 528°28 W 21,30 feet to a 4'X6" from from the point of said claim; thence with the corner of said claim; thence with
end line of said claim; thence 528°28 W 21,30 feet to a 4'X6" from from the point of said claim; thence with the corner of said claim; thence with
end line of said claim; thence 528°28'W 21,30 feet to a 4'X4' for for height the Douth East corner of said claim; thence will be being at the Douth Wirth corner of said claim; thence will be being at the corner of said claim; thence will be being at the corner of said claim; thence will be being at the corner of said claim; thence will be being at the Douth Wirth corner of said claim; thence will be being at the Douth Wirth corner of said claim; thence will be being at the Douth Wirth corner of said claim; thence will be being at the Douth Wirth corner of said claim; thence will be being at the Douth Wirth corner of said claim; thence will be will be will be being at the Douth Wirth corner of said claim; thence will be will

COPPER ERA PRINT, CLIFTON.

17. M.

AMENDEL

LODE CLAIM

and recorded at request of Filed Dated


Pages J

County Recorder.

Deputy Recorder. By.

ERA PRINT, CLIFTON

The above diagram is to give the locator a general idea of the plan of location under the new law. Your discovery shaft may be in the center of claim, or any distance from either end you desire. In the diagram we have placed it 500 teet from one end and 1000 feet from the claim.



## SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

#### Department of the Interior.

Office of U. S. Surveyor-General,

	Phoeni	x, Arizona
		Cct. 8", 190_3
I, U. S. Surveyor-General for	Arizona	
		Notes and Return of the Survey of the
Mining Claim of Henry P. V	Wood, Franklin W.	Booher, & Harry C. Dauntless
		known as the
	Black Cat Lode	)
situate in	Copper Mountair	1 mining district,
Graham	County,	Arizona
in Section approx , Tow	vnship No. 4S.	Range No. 29 E. unsurveyed
, designated as Si	arvey No. 1822	
executed by	hittaker	, U. S. Deputy Mineral
Surveyor, June 20th	•••	, 190 $oldsymbol{\mathcal{J}}$ , under my instructions dated
June 15th	, 190 <b>3</b> ., have been crit	ically examined and the necessary cor-
rections and explanations made, and	the said Field Notes and	Return, and the Survey they describe,
are hereby approved. A true copy of	of the copy of the location	a certificate filed by the applicant for
survey is included in the field notes.	Epant 9	Digaees
	U. S. Surveyo	r-General for Arizona