

MS.

0

1

8

2

5

JUN 1-1905
AUG 21 1905

copied by?

(4-683.)

Mineral Survey No. *1825 A and B.*

Lot No. _____

Gila Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Weldon Gold and Copper Co.

KNOWN AS THE

*Weldon, Wadsworth, and Bill Lye Lodes
and Weldon Hill Site, in Kingstons Mining District,*

Pima County, *Arizona*

Section _____, Township *7S + 16S*, Range *2 + 3 E*, *Wadsworth* ed.

Surveyed under instructions dated *22^d June, 1903*

by *John Gardiner*,
U. S. Deputy Mineral Surveyor.

Lode Claims located *4 Nov. 1902* *Hill Site*, *20 April 1903*

Survey commenced *15th May*, 1903

Survey completed *22^d May*, 1903

o 6-180

*Ties OK
Areas OK
Ledges OK*

P.O. Address of Atty in fact:

*William Herring
Tucson, Ariz.*

Feet.

SURVEY 1825 A.

BILL NYE LODGE.

Beginning at Cor.No.1.

Identical with Cor.No.1.of the location.

On line ~~3-4~~³⁻⁴ "Marjorie" Lode (unsurveyed.)

An Oregon Pine post, 4 feet long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 1-1825 A, whence

The 1/4 sec. cor. on South Boundary of Sec. 34, T. 15 S., R. 2 E. Gila and Salt River Meridian, bears N. 23° 48' W. 1201 ft.

Cor. No. 1. "Wadsworth" Lode of this survey, bears N. 82° 52' E. 447.7 ft.

Thence N. 82° 52' E.

Along line 4-3 "Marjorie" Lode (unsurveyed.)

300.00. North center Mon.

A post in mound of stone scribed B.N.N.Ct.

447.7. Cor. No. 3. "Marjorie" Lode (unsurveyed) and Cor. No. 1.

"Wadsworth" Lode of this survey,

An Oregon pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 1-1825 A.

600.00. To Cor. No. 2.

Identical with Cor. No. 2. of the location, and Cor. No. 1.

"Weldon" Lode of this survey,

An Oregon pine post, 4 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 2-1-1825 A. whence

The 1/4 sec. cor. on the South Boundary of sec 34, T. 15 S., R. 2 E. bears N. 46° 31' W. 1488.3 ft.

Cor. No. 1. "Wadsworth" Lode of this survey bears S. 82° 52' W. 152.3 ft.

Thence S. 7° 08' E.

Along line 1-4 "Weldon" lode of this survey.

Feet.

1500.00. Identical with Cor.No.3.of the location, Cor.No.4."
 "Weldon" Lode of this Survey, Cor.No.1."Magnet" Lode
 (unsurveyed.)and Cor.No.2."Constance" Lode (unsurveyed)
 An Oregon Pine post, 4 ft.long, 4 ins.square, set 18 ins.
 in the ground with mound of stone, scribed 3-4-1825 A.

Thence S.82° 52' W.

Along line 2-1 "Constance" Lode (unsurveyed.)

300.00. South center Mon.

A post in mound of stone scribed B.N.S.Ct.

600.00. To Cor.No.4.

Identical with Cor.No.4 of the location.

An Oregon pine post, 4 ft.long, 4 ins, square, set 18 ins.
 in the ground, in mound of stone, scribed 4-1825 A.

Cor.No.1."Constance" Lode, (unsurveyed) bears S.82° 25' W.
 5.6 ft.

No other bearings available.

Thence N.7° 08' W.

1500.00. To Cor.No.1.the place of beginning.

WELDON LODE.

Beginning at Cor.No.1.

On line 1-4 "Wadsworth" Lode of this survey.

Identical with Cor.No.1.of the location and Cor.No.2.

"Bill Nye" Lode of this Survey, hereinbefore described,
 whence 1/4 sec.cor, on South Boundary of Sec.34.T.15 S.
 R.2 E.of the Gila and Salt River Meridian, bears N.46°
 31' W.1488.6 ft.

Thence N.32° 52' E.

Along line 1-4 "Wadsworth" Lode of this survey.

172.3. Post in mound of rock scribed W.S.Ct.

300.00. North center Mon.

Post in mound of rock scribed W.N.Ct.

Feet.
 493.9. Cor.No.1."Brittle Silver" lode (unsurveyed)and Cor.No.
 4 "Wadsworth" lode of this Survey.
 An Oregon Pine post,4 feet.long,4 ins.square, set 18
 ins.in the ground,with mound of stone,scribed 4-1825A.
 along line 1-4 "Brittle Silver" lode (unsurveyed.)
 600.00. To Cor.No.2.
 Identical with location Cor.and Cor.No.1,"Copper Cliff"
 lode (unsurveyed.)
 An Oregon Pine post,4 ft.long,4 ins.square, set 18 ins.
 in the ground,with mound of stone,scribed 2-1825 A.

 Thence S.7° 08' E.
 Along line 1-4 "Copper Cliff" lode (unsurveyed.)
 1500.00. To Cor.No.3.
 Identical with Cor.of Location.
 An Oregon pine post,4 ft.long,4 ins,square, set 18 ins.
 in the ground,with mound of stone,scribed 3-1825 A.
 Whence,
 Shaft No.2 on this claim bears N.31° 38' W.590 feet.
 Cor.No.2."Magnet" Lode (unsurveyed)bears N.82° 52' E.
 5.6 feet.
 Cor.No.1."Weldon" Mill-site, this survey,bears S.79° 30'E.
 25,659.70 feet.

 Thence S.82° 52' W.
 Along line 2-1 "Magnet" lode (unsurveyed).
 300.00.South Center Mon.
 Post in mound of rock scribed W.S.Ct.
 600.00.To Cor.No.4.
 Identical with Cor.of location and Cor.No.3."Bill Nye"
 lode of this survey,Cor.No.1 of the "Magnet" lode
 (unsurveyed) and Cor.No.2 of the "Constance" lode
 (unsurveyed(hereinbefore described.

 Thence N.7° 08' W.
 Along line 3-2 "Bill Nye" Lode of this survey.
 1500.00.To Cor.No.1.the place of beginning.

Feet.	WADSWORTH Lode.
	Beginning at Cor.No.1. Identical with Cor.No.1.of the location and Cor.No.3. of the "Marjorie" lode (unsurveyed) hereinbefore described,whence 1/4 Sec.Cor.on South boundary of Sec.34 T.15 S.R.2 E. Gila and Salt River Meridian bears N.41°41'W.1396.9 ft.
	<u>Thence N.15°20' E.</u>
	Along line 3-2 "Marjorie" lode (unsurveyed .)
1081.73.	Intersect the 3rd.Standard Parallel South,at a point 1215.10 ft.East of the 1/4 sec.cor.on South Boundary of Sec.34 T.15 S.R.2 E.Gila and Salt River Meridian. Standard Cor.to sec.34 & 35 could not be found.
1500.00.	To Cor.No.2. Identical with Cor.No.2.of the location,and Cor.No.2. "Marjorie" Lode,(unsurveyed,) An Oregon pine post,4 ft.long,4 ins,square,set 18 ins. in the ground,with mound of stone,scribed 2-1825 A.
	<u>Thence N.82°52' E.</u>
174.40.	Foot of precipitous West side of the Quijotoa Mounth. It being an utter impossibility to continue this line or to reach the point for the N.E.Cor.of the Claim,I set the following Witness Cor.a (X)chiseled at exact point,and over it set a pine post 3 feet long, 4 ins.square,surrounded by a mound of stone,scribed W.C.3-1825 A.whence Cor.No.3.of this survey which is identical with the point for the N.E.Cor.of the loca- -tion,bears N.82°52' E.474.8.feet.
	I now return to Cor.No.1.of the "Wadsworth" lode, hereinbefore described,and run
	<u>Thence N.82°52' E.</u>
	Along line 1-2 "Bill Nye" lode of this survey.
152.3.	Cor.No.2."Bill Nye" and Cor No.1."Weldon" lodes,this survey.
	Along line 1-2 "Weldon" lode of this survey.
324.6	Scuth Center Mon.

- Feet. Post in mound of stone, scribed W.S.Ct.
 452.3. Post in mound of stone, scribed W.N.Ct.
 649.2. To Cor.No.4. hereinbefore described.

Thence N.15° 20' W.

Along line 1-2 "Brittle Silver" lode(unsurveyed).

- 166.3. Foot of precipitous West side of the Quijotoa Mounth.
 It being an utter impossibility to, either continue this line, or to reach the point for the N.E. Cor. of the Claim, I set the following Witness Cor. a (X) chiseled at exact point and over it set a pine post 3 feet long 4 ins. square, surrounded by a mound of stone, scribed W.C.3-1825 A. Whence point for Cor.No.3. of this survey bears N.15° 20' W. 1333.7 ft. If this line could be run it would intersect the 3rd. Stand. Par. S, at 998.14 ft. at East 1837.17 ft. from 1/4 sec. cor. on S. boundary of Sec.34.T.15 S.R.2.E.

Var. at all corners of the foregoing lodes 13° 07' E.

LEDGES.

The Ledge of the "Bill Nye" lode extends thro. the cent. of Claim, N.7° 08' W. 1500 feet.

The Ledge of the "Weldon" lode extends thro. the center of Claim, N.7° 08' W. 1500. feet.

The Ledge of the "Wadsworth" lode extends through the center of claim N.15° 20' E. 1500 ft.

AREA.

Total area of "Bill Nye" lode, 20.660. acres.

Total Area of "Weldon" lode, 20.660. acres.

Area of portion of "Wadsworth" lode in sec.34.T.15 S.R.2 E. 6.336 A.

Area of portion of "Wadsworth" lode in sec.3.T.16 S.R.2.E. 14.322 A. 20.658 acres.

Net area of lode Claim, 61.978 acres.

SURVEY No.1825 B.

WELDON MILL SITE.

Beginning at Cor.No.1.

An Oregon pine post, 4 1/2 ft. long, 4 ins, square, set 2 ft. in the ground, with mound of earth and rock, scribed 1-1825.B. whence,

Feet. Cor.No.1.Sur.No.1825.A."Weldon" lode,bears N.76°49' W.
26.715.5.feet.

1/4 Sec.Standard Cor.on South Boundary of Sec.33.Tp.
15 S.,R.3 E.G and S.R.M.bears N.5°42'W.7149 ft.dist.

Thence, East.

433.00. To Cor.No.2.

An Oregon pine post,4 1/2 ft.long,4 ins.square, set 2.
feet in the ground,with mound of earth and rock,
scribed 2-1825.B.

Thence, South.

433.00. To Cor.No.3.

An Oregon Pine post 4 1/2 ft.long,4 ins.square, set 2
feet in the ground,with mound of earth and stone,
scribed 3-1825.B.

Thence, West.

433.00. To Cor.No.4.

An Oregon pine post,4 1/2 ft.long,4 ins.square, set 2
feet in the ground,with mound of earth and rock,
scribed 4-1825.B.

Thence, North.

433.00. To Cor.No.1.the place of beginning.

Containing 4.304 Acres. ✓

Var.at all corners 13°05' E.

The survey of the Weldon Mill-site is identical with
the original location.

Adjoining Claims.

The "Bill Nye" lode of this survey is bounded N.W.by
the "Marjorie,"and on the South by the "Constance"
lode claims,The Weldon Gold and Copper Co.Claimant.
The Weldon lode,of this survey,is bounded on the N.E.
by the"Brittle Silver",on the East by the "Copper
Cliff" and on the South by the "Magnet" lodes. The

Weldon Gold and Copper Co., Claimants.

The Wadsworth lode of this survey is bounded on the East by the "Brittle Silver" and on the West by the "Marjorie" lodes, the Weldon Gold and Copper Co.,

Claimants. There are no other adjoining claims.

The Weldon Mill-site Claim has no adjoining Claimants.

LOCATION.

The Bill Nye and Weldon lodes, and the Southern portion of the Wadsworth lode, are located ^{approximately} in Sec. 3, T. 16, S. R. 2, E., and the Northern portion of the Wadsworth lode is located ^{Approximately} in Sec. 34, T. 15, S. R. 2, E. all unsurveyed.

The Weldon Mill-site Claim is located, approximately, in sec. 9, T. 16, S. R. 3, E. unsurveyed, Gila and Salt River Base and Meridian, Arizona.

Expenditure of fifteen hundred dollars.

I hereby certify that the value of the labor and improvements upon this claim, placed thereon by the Claimant and its grantors, is not less than fifteen hundred dollars and that said improvements consist of The discovery Shaft No. 1. of the Bill Nye lode, which bears from post B. N. S. Ct. N. $7^{\circ}08'$ W. 666 ft. 7 x 9, ft. 300 ft. deep, timbered, in rock. Value \$6000.00.

The discovery shaft No. 1. of the Weldon lode, which bears from post W. S. Ct. N. $7^{\circ}08'$ W. 750 ft. 5 x 6 ft. 10 ft. deep, in rock. Value \$100.00.

Shaft No. 2. on the Weldon lode, which bears from Cor No. 3. N. $31^{\circ}38'$ W. 590 ft. 5 x 6 ft. 100 ft. deep in rock, Value \$1500.00.

Discovery Shaft No. 1. of the Wadsworth lode, which bears from post W. S. Ct. N. $15^{\circ}20'$ E. 495 ft. 5 x 6 ft. 100 ft. deep, in rock. Value \$1500.00.

The Survey was made with a Young and Sons Mount. Tran. The course were deflected from the true meridian as determined by direct Solar Obsn. The distances were measured with a 100 ft. steel tape.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by John Gardiner
 United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines
 corners and boundaries described in the foregoing field notes of the survey of the mining claim
 of The Weldon Gold and Copper Co.
 known as the Weldon Wadsworth Sill, the Weldon and Weldon Hill site
 and showing the respective capacities in which they acted.

Edward W. Morgan, Chairman.
 _____, Chairman.
 _____, Assn.
 _____, Flagman.

FINAL OATHS OF ASSISTANTS.

~~We~~ Edward W. Morgan
 and _____, do solemnly swear that ~~we~~ ^I assisted John
Gardiner, United States Deputy Mineral Surveyor, in marking the corners and
 surveying the boundaries of the mining claim of The Weldon
Gold and Copper Co.
 _____, known as the Weldon, Wadsworth
and Sill the Weldon, and Weldon Hill-Site, represented
 in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under
 his direction; and that said survey has been in all respects, to the best of ~~our~~ ^{my} knowledge and
 belief, faithfully and correctly executed, and the corner and boundary monuments established
 according to law and the instructions furnished by the United States Surveyor-General for
Arizona

~~E. W. Morgan~~, Chairman.
Edward W. Morgan, Chairman.
 _____, Assn.
 _____, Flagman.

Subscribed and sworn to by the above-named persons before me
 this 15th day of May, 1905

W. H. Stary
 Notary Public, Pima Co., Ariz.

My Commission Expires Dec. 27, 1906

(4-686.)

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, John Gardner, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated June 22, 1903, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of The Weldon Gold and Copper Co, known as the Weldon Wadsworth Bell Eye Lodes and Weldon Hull Site, situate in Regotva Mining District, Pima County, Arizona, in Section _____, Township No. 15 T 16 S, Range No. 2 and 13 East and designated as Survey No. 1825 A and B, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or their grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

John Gardner
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said John Gardner
U. S. Deputy Mineral Surveyor, before me, a Notary Public in
and for said County of Pima, this 22nd
day of May, 1903

Willis H. Hayes
Notary Public, Pima Co., Ariz.
My Comm. expires Dec 22, 1904

Affidavit of Five Hundred Dollars Improvements.

W.S.H.

we, Edward W. Morgan, and Alexander M. Hayes

of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the Wedson, Wadsworth and Billings mining claims, situate in Quijota Mining district, Pima County, Arizona Territory, for which The Wedson Gold and Copper Company has made application for survey prior to application for patent under the provisions of the Act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon by the applicant and the grantors exceed Five Hundred Dollars each in value, and further that we are not personally interested in said mine.

Edward W. Morgan

Alexander M. Hayes

TERRITORY OF ARIZONA,

County of Pima } ss:

Sworn to and subscribed before me, this 15th

day of May, 1905



William Hayes

Notary Public, Pima Co., Ariz. My Commission Expires Dec. 27, 1906

NOTICE IS HEREBY GIVEN by the undersigned in accordance with the laws of Congress and of the Territory of Arizona, that the location certificate of the Bill Nye Mining Claim is hereby amended so as to read as follows:

"AMENDED LOCATION NOTICE"

NOTICE IS HEREBY GIVEN That, in accordance with the laws of the United States and the laws of the Territory of Arizona, the undersigned, on the 4th day of November 1902, has located as a mining claim the following described lead, lode or vein of mineral-bearing earth, rock or quartz and premises situate in the Quijotoa Mining District, in the County of Pima, in the Territory of Arizona, to-wit:

The name of said claim is Bill Nye the name of the locator is The Weldon Gold & Copper Co, the length of the claim along said vein or lode is 1500 feet; the width of said claim is 300 feet on each side of the middle of said lead, lode or vein.

The general course of said lode and claim is North West 7° 09'

The distance from the Point of Discovery to the North end center monument of said claim is 834 feet. The distance from said Point of Discovery to the South end center monument is 666 feet.

This Location Notice is posted in the monument of stones erected at said Point of Discovery upon said claim, which monument is hereinafter referred to as the Location Monument.

Said claim is bounded and described as follows, to-wit: Beginning at the monument of stones placed at the center of the North end of the claim, which monument is 834 feet North from said Location Monument; thence North east 82° 52' 300 feet to a Monument of stones, being the North east corner of the claim; thence South East 7° 09' 1500 feet to a monument of stones, being the South east corner of the claim; thence South west 300 feet, to a monument of stones, being the center of the South end of the claim; thence again 300 feet to a monument of stones, being the South west corner of the claim; thence North-west 7° 09' 1500 feet to a monument of stones, being the North west corner of the claim; thence 300 feet to the monument of stones, the place of beginning.

TERRITORY OF ARIZONA, } ss.
County of Pima

I, Chas. A. Shibell County Recorder in and

for the County of Pima, do hereby certify that the above and foregoing is a full, true and correct copy
of the amended Location Notice of the Bill Nye Mine
located in Douglas Mining Dist, Pima Co. A. T.
dated Nov. 4th 1902.

as appears of Record now in my office in Books D. Records of Mines Pages 434 et seq.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my

official seal, at my office in Tucson, this 25th day
of May A. D. 1905

Chas. A. Shibell

County Recorder of Pima County, Arizona.

by D. M. Shibell, deputy.

*collected copy of the original
location notice for Bill Nye
mine*

In order to identify said claim, it is more particularly described as follows, to-wit:

Situated on the West slope of the Quijotoa Mts. in the Quijotoa Mining District, and whence the 1/4 Post on the South boundary of Sec. 35. Town 15 South Range 2 East, Gila & Salt River Meridian bears North east. 80° 53' 4477 ft. from the North east corner of the said Bill Nye Claim.

The Weldon Gold & Copper Co

by Ferris N. Fitch, Manager.

Locator.

Witnesses

A. C. Simkins

Dated the 4th day of November, A.D. 1902.

*Weldon Gold & Copper Co
Ferris N. Fitch
Manager*

"Copy"

AMENDED LOCATION CERTIFICATE.

NOTICE IS HEREBY GIVEN by the undersigned in accordance with the laws of Congress and of the Territory of Arizona, that the location certificate of the Wadsworth Mining Claim is hereby amended so as to read as follows:

"AMENDED LOCATION NOTICE"

NOTICE IS HEREBY GIVEN That, in accordance with the laws of the United States and the laws of the Territory of Arizona, the undersigned, on the 4th day of November 1902, has located as a mining claim, the following lead, lode or vein of mineral-bearing earth, rock or quartz and premises, situate in the Quijotoa Mining District, in the County of Pima, in the Territory of Arizona, to-wit:

The name of said claim is Wadsworth, the name of the locator is The Weldon Gold and Copper Co., the length of the claim along said vein or lode is 1500 feet; the width of said claim is 300 feet on each side of the middle of said lead, lode or vein.

The general course of said lode and claim is N.E. 20°

The distance from the Point of Discovery to the North end center monument of said claim is 690 feet. The distance from said Point of Discovery to the South end center monument is 510 feet.

This Location Notice is posted in the monument of stones erected at said Point of Discovery upon said claim, which monument is hereinafter referred to as the Location Monument.

Said claim is bounded and described as follows, to-wit: Beginning at the monument of stones placed at the center of the North end of the claim, which monument is 690 feet North East 20° from said Location Monument; thence 324.7 feet to a Monument of stones, being the North-east corner of the claim; thence South west 20° 1500 feet to a monument of stones, being the South east corner of the claim; thence North-east 83° for 324.7 feet, to a monument of stones, being the center of the South end of the claim; thence again 324.7 feet to a monument of stones, being the South west corner of the claim; thence North-east 20° 1500 feet to a monument of stones, being the North-west corner of the claim; thence 324.7 feet to the monument of stones, the place of beginning.

TERRITORY OF ARIZONA, }
County of Pima } ss.

I, Chas. A. Shibell, County Recorder in and

for the County of Pima, do hereby certify that the above and foregoing is a full, true and correct copy
of the amended Location of the Madenorth Mines,
located in Siigotoa Mining Dist, Pima Co. A. T.
dated Nov. 4th 1902.

as appears of Record now in my office in Book I. I. Records of Mines Pages 434

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my
official seal, at my office in Tucson, this 25th day

of May A. D. 19 05

Chas. A. Shibell

County Recorder of Pima County, Arizona.

by L. M. Shibell deputy

Vertical handwritten note on the right margin, partially illegible.

In order to identify said claim, it is more particularly described as follows, to-wit:

Situated on the west slope of the Quijotoa Mts. in the Quijotoa Mining District, and whence the 1/4 Post on South boundary of Sec. 35. Town 15 South Range 2 East. Gila & Salt River Meridian, bears South east 77° for 3640 ft from the N.E. corner of claim

The Weldon Gold & Copper Co.
Witnesses
A.C. Simkins by Ferris N. Fitch, Manager
Locator

Dated the 4th day of November, A.D., 1902.

*Weldon Gold & Copper Co.
Ferris N. Fitch, Manager
Locator*

AMENDED LOCATION CERTIFICATE.

"Copy"

NOTICE IS HEREBY GIVEN by the undersigned in accordance with the laws of Congress and of the Territory of Arizona, that the location certificate of the Weldon Mining Claim is hereby amended so as to read as follows:

"AMENDED LOCATION NOTICE"

NOTICE IS HEREBY GIVEN That, in accordance with the laws of the United States and the laws of the Territory of Arizona, the undersigned, on the 4th day of November 1902, has located as a mining claim the following described lead, lode or vein of mineral-bearing earth, rock or quartz and premises situate in the Quijotoa Mining District, in the County of Pima, in the Territory of Arizona, to-wit:

The name of said claim is Weldon the name of the locator is The Weldon Gold & Copper Co., the length of the claim along said vein or lode is 1500 feet; the width of said claim is 300 feet on each side of the middle of said lead, lode or vein.

The general course of said lode and claim is North-west $7^{\circ} 09'$

The distance from the Point of Discovery to the North end center monument of said claim is 750 feet. The distance from said Point of Discovery to the South end center monument is 750 feet.

This Location Notice is posted in the monument of stones erected at said Point of Discovery upon said claim, which monument is hereinafter referred to as the Location Monument.

Said claim is bounded and described as follows, to-wit: Beginning at the monument of stones placed at the center of the North end of the claim, which monument is 750 feet North from said Location Monument; thence North-east $82^{\circ} 52'$ 300 feet to a Monument of stones, being the North-east corner of the claim; thence South-east 1500 feet to a monument of stones, being the South east corner of the claim; thence South-west $82^{\circ} 52'$ 300 feet, to a monument of stones, being the center of the South end of the claim; thence again 300 feet to a monument of stones, being the South west corner of the claim; thence North west $7^{\circ} 09'$ 1500 feet to a monument of stones, being the North-west corner of the claim; thence

TERRITORY OF ARIZONA, } ss.
County of Pima

I, Chas. A. Shibell County Recorder in and

for the County of Pima, do hereby certify that the above and foregoing is a full, true and correct copy
of the amended location notice of the Weldon Mineral,
located in Sulphur Mining Dist Pima Co. A. T.
dated Nov. 4th 1902

as appears of Record now in my office in Book S. S. Record of Mines Pages 433 of reg.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my
official seal, at my office in Tucson, this 25th day

of May A. D. 1905

Chas. A. Shibell

County Recorder of Pima County, Arizona.

by L. M. Shibell deputy

[Faint, mirrored text from the reverse side of the page, likely bleed-through from another document.]

300 feet to the monument of stones, the place of beginning.

In order to identify said claim, it is more particularly described as follows, to-wit:

Situated on West slope of the Quijotoa Mts, in the Quijotoa Mining District, whence the 1/4 Post on the South boundary of Sec. 35-Town 15 South Range 2 East, of Gila & Salt River Meridian bears N.E. 80° 54' 3880 ft. from the North-east corner of said Weldon Lode.

The Weldon Gold & Copper Co. and

by Ferris N. Fitch, Manager.

Locator.

Witnesses

A.C. Simkins

Dated the 4th day of November, A.D., 1902.

Weldon Mill Site

Location Notice of the Weldon Mill Site.

Notice is hereby given by the undersigned, in accordance with the laws of the United States, that The Weldon Gold and Copper Company, has this day located and claimed, the following described lands and premises, for the purpose of a Mill Site, to be used in connection with and appurtenant to the Weldon Mining claim, situate in the Quijotoa Mining District in the County of Pima, Territory of Arizona, which said Mill Site is described as follows:

Commencing at a monument and post at the northwest corner of the claim, upon which this notice is posted, thence easterly 433 feet to a monument of stone, being the north east corner of the claim; thence southerly 433 feet to a monument of stone, being the southeast corner of the claim; thence westerly 433 feet to a monument of stone, being the southwest corner of the claim; thence northerly 433 feet to the place of beginning; containing about five (5) acres of land.

Said Mill Site is situated in the Quijotoa Mining District, in Pima County, Arizona Territory, about twenty-three thousand (23,000)

Territory of Arizona, }
County of Pima.

I, *Chas. A. Ghibell* County Recorder in and for the County of

Pima, do hereby certify that the above and foregoing is a full, true and correct copy of the

*Meldon Mill Site Location Notice, situated in
Quizoboa Mining District, Pima Co., A. T. and dated
April 20th 1903*

mill site

as appears of Record now in my office in Book *2* Pages *77* et seq.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my
official seal, at my office in Tucson, this *7th* day
of *May*, A. D. 190*3*.

Chas. A. Ghibell
County Recorder of Pima County, Arizona.
By M. A. Green

feet south easterly from the old Peer and
Peerless Mill, and lies on the east side of the
Quigtoa Mountains.

Dated this 20th day of April, 1903.

The Weldon Gold and Copper Company.

By Ferris S. Fitch

Secretary.

Filed and recorded at request of Ferris S. Fitch,
May 1st, 1903, at 9 a.m.

Chas. A. Ghibell

County Recorder.

4-688.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona

Sept. 28 - 1905

I, U. S. Surveyor-General for Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of The Weldon Gold and Copper Company

known as the Weldon, Wadsworth and Bill Nye lodes & Weldon Mill Site situate in Quijotoa

Mining District, Pima County, Arizona

in Section Township No. 15 & 16 S., Range No. 3 and 3 east

designated as Survey No. 1825 A and B, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon each of said mining claim by claimant or its grantors, and that said improvements consist of 4 shafts value at \$900.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix Arizona is correct and in conformity with the foregoing Field Notes.

(Signed) Frank S. Ingalls

United States Surveyor-General for Arizona

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona

Sept. 29, 1905

I, U. S. Surveyor-General for Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of The Weldon Gold and Copper Company

known as the Weldon, Wadsworth and Bill Nye lode and Weldon Mill Site

situate in Quijotoa Mining District, Pima County, Arizona

in Section Township No. 15 & 16 S., Range No. 2 and 3 east, designated as Survey No. 1825 A and B

executed by John Gardiner, U. S. Deputy Mineral Surveyor, May 15th to May 22d, 1905, under my instructions dated

June 22d, 1903, have been critically examined and the necessary corrections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. A true copy of the copy of the location certificate filed by the applicant for survey is included in the field notes.

Frank A. Sargent

U. S. Surveyor-General for Arizona

Gila Land District.

Surveyed by John Gardiner
U.S. Deputy Min^r Sur^r.

May 7-15-1905.

Scale 400 feet to an inch.

