The roll of the sport

(4-683.)

Mineral Survey No. 1840

Lot No. Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF lee - Gold Mountain Mining District, - County, Cris on Section 9 Township 45, Range 295 Surveyed under instructions dated July 15 , 1903 Claim located amended July 8 Survey commenced July 23 Survey completed 9 uly 23 Clarinants add.

I Kearney atty Clifton, a. T.

PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

	and and
	we will well and faithfully execute the duties of chain carriers; that we wil
level the chain upon eve	en and uneven ground and plumb the tally-pins, either by sticking or dropping
the same; that we will	report the true distance to all notable objects, and the true length of all line tring, to the best of our skill and ability, and in accordance with instruction
	4 //
given us, in the survey	of the Mining Claim of Tromas Beanco
0	Le Gold Macutain mining distriction County, County,
known as the	uniquelar traction
Green	lee Gold Mountain
situate in	mining district
Tahas	County, Corra
in Section — T	Cownship No, Range No
1, 1, 1	166
	, Chainman,
	, Chainman,
	Culturality of an il annual to but the ileast and it is a second of the interest of the intere
11 5-1	Subscribed and sworn to by the above-named persons before me this
0.16 7.9	19 9 day of July , 1903
Commission - 10	Here Jansfor = () 1.011
4	Jana Jams of Samuel all
	Totane Dute
. 745	Quen, do solemnly swear that I will well and trul
1,	do solemnly swear that I will well and trul
perform the duties of a:	xman, in the establishment of corners and other duties, according to instruc
	the best of my skill and ability, in the survey of the Mining Claim of
Fle	omag Bilines
	oming Tolence
	<i>?</i>
known as the	reaugular Thochan
more fully described in t	the proceding affidavit.
•	At / Commen
	, Axman.
	Subscribed and sworm to by the said H.S. Dunn
	Subscribed and sworn to by the said H.S. Dunn
	before me this 19 day o
	()
	July , 190.3
- AST	la
moneran ey	June Jan. Hoy Laura (the)
ce lifetti.	Motory &
T	
	, do solemnly swear that I will well and trul
perform the duties of fl	agman, in the establishment of corners and other duties, according to instruc
tions given me and to	o the best of my skill and ability, in the survey of the Mining Claim of
	*
known as the	
more fully described in	the preceding off devit
more runy described in	the preceding andayit.
more runy described III	the preceding amidavit.
more runy described in	, Flagman.
more runy described in	, Flagman.
more runy described in	, Flagman.
more rany described in	Subscribed and sworn to by the said
more rany described in	Subscribed and sworn to by the said
more runy described in	
more rany described in	Subscribed and sworn to by the saidbefore me thisday of

4114b3m6-02

Survey no 1840 Priangulan Fraction Lock. Beginning at Con Ho! a pine post 5 ft. long 6 ins. square, set 18 ins in ground surrounded by mound of stones, scribed 1- 18.40, Whener U. O.L. M. no 3 be and N 42°03'W 5 401 FT. a cross (x) and B.R 1-1840 chiselled on a porphyny stone showing 3 x 3.5 x 4. ft above ground bears S 87° 51' 5 12.60 FT. I'dence 2 20° 20' W Van 12° 30' E n. E End Center of location To Con Doa a pine post 4 ft. long 6 ins. aquan, set 18 in in ground sun ounded by mound of stones scribed 2 - 1840 Whener a cross (x) and B. P 2-1840 chirelled on a porphany stare
showing 2×3×4 ft. above ground
bears N 35° 13×4 ft. above ground
for non-11911 again looks bears N 85° 58° W 31.68 FT. Var 12°30'E Inter seed line 7-8 Rattle Looke

Durvey 1792 A at \$188 53'W 15.66'FT from

Cor no 7 and at \$ 180 53'W 143.57'FT

Cocle Durvey ham Gon nor spartan lock Duny 9101792 A. 24420 00 Con no3 a front 5 ft long 4 ins. square set 12 ins in ground on bed rock, surrounded by mound of stones scubed 3-1840 Whence

a now and B.R 3-1840 chirelled on a 122 face on porphyry bed rock bears N 44° 59'E 29,20 FT. There N 200 20' E Van 120 36 E S. W End Center of location 10 Con 20 4 146.20 I dentical with Con no 6-1792A Rattler lode. a 4x6 in post in place un ounded by mound of stones scribed 4-1840 whene a cors (x) and B.R. chiselled on a porphyry stone strong 5 x 6 x 7 ft above ground, bears N 6 ° 11' W 2 7. 80 FT. Con no 7-17921 Rattle lock bears & 69° 28' £ 158.85 FT. There N 21003' E Van 120 49' F 157.45 Cor 5- 1229 chase Cut 202 Look Cor 3 - 1792 A Chase Creek 1003 Lock 1792 A Spartan Locke Ca 2-To Con 901 The place of beginning. ana. Total area Triangular Fraction Lock 0,636 Acus, ana In wonflict with Rattler 0.296 Acus Lode Durvey 20 1792 A Survey no 1792 A. O.1 0.107 Acus. Total and Iniangulan Fraction Lorde Jose Jon 1742 1 0,296 partan " may 1792. A 109 nexarea Triangular Fraction Lode = 0 23 3. acres Survey 20 18 40 Triangular Fraction Lock Location. This claim is situated in The Greenlee Gold mountain Mining District, Graham County arizona, and is adjacent To the town of In etealf. any ona. upon unsurveyed lands. Ex penditure of Hive Hundred Dollars. I certify that The value of the labor and improvement suporthis dain placed thereon by the claimants and their grantors, is not len Than Hive Hundred dollars, and That said improvements The Descover cut and tunnel The mouth of the open out bears from Con 90 4 5 83° 46 £ 25,50 FT 5Ft wide 10Ft face running N 70° 44' E 18 FT. O'hence N 70° 44 E 49 Ft to heart of 8 x 10 Punul. \$ 670.00 Value an incline shaft, beginning at breast of above turnel thence N 72° 33'E 26FT, angle of inclination To surface 50°00; Value \$260.00 Other Improvemento. a frame building, the new con of from Con 1, N870 36 E 20.70, 24 x 30 ft.

Qurvey Do 18 40 Triangular Fraction Coole. Course of long aide N 71°03'E. a frame bulding The new con of which be an from some fromt as above S 60° 22' F 39FT. 25 ft aquain Course of side N71°03 F. Instrument This Durvey was made with a I unly Light Mountain Transit. The courses were deflected from the true In widian as determened by Oolan observations with a But Oolan attack ment The distances were measured with so and soo of still tapes. note: The dis a green ent between There field notes and The location Certificate in regard to The position of Thedise overy from is due to en on The presumed position of ledge upon which this claim is located com cides with the center line of the claim as surveyed and equals it in length. The disogramment between these field note and those of odyning surveyed claims, are du to errors in the latter. see eletter from On the Fronth, Chas Cruk 902 Sur 1529 on the East Sporter Sur no 1792 a. On the South Rattle Sur no 1792 a.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals empl	loyed by N. M. Whixaxen
United States Deputy Mineral Surveyor, to assi	ist in running, measuring, and marking the lines
corners and boundaries described in the forego	ing field notes of the survey of the mining claim
of Lomas Beane	7
known as the Triangulas	- Draction
and showing the respective capacities in which	they acted.
	H.S. Deen, Chainman.
	, Chainman.
	N.J. Dunn , Axman.
	, Flagman.
·	•••• Tuymun.
DINIAI OATIIO	OF ACCIOTANTO
FINAL OATHS	OF ASSISTANTS.
We, J. JV. 5. D.	unn
and , do sol	emnly swear that we assisted N. M.
7 7	uty Mineral Surveyor, in marking the corners and
	of Lama Bearing
	, known as the
Trangular Drace	, known as the , represented
Tranquear Fraci	, known as the , represented veyed by said deputy mineral surveyor and under
in the foregoing field notes as having been surv	represented veyed by said deputy mineral surveyor and under
in the foregoing field notes as having been survey his direction; and that said survey has been in	ton, represented
in the foregoing field notes as having been survey his direction; and that said survey has been in belief, faithfully and correctly executed, and the	represented veyed by said deputy mineral surveyor and under n all respects, to the best of our knowledge and the corner and boundary monuments established
in the foregoing field notes as having been surve his direction; and that said survey has been in belief, faithfully and correctly executed, and the according to law and the instructions furnish	represented veyed by said deputy mineral surveyor and under n all respects, to the best of our knowledge and
in the foregoing field notes as having been survey his direction; and that said survey has been in belief, faithfully and correctly executed, and the	represented veyed by said deputy mineral surveyor and under an all respects, to the best of our knowledge and the corner and boundary monuments established shed by the United States Surveyor-General for
in the foregoing field notes as having been surve his direction; and that said survey has been in belief, faithfully and correctly executed, and the according to law and the instructions furnish	represented veyed by said deputy mineral surveyor and under n all respects, to the best of our knowledge and the corner and boundary monuments established
in the foregoing field notes as having been surve his direction; and that said survey has been in belief, faithfully and correctly executed, and the according to law and the instructions furnish	represented veyed by said deputy mineral surveyor and under an all respects, to the best of our knowledge and the corner and boundary monuments established shed by the United States Surveyor-General for the corner and boundary monuments.
in the foregoing field notes as having been surve his direction; and that said survey has been in belief, faithfully and correctly executed, and the according to law and the instructions furnish	represented veyed by said deputy mineral surveyor and under an all respects, to the best of our knowledge and the corner and boundary monuments established shed by the United States Surveyor-General for the corner and control of the corner and control of the corner and boundary monuments established the corner and control of the corner and corner and control of the corner and control of the corner and cor
in the foregoing field notes as having been surve his direction; and that said survey has been is belief, faithfully and correctly executed, and to according to law and the instructions furnise and the instructions furn	represented reyed by said deputy mineral surveyor and under an all respects, to the best of our knowledge and the corner and boundary monuments established shed by the United States Surveyor-General for
in the foregoing field notes as having been surve his direction; and that said survey has been is belief, faithfully and correctly executed, and to according to law and the instructions furnise and the instructions furn	represented reyed by said deputy mineral surveyor and under an all respects, to the best of our knowledge and the corner and boundary monuments established shed by the United States Surveyor-General for
in the foregoing field notes as having been surve his direction; and that said survey has been is belief, faithfully and correctly executed, and to according to law and the instructions furnise and the instructions furn	represented reyed by said deputy mineral surveyor and under an all respects, to the best of our knowledge and the corner and boundary monuments established shed by the United States Surveyor-General for
in the foregoing field notes as having been surve his direction; and that said survey has been is belief, faithfully and correctly executed, and to according to law and the instructions furnise and the instructions furn	represented veyed by said deputy mineral surveyor and under an all respects, to the best of our knowledge and the corner and boundary monuments established shed by the United States Surveyor-General for
in the foregoing field notes as having been surve his direction; and that said survey has been it belief, faithfully and correctly executed, and the according to law and the instructions furnished and this	represented reyed by said deputy mineral surveyor and under an all respects, to the best of our knowledge and the corner and boundary monuments established shed by the United States Surveyor-General for

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, W. M. Wlitater , U. S. Deputy Mineral
Surveyor, do solemnly swear that, in pursuance of instructions received from the United
States Surveyor General for Gregoria dated
July 15/03, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of Thomas Bianco
Triangular Fraction, known as the
situate in Greenlee Goed Manutain Mining District,
Graham County, asigana, in Section
, Township No, Range No,
and designated as Survey No. 1840, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or Lio grantors
are as therein fully stated, and that the character, extent, location and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
15/17 whitaken
l'. S. Deputy Mineral Surveyor.
Subscribed and sworn to by the said N. m. Whixaten
U. S. Deputy Mineral Surveyor, before me Sacras College
Hotary Aublice this 127%
day of July, this (27)
Same Pare
a the state of the
Hotang Dulie
o 3-154 gry communion ex ferre face, 5/org


Affidavit of Five Hundred Dollars Improvements:

are, A.S. Jaunsens, and E. C. Morrow
of lawful age, being first duly sworn according to law, depose and say: That we
are acquainted with the Trangular Fraction mining claim, situate in Greenlee Goes Manuam Mining district, Graham County,
Arizona Territory, for which Homas Beance, by & Jeanny
Lus attarney
ha
of the Act of Congress, approved May 10, 1872; and that the labor done and improve-
ments made thereon by the applicant and Lograntors exceed Five Hundred
Dollars in value, and further that we are not personally interested in said mine.
'a L Tawnsend
L.L. Morrow
TERRITORY OF ARIZONA, $ss:$
County of Graham
Sworn to and subscribed before me, this 27
SEAL G. day of July , 190 3
Samo labb
my commission Ex Jun
Jamojog

Amended Notice of Mining Location. -- Lo Claim

This mining claim, the Mining Claim, situate on land uable inineral deposits, was o	ds belonging to the entered upon and lo	United States of	America, and in whi	ch there are val-
	* * * *			
j j	Thomas Bia	nes,		
the undersigned, on the8				
The length of this cla				* 1
and I claim tl			7 .	
in a southwesterly				
twenty-one 94/100 the center of the discovery				
fifty—seven side of the center of said cl	aim. The general	course of the loc	width of the surface de deposit and pren	grounds, on each
northeast		to the south	vest	Commence of the Commence of th
The claim is situated	and located in the	Greenlee Gold	l Mountain N	fining District, in
Graham (County, in the Territ	tory of Arizona, a	bout three-four	ths of a mil
in a southeast				
Creek near Peach C		The state of the s	TOTAL CONTRACTOR OF THE PARTY CONTRACTOR OF THE PARTY OF	*
No. 2 1229 on	the north; al	so Chase Cree	ek Mining Clai	m No. 3
1792 A.				
The surface bounda				
a	monument of s	stones,		
	M 0.000000 0 0.0 1 10 1000	est commo sema con rea comes r	erennen avanne beneditan annenn	
			AMILIAN DE TELESCONO DE LA AREA MARIANA	(11) (146) (11) (11) (11) (11) (11)
210 10 10 10 10 10 10 10 10 10 10 10 10 1				
at a point in a southwe				
the discovery shaft (at wh				
end line of said claim: the				
end fille of said Craffi; the				
1. 71° 03' E. 252. northeast	corner of s	aid claim; thence	s. 20° 20' W.	73.25
feet to a monument c				
of said claim; thence S.				
being at the southeast		corner of s	said claim; thence S	. 71° 03' W
252.94	feet to	a monument	of stones	at t
southwest	corner of said cl	aim; thence N.	20° 20' E. 73	.25
feet to the place of begin	ning. provisions of Chapt Act of the Genera	ter Six, of Title l Assembly of Ar	XXXII, of the Revi	sed Statutes of t
	20,		ar Fraction	
Mining Claim, located by				
Mining Oracin, located by				
July, 1899,				
page492-3, in the office	of the County Reco	order of the afores	said County of	
to which reference is here errors in the description i	n the said original l	Location Notice.	on Notice is made at	ia postea to corr
errors in the description i	n the said original I	Location Notice.	day of July	190
errors in the description i	n the said original I	Location Notice.	day of July	190

TERRITORY OF ARIZONA,	
County of Graham.	
Mit Simms, is a true and correct copy of the amended location notice which Territory aforesaid, do hereby certify that the within instrument was filed for record at	
o'clock A. M., on this XXXXX /3 the day of July, 1903, , an	ıd
duly recorded in Book No 17 of Mining Records of Graham	
County, Arizona, at pages 9	
Witness my hand and seal the day and year first above written County Recorder	_



The above diagram is to give the locator a general idea of the plan of location under the new law. Your discovery shaft may be in the center of claim, or any distance from either end you desire. In the diagram we have placed it 500 feet from one end and 1000 feet from the

ERA PRINT, CLIFTON	County Recorder. Deputy Recorder.	.ges	A. D. 190 M.	Filed and recorded at request of	ted XMY 6 190 3.		nangular Machionar	otice of Location	
--------------------	------------------------------------	------	--------------	----------------------------------	------------------	--	-----------------------	-------------------	--

SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior.

Office of U. S. Surveyor-General,

		Phoenix	, Arizon	a
		9)	narrh	12", 190#
I, U. S. Surveyor-	General for	District of Ar	rizona	
do hereby certify that	the foregoing and heret	o attached Field Note	es and Returr	n of the Survey of the
Mining Claim of	Thor	nas Bianes		
	Triang	gular Fraction	1	
situate in	Greenlee Gre	en Mountain		mining district,
Gr	aham	County,Arizor	1a	
in Section	, Township N	o	, Range No	
, d	esignated as Survey No	181	40	
executed by	Н. М	. Whit/taker	,	U. S. Deputy Mineral
Surveyor,	July 23	, 1	19 <mark>03, unde</mark> r :	my instructions dated
July	I5 th. , 190	3., have been criticall	y examined a	and the necessary cor-
rections and explanation	ns made, and the said	Field Notes and Ret	surn, and the	Survey they describe,
are hereby approved.	A true copy of the co	py of the location ce	rtificate filed	by the applicant for
survey is included in tl	ne field notes.			
	d	Frank O	e I	all
			U	rizona

4115b5m6-02

