8/14/03

(4-683.)

### Mineral Survey No. 1848

Lot No.

### FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF aura Hamilton Cambart Eceple, Messines, Harrison Ty Lone Si .....Mining District, avapai county, augura Section's 21+22, Township // N, Range 5 1/2 Surveyed under instructions dated duy 3 2, 190,3 Claim located See Loc, notices , 1 Survey commenced Quey. 64, 1903 Survey completed aug. 82 liess.
Hundon & Norris
Hump for claimant
Presente
Angune Hadress.

# PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

WE, Oller Ba	llye and I W Thippo
o solemnly swear that we will wevel the chain upon even and un	vell and faithfully execute the duties of chain carriers; that we will even ground and plumb the tally-pins, either by sticking or dropping
	e true distance to all notable objects, and the true length of all lines he best of our skill and ability, and in accordance with instructions
	ning Claim of Jama Hamillon Earnhart
iven us, in the survey of the Mu	ning Claim of
6 1 4	· 2 · 2 · 2 · 2 · 2 · 2 · 2 · 2 · 2 · 2
known as the Gayle, Har	rison, Messine and Line Star
ituate in	Weaver mining district
- Yu.	ruperi County, Augura
	No. // /V Range No. 5 W
n Section 27 7 22, Township I	
	Chro. Battye, Chainman.
	My site las
	f Wife from, Chainman.
	Subscribed and sworn to by the above-named persons before me this
My commission expir	,
May 10, 1900.	
/	J. Ferlie
1	
I, J. W. O	hyppo,, do solemnly swear that I will well and truly
Laure et	Tamilton Earnhart
	1/ 500 9 1 1/1 -
known as the carge, to	farism, Messeries and Line Star
more fully described in the preced	ting affidavit.
	W Mahapo , Arman.
	1 2 V Phil
i	Subscribed and sworn to by the said before me this day of
	or the state of th
My commission expi	, 190
May 10/1900	J. J. Ferlie
	The Marine Porte
Chan & B.	V
I, Provi Helly	, do solemnly swear that I will well and truly
- T	the establishment of corners and other duties, according to instruc-
	t of my skill and ability in the survey of the Mining Claim of
( alla)	Cymunon, minimum.
	11
known as the Cagle, V	Herrison, Messeiner and Vine Slav
more fully described in the preced	ling offidovit
	Chas Battye Flagman.
	- 1
	Subscribed and sworn to by the said Chos, Bullye
	1 10 -
h.c.	before me this day of
II/I TV A	
My commission expi	Cluy, , 190 3
May 107 1900/	lies (190 3

### EAGLE LODE.

Beginning at cor. No. 1, a lava stone, 5x15x24 ins. set one foot in ground, alongside a mon. of stones 3x3 ft. Stone marked E. 1-1848.

A x on a granite rock in place marked B. R. E. 1-1848 brs. N. 36° 15' W. 20.5 ft.

Quarter cor. between secs. 23 & 24, T. 11 N.

R. 5 W., G. & S. R. M. brs. N. 72° 17' E. 6715.3 ft.

Thence N. 54° W.

Var. 14° E.

1500

To cor. No. 2, which is also cor. No. 1, Messimer lode of this survey.

A granite stone 8x10x24 ins. set one foot in ground, alongside a mon. of stones 3x3 ft. Stone marked E. 2-1848, and M. 1-1848.

A x on a granite rock in place marked B. R. M. 1-1848 brs. N. 5° E. 28.9 ft.

Thence S. 36° W.

Va r. 14° E.

300

To N. C. E. Eagle, which is also the S. C. E. Messimer lode of this survey.

A granite stone 10x10x24 ins. set one foot im ground, alongside a mon. of stones 3x3 ft. Stone marked N. C. E. E. 1848, and S. C. E. M. 1848.

Feet.

Survey No. 1848.

600

To cor. No. 3, which is also cor. No. 4, Messimer lode of this survey.

A granite rock in place, 2x2 ft. 18 ins. above ground, marked x E.3-1848, and M. 4-1848. a mon. of stones 3x3 ft. alongside. No brs. available.

Thence S. 54° E.

Var. 14° E.

1500

To cor. No. 4, a granite stone 8x10x24 ins. set one foot in ground, alongside a mon. of stones 3x3 ft. Stone marked E. 4-1848.

A x on a granite rock in place marked B. R. E. 4-1848 brs. S. 8° 35′ E. 23.1 ft.

Thence N. 36° E.

Var. 14 E.

300

To S. C. E. a granite stone 6x15x24 ins. set one foot in ground, alongside a mon. of stones 3x3 ft. Stone marked S. C. E. E. 1848.

600

To cor. No. 1, the place of beginning, survey of exterior boundaries.

### MESSIMER LODE.

Beginning at cor. No. 1, which is also cor. No. 2
Eagle lode of this survey. Cor. described above.

Quarter cor. between secs. 23 & 24, T. 11 N. R. 5 W. G. & S. R. M. brs. N. 81° 20 E. 7708 ft.

Thence N. 54° W.

Var. 14° E.

1500

To cor. No. 2, which is also cor. No. 1, Harrison lode of this survey.

A slate stone 4x15x24 ins. set one foot in ground, alongside a mon. of stones 3x3 ft. Stone marked M. 2-1848 and H. 1-1848.

A x on a granite rock in place marked B. R. H. 1-1848 brs. S. 54° 25' E. 26.1 ft.

Thence S. 36\* W.

Var. 14° E.

300

To N. C. E. Messimer, which is also the S. C. E. Harrison lode of this survey.

A granite stone 8x8x24 ins. set one foot in ground, alongside a mon. of stones 3x3 ft. Stone marked N. C. E. M. 18 48, and S. C. E. H. 1848.

600

To cor. No. 3, which is also cor. No. 4, Harrison lode of this survey.

A granite stone 10x10x24 ins. set one foot in ground, alongside a mon. of stones 3x3 ft. Stone marked M. 3-1848 and H. 4-1848. No brs. available.

Thence S. 54°E.

Var. 14° E.

1500 To cor. No. 4, which is also cor. No. 3, Eagle lode of this survey, cor. described above.

F	e	e	+	17700
	v	v	·	

### Survey No. 1848.

Thence N. 36° E.

Var. 14° E.

300

To S. C. E. Messimer, which is also the N. C. E. Eagle lode of this survey, mon. described above.

600

To cor. No. 1, the place of beginning, survey of, exterior boundaries.

### HARRISON LODE.

Beginning at cor. No. 1, which is also cor. No. 2, Messimer lode of this survey. Cor. described above.

Quarter cor. between secs. 23 & 24, T. 11 N. R. 5 W. G. & S. R. M. brs. N. 88° 11′ 9" E. 8829.1 ft.

Thence N. 46° 48' W.

Var. 14° E.

1500

To cor. No. 2, which is also cor. No. 1, Lone Star lode of this survey.

A granite stone 8x15x24 ins. set one foot in ground, alongside a mon. of stones 3x3 ft. Stone marked H. 2-1848, and L. S. 1-1848.

A x on a granite rock in place marked B. R. L. S. 1-1848 brs. N. 84° 55′ W. 55.3 ft.

Thence S. 36° W.

Var. 14° E.

300

600

To N. C. E. Harrison, which is also the S. C. E. Lone Star lode of this survey.

A granite stone 6x14x24 ins. set one foot in ground, alongside a mon. of stones 3x3 ft. Stone marked N. C. E. H. 1848, and S. C. E. L. S. 1848.

To cor. No. 3, which is also cor. No. 4, Lone Star lode of this survey.

A granite stone 8x10x24 ins. set one foot in ground, alongside a mon. of stones 3x3 ft. Stone marked H. 3-1848, and L. S. 4-1848. No brs. available.

Thence S. 46° 48' E.

Var. 14° E.

1500

To cor. No. 4, which is also cor. No. 3,

Messimer lode of this survey, cor. described above.

Thence N. 36° E.

Var. 14° E.

300

600

To S. C. E. Harrison, which is also the N. C. E. Messimer lode of this survey, mon. described above.

To cor. No. 1, the place of beginning, survey of exterior boundaries.

LONE STAR LODE.

Beginning at cor. No. 1, which is also cor.

Feet

Survey No. 1848.

No. 2, Harrison lode of this survey, cor. described above.

Quarter cor. between secs. 23 & 24, T. 11 N. R. 5 W. G. & S. R. M. ,brs. S. 85° 41′ 30" E. 9947.9 ft.

Thence N. 54° 15' W.

Var. 14° E.

784.5

To intersect section line between secs.21 & 22

T. 11 N. R. 5 W. G. & S. R. M. at South 1395 ft.

from where sec. cor. common to secs. 15, 16, 21 & 22

should be, and North 1245 ft. from where quarter sec.

cor. between secs. 21 & 22 should be.

Could not find any cor. of public survey
nearer than quartersec. cor. between secs. 23 & 24,
T. 11 N. R. 5 W. G. & S. R. M.

1500

To cor. No. 2, a porphyry stone 8x12x24 ins. set one foot in ground, alongside a mon. of stones 3x3 ft. Stone marked L. S. 2-1848.

A x on a porphyry rock in place marked B. R. L. S. 2-1848 brs. N. 78° W. 40.2 ft.

Thence S. 36° W.

Var. 14° E

300

To N. C. E. Lone Star, a porphyry stone 8x18x24 ins set one foot in ground, alongside a mon. of stones 3x3 ft. Stone marked N. C. E. L. S. 1848.

600

To cor. No. 3, a porphyry stone 8x12x24 ins. set one foot in ground, alongside a mon. of

stones 3x3 ft. Stone marked L. S. 3-1848.No brs. available.

Thence S. 54° 15' E.

Var. 14 ° E.

1150

To intersect sec. line between secs. 21 & 22,

T. 11 N. R 5 W. G. & S. R. M. at North 505.7 ft.

from quarter cor. and Pouth 2134.3 ft. from sec. cor.

common to secs. 15, 16, 21 & 22, T. 11 N. R. 5 W.

G. & S. R. M.

1500

To cor. No. 4, which is also cor. No. 3, Harrison lode of this survey. Cor. described above.

Thence N. 36° E.

Var. 14° E.

300

To S. C. E. wone Star, which is also the N. C. E. Harrison lode of this survey, mon. described above.

To cor. No. 1, the place of beginning, survey of exterior boundaries.

Note:

Survey No. 1848 is identical with location.

AREAS.

EAGLE LODE:
HARRISON LODE:
MESSIMER LODE:
LONE STAR LODE:

20.667 Acres.

20.44

20.654

Total area lode claims:

82.474 Acres.

### LOCATION.

This claim is located in secs. 21 & 22, T. 11

N. R. 5 W. G. & S. R. M. in weaver Mining District,

Yavapai County, Ariz., and is bounded on the South

East by Hoodoo lode claim, unsurveyed, E.B.Corthell

et.al., claimants. On all other sides by Govt. land.

### VEINS.

Eagle vein extends from S. C. E. mon. N. 54° W. 1500 ft. to N. C. E.

Messimer vein extends from S. C. E. mon. N.  $54^{\circ}$  W. 1500 ft. to N. C. E.

Harrison vein extends from S. C. E. mon. N. 46° 48' W. 1500 ft. to N. C. E.

Lone Star vein extends from S. C. E. mom. N. 54° 15' W. 1500 ft. to N. C. E.

### EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements placed upon this claim by the claimant and her grantors, is not less than five hundred dollars for each location in claim, and that said improvements consist of:

### EAGLE LODE:

Dis. shaft No. 1, which brs. from S. C. E. mon. N. 55° 15' W. 290 ft. Shaft 4x6 ft. 75 ft. deep.

Value

\$750.00

Shaft No. 2, which brs. from S. C. E. mon.

N. 49° 30' W. 440 ft.Shaft 4x6 ft. 300 ft. deep.

Value.. \$ 3000.00

Tunnel & Open Cut No. 3, which brs. from S. C. E. N. 72° 30' W. 165 ft. Cut 4x25 ft. 10 ft. face.

Tunnel 4x6 ft. 70 ft. long.

Value

\$800.00

### MESSIMER LODE:

Dis. Cut No. 1, which brs. from cor. No. 1, N. 85° 40′ W. 580 ft. Cut 4x30 ft. 6 ft. deep.

Value

\$100.00

Cut No. 2, which brs. from cor. No. 1, S. 81° W. 510 ft. Cut 6x20 ft. 10 ft. deep.

Value \$100.00

Shaft No. 3, which brs. from cor. No. 1,

S. 76° 30′ W. 480 ft. Shaft 4x6 ft. 12 ft. deep.

Value \$120.00

### Note:

There is to be applied to Messimer lode, \$180.00 worth of the improvements on shaft No. 2, Eagle lode.

### HARRISON LODE:

Dis. shaft No. 1, which brs. from S. C. E. mon. N. 46° 48' W. 484 ft. Shaft 4x6 ft. 35 ft. deep.

Value \$ 350.00

Shaft No. 2, which brs. from S. C. E. mon.

N. 55° 30′ W. 173 ft. Shaft 4x6 ft. 25 ft. deep.

Value \$250.00

### Survey No. 1848.

### LONE STAR LODE:

Dis. shaft No. 1, which brs. from S. C. E. mon. N. 54° 15' W. 50 ft. Shaft 4x6 ft. 35 ft. deep.

Value

\$350.00

Shaft No. 2, which brs. from S. C. E. mon.
N. 54° 15′ W. 1056 ft. Shaft 4x6 ft. 10 ft. deep.

Value

\$100.00

Note:

There is to be credited to Lone Star lode, \$50.00 worth of the improvements on shaft No. 1, Harrison lode.

There is an old caved in shaft on Lone Star lode, supposed to be 100 or 125 ft. deep, which brs. from S. C. E. mon. N. 54° 15' W. 140 ft.

### INSTRUMENT.

This survey was made with a Gurley Light

Mountain Solar Transit. The courses were deflected

from the true meridian as determined by direct

solar observations. The distances were measured

with a 75 ft. steel tape, and a 100 ft. steel chain.

Prescott Ariz.

Aug. 12- 1903.

U. S. D. M. S.

## FINAL OATHS FOR SURVEYS.

LIST OF NAMES.
A list of the names of the individuals employed by
A list of the names of the individuals employed by
United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines
corners and boundaries described in the foregoing field notes of the survey of the mining claim
of Jeuna Hamilton Cambant
of Leura Hamilton Cambard known as the Ecegle, Harrison, Messine and Ine Star
and showing the respective capacities in which they acted.
Char. Bateus
Hana W. Phalasa, Chainman.
Charle Baley & , Chainman.  How W Ohipps , Chainman.  How W Ohipps , Axman.
Trul V Vupps, Axman.
Chur Buleye , Flagman.
FINAL OATHS OF ASSISTANTS.
We, Char Bullye
and do solemnly swear that we assisted
and J. W. Phipps , do solemnly swear that we assisted , United States Deputy Mineral Surveyor, in marking the corners and
surveying the boundaries of the mining claim of Laura Hamilton Earnhach
surveying the boundaries of the mining train of the server of the mining train.
, known as the Cagle,
Hanesin, Messerner and Lones Stan , represented
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under
his direction; and that said survey has been in all respects, to the best of our knowledge and
belief, faithfully and correctly executed, and the corner and boundary monuments established
according to law and the instructions furnished by the United States Surveyor-General for
(lugual)
Chao Batty Chainman.
I Am W Phi Mschainman.
John m Shippy Axman.
Chao Bactye, Flagman.
T toginali.
Subscribed and sworn to by the above-named persons before me
Subscribed and sworn to by the above-named persons before me May 10, 1900/
Subscribed and sworn to by the above-named persons before me May 10, 19004  Subscribed and sworn to by the above-named persons before me day of Cicy, 1903

### FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

1 Tuil	
I, J. Ferhu	
Surveyor, do solemnly swear that, in pursuance of in	nstructions received from the United
States Surveyor General for Myonic	e, dated
States Surveyor General for Chyone Cuy, 32 /903, I have, in	strict conformity to the laws of the
United States, the official regulations and instruction	ons thereunder, and the instructions
of said Surveyor General, faithfully and correctly	
Claim of Janu Hamilton Exe	
Eagle, Messimer, Hurrson a	known as the
situate in Meaver	Mining District
Jarapui County,	Que in Section &
21 422, Township No. 11 M., Range No.	5 H. G + S.R. M.
and designated as Survey No. 1848	
in the foregoing field notes, which accurately show	
as distinctly marked by monuments on the ground,	
of the location certificate, which was received by i	
said instructions, and that all the corners of said su	
petuated in strict accordance with the law, official	
under; and I do further solemnly swear that the	
field notes of said survey and my report therein,	1000 MBV
improvements made upon said mining claim by cla	
are as therein fully stated, and that the character,	
thereof are specified therein with particularity and	
said labor or improvements so credited to this claim	
of expenditures upon any other claim.	
or experientares upon any other claim.	
<u> </u>	J. Ferly
	J. Ferlie 1'. S. Deputy Mineral Surveyor.
*	
Subscribed and sworn to by the said $J.J.$	rshir
II S Deputy Mineral Surveyor, before me	Thomas C. lot a notary Public
in and for Honapai County anima	this /3 <sup>24</sup> —
12 01 August 1903	
my commission believes buly	9, 1907.
Subscribed and sworn to by the said of for the said of	
C	Thomas C. Joh Wolany Public.
e 3—154	notary Public
	<i>f</i>

# Affidavit of Five Hundred Dollars Improvements.

vac, Chat Baleye, and J. W. Phipps
of lawful age, being first duly sworn according to law, depose and say: That we
are acquainted with the Cayle, Human Messence and one Stamining claims
situate in Meure Mining district, Junipai County,
Arizona Territory, for which Sama Namillan Eauthur
ha L made application for survey prior to application for patent under the provisions
of the Act of Congress, approved May 10, 1872; and that the labor done and improve-
ments made thereon by the applicant and her grantor & exceed Five Hundred
Dollars in value, and further that we are not personally interested in said mine.
Chas Bartye
John M. Phips
County of Section Sect
Sworn to and subscribed before me, this $8^{\frac{2}{n}}$
day of leg , 1903
My commission expires May 19, 1900/

EAGLE.

### NOTICE OF LOCATION.

Know all men by these presents: That I the undersigned have this day located Fifteen Hundred (1500) linear feet of this vein or lode, bearing precious metals with all dips, spurs, angles and variations, with surface ground Three Hundred (300) feet on each side of the center of vein with all mineral deposits contained therein and all Timber rowing within the limits of said claim, and all water and water privileges thereon or appurtenant thereto, under and according to the provisions of the United States Mining Laws, under which it is located.

This claim commences at this monument and notice placed upon the ledge, and runs Seven hundred and fifty feet in a Northerly direction and Seven hundred and fifty feet in a Southerly direction

, viz along the ledge.

The Exterior boundaries are as follows: Commencing at a Honrient of Stone on west boundary line, distant Three hundred (300) feet in a Westerly direction from Discovery Monument; Thence in a Northerly direction parallel with the ledge Seven hundred and fifty feet to Hommment of Stone at N.W.corner of claim; thence in an Easterly direction at right angles across the ledge Six Hundred (600) feet to monument of stone at W.E.corner of claim; thence in a southerly direction parallel with the ledge Fifteen Hundred (1500) feet to Hommment of Stone at S.E.corner of claim; thence at right angles across the ledge, in a Westerly direction Six hundred (600) feet to monument of stone at S.W.corner of claim; thence in a Mortherly direction parallel with the ledge Seven hundred and lifty feet to

direction parallel with the ledge Seven hundred and Fifty feet to monument on West boundary and place of beginning.

This ledge may be more generally described as cituated three miles west of Antelope Valley Post Office and one mile south of the Lodel Kine, and one Lalf mile couth each of the Bed Rock Hill, in Weaver Hining District, Yavapai County, Arizona Territory, and shall be known as the Enghl Mining Claim.

Dated on the ground this Rod day of January 1888

Dated on the ground this and day of January 1888.

### J.H. Hamilton.

Recorded at the request of J.H.Hamilton, Jan. 4 A.D. 1888, at 15 minutes past 12 o'otock--il, in Book 25 of Mining Records of Yavapai County, Arizona, pages 3 & 4.

> E.J.F. Horne, (L.S.) County Recorder.

### HARRISON.

#### NOTICE OF LOCATION.

KHOW ALL MEN. BY THESE PRESENTS: That I the undersigned have this day located fifteen hundred (1500) linear feet of this vein or lode, bearing presious metals, with all diss, spurs, angles and variations, with surface ground Three hundred (300) feet on each side of the center of vein, with all mineral deposits contained therein, and all Timber growing within the limits of said claim, and all water and water privileges thereon or appurtenant thereto, under and according to the provisions of the United States Mining Laws under which it is located.

This claim commences at this movument and notice placed upon the ledge and runs seven hundred & Fifty feet in a Westerly direction, and Seven Hundred & fifty feet in a Easterly direction along the ledge.

The exterior boundaries are as follows, viz:

Commencing at a nonument of stone on north boundary line,
distant three hundred (300) feet in a northerly direction from Discovery momment; thence in a Westerly direction parallel with the leage Seven hundred & fifty feet to monument of stone at M.W.corner of claim; thence in a southerly direction at right angles across the ledge Gix Hundred (600) feet to monument of stone at 3.W.corner of claim; thence in a westerly direction parallel with the ledge Fifteen Hundred (1500) feet to monument of stone at S.E.corner of claim; thence at right angles across the ledge in a Mortherly direction Six Hundred (600) feet to monument of stone at N.E.corner of claim; thence in a westerly direction parallel with the ledge Seven hundred & fifty feet to monument on North boundary and place of beginning.

This ledge may be more generally described as situated 1/2 mile from the Modle mine in a northerly direction & waspace known as the Bed Rock Mine & is situated 3 miles west of Antelope Vally in Weaver Lining District, Yavapsi County, Arizona Territory and shall be known as the Harrison Lining Claim.

Dated on the ground this second day of January 1892.

#### J.H. Hamilton

Recorded at the request of J.H. Hamilton, Feby 37" A.D. 1892. at 1:25 o'clock p.m.in Book 33 of Hines, pages 606-607, Records of Yavapai County, Arisona.

(1,8.)

By F.A. Tritle Jr., Deputy. Charles H.Akers, County Recorder.

\*\*\*\*\*\*\*\*\*\*\*\*\*\*

MESSIMER.

### NOTICE OF LOCATION.

KNOW ALL MEN BY THESE PRESENTS: That I the undersigned have this day located Fifteen Hundred (1500) linear feet of this vein or lode, bearing precious metals, with all dips, spurs, angles and variations, with surface ground three hundred (300) feet on each side of the center of vein, with all mineral deposits contained therein, and all timber growing within the limits of said claim, and all water and water privileges thereon or appurtenant thereto, under and according to the provisions of the United States Mining Laws, under which it is located.

This claim convents at this monument and notice placed upon the ledge and runs Seven hundred & fifty feet in a westerly direction, and seven hundred & fifty feet in a easterly direction along the ledge.

The exterior boundaries are as follows, viz: Commencing at a monument of stone on north boundary line distant three hundred (300) feet in a northerly direction from Discovery mornment; thence in a westerly direction parallel with the ledge Seven hundred & fifty feet to mornment of stone at N.W.corner of claim; thence in a southerly direction at right angles across the ledge six hundred (600) feet to monument of stone at S.W.corner of claim; thence in a easterly direction parallel with the ledge Fifteen hundred (1500) feet to monument of stone at S.E.corner of claim; thence at right angles across the ledge in a Northerly direction Six hundred (600) feet to monument of stone at H.E. corner of claim; thence in a westerly direction parallel with the ledge Seven hundred & fifty feet to a monument on Morth boundary and place of beginning.

This ledge ay be nor generally described as situated too & 3/4 of a mile west of Antelope Valley & 3/4 of a mile North of the Modle mine and joins the Earrison on the East, in Weaver Fining District, Yavapai County, Arizona Territory and shall be known as the Messimer Mining Claim.

Dated on the ground this second day of January, 1892.

J.H. Hamilton.

Recorded at request of B.F.Joslyn, Feby 27, A.D.1892, at 1:35 o'clock p.m., in Book 33 of Mines, pages 607-8-9, Records of Yavanai County, Arizona.

By F.A. Tritle Jr., Deputy. (L.S.) Charles H. Akers, County Recorder.

\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*

7

### LONE STAR.

#### MCTICE OF LOCATION.

Know all men by these presents: That I the undersigned have this day located Fifteen Hundred (1500) linear feet of this vein of lode, bearing precious metals, with all dips, spurs, angles and variations, with surface ground three hundred (300) feet on each side of the center of vein, with all mineral deposits contained therein, and all Timber growing within the limits of said claim, and all water and water privileges thereon or appurtenant thereto, under and according to the provisions of the United States Mining Laws, under which it is located.

This claim corrects at this monument and notice placed upon the ledge, and runs Seven hundred & fifty feet in a westerly direction and seven hundred & fifty feet in a earterly direction along the ledge.

The exterior boundaries are as follows, viz:

Commencing at a monument of stone on north boundary line distant three hundred (300) feet in a northerly direction from Discovery monument; thence in a resterly direction parallel with the ledge seven hundred & fifty feet to monument of stone at N.W.corner of claim, thence in a southerly direction at right angles across the ledge Six hundred (600) feet to monument of stone at S.W.corner of claim; thence in a Easterly direction parallel with the ledge Fiften hundred (1500) feet to monument of stone at S.E.corner of claim; thence at right angles across the ledge in a northerly direction Six hundred (600) feet to monument of stone at N.E.corner of claim; thence in a westerly direction parallel with the ledge Seven hundred & fifty feet to monument on north boundary and place of beginning.

This ledge may be more generally described as situated.

This ledge may be more generally described as situated. 3 1/2 miles in a westerly frection from Antehope Valley & 3/4 of a mile North Mast of the Modle mine in Weaver Mining District, Yavapai County, Arizona Territory and shall be known as the LOME STAR Mining

Claim,

Dated on the ground this second day of January 1892.

#### J.H. Hamilton.

Recorded at request of B.F.Joslyn, Feby 27" A.D.1893, at 1:25 o'clock p.m., in Book 33 of Mines, pages 609-610, Records of Yavapai County, Arizona.

(L.S.) Charles H.Akers, County Recorder.

By F.A. Tritle Jr., Deputy.

\*

(ef)

TERRITORY OF ARIHOMA,)

: ss.

doubly of Mayapai. )

I.P.J.FARLEY, County Recorder in and for the County of Yavapai, in the Territory of Arizona, and enstedian of the records thereof, do hereby certify that I have compared the above and foregoing pages numbered from one to four, inclusive, with the original records in my office, and said four pages contain a full, true and correct copy of the Motice of Location of each of the following described mining clairs, as appears from said original records, to-wit:-

EAGLE Mining Claim, notice of location whereof is of record in Book 25 of Mines, pages 3-4, records of Mavapai County, Arizona.

HARATSON Mining Claim, notice of location whereof is of record in Book 33 of Mines, pages 606-607, said records:

MESSINER Mining Claim, notice of location whereof is of record in Book 35 of Mines, pages 607-609, said records:

LONE STAR Mining Claim, notice of location whereof is of record in Book 35 of Mines, pages 609-610, said records.

IN WITHEST THERMOF, I have hereunto set my hand and affix-



County Recorder.

### 4-687.

# SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

### Department of the Interior.

Office of U. S. Surveyor-General,

		Phoenix,	Arizona	
F			0 ct.	23", 1903
I, U. S. Surveyor-General for		Arizona.		
do hereby certify that the foregoing a	ınd hereto attac	ched Field Not	es and Return	of the Survey of the
Mining Claim of Laura	Hamilton	Earnhart		
				, known as the
Eage, Harrison, Mes	ssimer, &	Lone Star		
situate in	Veaver			mining district,
Yavapai	County	7,	Ar	izon <b>a.</b>
in Section s. 21 & 22, Tow	vnship No	11 N.	, Range No	5 W.
, designated as Su	urvey No18	48		
executed by	Fisher,		,	U. S. Deputy Mineral
Surveyor, Aug. 6th - 8th	a, 1903.	, 1	90, under 1	my instructions dated
Aug. 3rd, 1803.	, 190, hav	e been criticall	y examined a	nd the necessary cor-
rections and explanations made, and	the said Field	Notes and Ret	urn, and the	Survey they describe,
are hereby approved. A true copy of	of the copy of the	he location cer	tificate filed	by the applicant for
survey is included in the field notes.	Franc	16 D.	My	alls
4115U5m6-02	U.	S. Surveyor-Ger	neral for!	Arizona.