

MS

0

1

8

5

8

SEP 12 1904
OCT 3 1904

*When copying this note
see accompanying letter
Copied by amt
10/12/04*

7062 copy

(4-683.)

Mineral Survey No. 1858

Lot No. _____

Gila

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Jacob Pirrung

KNOWN AS THE

Bell

situate in Warren

Mining District,

Cochise

County,

Arizona

approx

Section unatily,

Township 23 S,

Range 24 E

Grand S.R.D. & M. surveys

Surveyed under instructions dated September 3, 1903

by

Geo O. Olan

U. S. Deputy Mineral Surveyor

Claim located see notices . 1

Survey commenced Sept 7th . 1 904

Survey completed September 7th . 1 904

U. S. G-160

Post office address of claimant
Bisbee Cochise County Arizona

9/12

PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

We, Frank Rapoth and Jacob Gillette

do solemnly swear that we will well and faithfully execute the duties of chain carriers; that we will level the chain upon even and uneven ground and plumb the tally-pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with instructions given us, in the survey of the Mining Claim of Jacob Forming

known as the Bee

situate in Warner mining district

Cochise County, Arizona

in Section approx, Township No. 23S, Range No. 24 E G & S R B & M unsurveyed

Frank Rapoth, Chairman.

Jacob Gillette, Chairman.

Subscribed and sworn to by the above-named persons before me this 28th day of August, 1904

[Signature]

I, _____, do solemnly swear that I will well and truly perform the duties of axman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of _____

known as the _____ more fully described in the preceding affidavit.

_____, Axman.

Subscribed and sworn to by the said _____

_____ before me this _____ day of _____, 190_____

_____, 190_____

I, _____, do solemnly swear that I will well and truly perform the duties of flagman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of _____

known as the _____ more fully described in the preceding affidavit.

_____, Flagman.

Subscribed and sworn to by the said _____

_____ before me this _____ day of _____, 190_____

_____, 190_____

Survey No. 1858.

Feet.

BELL.

Beginning at Cor.No.1, the NE cor identical with location and on line 4-5 Wagner lode, Survey No.1121 at the point of intersection of line 3-4 Roy lode, Survey No 1282 with the S. side line of Standard Quartz lode, unsurveyed at N. 65° 11' W. 19 ft. from the SE. cor. of Standard Quartz lode, a pine post 4 ft.long 4 ins. sq. set 1 ft in the ground in a mound of stones and scribed 1-1858 B.L., whence a pine post of same dimensions and scribed W. C. 1-1858 brs. N. 48° 50' E. 50 ft., and a second pine post of same dimensions and scribing brs. S. 48° 50' W. 50 ft., and U. S. M. M. No. 4 Warren Mining District brs. N. 58° 56' E. 4813.5 ft.,

Thence N. 65° 11' W.

650.10

along line S. side line of Standard Quartz lode, unsurveyed, to Cor.No.2, identical with a cor.of Standard Quartz lode, unsurveyed and on the intersection of lines 1-2 common to Leo and Rey lodes, Survey No.1282 at N. 48° 47' E. 341.3 ft. from Cors. No. 2 their common cors. a pine post 4 ft.long 4 ins. sq. set 1 ft in the ground in a mound of stones and scribed 2-1858 B.L., whence a pine post of same dimensions and scribed W. C. 2-1858 brs. N. 65° 11' W. 50 ft., and a second pine post of same dimensions and scribing brs. S. 65° 11' E. 50 ft.

Thence N. 74° 51' W.

347.8

along the S. side line of Standard Quartz lode unsurveyed to Cor.No.3 the NW cor., identical with the SW. cor. of Standard Quartz lode unsurveyed a pine post 4 ft long 4 ins. sq. set 1 ft in the ground in a mound of stones scribed 3-1858 B.L., whence a pine post of same dimensions and scribed W. C. 3-1858 brs.N.74° 51' W. 50 ft., and a second pine post of same dimensions and scribing brs. S. 74° 51' E. 50 ft. and original location for NW. cor. brs.N. 48° 50' E. 80 ft.

Thence S. 48° 50' W.

58.0

to Cor.No.4, the SW. cor., identical with original lo-

BELL (con)

Feet

- cation for W. end center, and on line 3-2 Leo lode, Survey No.1282, a pine post 4 ft. long 4 ins. sq. set 1 ft. in the ground in a mound of stones and scribed 4-1858 B.L. whence a pine post of same dimensions and scribed 4-1858 W.C. brs. S. 48° 50' W. 50 ft., and a second pine post of same dimensions and scribing brs. N. 48° 50' E. 25 ft. *and original location for S.W. cor. bears S. 48° 50' W. 130 ft.*
Thence S. 23° 50' E.
- 248.9 along line 1-2 Morning Star lode, Survey No.1600 common with line 3-2 Leo lode, Survey No.1282 to Cors.No.2 and 4 respectively of Morning Star lode, Survey No.1600 and Tamarack lode, Survey No.1688,
- 303.5 same bearing to Cor.No.5, identical with Cor.No.3 Tamarack lode, Survey No.1688 and Cors.No.2, Leo and Roy lodes, Survey No.1282 a pine post 4 ft. long 4 ins. sq. set 1 ft in the ground in a mound of stones and scribed 5-1858 B.L., whence a pine post of same dimensions and scribed W.C.5-1858 brs. S. 23° 50' E. 25 ft., and a second pine post of same dimensions and scribing brs. N. 23° 50' W. 25 ft.
Thence S. 47° 24' E.
- 597.0 along line 2-3 Roy lode, Survey No.1282 identical with line 3-2 Tamarack lode, Survey No.1688 to Cor.No.6 the SE. cor., on line 2-1 Mattie Manchester lode, Survey No.1381 identical with location and with Cors.No.2 and 3 respectively of Tamarack lode Survey No.1688 and Roy lodes survey No.1282, a pine post 4 ft. long 4 ins. sq. set 1 ft in the ground in a mound of stones and scribed 6-1858 B.L., whence a pine post of same dimensions and scribed W. C. 6-1858 brs. N. 48° 50' E. 50 ft., and a second pine post of same dimensions and scribing brs. S. 48° 50' W. 50 ft.
Thence N. 48° 50' E.
- 165.2 along line 3-4 Roy lode, Survey No.1282 to Cors.No.1 and 4 respectively of Mattie Manchester lode Survey No.1381 and Wagner lode, Survey No.1121,
- 270.0 same bearing along line 3-4 Roy lode, Survey No.1282 to original location for E. end center,

Survey No. 1258
BELL (con)

Feet

541.1 same bearing to Cor.No.1, the NE. cor., the place of beginning.

Ledge

The presumed course of the vein on this claim is from the E. end center of location N. 56° 38' W. 916.4 ft.

AREA.

Total and net area Bell lode, \checkmark 7.341 Acres.

IMPROVEMENTS.

I certify that the value of the labor and improvements on this claim placed thereon by claimant or his grantors is as follows:

No.1 Discovery open cut hrs. from Cor.No.6 N35°15' E. 130 ft
Value, \$100.00

Total improvements on claim \$100.00

Note. Complete affidavit of \$500 improvements on this claim will be furnished before the expiration of publication.

ADJOINING CLAIMS.

North Standard Quartz lode, unsurveyed, Martin Costello ^{et al} owners
Leo and Roy Lodes Survey No. 1282, Shattuck-Arizona
Min. Co. owner.

East Wagner lode, Survey No. 1121, Calumet & Arizona Min. Co
owner. Hattie Manchester lode, Survey No. 1321, Pittsburg
& Puluth Dev. Co owner,

South Tamarack lode Survey No. 1688, same owner.

West Morning Star lode, Survey No. 1600, Shattuck-Arizona Min
Co. owner.

Location.

This claim is located about 1 mi in a S direction from the City of Bisbee, in Warren Mining District Co-
chise County, Arizon , approximately 1 n Tp 23 S R 24
E G & S R B & M unsurveyed.

INSTRUMENT.

This survey was made with a Leitz Mountain and Mining transit. The courses were deflected from the true meridian as determined by solar observation, checked by an observation on Polaris. The distances were measured with a 500 foot steel tape.

Magnetic variation $12^{\circ} 30'$

L. C. Clark
U.S. Deputy Mineral Surveyor.

Hibber, Arizona,

7th September, 1904.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES

A list of the names of the individuals employed by Leo O'Leary
 United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines
 corners and boundaries described in the foregoing field notes of the survey of the mining claim
 of Jacob Puring
 known as the Bee
 and showing the respective capacities in which they acted.

Frank Ragoth, Chainman.
J. A. Gillette, Chainman.
 _____, Axman.
 _____, Flagman.

FINAL OATHS OF ASSISTANTS.

We Frank Ragoth
 and J. A. Gillette, do solemnly swear that we assisted Leo O'Leary
 _____, United States Deputy Mineral Surveyor, in marking the corners and
 surveying the boundaries of the mining claim of
Jacob Puring
 _____, known as the
Bee, represented
 in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under
 his direction; and that said survey has been in all respects, to the best of our knowledge and
 belief, faithfully and correctly executed, and the corner and boundary monuments established
 according to law and the instructions furnished by the United States Surveyor-General for
Arizona

Frank Ragoth, Chainman.
J. A. Gillette, Chainman.
 _____, Axman.
 _____, Flagman.

Subscribed and sworn to by the above-named persons before me
 this 7th day of September, 1904

Coalbrook

(4-686.)

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, Geo. O. Clark, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated September 3rd 1903, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Jacob. Pirrung, known as the Beel, situate in Warren Mining District, Cochise County, Arizona in Section approx Township No. 23S Range No. 24E G. & S. B. & M and designated as Survey No. 1858, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Geo. O. Clark
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said Geo. O. Clark
U. S. Deputy Mineral Surveyor, before me
this 7th
day of September, 1904

Com. Clark

Notice of Mining Location

9

LODE CLAIM

To All Whom it May Concern:

This Mining Claim, the name of which is the BELL Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Jacob Pirrung

(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 7 day of January 1903

The length of this claim is 1500 feet, and -- claim about 1450 feet,

in a westerly direction and about 50 feet in a Easterly direction from

the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each

side of the center of said claim. The general course of the lode deposit and premises is from the East to the West

The claim is situated and located in the Warren Mining District, in Cochise County, in the Territory of Arizona, about 1000 yards in a S. W. direction from Spray Shaft

The surface boundaries of the claim are marked upon the ground as follows: Beginning at

at a point ~~in a~~ Easterly direction about 50 feet from the discovery shaft (at which this notice is posted), being in the center of the East end line of said claim; thence 300 feet to a monument

, being the S. E. corner of said claim; thence 1500 feet to a monument, being at the

S. W. corner of said claim; thence 300 feet to a monument at the center of the West end of said claim;

thence 300 feet to a monument, being at the N. W. corner of said claim; thence 1500

feet to a monument at the N. E. corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 7 day of January 1903.

Jacob Pirrung.

FILED and recorded at request of Jacob Pirrung, Apr. 7 A. D. 1903 at 9 A. M. in Book 21, Record of Mines, at Pages 332-3.

TERRITORY OF ARIZONA, }
County of..... } ss

I....., County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at.....o'clock,..... M., on this.....day of.....190..., and duly recorded in Book No..... of.....Records of.....County, Arizona, at pages.....

WITNESS my hand and official seal the day and year first above written.

.....
County Recorder.

Notice of Location.

LODE CLAIM.

Dated..... 190.....

Filed and recorded at the request of

..... A. D. 190.....


at..... M.

Book.....

Page.....

..... County Recorder.

By..... Deputy Recorder.



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

TERRITORY OF ARIZONA,)
County of Cochise.) :SS

I, Frank Hare, County Recorder in and for the said County, hereby certify that I have compared the foregoing copy with the original "Bell" Mining Claim, filed and recorded in my office on the 7 day of April, A. D. 1903 at 9 A. M. in Book 21, at Pages 332-3, and that the same is a full, true and correct copy of such original, and of the whole thereof.

WITNESS my hand and seal of office this 31 day of August, A. D. 1903.

Frank Hare
County Recorder.

By R. M. Battick
Deputy.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona.

Oct - 20 - 1904

I, U. S. Surveyor-General for the district of Arizona.

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of Jacob Pirrung,

known as the Bell,

situate in Warren Mining District, Cochise County, Arizona.

in Section approx., Township No. 23 S., Range No. 24 E. G. & S. R. B & M, designated as Survey No. 1858.

executed by Geo. C. Clark, U. S. Deputy Mineral Surveyor, Sept. 2nd to Sept. 7, 1904, 190, under my instructions dated Sept. 3rd 1903, 190, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. A true copy of the copy of the location certificate filed by the applicant for survey is included in the field notes.

Francis J. Fitzgerald

U. S. Surveyor-General for Arizona.

SURVEY N^o 1858.

Scale: 200' = 1"

N

Morning Star
Sur. N^o 1600.

Leo
Sur. N^o 1282.

Standard
unsur. Quartz
Roy
Sur. N^o 1282.

BELL

Wagner
Sur. N^o 1121

Tamarack
Sur. N^o 1688.

Hattie Manchester
Sur. N^o 1381.

Total & Net Area.

7.341

