(4-683.)Mineral Survey No. 1809 Lot No. Land District. FIELD NOTES OF THE SURVEY OF THE MINING CLAIM OF KNOWN AS THE Contention. Mining District, County, augona Section approximately Township 23 S, Range 2 ESew SR Surveyed under instructions dated Depender 3, 1903 Teo, O Clark U. S. Deputy Mineral Surveyor Claim located Re money Survey commenced for 28th, 1 90st
Survey completed august of the 190st.

Doot Office address of blainant
Bushes, backing bounty arigona

PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

1/ // // // /	H.	- A	\sim	111
WE, Augh Milling	and and) bdw	and L	eppee
solemnly swear that we will well and gith			ain carriers;	that we will
vel the chain upon even and uneven ground :	and plumb the	tally-pins, eith	er by sticking	or dropping
e-same; that we will report the true distance				
at we assist in measuring, to the best of our	r skill and ab	ility, and in acc	ordance with	instructions
iven us, in the survey of the Mining Claim of	fa	col de	meine	7
<i>A</i>			0	4
Carrent		***************		
nown as the	CON			
tuate in Warren			mi	ning district
Cachia	County	anya	nd	
Section approx Township No. 23	, D N =	20 € 994	Es S.R	Brue.
			79.0	india
l	Hugh,	Milling	164	Chainman.
2	Vo	0 6 0		
	devar	of depp	uu,	Chainman.
Subscribed a	and sworn to b	y the above-nan	aed persons b	efore me this
•	4xth	day of		., 190
		uay or.	\circ	., 1002
	(5-5-5-	C	LX.	milk
	_	in and for the	County of Cochi	se, Territory of
		My Con	n mission Ex pire	s March 31, 1908.
I,				
cnown as the		***************************************	****************	
nore fully described in the preceding affidavit.		191		
				, Axman.
		y the said		
		before m	e this	day of
		, 190	17	
		,		
		25	128	
I,	do	solemnly swear	that I will we	ell and truly
perform the duties of flagman, in the establish				0.750
tions given me and to the best of my skil				
,				
known as the				
nore fully described in the preceding affidavit.				
agrance and the second				
				, Flagman.
Subscribed a	nd sworn to b	y the said		, Flagman.
Subscribed an	nd sworn to b			, Flagman.

Beginning at Cor.No.1, the NE. cor., identical with location and on the intersection of line 1-2 Tip Top lode, Survey No. 1067 with line 1-2 Wood Chopper lode, Survey No. 1061 at N. 50° 52' E. 535 ft. from Cor.No.2 Tip Top lode, a pine post 4 ft.long 4 ins. sq. set 1 ft in the ground in a mound of stones and scribed 1-1859 C.L., whence a pine post of same dimensions and scribed W. C. 1-1859 brs. N. 77° 49' W. 25 ft., and a second pine post of same dimensions and scribing brs. S. 77° 49' E. 25 ft. and U.S.M.M No.4 Warren Mining District brs. N. 72° 1 7'30" E. 3656.2 ft. Thence S. 77° 49' W.

522.5

along line 2-1 Wood Chopper lode, Survey No.1061 to Cor.No.2 the NW cor. identical with keation and with Cor.No.1 Wood Chopper lode, Survey No.1061 and a cor. of Triangle lode unsurveyed, a pine post 4 ft.long4 ins. sq set 1 ft in the ground in a mound of stones and scribed 2-1958 C.L., whence a pine post of same dimensions and scribed W. C 2-1859 brs. N. 77° 49' E. 25 ft., and a second pine post of same dimensions and scribing brs. S. 77° 49' W. 25 ft. and U. S. M. M. No. 4 Warren Mining District brs. N. 72° 59' E.4176.5 ft.

Thence S. 23° 42' E.

- 125.0 along line 4-1 Leo lode, Survey No.1282 to original location for W. end center,
- 245.6 same bearing to Cor.No.3 the SW. cor., identical with location and on the intersection of line 1-2 Tip Top lode Survey No.1067 with line4-1 heo lode Survey No.1282 N.50° 52'E. 3.9 ft. from Cor.No.2 Tip Top lode. and Cors.No.1 heo and Roy lodes Survey No. 1282 brs S. 23° 42'E. 10.7 ft. a pine post 4 ft.long 4 ins. sq. set 1 ft in the ground in a mound of stones and scribed 3-1654 C.L., whence a pine post of same dimensions and scribed W. C. 3-1859 brs N. 22° 50' E. 25 ft. and a second pine post of same dimensions and scribed mensions and scribing brs. S. 22° 50' W. 25 ft.

Thence N. 51° 55' E.

528.4 to Cor.No.4, the SE. cor., identical with location, a pine post 4 ft.long 4 ins. sq. set 1 ft in the ground in a mound of stones and scribed 4-1859 C.L., whence a pine post of same dimensions and scribed W. C. 4-1859 brs. N. 51° 55'H 25 ft. and a second pine post of same dimensions and cribing brs. S. 51° 55' W.25. No other bearing monuments available.

Thence N. 23° 42' W.

- 5.0 to original location for E. end center,
- 10.0 same bearing to Cor.No.1, the NE. cor., the place of beginning.

 Ledge.

The presumed course of the fein on this claim is from the W. end center of location N. 64° 33' E. 512.0 ft

Area,

Total and net area Contention lode,

1.502

Less area in conflict with Tip Top lode, Survey No. 1067 .059

Net area Contention lode,

1.443

Improvements.

I certify that the value of the labor and improvements on this claim placed thereon by the claimant or his grantors are as follows:

- No.1 Discovery shaft 8x10x8 ft. brs.from Cor.No.1 S. 71°39 W
 63 ft., Value, \$100.00
 - No.2 Open Cut 5x12x8.5 ft. brs. from same point S. 54°
 32'W. 256 ft., Value, 100.00
 - No.8 Open Cut 5x13x8 ft. brs.from same point S.54°32'W.

 245 ft., Value,
 - No.4 Open Cut 4.5x11x9.5 brs.from same point 8.55°00'W.

 226 ft., Value, 100.00

Total improvements Contention lode,

\$400.00

Survey No. 1859

1.1	0	5	t
T.		(,,	W

Contention (Con 2)

Note. Complete affidavit of \$500 improvements will be firmished before the expiration of publication.

ADJOINING CHAIMS.

Horth Triangle lode, unsurveyed, Shattuck-Arizona Dev.Co., owner, Wood Chopper lode, Survey Ho.1061, Copper Queen Con.Min Co.ovner,

South Tip Top love, Survey Ho. 1067, Copper Queen Con.Min. Co. owner.

"est Leo and Roy lodes, Survey Ho. 1282, Shattuck-Arizona Dev. Co. owner.

LOCATION.

This claim is located about 1 mi. in a f. direction from the City of hisbee, on unsurveyed lands in the Warren Himin, District, Cochise County, Arizona, approximately in Tp. 83 S. R.24 B. G & F RB&6.

INSTRUMENT.

This survey was made with a Leitz Mountain and Mining transit. The courses were deflected from the true meridian as determined by solar observation, checked by an observation on Polaris. The distances were measured with a 300 foot/steel tape.

Magnetic Variation 12° 30' E

Bisbee, Arizona,

Note

Any discrepancies between the courses and distances of this survey and those of the a joining approved surveys are due to errors in the latter.

FINAL OATHS FOR SURVEYS.

· L	IST OF NAMES.
A list of the names of the individu	ials employed by Leo Class
	, to assist in running, measuring, and marking the lines
	e foregoing field notes of the survey of the mining claim
	ening
known as the	bancertion
and showing the respective capacities in	n which they acted.
	Hyph Sulling ton, Chainman.
	Edward Leppien, Chainman.
	, Axman.
	, Fiagman.
FINAL OA	THS OF ASSISTANTS.
We, Augh Me	elington
	do solemnly swear that we assisted
Leo, Clary, United Sta	tes Deputy Mineral Surveyor, in marking the corners and
surveying the boundaries of the mining	
surveying the boundaries of the mining	g claim of Jacob Cening
surveying the boundaries of the mining	g claim of Jacob Cening
surveying the boundaries of the mining	
surveying the boundaries of the mining	g claim of Jacob Cening
in the foregoing field notes as having be	, known as the , represented
in the foregoing field notes as having be his direction; and that said survey has	, known as the , represented een surveyed by said deputy mineral surveyor and under
in the foregoing field notes as having be his direction; and that said survey has belief, faithfully and correctly executed according to law and the instructions	, known as the, represented een surveyed by said deputy mineral surveyor and under s been in all respects, to the best of our knowledge and
in the foregoing field notes as having behief, faithfully and correctly executed	, known as the, represented een surveyed by said deputy mineral surveyor and under s been in all respects, to the best of our knowledge and l, and the corner and boundary monuments established is furnished by the United States Surveyor-General for
in the foregoing field notes as having be his direction; and that said survey has belief, faithfully and correctly executed according to law and the instructions	known as the , represented een surveyed by said deputy mineral surveyor and under s been in all respects, to the best of our knowledge and l, and the corner and boundary monuments established is furnished by the United States Surveyor-General for
in the foregoing field notes as having be his direction; and that said survey has belief, faithfully and correctly executed according to law and the instructions	, known as the , represented een surveyed by said deputy mineral surveyor and under s been in all respects, to the best of our knowledge and l, and the corner and boundary monuments established is furnished by the United States Surveyor-General for Halling To, Chainman.
in the foregoing field notes as having be his direction; and that said survey has belief, faithfully and correctly executed according to law and the instructions	, known as the, represented een surveyed by said deputy mineral surveyor and under s been in all respects, to the best of our knowledge and l, and the corner and boundary monuments established is furnished by the United States Surveyor-General for
in the foregoing field notes as having be his direction; and that said survey has belief, faithfully and correctly executed according to law and the instructions	known as the represented been surveyed by said deputy mineral surveyor and under seen in all respects, to the best of our knowledge and and the corner and boundary monuments established is furnished by the United States Surveyor-General for Application of the Chainman o
in the foregoing field notes as having be his direction; and that said survey has belief, faithfully and correctly executed according to law and the instructions	, known as the
in the foregoing field notes as having be his direction; and that said survey has belief, faithfully and correctly executed according to law and the instructions	, known as the
in the foregoing field notes as having be his direction; and that said survey has belief, faithfully and correctly executed according to law and the instructions and the instructions. Subscribe	, known as the

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR
I, Lea Collecto, U. S. Deputy Mineral
Surveyor, do solemnly swear that, in pursuance of instructions received from the United
States Surveyor General for Quantum dated
Depteule 3 1903, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of Jacole auring
known as the
Cauleution,
situate inMining District,
County, County, in Section in Section
situate in Mining District, County, Augora in Section Affrod, Township No. 135, Range No. 146 Stands Mining District, and designated as Survey No. , as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or his grantors
are as therein fully stated, and that the character, extent, location and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
l'. S. Deputy Mineral Surveyor.
(. S. Deputy interat Surveyor.
Subscribed and sworn to by the said Jeo Clark
U. S. Deputy Mineral Surveyor, before me
this this
day of aleghest 1964.
FEC on the County of Cochise, Territory of Arizona
We conmission Expires March 21, 1908.

Motice of Mining Location


LODE CLAIM

To	All	Whom	it	Map	Concern	:
----	-----	------	----	-----	---------	---

	of which is the Gontention	
Mining Claim, situate on lands belo	onging to the United States of A	merica, and in which there
are valuable mineral deposits, was e	entered upon and located for the p	surposes of exploration and
purchase by Jacob Pirrung,		
(Locator must insert either "a citizen of the United	States," or, "who has declared his intention to 1	pecome a citizen of the United States.")
the undersigned, on the 10	day ofJanuary1	903.
The length of this claim is	1500	feet,
and claim about 750		feet,
in a westerly	direction a	and about
feet in a	Easterly	direction from
the center of the discovery shaft, at	which this notice is posted, length	hwise of the claim, together
with300	feet in width of th	e surface grounds, on each
side of the center of said claim. Th	e general course of the lode depos	sit and premises is from the
E	to the	W
The claim is situated and locat	ted in the Warren	Mining District, in
Cochise Coun	nty, in the Territory of Arizona, a	bout 1100
in a Westerly	direction from Spray S	haft
		d as follows: Beginning at
	*	
	direction about 7	50 feet from
at a point in—a Westerly	direction about 7 otice is posted), being in the cent	50 feet from west
at a point in-a Westerly the discovery shaft (at which this n	direction about 7 otice is posted), being in the cent 300 feet to	5.0. feet from er of the West a monument
at a point in-a Westerly the discovery shaft (at which this n end line of said claim; thence	direction about 7 otice is posted), being in the cent 300 feet to	50 feet from er of the West a monument orner of said claim; thence
at a point in—a Westerly the discovery shaft (at which this n end line of said claim; thence , being	direction about 7 otice is posted), being in the cent 300 feet to the N.W. co	50 feet from er of the West a monument orner of said claim; thence ent , being at the
at a point in—a Westerly the discovery shaft (at which this n end line of said claim; thence , being	direction about 7 otice is posted), being in the cent 300 feet to the N.W. co feet to a monum er of said claim; thence	50 feet from er of the West a monument orner of said claim; thence ent , being at the 300 feet
at a point in—a Westerly the discovery shaft (at which this n end line of said claim; thence	direction about 7. otice is posted), being in the cent 300 feet to the N. W. co feet to a monum er of said claim; thence at the center of the	50 feet from er of the West a monument orner of said claim; thence ent , being at the 300 feet East end of said claim;
at a point in—a Westerly the discovery shaft (at which this n end line of said claim; thence , being 1500 N. E. corne	direction about 7. otice is posted), being in the cent 300 feet to the N.W. co feet to a monum er of said claim; thence at the center of the feet to a monumen	50 feet from er of the West na monument orner of said claim; thence ent , being at the 300 feet East end of said claim; thence at the feet feet from west
at a point in—a Westerly the discovery shaft (at which this n end line of said claim; thence	direction about 7. otice is posted), being in the cent 300 feet to the N.W. co feet to a monum er of said claim; thence at the center of the feet to a monument rner of said claim; thence t at the S.W.	50 feet from er of the West na monument orner of said claim; thence ent heing at the 300 feet East end of said claim; thence at the 1500 corner of said claim;
at a point in—a Westerly the discovery shaft (at which this n end line of said claim; thence	direction about 7. otice is posted), being in the cent 300 feet to the N.W. co feet to a monum er of said claim; thence at the center of the feet to a monument rner of said claim; thence t at the S.W.	50 feet from er of the West na monument orner of said claim; thence ent heing at the 300 feet East end of said claim; thence at the 1500 corner of said claim;
at a point in—a Westerly the discovery shaft (at which this n end line of said claim; thence	direction about 7 otice is posted), being in the cent 300 feet to the N.W. co feet to a monum er of said claim; thence at the center of the feet to a monumen erner of said claim; thence t at the S.W.	50 feet from er of the West a monument orner of said claim; thence ent , being at the 300 feet East end of said claim; t , being at the 1500 corner of said claim;
at a point in—a Westerly the discovery shaft (at which this n end line of said claim; thence	direction about 7. otice is posted), being in the cent 300 feet to the N.W. co feet to a monum er of said claim; thence at the center of the feet to a monumen rner of said claim; thence t at the S.W. feet to the place of beginning of Chapter Six, of Title XXXII,	50 feet from er of the West a monument orner of said claim; thence ent , being at the 300 feet East end of said claim; t , being at the 1500 corner of said claim; eg.
at a point in—a Westerly the discovery shaft (at which this n end line of said claim; thence	direction about 7 otice is posted), being in the cent 300 feet to the N.W. co feet to a monum er of said claim; thence at the center of the feet to a monumen erner of said claim; thence t at the S.W. feet to the place of beginning of Chapter Six, of Title XXXII, of the General Assembly of Ar	50 feet from er of the West na monument orner of said claim; thence ent heing at the 300 feet East end of said claim; the heing at the 1500 corner of said claim; g. of the Revised Statutes of izona, entitled "An Act to
at a point in—a Westerly the discovery shaft (at which this n end line of said claim; thence	direction about 7 otice is posted), being in the cent 300 feet to the N.W. co feet to a monum er of said claim; thence at the center of the feet to a monumen erner of said claim; thence t at the S.W. feet to the place of beginning of Chapter Six, of Title XXXII, of the General Assembly of Ar	50. feet from er of the West a monument orner of said claim; thence ent , being at the 300 feet East end of said claim; t , being at the 1500 corner of said claim; g. of the Revised Statutes of izona, entitled "An Act to March 16, 1901.
at a point in—a Westerly the discovery shaft (at which this n end line of said claim; thence	direction about 7 otice is posted), being in the cent 300 feet to the N.W. co feet to a monum er of said claim; thence at the center of the feet to a monumen erner of said claim; thence t at the S.W. feet to the place of beginning of Chapter Six, of Title XXXII, of the General Assembly of Ar. Territory of Arizona," approved M. and this 10 day of J.	50. feet from er of the West a monument orner of said claim; thence ent , being at the 300 feet East end of said claim; t , being at the 1500 corner of said claim; g. of the Revised Statutes of izona, entitled "An Act to March 16, 1901.

FILED and recorded at request of Jacob Pirrung, Apr.7th, 9 A. M. A. D. 1903 in Book 21, Record of Mines at pages 329-30.

County of	
I,, County Recorder in and for	the County and
Territory aforesaid, do hereby certify that the within instrument was filed for record at	clock, M.,
on this	ok No
of	
WITNESS my hand and official seal the day and year first above written.	
Cour	nty Recorder.
	i
190. 190. A	Recorder.
LAIM. 19 at the request A. D. 19	Recorder
1	
20 E	County
LODE	
LODE O	
Hotice LC LG led and reco	
### Dated Filed Filed Book Page.	



eription of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim. any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence des

TERRITORY OF ARIZONA,)

County of Cochise.

I, Frank Hare, County Recorder in and for said County, hereby certify that I have compared the foregoing copy with the original Contention Mining Claim, filed and recorded in my office on the 7 day of April, A. D. 1903, at 9 A. M. in Book 21, Pages 329-30, and that the same is a full, true and correct copy of such original, and of the whole thereof.

WITNESS my hand and seal of office this 31 day of August,

1903.

SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona.
Oct. 22, 1904
I, U. S. Surveyor-General for the district of Arizona.
do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of Jacob Pirrung,
, known as the
gontention,
situate in Mining District,
County, Arizona.
in Section approx., Township No. 23 S., Range No. 24 E.
, designated as Survey No. 1859
executed by
Surveyor, June 28th Aug. 5 th 1904. , 190., under my instructions dated
Sept. 3, 1903. , have been critically examined and the necessary cor-
rections and explanations made, and the said Field Notes and Return, and the Survey they describe,
are hereby approved. A true copy of the copy of the location certificate filed by the applicant for
survey is included in the field notes.
U.S. Surveyor-General for Arizona.
U. S. Surveyor-General for Arizona.

7360b5m3-03

Mineral Survey No.1859, CONTENTION mining claim, situated in Warren Mining District, Cochise CountyArizona owned by Jacob Pirrung

I, Franklin W.Smith U. C. Deputy Mineral Surveyor do hereby certify that George C. Clark, the U.S.Deputy Mineral Surveyor who made and returned official survey No. 1859, for the Contention lode, has removed from the Territory of Arizonaand is not within the Territory of Arizona. and that I am thoroughly familiar with the said claim and improvements placed upon the same, both before and after the date of survey and prior to the date of the expiration of the period of publication of the notice of application for patent thereon,

The following improvements whre placed upon said Contention Claim by Jacob Pirrung the applicant for patent after the date of survey and prior to the date of the expiration of the publication of the notice of application for patent. Of these additional improvements none of the shafts nor any portion of them have been accredited at any time to any other claim or claims Said improvements are as follows:

- No.1 Discovery shaft 8x10x8 ft brs from Gor.No.1 S. 71° 39:W
 63 ft Value, 100.00
- No.2 Open Gut 5x12x8.5 ft brs from same point 8.54° 32'W.
 256 ft Value,
- No.3 Open Cut 5x13x8 ft brs from same point S. 54° 32' W. 245 ft Value,
- No.4 Open Cut 4.5x1lx9.5 ft brs from same point S.55°0'
 W. 226 ft Value,
- No.5 Shaft 5x7x11 ft brs from W E C location N.64°33'E 122.4 ft Value, 100.00
- No.6 Shaft 5x7x12 ft deep brs from W E C location N.
 No.6 Shaft 5x7x12 ft deep brs from W E C location N.
 No.6 Shaft 5x7x12 ft deep brs from W E C location N.
 No.6 Shaft 5x7x12 ft deep brs from W E C location N.

Total improvements

Affidavit of Five Hundred Dollars Improvements.

	wood and J. J. Toland
We, here	wood and J. J. Island
of lawful age, being first duly sworn accor-	ding to law, depose and say: That we are acquainted with the
Contention	mining claim, situate in Manuel
mining district, Cochese	County, Arizona Territory, for which
	coh Pinning
had made application for survey prior to a	application for patent under the provisions of the Act of Congress
approved May 10, 1872; and that the labor from the application of the application of the application of the grantor sexceed five hundred	done and improvements made thereon by the applicant and specialized of the femod of fueble ation for futber that we are not personally interested
in said mine.	I A Therwood
TERRITORY OF ARIZONA, COUNTY OF COLLISE	$\left. \left. \right \right. $ $ss:$
000M11 OF)
, a	Sworn to and subscribed before me thisday
[SEAL.]	of Scholer, 190 J.
17171b400-3-05	Coro Esnisto
	*

Certificate of U. S. Surveyor General

AS TO

EXPENDITURES REPORTED AFTER RETURN OF SURVEY OF MINING CLAIM-

I, U. S. Surveyor General for	Dist. of Arizona
	Pollars' worth of labor has been expended or
improvements made by claimant or Jacob Firrur	his grantors, upon the mining claim of
	ntion
	mining district,
	unty, Arizona
	, Range No.
	sharts and 3 cuts, total value
	mprovements were made prior to the
expiration of the perio	d of publication of application
for patent.	
, and that no	portion of said labor or improvements has been
included in the estimate of expenditures	upon any other claim. A copy of the report of
Franklin W. Smith	
<u>Oct. 9,1905</u> , 18, is	hereto attached.
	Thank A Sigalle
	Surveyor General for Arizona
Office of U. S. Surveyor General,	
Phoenix, Arizona,	,
Oct. 19,1905 , 1	8 .
And the second s	

SURVEY Nº 1859.

Scale. (In=100.Ft.

