MINERAL SURVEY NO. 1863

Claims	M & B Desc.	Improvements	Loc. Notices
Custer	4	15	/
Grand Central	1	14	3
Little Mickey	8	16	5
Molley	6	16	4
St. Lious	3	15	2
Mills	sites		
Custer	10		6
St. Lious	11		7

Wallation, chicked D. q 11/2/03

(4—683.)

Lot No.

Mineral Survey No. 1863 ArB

•	
	Crescole Land District.

	FIELD NOTES
	of the survey of the mining Claim of
	KNOWN AS THE
15%	Lair Go & Couland mode & Little maple bodes and
inesce	Touis. Grand Central, Mollie & Little Muchey boles and mot Custin Mill Sites Big Buy Mining District,
	Juvapui County, auzona
	tion Appray, Township /2 9/3 N, Range / W. Cunsu
	Surveyed under instructions dated Och. 175, 1903
	by J. Feilee, U. S. Deputy Mineral Surveyor.
	Claim located du lie hoe. notices, 1
	Survey commenced Och. 2s = , 1903
	Survey completed Och. 23, 1903
,	· 6-160 Hilless.
	Otres V O Sullevan
	Olves & O'Sullevan alego for Claiment Prescote
	Presente
	Cream -

PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

WE, Chui Bullye and G. E. Anghes,	
do solemnly swear that we will well and faithfully execute the duties of chain carriers; that we will	
level the chain upon even and uneven ground and plumb the tally-pins, either by sticking or dropping	
the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with instructions	
given us, in the survey of the Mining Claim of	
given us, in the survey of the Mining Claim of John Krimey, Burne as the "Milly, Little Mickey, Grand Central Saint Forces. and Custic bule Claims and Custe & Saint Lions Mill site Chee	•
known as the lester Wile Claims and Custer & Danut dious Mill site Clear	1 cos
situate in Bry Bry mining district	
Jurupie County, arynne,	
in Section, Township No, Range No	
Olen Battye, Chainman.	
1 31 - Chairman.	
G. E. Hingher, Chainman.	
Subscribed and sworn to by the above-named persons before me this	
aly commission express 20 day of October, 190 3	
May 19, 19084 J. Fisher Public	,
Q & by fine)
I, J. L. Hugher, do solemnly swear that I will well and truly	
perform the duties of axman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of	
John Kning Homm as the "Moteix Lieten Miche	4
Frand Central, Sunt Fruis & Custin har claims & Custo & Sanstrond	es fle
known as the Clauris	
more fully described in the preceding affidavit.	
A Coman.	
Subscribed and every to by the said of & Aughres	
before me this 20 day of	
My commission expires () and other	
May 19, 1900 7 190 5	
J. J. Fisher Morning Problem	
Thee Balling de colombia was that I will will and truly	
I, do solemnly swear that I will well and truly	
perform the duties of flagman, in the establishment of corners and other duties, according to instruc-	
tions given me and to the best of my skill and ability, in the survey of the Mining Claim of	
Frank Central, Suint Fries und Custa har Clain	•
	de
known as the Colista and Sand Trouse Mill Sile Clause.	
more fully described in the preceding affidavit.	
Baitye, Flagman.	
Subscribed and sworn to by the said Cheet. Bully e	
before me this $2e^{-}$ day of	
() plate 2	
, , , , , , , , , , , , , , , , , , , ,	
J. J. Jumi	
411403mi6-02	B

1304.

GRAND CLNLIAL

Beginning at cor. No. 1, the S.M. cor. of loc., which is also cor. No. 1 Jefferson & cor. No. 5

Cubanna, Sur. No. 1773. A porphyry stone 6x12x34 ins. set one foot in ground, alongside a mon. of stones

3x3 ft. Stone marked G.C. 1-1863 A. also J-1-1773

and C b-1773. No brs. available.

Whence 1/4 cor. between accs. 1 & 26; I. 12 & 13 N. R. 1 W.G.& S.R.M. brs.N. 81°13′ H. 4562 ft.

Thomas N. 35° 38' M.

Var. 14° H.

483. To cor. No. 2 St. Louis Ellisito, Sur. 1868 B.

480. To Eugenic Gulch, course easterly, width So ft.

851.3 fo intersect Twp. line between Twps. 12018 N.

R. 1 w. G.&S.R.I. at West 1574 ft. from where cor. of Secs. 1,2,35 & 36 should be when secs. 2 & 35 should be when secs. 2 & 35 should be when set. Carners could not be found

904. To cor. No. 1, St. Louis Millsite.

Louis lode of this Survey. A porphyry stone 8x10x24 ins. set one foot in ground, alongside a mon. of stones 3x2 ft. Stone marked G.C.2-1863 A. and S. L. 1-1863 A. No brs. available.

Thence N. 47° 45′ W. Var. 14°E.

To N. C. End, which is also the S. C. End Saint Louis lode of this sur. A porphyry stone 8x18x24 instet one foot in ground, alongside a mon. of stones 3x3 ft. Stone marked N.C.E.G.C. 1869 A. & S.C.M.

S. L. 1863 A.

eet. Survey No. 1863 A.

No brs. available.

10de of this survey. A granite stone 6x8x24 ins. set one foot in ground, alongside a mon. of stones 3x3 ft.

Stone marked G.C.3-1863 A., also S. L. 4-1862 A., and M. 2-1863 A. for cor. No. 2 Molley lode this Sur.

Thence S. 35° 33' w.

Var. 14° E.

523.4 To intersect line 1-4 Ohio lode Sur. No. 1773, at N.52°15'W. 55.7 ft. from cor. No. 1, Ohio.

R. 1 W. at West 2106.4 ft. from where cor. of Secs.

1,2,35 &36 should be when set, and Mast 538.6 ft. from where 1/4 cor. between Secs. 2&35 should be when set.

Carnero Could and be found.

To Eugenie Gulch, course exsterly, width 25 ft.

1204. To cor. No. 4, which is also cor. No. 4, Jeff-erson lode, Sur. No. 1773. A granite stone 6x8x84 ins. et one foot in ground, alongside a non. of stones.

3x3 ft. Stone marked G.C. 4-1868 A. also J. 4-1773.

A x on a granite rock in place marked B. R. J. 4-1773 brs. N. 6° 38' E. 8.5 ft.

Thence S. 47° 45' R.

Var. 14° E.

at S. 37°25' W. 682.8 ft. from cor. No. 1 Ohic.

Jefferson lode Sur. No. 1773. A porphyry stone 6x18x34i ins. set one foot in ground, alongside a mon. of stones 3x3 ft. Stone marked S. C. E. G. C. 1863 A.

SURVEY No. 1863 A.

Feet.

To cor. No. 1, the place of beginning survey of exterior boundaries.

SAINT LIOUS LODE.

Beginning at cor. No. 1, which is also Cor. No. 2, Grand Central lode of this survey,, cor. described above.

Whence 1/4 sec. cor. between sec's 1 & 36, Tps.

12 & 13 N. R. 1 W. G. & S. R. M. brs. S. 85° 40° E.

3810 ft.

Thence N. 25° 41' E.

Var. 14° E.

1290

1498

To gulch, course southeasterly, width 10 ft.

To cor. No. 2, which is also cor. No. 1, Custer

lode of this survey.

A granite stone 6X8X24 ins. set one foot in ground, along side a mon. of stones 3X3 ft. Stone marked S. L. 2-1863 A, also C. 1-1863 A.

A X on a porphyry rock in place, marked B. R. C. 1-1863 A, brs. N. 85° 28' W. 72.5 ft.

Thence N. 47° 45° W.

Var. 14° E.

300

To N. C. End, which is also the S. C. End of Custer lode of this survey. A granite stone 5X8X24 ins. set one foot in ground, along side a mon. of stones 3X3 ft. Stone marked N. C. E. S. L. 1863 A. and S. C. E C. 1863 A.

Survey No. 1863 A.

Feet.

To cor. No. 3, which is also cor. No. 4, Custer lode of this survey.

A porphyry stone 8X12X24 ins. set one foot in ground, along side a mon. of stones 3X3 ft. Stone marked S. L. 3-1863 A, and C. 4-1863 A.

No brs. available.

Thence S. 25° 41° W.

Var. 14° E.

To gulch, course S. E. width 10 ft.

514.2 To intersect line 8-4 Molley lode of this survey, at N. 52° 15° W. 74,1 ft. from cor. No. 3, Molley.

1498 To cor. No. 4, which is also cor. No. 3, Grand Cor.

Central lode of this survey, Cor. described above.

Thence S. 47° 45' E.

Var. 14° E.

300 To S. C. End, which is also the N. C. End of the Grand Central lode of this survey, Mon. described above.

To cor. No. 1, the place of beginning sur. of exterior boundaries.

CUSTER LODE.

Beginning at cor. No. 1, which is also cor.

No. 2, Saint Lious lode of this survey.

Cor. described above.

Whence 1/4 sec. cor. between sec's 1 & 36 Tps.

12 & 13 N. R. W. G. & S. R. M. brs. S. 62° 33' E.

3559. Fr.
3553.1 ft.

ect. Survey N.o. 1863 A.

Thence N. 24° 45 E.

Var. 14° E.

1323.0 To intersect line between Secs. 35 & 36,
T. 18 N. R. 1 W. at N. 108.9 ft. from 1/4 cor.
and South 2531.1 ft. from cor. to Secs. 25, 36, 35 & 36.
T. 13 N. R. 1 W. Week to

1500. To cor. No. 2, whence loc. mon. brs. N. 26° E.
225 ft. A granite stone 6x8x24 ins. set one foot in granground, alongdide a mon. of stones 3x3 ft. Stone marked C. 2-1363 A.

A x on a granite rock in place marked B. R. C. 2-1868 A. brs. North 0.9 ft.

Thonce N. 47° 45° W. Var. 14° E.

156.4 To intersect line between Secs. 35 & 36, I.

18 N. A. I.W. at North 474.1 ft. from 1/4 cor.

and South 2165.9 ft. from cor. to Secs. 25, 26, 35 & 36.

T. 18 N. R. I.W. When set.

200 ft. A slate stone 3xl0x34 inc. set one foot i ground, alongside a mon. of stones 3x3 ft. Stone marked N. C. E. C. 1863 A.

To cor. No. 3, whonce loc. mon. brs. N. 24° 45′ E.

150 ft. A slate stone 4x10x24 ins. set one foot in

ground, alongside a mon. of stones 3x3 ft. Stone

marked C. 3-1863 A.

A r on a perphyry rock in place marked B. R. C. 3-1863 brs. N. 72° 10′ W. 49.1 ft.

Thence S. 24° 45° W.

Var. 14° L.

1500. To cor. No. 4, which is also cor. No. 3, St. Louis lode of this survey. Cor. described above.

Thence S. 47° 45' E.

Var. 14° E.

300. To S. C. End . Mon. described above.

600.

To cor. No. 1, the place of beginning, survey of exterior boundaries.

Feet.

MOLLEY LODE.

Beginning at cor. No. 1, at intersection of line 1-4 Ohio lode sur. No. 1773 with line 3-4 Grand Central lode of this survey.

Loc. mon. brs. S. 52° 15' E. 55.7 ft.

A granite stone 6X8X24 ins. set one foot in ground, along side a mon. of stones 3X3 ft. Stone marked M. 1-1863 A.

A X on a granite rock in place, marked B. R. M. 1-1863 A. brs. N. 82° 45' W. 12 ft.

Whence 1/4 sec. cor. between sec's 1 & 36,

Tps. 12 & 13 N. R. 1 W. G. & S. R. M. brs. S. 86°

40' E. 4566 ft.

Thence N. 35° 33° E.

Var. 14° E.

523.4 To cor. No. 2, which is also cor. No.3, Grand Central an and cor. No. 4, Saint Lious lodes of this sur.

Cor. described above.

Thence N. 29° 58' E.

Var. 14° E.

971 To cor. No. 3, Loc. Mon. brs. N. 35° E. 205 ft.

A porphyry stone 4X8X24 ins. Set one foot in ground, along side a mon. of stones 3X3 ft. Stone marked M. 3-1863 A.

A X on a porphyry rock in place, marked B. R. M. 3-1863 A. brs. N. 83° 20' E. 219.8 ft.

Survey No. 1863 A.

Feet.

Thence N. 52° 15' W.

Var. 14° E.

74.1

To intersect line 3-4 Saint Lious lode of this survey, at S. 25° 41° W. 514.2 ft. from cor. No. 3.

300

To N. C. End, whence loc. mon. brs. N.29°30' E,150'

A porphyry stone 10X12X24 ins. set one foot in ground, along side a mon. of stones 3X3 ft.

Stone marked N. C. E. M. 1863 A.

600

To cor. No. 4, whence loc. cor. brs. N.20° E. 100.

A porphyry stone 4X14X24 ins. set one foot in ground, along side a mon. of stones 3X3 ft.

Stone marked M. 4-1863 A.

Thence S. 29° 30' W.

Var. 14° E.

562

1500

To cor. No. 3, Little Mickey lode of this survey.

To cor. No. 5, which is also cor. No. 4, Ohio lode

Sur. No. 1773 and cor. No. 2, Little Mickey lode

of this survey.

A granite stone 10X14X24 ins. set one foot in ground, along side a mon. of stones 3X3ft.

Stone marked M. 5-1863 A. also L. M. 2-1863 A. and 0. 4-1773.

A X on a granite rock in place, marked B. R. O. 4-1773 brs. S. 60° 30' W. 26.1 ft.

Thence S. 52° 15' E.

Var. 14° E.

300

To S. C. End which is also N. C. E. O. 1773.

A granite stone 8X10X30 ins. set one foot in ground along side a mon. of stones 3X3 ft. Stone marked

Survey No. 1863 A.

Feet.

S. C. E. M. 1863 A. also N. C. E. O. 1773.

536.3 To cor. No. 1, the place of beginning survey of exterior boundaries.

LITTLE MICKEY LODE.

Beginning at cor. No. 1, whence loc. mon. brs. S. 60° 30° E. 150 ft. Cor. No. 1, being the S. C. E. of claim, situate on line 3-4 Ohio lode sur. No. 1773.

A granite stone 10X12X24 ins. set one foot in ground, along side a mon. of stones 3X3 ft.

Stone marked L. M. 1-1863 A.

A X on a granite rock in place, marked B. R. L. M. 1-1863 A. brs. S. 70° 46' W. 45.5 ft.

Whence 1/4 sec. cor. between sec's 1 & 36,

Tps. 12 & 13 N. R. 1 W. G. & S. R. M. brs. S. 87°

04° 30"E. 5236.5 ft.

Thence N. 37° 45' E.

Var. 14° E.

To ccr. No. 2, which is also cor. No. 5, Molley lode of this sur. and cor. No. 4, Ohio lode, survey No. 1773. Cor. described above.

Thence N. 29° 30' E.

Var. 14° E.

938 To cor. No. 3, whence loc. mon. brs. N.61°30'E.106'

A granite stone 3X8X24 ins. set one foot in ground, along side a mon. of stones 3X3 ft. Stone marked L. M. 3-1863 A.

A X on a granite rock in place, marked B. R. L. M. 3-1863 A. brs. N. 61° 55' E. 104.5 ft.

Feet.

Thence N. 60° 30' W.

Var. 14° E.

233

To N. C. End, whence loc. mon. brs. N. 22°9'E.50'

A porphyry stone 8X10X24 ins. set one foot in ground, along side a mon. of stones 3X3 ft.

Stone marked N. C. E. L. M. 1863 A.

533

To cor. No. 4.

A porphyry stone 4x10x24 ins. Set one foot in and ground, along side a mon. of stones 3x3 ft. Stone marked L. M. 4-1863 A.

A X on a porphyry rock in place, marked B. R. L. M. 4-1863 A. brs. N. 35° E. 44 ft.

Thence S. 22° 9' W.

Var. 14° E.

1357.9

To cor. No. 5, whence loc. mon. brs. N.60°30'W.70'

A granite, stone 5x9x24 ins. Set one foot in ground, along side a mon. of stones 3x3 ft. Stone marked L. M. 5-1863 A. No brs. available.

Thence S. 60° 30' E.

Var. 14° E.

300

To cor. No. 1, the place of beginning survey of exterior boundaries.

AREA.

Gross area Grand Central lode

16.496 acres

16.469

Less area in conflict with

Sur. No. 1773, Ohio lode

.698 .. "

Net area Grand Central lode

15.771 acres.

Total and net area Saint Lious lode

19.775 / 13 25.546 vacres.

Survey No. 1863 A.

Area brought forward

35.546 acres.

Total & net area Custer lode

19.705 "

Gross area Molley lode 19.936acres.

878

Less conflict with

Saint Lious lode

.818/ "

Net area Molley lode

/9,000 19.118 "

Total & net area Little Mickey lode

13.514 "

Total area lode claim

87.765 87.879 acres.

Feet.

Survey No. 1863 B.

Custer Mill Site.

Beginning at cor. No. 1,

A porphyry stone 4x10x24 ins. set one foot in ground, along side a mon. of stones 3x3 ft. Stone marked C. 1-1863 B.

A X on a porphyry rock in place, marked B. R. C. 1-1863 B. brs. N. 49° 15' E. 15.7 ft.

Whence 1/4 sec. cor. between sec's 1 & 36,

Tps. 12 & 13 N. R. 1 W. G.& S. R. M. brs. S. 59°

3/ E. 4232. #
4226.1 ft.

Whence cor. No. 1, Custer lode brs. S. 43° 41' E. 705.5 ft.

Thence N. 63° 30' W.

387

To cor. No. 2.

Cut a X on a granite rock in place and C. 2-1863B. along side a mon. of stones 3x3 ft.

Whence spring brs. S. 17° 30' W. 32 ft.

Thence S. 64° W.

417

To cor. No. 3.

Survey No. 1863 B.

Feet.

A porphyry stone 6x12x24 ins. set one foot in ground, along side a mon. of stones 3x3 ft. Stone marked C. 3-1863 B.

Thence S. 63° 30' E.

387

To cor. No. 4.

A porphyry stone 6x6x24 ins. set one foot in ground, along side a mon. of stones 3x3 ft. Stone marked C. No. 4-1863 B.

A X on a porphyry rock in place, marked B. R. C. 4-1863 B. brs. N. 9° 10' E. 35.5 ft.

Thence N. 64° E.

260

417

To gulch, course southeasterly, width 10 ft.

To cor. No. 1, the place of beginning survey of exterior boundaries.

Containing

2.939 acres.

Variation at al the corners 14° E.

Survey No. 1863 B.

Saint Lious Mill Site.

Beginning at cor. No. 1, on line 1-2 Grand Central lode, sur. No. 1863 A.

A granite stone 4x6x24 ins. set one foot in ground, along side a mon. of stones 3x3 ft. Stone marked S. L. 1-1863 B. A X on a porphyry rock in place, marked B.R.S.L.No.1-1863 B.brs.N.1°30'E.75ft.

Whence 1/4 sec. cor. between sec's 1 & 36, Tps. 12 & 13 N. R. 1 W. G.& S. R. M. brs. S. 89° 23' E. 3984. A. 22' E. 3976.2 ft. rect. Survey No. 1863 🎉 6

Cor. No.1, St. Louis lode brs. N. 35°33' E. 300 ft.

Thence S. 35° 33' W. Var. 14° E.

52.7 To intersect Twp. line between Twps. 12 & 13 N.
R. l W. G. & S. R. M. at West 1374 ft. from where
cor. of Secs. 1, 2, 35 & 36, should be when set,
and Last 1268 ft. from where 1/4 cor. should be
when set. Corners couldnot be found

424. To Eugenie Gulch, course easterly, width 25 ft.

466. To cor. No. 2, cut a x on a granite rock in place marked S. L. 2-1863 B. A mon. of stones 3x3 ft. alongside.

Thence S. 70° 6' A.

Var. 14° E.

70. To cor. No. 3, at intersection of line 5-6 Cubanna lode, Sur. No. 1773, at N. 44° 10′ m.

460 ft. from cor. No. 5.

Cut a k of a gradite rock in place, marked S. L. 3-1863 B. A mon. of stones 8x8 ft. alongside. Orig. loc mon. brs. S. 70° 6 E. 360 ft.

Thence N. 44° 10 E.

Var. 14° E.

70. To Eugenie Gulch, course easterly, with 25 ft.

170. To cor. No. 4, which is also cor. No. 6, Cub-anna lode, Sur. No. 1773.

A granite stone 6x15x24 ins. set one foot in ground, alongside a mon. of stones 3x3 ft. Stone marked S. L. 4-1863 B. also C. 6-1773.

A x on a granite rock in place marked B. R. C. 6-1773 brs. N. 14° E. 21.2 ft.

Thence S. 82° 15' E.

Var. 14° E.

272 To cor. No. 5, which is also cor. No. 1, Cubanna lode, Sur, No. 1773, and cor. No. 2, Golden Wreath, Sur. No. 1441.

A granite stone 6x18 ins. 12 ins. above ground, alongside a mon. of stones 3x3 ft. Stone marked S. L. 5-1863 B. Same stone marked C. 1-1773 and G. W. 2-1441.

eet. Survey No. 1863 B

Thence N. 28° 51' E.

Var. 14° E.

311.

To cor. No. 6, whence orig. loc mon. brs.

S. 82° 15' E. 74 ft. A granite stone 4x8x24 ins. set

one foot in ground, alongside a mon. of stones 3x8 ft. 6

Stone marked S. L. 6-1863 B. No brs. available.

Also to intersect Twp. line between Twps. 12 & 13 N. R. 1 W. at West 1000 ft. from where cor. of Secs. 1, 2, 35 and 36 should be when, set, and East 1640 ft. from where 1/4 cor. between Secs. 2 & 35 should be when, set. Carriers could not be found

Thence N. 82° lo' W.

Var. 14° E.

336.

To cor. No. 1, the place of beginning, survey of exterior boundaries.

Containing 2.646 Acres.

Note:

Survey No. 1863 A. & B. is identical with the respective locations except as noted in field notes

LOCATION.

This claim is located on unsurveyed Govt. land, approximately in Secs. 35 & 36, T. 13 N. R. 1 W. and Sec. 2, T. 12 N. R. 1 W. G. & S. R. M. in Big Bug Mining District, Yavapai Co. Ariz., and is bounded on the North & West by public land, and on the east by Storm Cloud, Sur. No. 1874, and on the south by the Cubanna, Jefferson and Ohio lode claims, Sur. No. 1773.

VEINS.

Grand Central vein extends from the N. C. E. mon. S. 35° 33' W. 1204 ft. to S. C. E. mon.

Saint Lious vein extends from the S. C. E. Mon.

N. 25° 41° E. 1498 ft. to the N. C. E. Mon.

Custer vein extends from the S. C. E. Mon.

N. 24° 45° E. 1500 ft. to the N.C.E.Mon.

Molley vein extends from the S. C. E. Mon.

N. 29° 30' E. 1500 ft. to the N. C. E. Mon.

Little Mickey vein extends from cor. No. 1, N. 22° 9'E. 1357.9 ft. to the N. C. E. Mon.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements upon this claim, placed thereon by the claimant and his grantors, is not less than five hundred dollars, and that said improvements consist of:

Grand Central Lode.

Dis. Cut No. 1, at N. C. E. Cut 5x20 ft.
12 foot face.

Value \$150.00

Shaft No. 2, which brs. from S. E. E. Mon.

N. 35° 33' E. 1082 ft. Shaft 4x6 ft. 86 ft. deep.

Level at 35 ft. run north 4x6 ft. 20 ft. long.

Level at 65 ft. run north 4x6 ft. 10 ft. long.

Credit to Itanis 400 To Custu 200 Shaft No. 3, which brs. from S. C. E. Mon.

N. 35° 33' E. 934 ft. Shaft 4x6 ft. 10 ft. deep.

Value \$100.00

Survey No. 1863 A. & B.

Shaft No. 4, which brs. from S. C. E. Mon.
N. 35° 33' E. 618 ft. Shaft 4x6 ft. 10 ft. deep.

Value \$100.00

Cross-cut Tunnel No. 5, which brs. from

S. C. E. Mon. N. 42° 30' E. 587 ft. Tunnel 4x6 ft.

N. 47° W. 75 ft. to vein , Thence N. 35° 30' E. 102°

Value \$1770.00

Shaft No. 6, which brs. from S. C. E. Mon.

N. 35° 33' E. 587 ft. Shaft 4x6 ft. 12 ft. deep.

Value \$120.00

Shaft No. 7, which brs. from S. C. E. Mon.

N. 35° 33' E. 500 ft. Shaft 4x6 ft. 30 ft. deep.

Value \$300.00

Saint Lious Lode.

Dis. shaft No. 1, which brs. from S.C.E.Mon.

N. 25° 41° E. 246 ft. Shaft 4x6 ft. 10 ft. deep.

Value \$100.00

There is to be credited to the Saint Lious lode \$400.00 of the improvements in Shaft No. 2, Grand Central lode.

Custer Lode.

Dis. shaft No. 1, which brs. from S.C.E.Mon.

N. 24° 45° E. 900 ft. Shaft 4x6 ft. 10 ft. deep.

Value \$100.00

Shaft No. 2, which brs. from S.C.E.Mon.

N. 31° 40° E. 854 ft. Shaft 4x6 ft. 10 ft. deep.

Value \$100.00

Shaft No. 3, which brs. from S. C. E. Mon. N. 24° 45° E. 1015 ft. Shaft 4x6ft. 10 ft. deep.

Value \$100.00

There is to be credited to the Custer lode \$200.00 of the improvements in shaft No. 2, Grand Central lode.

Molley Lode.

Dis. cut No. 1, which brs. from S.C.E.Mon.

N. 29° 30' E. 170 ft. Cut 4x15 ft. 10 ft. face.

Value \$100.00

Cut No. 2, which brs. from cor. No. 1,

N. 13° 15' E. 250 ft. Cut 4x12 ft. 10 ft. face.

Value \$100.00

Cut No. 3, which brs. from S. C. E. Mon.

N. 31° 11' E. 960 ft. Cut 4x12 ft.10 ft. face.

Value \$100.00

Cut No. 4, which brs. from cor. 4, S. 5° 45' E. 590 ft. Cut 4x15 ft. 10 ft. face.

Value \$100.00

Shaft No. 5, which brs. from cor. No. 4,

S. 16° E. 480 ft. Shaft 4x6 ft. 10. ft. deep.

Vulue \$100.00

Little Mickey Lode.

Dis. Shaft No. 1, which brs. from cor. No. 5, N. 47° E. 700 ft. Shaft 4x6 ft. 15 ft. deep.

Value \$150.00

Cut No. 2, which brs. from cor. No. 5,

N. 49° 45' E. 790 ft. Cut 5x12 ft. 10 ft. face.

Value \$100.00

Cut No. 3, which brs. from cor. No. 5;
N. 47° E. 800 ft. Cut 4x12 ft. 10 ft. face.

Value \$100.00

Survey No. 1863 A. & B.

Shaft No. 4, which brs. from cor. No. 5,
N. 54° 30' E. 665 ft. Shaft 4x6 ft. 15 ft. deep.

Value

\$150.00

INSTRUMENT.

This survey was made with a Gurley Light

Mountain Solar Transit. The courses were deflected

from the true meridian as determined by direct

solar observations. The distances were measured

with a 75 ft. steel tape and 100 ft. steel chain.

Prescott Ariz.

Oct. 29th. 1903.

U.S.Dep. Min. Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines

A list of the names of the individuals employed by . J. Feshed

corners and boundaries described in the foregoing field notes of the survey of the mining claim
of John Anney Known as he Mulughite Mickey Frank
Said fruis & Custa Ford clamos & Custa and James Louis Mile sile - Che
and showing the respective capacities in which they acted.
Chair Batty e , Chainman.
G. E. Sughes, Chainman.
En E Aughen, Axman.
Chees Butty e , Flagman.
FINAL OATHS OF ASSISTANTS.
we, Chas Ballije and G.E. Augher, do solemnly swear that we assisted J. J.
and G.E. Auche do solomnly sweet that we assisted
United States Deputy Mineral Surveyor, in marking the corners and
surveying the boundaries of the mining claim of John Kinney
surveying the boundaries of the mining claim of
Monor Ces to Mothey Della Michey, Frank Central
Saint Louis and Custin Frede Claims, known as the and Conster
and Sant Louis Mile Site Cleans, represented
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under
his direction; and that said survey has been in all respects, to the best of our knowledge and
belief, faithfully and correctly executed, and the corner and boundary monuments established
according to law and the instructions furnished by the United States Surveyor-General for
augmu
Chas Battye, Chainman. 1 6. How flow, Chainman. 1 16. How flow, Arman.
To The action of Chairman
1 1 1 LOS
The Ballye, Flagman.
flagman.
Subscribed and sworn to by the above-named persons before me
this 23 % day of Oct, 1903
My commission expires
Mag 19, 1901/ J. Filme Morning Prublic
Motury Oublie

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, J. Ferhu , U. S. Deputy Mineral
Surveyor, do solemnly swear that, in pursuance of instructions received from the United
States Surveyor General for
Och 17-1903, have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of John Kinney
Claim of John Kinney Known as to Certie St. Louis, Grand, known as the
Millie & Little Mickey Lodes, & Custie & St. Louis Mile Sites
situate in Biy Buy Mining District,
Javepei County, argue, in Section
, Township No, Range No
and designated as Survey No. 1863 H & B., as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy •
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or us grantors
are as therein fully stated, and that the character, extent, location and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
J. J'erhu
U. S. Deputy Mineral Surveyor.
Subscribed and sworn to by the said
U. S. Deputy Mineral Surveyor, before me Ok Motary Vulle
this 3
day of October 1903.
expires alle stell
My commission expires Welconstall
My ne

Affidavit of Five Hundred Dollars Improvements.

we, Chat Buttye, and Les. Hughes
of lawful age, being first duly sworn according to law, depose and say: That we Molly, Little Michey, Grand Central, Saint Louis are acquainted with the Custa but Claims & Custa & Stand Louis mile sing are acquainted with the Custa but Claims & Custa & Stand Louis mining claim,
situate in Big Buy Mining district, Jumper County,
situate in Brig Brig Mining district, Jumpai County, Arizona Territory, for which John Kinney
hamade application for survey prior to application for patent under the provisions
of the Act of Congress, approved May 10, 1872; and that the labor done and improve-
ments made thereon by the applicant and his grantor a exceed Five Hundred for each broatin viclame
Dollars in value, and further that we are not personally interested in said mine.
Chas. Bartye
S. E. Hugher
TERRITORY OF ARIZONA,
County of Javepui \ss:
Sworn to and subscribed before me, this 232
SEAL day of October, 190.3
May 19, 1900/

"duster"

Notice of Location

KNOW ALL MEN BY THESE PRESENTS:

That we the undersigned, have this day located Fifteen Hundred (1500) linear feet of this vein or lode, bearing precious metals, with all dips, spurs, angles and variations, with surface ground Three Hundred (300) feet on each side of the center of vein, with all Mineral Deposits contained therein, and all Timber growing within the limits of said claim, and all Water and Water Privileges thereon or appurtenant thereto, under and according to the provisions of the United States Mining Laws, under which it is located.

This claim commences at this Monument and Notice placed upon the ledge, and runs 750 feet in a Northerly direction and 750 feet

in a Southerly direction along the ledge.

The Exterior boundaries are as follows, viz:

Commencing at a monument of stone on West boundary line, distant Three Hundred (300) feet in a Westerly direction from Discovery Monument; thence in a Northerly direction parallel with the ledge feet to monument of stone at N.W. corner of claim; thence in an Easterly direction at right angles across the ledge Six Hundred (600) feet to monument of stone at N.E. corner of claim; thence in a Southerly direction parallel with the ledge Fifteen Hundred (1500) feet to monument of stone at S.E. corner of claim; thence at right angles across the ledge in a Westerly direction Six Hundred (600) feet to monument of stone at S.W.corner of claim; thence in a Northerly direction parallel with the ledge 1500 feet to monument on West boundary and place of

beginning.
This ledge may be more generally described as situated about Seven hundred yards in Big Northerty from Eugene Gulch about Seven hundred yards in Big Bug Mining District Yavapai County, Arizona Territory; and shall be

known as the Custer Mining Claim.

Dated on the ground this 1st day of January 1897.

John Kinney

Locaters

M.R. Parker

Recorded at request of John Kinney, March 31 A.D. 1897, at 3:00 o'clock P.M., in Book 43 of Mines, page 469, Records of Yavapai county, Arizona.

(Seal)

W.I.Johnson County Recorder.

By E.C.Averyt Deputy. "Saint Lious"

Notice of Location

KNOW ALL MEN BY: THESE PRESENTS:
That we the undersigned, have this day located Fifteen Hundred (1500) linear feet of this vein or lode, bearing precious metals, with all dips, spurs, angles and variations, with surface ground Three Hundred (300) feet on each side of the center of vein, with all Mineral Deposits contained therein, and all Timber growing within the limits of said claim, and all Water and Water Privileges thereon or appurtenant thereto, under and according to the provisions of the Mining Laws of the United States, under which it is located.

This claim commences at this Monument and Notice placed upon the ledge, and runs Fifteen Hundred (1500) feet in a Northerly

direction along the ledge from Discovery Shaft.

The Exterior boundaries are as follows, viz:

Commencing at this Monument and Notice, and running Three
Hundred (300) feet in an Easterly direction to monument at S.E.
corner of claim; thence in a Northerly direction parallel with
the ledge Fifteen Hundred (1500) feet to monument at N.E.corner of
claim; thence in a Westerly direction at right angles across the
ledge Six Hundred (600) feet to monument at N.W.corner of claim;
thence parallel with the lode in a Southerly direction Fifteen
Hundred (1500) feet to monument at S.W.corner of claim; thence at
right angles across the ledge in an Easterly direction Three Hundred
(300) feet to monument upon the ledge and place of beginning.
This ledge may be more generally described as situated in

This ledge may be more generally described as situated in Eugene Gulch North Extension of Grand Central, about fourteen hundred feet from Eugene Gulch in Big Bug Mining District, County, Arizona Territory, and shall be known as the Saint Lious

Mining Claim.

Dated on the ground, this 1st day of January 1897.

John Kinney

Locaters

M.R. Parker

Recorded at request of John Kinney, March 31 A.D.1897, at 3:00 o'clock P.M., in Book 37 of Mines, page 579, Records of Yavapai County, Arizona.

(Seal)

W.I.Johnson

County Recorder.

By E.C.Averyt

Deputy.

"Grand Central"

Notice of Location

KNOW ALL MEN BY THESE PRESENTS:

That we the undersigned, have this day located Fifteen Hundred (1500) linear feet of this vein or lode, bearing precious metals, with all dips, spurs, angles and variations, with surface ground Three Hundred (300) feet on each side of the center of vein, with all Mineral Deposits contained therein, and all Timber growing within the limits of said claim, and all Water and Water Privileges thereon or appurtenant thereto, under and according to the provisions of the Mining Laws of the United States, under which it is located.

This claim commences at this Monument and Notice placed upon the ledge, and runs Fifteen Hundred (1,500) feet in a Southerly direction along the ledge from Discovery Shaft. The Exterior boundaries afxikaxaisim are as follows, viz:

Commencing at this Monument and Notice, and running Three
Hundred (300) feet in an Easterly direction to monument of stone
at N.E. corner of claim; thence in a Southerly direction parallel w
with the ledge Fifteen Hundred (1500) feet to monument at S.E.
corner of claim; thence at right angles across the ledge in a
Westerly direction Six Hundred (600) feet to monument at S.W.
corner of claim; thence parallel with the lode in a Northerly direction Fifteen Hundred (1500) feet to monument at N.W.corner of claim;
thence at right angles across the ledge in an Easterly direction thence at right angles across the ledge in an Easterly direction Three Hundred (300) feet to monument upon the ledge and place of beginning.

This ledge may be more generally described as situated in Eugene Gulch and west of Gold Reafe Mine about 200 yard and discovery shaft about 7200 feet north of Eugene Gulch, in Big Bug Mining District, Gounty, Arizona be known as the "Grand Central" Mining Claim. County, Arizona Territory, and shall

Dated on the ground this 1 day of January 1897.

John Kinney.

Locators

M.R. Parker.

Recorded at request of John Kinney March 31 A.D.1897, at 3:00 o'clock P.M., in Book 38 of Mines, page 554, Records of Yavapai County, Arizona.

(Seal)

W.I.Johnson

County Recorder

By E.C.Averyt

Deputy.

"Molley"

Notice of Location

KNOW ALL MEN BY THESE PRESENTS:

That I the undersigned, have this day located Fifteen Hundred (1,500) linear feet of this vein or lode, bearing precious metals, with all dips, spurs, angles and variations, with surface ground Three Hundred (300) feet on each side of the center of vein, with all mineral deposits contained therein, and all Timber growing within the limits of said claim, and all Water and Water Privileges thereon or appurtenant thereto, under and according to the provisions of the Mining Laws of the United States, under which it is located.

This claim commences at this Monument and Notice placed upon the ledge, and runs Fifteen Hundred (1500) feet in a Southerly

direction along the ledge.

The Exterior boundaries are as follows, viz: Commencing at this Monument and Notice, and running Three Hundred (300) feet in an Easterly direction to monument of stone at N.E. corner of claim; thence in a Southerly direction parallel with the ledge Fifteen Hundred (1500) feet to monument at S.E. corner of claim; thence at right angles across the ledge in a Westerly direction Six Hundred (600) feet to monument at S.W. corner of claim; thence parallel with the lode in a Northerly direction Fifteen Hundred (1500) feet to monument at N.W. corner of claim; thence at right angles across the ledge in an Easterly direction Three Hundred (300) feet to monument upon the ledge and place of beginning.

This ledge may be more generally described as situated Tow miles from Jones Mill, in Big Bug Mining District, Yapalia County, Arizona Territory, and shall be known as the Molley Mining Claim.

Dated on the ground this 15th day of June 1893.

John Kinney

Recorded at request of John Kinney July 6th A.D.1893, at 9:20 o'clock A.M., in Book 38 of Mines, page 5, Records of Yavapai County, Arizona.

	Alex.0.	Brodle County	Recorder.
(L.S.)			
Ву	Deputy		
	THE PARTY NAMED IN COLUMN TWO IS NOT THE PARTY N		

"Littley Mickey"

×

Notice of Mining Location

Lode Claim.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Littley Mickey Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by John Kinney a citizen of the United States resdeant of Big Bug, Yamapia County, Arizona Tr. the undersigned, on the 20th day of February 1903.

The length of this claim is Fifteen Hundred feet, and I claim Seven Hundred & fifty feet, in a Northley direction and Seven Hundred & fifty feet in a Southley direction from the center of the discovery cut, at which this notice is posted, lengthwise of the claim, together with Six Hundred feet in width of the surface ground on each side of the center of said claim. The general course of the lode deposit and premises is from the Nourteley to the Southley.

The claim is situated and located in the Big Bug Mining District, in Yavapia County, in the Territory of Arizona, about Nine Hundred feet in a North Westley direction from Jefferson Hiest on a Pattened Mine ajoins the Ohio Pattened Claimwest side line and West side line of Molley Mining Claime in Eugean Gulch North side of Gulch.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at monunt of stone at center of clame at a point in a Northley direction 750 feet from the discovery cut (at which this notice is posted), being in the center of the North end line of said claim; thence 300 feet to monut of stone being the Northwest corner of said claim; thence 1500 feet to a monumnt of stone being at the Southwest corner of said claim; thence 300 feet to a monumt of stone at the center of the South end of said claim; thence 300 feet to a monumt of stone being at the South East corner of said claim; thence thence 1500 feet to monumt of stone at the Northeast corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII

All done under the provisions of Chapter Six, of Title XXXII of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act To Revise and Codify the Laws of the Territory of Arizona" approved March 16,1901.

Dated and posted on the ground, this 20 day of Febaury 1903

Witness G.E.Hughes. John Kinney Locator.

Filed and recorded at request of John Kinney May 1 A.D.1903, at 9:00 o'clock A.M., Book 67 of Mines, page 480, Records of Yavapai County, Arizona.

(Seal) P.J.FARLEY County Recorder.

By M.A.Lawler Deputy Recorder.

LOCATION NOTICE

OF

THE "

MILL-SITE CLAIM AND WATER RIGHT.

KNOW ALL MEN BY THESE PRESENTS:

That I the undersigned have this day located a Mill-Site for the purpose of erecting suitable works for reducing the ores of the Gen. Custer Mining Claim, situated in Big Bug Mining District

Yavapai County, Arizona Territory.

The exterior boundaries of said five acreswill-site Claim,

are as follows, viz:

commencing at a monument of stone at N.E.corner of claim, and running thence in a westerly direction, 466½ feet to monument of stone at N.W.corner of claim, thence in a Southerly direction, 466½ feet to monument of stone at S.W.corner of claim, thence in an Easterly direction 466½ feet to a monument of stone at S.E.corner of claim, thence in a Northerly direction, 466½ feet to a monument of stone at N.E.corner of claim, and place of beginning.

corner of claim, thence in a Northerly direction, 4662 feet to a monument of stone at N.E. corner of claim, and place of beginning.

This location may be more generally described as being situated Eugenie sides of Mt Ellot ajoine Gen, Custer Mining Claim on the West side 3/4 of a mile from Golden Routh a patiem clame

That I have also located in connection with the said Mill-Site Claim all water from spring, two inches miners' measure of the

That I have also located in connection with the said Mill-S: Claim all water from spring, two inches miners' measureof the water of this spring under and in accordance with the laws of the Territory of Arizona, regulating the location and possession of water rights.

The dimensions of the ditch for diverting the water from its

natural course at the head, being as follows:

in depth, aurth a uniforware to the rod.

Dated on the ground, this 1st day of January 1903.

John Kinney

Witness:

M.E.Kinney

Locater.

Witness

Recorded at request of J.H.Robinson, Feb. 9 A.D.1903 at 2:45 o'clock P.M., Book 4, Mill-Sites and Water Rights, page 123, Records of Yavapai County, Arizona.

(Seal)

P.J. Farley County Recorder.

By Charles Battye Deputy.

LOCATION NOTICE

OF

THE

MILL-SITE CLAIM AND WATER RIGHT

-

KNOW ALL MEN BY THESE PRESENTS:

-

That I the undersigned, have this day located a Mill-Site for the purpose of erecting suitable works for reducing the ores of the Saint Lioues Mining Claim, situated in Eugene Gulch, Big Bug Mining District, Yavpia County, Arizona Territory.

The exterior boundaries of said being on Eugene Creek Mill Site Claim, are as follows, viz:

and running thence in a Westerly direction, 4662 feet to monument of stone at N.W.corner of claim, thence in a Southerly direction, 4662 feet to monument of stone at S.W.corner of claim, thence in an Easterly direction, 4662 feet to a monument of stone at S.E. corner of claim, thence in a Northerly direction, 4662 feet to a monument of stone at N.E. corner of claim and place of beginning.

This location may be more generally described as being situated East by Storm Cloud, West by Greend Centrell Ming

South Bay Colorado and Golden Wreath Mining Clams.

That we have also located in connection with the said

Mill-Site Claim all waters in Creek 10 inches miner's measure of
the water of this Eugene Greek under and in accordance with the laws of the Territory of Arizona, regulating the location and possession of water rights, also Ming laws U.S., the timensions of the ditch for diverting water from its natural course at the head, being as follows:

wide at bottom, By Pipe wide at top, to the rod. in depth, with a uniform grade of

Dated on the ground, this 20th day of July 1900.

John Kinney Locator.

Witness:

B.M. Grawford.

Filed and recorded at request of John Kinney, July 18" A.D. 1900 at 4:/0 o'clock P.M., Book 4 Mill-Sites and Water Rights, page 41, Records of Yavapai County, Arizona.

(Seal)

W.I.Johnson County Recorder.

By E.C.Averyt Deputy.

TERRITORY OF ARIZONA,) County of Yavapai)

I, P.J. FARLEY County Recorder in and for the County of Yavapai, in the Territory of Arizona and Custodian of the records thereof, do hereby certify that I have compared the above and foregoing pages, numbered as follows with the original records in my office and the said following pages contain a full, true and correct copy of the Notice of Location of each of the following described Mining Claims, and Mill-Sites, as appears from said original records, to-wit:

"Molley" Mining Claim, notice of location whereof is of record in Book in Book 38 of Mines, page 5, Records of Yavapai County, Arisona;

"Grand Central"Mining Claim, notice of location whereof is of record in Book 38 of Mines, page 554, records aforesaid; "Saint Lious"Mining Claim, notice of location whereof is

of record in Book 37 of Mines, page 579, records aforesaid; "Custer" Mining Claim, notice of location whereof is of

record in Book 43 of Mines, page 469, records aforesaid; "Littley Mickey" Mining Claim, notice of location whereof

is of record in Book 67 of Mines, page 480, records aforesaid;
"Storm Cloud" Mining Claim, notice of location whereof is

of record in Book 37 of Mines, page 577, records aforesaid;
"Saint Bouis" Mill-Site, notice of location whereof is
of record in Book 4, Mill-Sites and Water Rights, page 41, records aforesaid;

Custer" Mill-Site, notice of location whereof is of record in Book 4, Mill-Sites and Water Rights, page 123, records aforesaid.

IN WITNESS WHEREOF I have hereunto set my hand and affixed my Official Seal this 26th day of September A.D.1903.

County Recorder



SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior.

Office of U. S. Surveyor-General,
Thoenix arizana.
march 10", 1904
I, U. S. Surveyor-General for Arigana
2, 0, 2, 24, 10, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0
do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of John Kinney known as the
Custer, Taint Lians France Central, Malley
& Little Mickey lades & Saint Lians and known as the
luster milleites
una muche
situate in mining district,
Gavapai County, Frigana
n Section 2 appear, Township No. 12 No/3N, Range No. 177,
uneurueyed designated as Survey No. 1863 A. & B.
Surveyor, Cot 20-23 d , 1903, under my instructions dated
$Q_{e}f = 20 - 23 \frac{d}{d}$
Oct., 1903, have been critically examined and the necessary cor-
rections and explanations made, and the said Field Notes and Return, and the Survey they describe,
ections and explanations made, and the said Field Notes and Return, and the ourvey they describe,
are hereby approved. A true copy of the copy of the location certificate filed by the applicant for
survey is included in the field notes.
survey is included in the field flotes.
U. S. Surveyor-General for Anguna
U. S. Surveyor-General for Trizona

411505m6-02

