

MS.

0

1

8

9

1

Notes referred to
dated 3/8 1904
M.M.M.
MAY 2 1904

(4-683.)

Mineral Survey No. 1891

Lot No.

Gila Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

John Gleason

KNOWN AS THE

Gleason
Tuquoise Mining District,
Cochise County, Arizona

Section , Township 19S, Range 25E
unsurveyed

Surveyed under instructions dated Dec 29, 1903

by John B. Rockwood
U. S. Deputy Mineral Surveyor.

Claim located Annulled Dec 28, 1903

Survey commenced Jan 16, 1904

Survey completed Jan 16, 1904

o 6-100

Address of claimants Attorney
James Reilly
Fountainston
Arizona

PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

We, Ernest L. Robinson and Robert H. Axtell, do solemnly swear that we will well and faithfully execute the duties of chain carriers; that we will level the chain upon even and uneven ground and plumb the tally-pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with instructions given us, in the survey of the Mining Claim of John Gleason known as the Gleason situate in Turquoise mining district Cochise County, Arizona in Section , Township No. 19S, Range No. 25E

Ernest L. Robinson, Chairman.

Robert H. Axtell, Chairman.

Subscribed and sworn to by the above-named persons before me this

16th day of Jan, 1904

John A. Roggefellow Notary Public

MY COMMISSION EXPIRES MARCH 11, 1907.

I, do solemnly swear that I will well and truly perform the duties of axman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of

known as the more fully described in the preceding affidavit.

, Axman.

Subscribed and sworn to by the said

before me this day of

, 190

I, do solemnly swear that I will well and truly perform the duties of flagman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of

known as the more fully described in the preceding affidavit.

, Flagman.

Subscribed and sworn to by the said

before me this day of

, 190

Gleeson Lode.

Feet.

Beginning at Cor. No.1, the N.W.Cor. of the claim,
identical with the location,

A pine post 4 ins. sq. 4.5 ft. long set one foot in the
ground to bed rock, in mound of stone, scribed N.W.C.- G. 1-1891.

Whence Var. $12^{\circ}40'$ E.

(1) U. S. Mineral Monument No. 1 of this District, bears
N. $21^{\circ}14'$ W. 4329.9 ft.

(2) A cross (X) and B.R. 1-1891. Chiseled on a limestone
12 X 10 X 2 ins. bears S. $30^{\circ}20'$ E. 18.4 ft.

(3) A cross (X) and B.R. 1-1891, chiseled on limestone bedrock,
bears N. $84^{\circ}53'$ W. 38.2 ft.

(4) A cross (X) and B.R. 1-1891, Chiseled on a limestone
12 X 10 X 3 ins. bears N. $41^{\circ}03'$ E. 39.9 ft.

(5) Cor. No.5 of the Charleston Lode, Survey No. 1508, bears
N. $16^{\circ}16'$ W. 133.0 ft.

Thence N. $79^{\circ}55'$ E.

56.40 Cor. No.3 Maxon lode, Survey No. 1890.

188.10 North Center End, identical with location,

A juniper post squared to 4 ins. 3.5 ft. long set 6 ins. in the
ground to hard pan, in mound of stone, scribed N.C.E.- G. 1891.

341.20 To Cor. No.2, identical with location,

A juniper post 4 ins. sq. 3.5 ft. long set 4 ins. in the ground
to bed rock, in mound of stone, scribed N.E.C.- G. 2-1891.

Whence Var. $12^{\circ}45'$ E.

(1) Cor. No. 4 Maxon Lode, Survey No. 1890, bears N. $79^{\circ}55'$ E.
12.7 ft.

(2) S.E. corner of the Copper Belle Hotel at town of Gleeson,
bears S. $44^{\circ}19'$ W. about three quarters of a mile.

Thence S. $27^{\circ}36'$ E.

42.00 S.W.Cor. of the Tom Scott Lode, Lot No. 45.

481.00 8 ft. left shaft 24 ft deep, (incline)

1233.50 To Cor. No. 3, identical with location

A juniper post 4 ins sq. 3 ft. above ground, in mound of stone,

SURVEY NO. 1891.

24

Gleeson Lode - Cont'd.

Feet.

Scribed \triangle Cor. G. to which I add 3-1891.

Whence Var. $12^{\circ}30'$ E.

- (1) College Peak bears S. $51^{\circ}30'$ E.
- (2) A cross (X) and B. R. 3-1891. chiseled on a limestone 18 X 14 X 6 ins. bears E. $41^{\circ}17'$ W. 28.4 ft.
- (3) A cross (X) and B. R. 3-1891, chiseled on a limestone 18 X 6 X 2 ins. bears N. $79^{\circ}06'$ E. 24.9 ft.

Thence S. $20^{\circ}34'$ E.

303.00

To Cor. No. 4,

A juniper post 4 ins. sq. 4 ft. long set one foot in the ground to hard pan, in mound of stone, scribed S.E.C.- G. 4-1891.

Whence Var. $12^{\circ}40'$ E.

- (1) A cross (X) and B.R. 4-1891, chiseled on limestone bedrock at two different points bear as follows:-
 - (a) N. $72^{\circ}23'$ W. 11.8 ft.
 - (b) S. $52^{\circ}36'$ E. 14.5 ft.
- (3) Front door of 4 Bar Ranch house bears S. $30^{\circ}46'$ E. about 8 miles.
- (4) Location corner bears S. $20^{\circ}34'$ E. 1.8 ft.
- (5) N. W. Cor. Bald Eagle lode (unsurveyed) bears S. $60^{\circ}58'$ E. 17.9 ft.

Thence S. $79^{\circ}55'$ W.

298.00

North Center End of the Chance lode, (unsurveyed)

305.00

South Center End, a juniper post 4 ins. sq. 4 ft. long set one foot in the ground to hard pan, in mound of stone, Scribed S.C.E. - G. 1891.

Whence location center end bears S. $20^{\circ}34'$ E. 1.8 ft.

610.00

To Cor. No. 5,

A juniper post 4 ins. sq. 4 ft. long set 8 ins. in the ground to hard pan, in mound of stone, Scribed S.W.C.- G. 5-1891.

Whence Var. $12^{\circ}40'$ E.

- (1) Location corner bears S. $16^{\circ}07'$ E. 1.8 ft.
- (2) A cross (X) and B.R. 5-1891, chiseled on limestone bedrock, at two different points bear as follows:-

SURVEY NO. 1891.

Gleeson Lode, Continued.

Feet.

- (a) S. 14°08' W. 35.0 ft.
- (b) S. 58°35' W. 15.4 ft.
- (2) College Peak bears S. 51°40' E.

Thence N. 16°07' W.

104.00 East Center Side of the Durand Lode, Survey No. 1508.

842.50 To Cor. No. 6, identical with the location,
and with Cor. No.1 Durand lode and Cor. No.4 of Charleston lode,
both of Survey No. 1508. Scribed in addition to the above
numbers WC.S.- G. to which I add 6-1891.

Thence Var. 12°35' E.

N. 16°16' W.

640.00 To Cor. No. 1, the place of beginning.

-::+::-

Area of the Gleeson Lode.....16.605 Acres.

LOCATION.

This claim is located in the Turquoise Mining District,
Cochise County Ariz. in T 19 S. R 25 E. (unsurveyed)

The lode extends throughout the center of the claim,
presumably from Center End to Center End. *S. 20°38' E 1499.13*

The adjoining claims are:-

- On the North, Maxon Lode, Survey No. 1890.
- On the East, West Side lode, (unsurveyed) (later Sur. NO.1903.)
- The Turquoise Copper Mining and Smelting Co. Claimants.
- On the South, Chance lode, (unsurveyed) San Remo Mining Co. Claimant.
- On the West, the Durand and Charleston lodes Sur. No.1508.

Expenditure of \$ 500.00

I hereby certify that the value of the labor and improve-
ments on this claim, placed thereon by the Claimant and his
grantors is not less than \$ 500.00, and that said improvements
consist of:-

Continued.

(1) Discovery Shaft which bears from Cor. No.1, S. 40°00' E. 665 Ft., Shaft, Single Compartment with man-way all timbered, 6.5 X 4.5 ft. Depth 170.00 ft.

Value..... \$ 2500.00

(2) A shaft which bears from Cor. No.1, S. 37°00' E. 276.0 ft. Shaft timbered to a depth of 200.00 ft. Double Compartment, and a third Compartment 40 ft. down. Compartments 4 X 4 ft. in the clear, 210 ft. deep, Connecting much underground work.

Value..... \$ 5000.00

-:~+:-

INSTRUMENT.

This survey was made with a YOUNG & Sons Mountain Transit, No. 6855, provided with a Smith Solar Attachment.

The courses were deflected from the true meridian as determined by direct solar observation.

The distances were measured with 100 ft. and 500 ft. steel tapes.

Tombstone, Ariz.

February 29th, 1904.

John B. Rockwell
U. S. Dep. Mineral Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by John H. Rockfellow
 United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines
 corners and boundaries described in the foregoing field notes of the survey of the mining claim
 of John Gleason
 known as the Gleason
 and showing the respective capacities in which they acted.

Ernest L. Robinson, Chairman.
Robert H. Astell, Chairman.
 _____, Axman.
 _____, Flagman.

FINAL OATHS OF ASSISTANTS.

We, Ernest L. Robinson
 and Robert H. Astell, do solemnly swear that we assisted John H. Rockfellow,
 United States Deputy Mineral Surveyor, in marking the corners and
 surveying the boundaries of the mining claim of _____

John Gleason
 _____, known as the Gleason, represented

in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under
 his direction; and that said survey has been in all respects, to the best of our knowledge and
 belief, faithfully and correctly executed, and the corner and boundary monuments established
 according to law and the instructions furnished by the United States Surveyor-General for
Arizona

Ernest L. Robinson, Chairman.
Robert H. Astell, Chairman.
 _____, Axman .
 _____, Flagman.

Subscribed and sworn to by the above-named persons before me
 this 23^d day of Jan, 1904

John H. Rockfellow
Notary Public

(4-686.)

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, John A. Rockefeller, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated Dec 29 1903, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of John Gleeson, known as the Gleeson, situate in Marquise Mining District, Cochise County, Arizona, in Section , Township No. 19S, Range No. R. & E. unsurveyed and designated as Survey No. 1891, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

John A. Rockefeller
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said John A. Rockefeller
U. S. Deputy Mineral Surveyor, before me a Notary Public in and
for Cochise County, Arizona this 1st
day of March 1904
any Commission expires April 1st 1905

Grant Woodbury
Notary Public

Affidavit of Five Hundred Dollars Improvements.

We, William Shaw, and William A Cummings

of lawful age, being first duly sworn according to law, depose and say: That we

are acquainted with the Gleson mining claim,

situate in Turquoise Mining district, Cochise County,

Arizona Territory, for which John Gleson

has made application for survey prior to application for patent under the provisions

of the Act of Congress, approved May 10, 1872; and that the labor done and improve-

ments made thereon by the applicant and his grantor exceed Five Hundred

Dollars in value, and further that we are not personally interested in said mine.

William Shaw

William A Cummings

TERRITORY OF ARIZONA,

County of Cochise } ss:

Sworn to and subscribed before me, this 22^d

day of January 1904



John P. Rockefeller
Notary Public

MY COMMISSION EXPIRES MARCH 14, 1907.

Lode Claim.

To All Whom it May Concern: This Mining claim the name of which is the Gleeson Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by John Gleeson, a Citizen of the United States, the undersigned on the 28th day of December 1903 .

The length of this claim is 1500 feet, and I claim 600 feet, in a Northwesterly direction and 900 feet in a Southeasterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds on each side of the center of said claim. The general course of the lode, deposit and premises is from the Northwest to the Southeast.

The claim is situated and located in the Turquoise Mining District, in Cochise County, in the Territory of Arizona, about 4,600 feet in a Southeasterly direction from U.S. Mineral Monument No. 1, of this District. It occupies all the space between the West Side Claim on the East and the Charleston and Durand claims on the West.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a post in a mound of stones, whence the S.W. Corner of the Tom Scott, a patented mine, a post scribed T.S. M.C. No. 4 bears S. 85° 42' E. 161 feet at a point in a Northerly direction 600 feet from the discovery shaft (at which this notice is posted), being the center of the North end ~~of~~ line of said claim; thence N. 79° 55' E. 1509 feet to a monument being the N.E. Corner of said claim; thence S. 27° 38' E. 1235.5 feet to a monument being the angle corner of east side line; thence S. 20° 35' E. 303.6 ft. to a monument being the S.E. Corner of said claim; Thence S. 79° 55' W. 305 ft. to a monument being the South center end of said claim; thence same course 305 ft. to a monument being the S.W. Corner of said claim; thence N. 16° 07' W. 843.9 ft to a monument being the angle

corner of the West side line and identical with the Northeast corner of Durand Lode, Survey No. 1508; thence N. 16° 16' W. 640.6 ft to a monument being the N.W. Corner of said claim; thence N. 79° 55' E. 188.1 ft. to the place of beginning.

This is an amended notice of location of the Gleason Claim, located by the undersigned Jan. 1st 1900 and recorded in Book 17 *Records of* of Mines at page 478; and is made to supply omissions and correct errors in original notice.

All done under the provisions of Chapter Six of Title XXXII, of the Revised Statutes of the United States and of an act of the General Assembly of Arizona entitled "An Act to Revise and Codify the Laws of the Territory of Arizona" Approved March 16 1901.

Dated and posted on the ground this 28th day of December 1903

John Gleason

Witness *William Shaw*

Thomas Lewis

Filed and recorded at request of Frank W. County December 25th 1903, 1-20 P.M. Book 29 page 510, Record of Mines.

Territory of Arizona,)
:SS.
County of Cochise.)

I, Frank Hare County Recorder in and for said county, hereby certify that I have compared the above and foregoing copy with the original amended location notice of the "Gleason" mining claim, filed and recorded in my office on the 25th day of December, 1903, in Book 29 page 510, Record of Mines, and that the same is a full, true and correct copy of such original and of the whole thereof.

Witness my hand and seal of office, this 25th day of December 1903.

Frank Hare
County Recorder.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD
NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior.

Office of U. S. Surveyor-General,

Phoenix, Arizona

May 5th, 1904

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of John Gleeson

known as the
Gleeson

situate in Turquoise mining district,
Cochise County, Arizona

in Section _____, Township No. 19 S., Range No. 25 E. unsurveyed.

designated as Survey No. 1891

executed by John A. Rockfellow, U. S. Deputy Mineral

Surveyor, Jan. 16, 1904, ~~XXX~~, under my instructions dated

Dec. 29, 1903. ~~XXX~~, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank S. Ingalls

U. S. Surveyor-General for Arizona



TOM SCOTT
Lot No. 45.

MAXON
Sur. No. 1890

COR. NO. 2

$N. 79^{\circ} 55' E.$
1884

341.2

COR. NO. 1 620.1 ft.

56.4

Road Line

$S. 81^{\circ} 36' E.$

CHARLESTON
Sur. No. 1508

116.16 ft.

Glesson

Disc. Stake

SUR. NO. 1891

WEST SIDE

1233.5 ft.

COR. NO. 3 $S. 20^{\circ} 34' E.$

305

DURAND

SUR. NO. 1508

COR. NO. 6 842.5 ft.

$N. 16^{\circ} 07' W.$

$S. 79^{\circ} 55' W.$

610 ft.

COR. NO. 5

COR. NO. 4

CHANCE

SUR. NO. 1891

GILA LAND DIST.

Surveyed January 16th, 1904.

By John A. Rockefeller

U.S. Dep. Min. Surveyor

SCALE 200 FT. TO 1 INCH

