(4—683.)

Mineral Survey No. 1901

Lot No.

Siea

Land District.

FIELD NOTES

Mining District,

Mining District,

Mochie County, Augona

Section affroximately Township 23 S, Range 2 6 faw SR 18 4 2 1 1904

by Lio O Clack

U. S. Deputy Mineral Surveyor

Claim located see waters 1

Claim located see matrices . 1

Survey commenced func soch . 1904

Survey completed funcy 9th . 1904

Office address of Claimant.

Foot Office address of Claimant. Bishe bachise bounety augon

PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

WE Hugh Unelington and Edward	5 Lehli
lo solemnly swear that we will well and faithfully execute the duties of chain ca	
evel the chain upon even and uneven ground and plumb the tally-pins, either by	sticking or dropping
he same; that we will report the true distance to all notable objects, and the tru	e length of all lines
hat we assist in measuring, to the best of our skill and ability, and in accordance	ce with instructions
iven us, in the survey of the Mining Claim of	K
0 10 10	
known as the John Daisy	
ituate in Warren	
levelije a Dusi.	mining district
Leveling County, auguin	1 PR a m
	NIJ 8M
the Millington	, Chainman.
	Chainman.
Codeward Leppie	C., Chainman.
Subscribed and sworn to by the above-named per	
	, 190 L
Q Q	
LOT NOT	RY PUBLIC
m and for the County	of Cochiec, Territory of Arm Expires storch 21, 1902
I,, do solemnly swear that I	
perform the duties of axman, in the establishment of corners and other duties, actions given me and to the best of my skill and ability, in the survey of the	The state of the s
snown as the	/
nore fully described in the preceding affidavit.	/
	, Axman.
Subscribed and sworn to by the said	
before me this.	day of
	,
-	
I,, do solemnly swear that I	will well and truly
perform the duties of flagman, in the establishment of corners and other duties, a	
tions given me and to the best of my skill and ability, in the survey of the	
known as the	
more fully described in the preceding affidavit.	
	, Flagman.
Subscribed and sworn to by the said	
before me this	day or
, 190	

Begining at Cor.No.1, the SW. cor., identical with Cor. No.2 Julia lode, Survey No. 1780, a pine post 4 ft.long 4 ins. sq, set in the ground and in a mound of stones and scribed 1-1901 J.D.L., whence a pine post of same dimensions and scribed W.C.1-1901 brs. N. 60° 36' W. 50 ft., and a second pine (post of same dimensions and scribing brs. S. 60° 36' H. 50 ft., and U.S.M.H.No.4 "arrow Fining Admidbrs.F. 74° 08' F. 862C.2 ft., and original location for Sw.cor. brs. F. 60° 36' W.

Thence H. 34° 37' H.

2, identical with Cor.No.5 Cumberland lode, a pine post 4 ft.long 4 ins. sq. set 1 ft. in the ground in a mound of stones and serbed 2-1901 J.D.L., whence a pine post of same dimensions and scribed V. C. 2-1901 brs. N. 34° 37' E. 25 ft., and a second pine post of same dimensions and scribing brs. S. 34° 37' W. 25 ft.

Thence W. 43° 14' W.

- 124.6 along line 5-6 Cumberland lode, Survey Ho. 862, to Cor Fo. 3, identical with the S.E.cor. Rio Tinto lode, unsurveyed, a pine post 4 ft.long + ins. sq. sei 1 ft.in the ground in a mound of tones and scribed 3-1901 J.D.L., thence a pine post of same dimensions and scribed W.C.

 5-1901 bus N. 46° 45' E. 25 ft., and a second pine post of same dimensions and scribed W.C.

 Thence N. 46° 45' E.
- 27.4 along M. end Line Rio Tinto lode, unsurveyed to original location fro W. end center,
- 203.6
 243.6
 same bearing to Jor.No.4, the NW. cor., identical with
 Location and with the NE. cor., of Rio Tinto lode unsurveryed, a pine post 4 ft.long 4 ins. sq. set 1 ft.in the
 ground in a mound of stones and scribed 4-1901 J.D.L.,
 whence a pine post of same dimensions and scribed W. C.
 4-1901 brs. N. 46° 45' E. 25 ft., and a second pine post

of same dimensions and scribing brs. S. 46° 45' W. 25 ft.

Thence S. 70° 57' E.

470.0 clong line 1-2 York State lode, Survey No.1628 to original location for H. side center,

same bearing to Gor. No.5, the NE. cor., identical with 10 cation with Gor. No.2 York State Lode, Survey No.1528, and with is Gor. of Ohpir lode unsurveyed, a pine post 4 ft.long 4 ins. sq. set 1 ft.in the ground in a mount of stones and scribed 5-1901 J.D.L., thence a pine post of same dimensions and scribed ". C. 5-1901 brs. N. 70° 57' W. 25 ft., and a second pine post of same dimensions and scribing brs. S. 70° 57' L. 35 ft.

Thence S. 46° 38' W.

tively of Ophir lode unsurveyed and dome by Chance Survey No.1643, a pine post 4 ft.long 4 ins. sq set 1 ft. in the ground in a norm of stones and scribed 6-1901 J.D.L., whence a pine post or same dimensions and scribed ". C. 6-1901 bro. N. 46° 38' N. 25 ft., and a second pine post or same dimensions and scribing bro. F. 46° 28' W. 25 ft.

Thende S. 45° 53' W.

- 13.9.6 to Cor.No.7, identical with Corn.No.1 and 2 respectively of Come by Chance lode, Survey Ho.1643 and Eric Catale Claim Survey Ho.1464 a pine post 4 ft.long 4 ins. sq. set 1 ftin the ground in a mound of stones and scribed 7-1901 J.D. L. whence a pine postof same dimensions and scribed W.C.7-1901 brs. S. 45° 53' W. 25 ft., and a second pine post of same dimensions and scribing brs. H. 45° 53' R. 25ft. Thence S. 43° 45' W.
- 40.3 along line 2-1 Erie dattle claim, Survey Fo. 1464 to original location for E. end center,
- 375.3 same bearing to Cor.No.8, the SE. cor., identical with location and with Cor.No.3 Julia lode, Survey No1780 a pine

John Daisy (Con)

post 4 ft.long 4 ins. sq. set 1 ft in the ground in a moun of stones and scribed 8-1901 J.D.L., whence a pine post of same dimensions and scribed W. C. 8-1901 brs.

N. 60° 36' W. 50 ft., and a second pine post of same dimensions and scribing brs. S. 60° 36' E. 50 ft.

Thence N. 60° 36' W.

- 280.0 along line 3-2 Julia loce, Survey No.1780 to original location for f. side center,
- 708.5 same bearing to Cor.No.1, the CW. cor., the place of beginning.

Ledge.

The presumed course of the vein on this claim is from the \mathbb{R} , end center of location \mathbb{R} , 70° 57' \mathbb{W} , 550 ft. thence \mathbb{N} , 45° 0' \mathbb{W} , 355.4 ft.

and net AREA,

9.640 V

Total area John Daisy lode

IMPROVEHENTS.

I hereby sertify that the value of the labor and improvements on this lode, placed thereon by claimant or his grantors is not less than \$500 and that said in-provements consist of:

- No.1 Discovery shaft 4x6x10 ft. brs.from Gor.No.2 S. 40° 0' H. 14% ft.. Value \$100.00
- No.2 Open Sut 5x30x12 ft. and shaft 4x6x10 ft. brs. from some point 8 50° 0' E. 171 ft., Value 250.00
- No.3 Open Gut 5x40x19 ft. and tunnel 4x6x30 ft. course S 45°7. br. froms ne point S. 31° 30'E. 125 ft., Value, 600.00
- No.4 Shaft 6x7x50 ft. brs. fromsame point 8.26°0 F.

 192 ft. Value 600.00
- 0.5 Shaft 6x8x40 ft. brs. from same point 8.26°40'w.
 134 ft., Value 500.00

Total improvements on John Daisy lode \$2050.0

-3-

John Daisy (Con)

ADJOINING CLAIMS.

North

York State lode, Surve Mo. 1628. Maurice Denn, over,

Tast

Ophir Lode, unsurveyed, J.M.Muheim, owner.

Come by Chance lode, Survey No. 1643, Junction Dev. Co. or ner

Frie Catile Claim, Survey No.1464, same owner,

South

West

Julia lode, Survey No.1780, I. W. Wallace, owner,

Gurberland lode, Survey No. 862, Copper Queen Con.Min.Co

orner. Rio Tinto lode, unsurveyed, Seymour & Greer,

d. mars.

LOCATION.

This claim is located about 1/2 mi. in an E. direction from the City of Bisbee, on unsurveyed lands in the Warren Mining District, Cochise County, Territory of Arizona, approximately in Tp. 23. S. R. 24 E. G & S. R B & L. Luce

INSTRUMENT.

This survey was made with a Leitz Moutain and Mining transit. The courses were deflected from the time of radian as determined by solar observation, checked by an observation on Polaris. The distances were recovered with a 300 foot steel tape.

Hagnetia variation 12° 30' 4.

U.S. Deputy Mineral Surveyor.

Bilber, Arizona,

1904.

Note

Any discrepancies between the courses and distances of this survey and those of the adjoining approved surveys are due to errors in the latter.

FINAL OATHS FOR SURVEYS.

LIST O	F NAMES.
A list of the names of the individuals emp	alayed by See O O a 11
% -	sist in running, measuring, and marking the lines
al la Ala Attino	oing field notes of the survey of the mining claim
of will, when	John Days (
known as the	form a day
and showing the respective capacities in which	they acted.
	Hy If telling to h. Chainman.
	Edward Lippiece, Chainman.
	, Axman.
	, Fiagman.
	•••
DINAL CATTIO	OE ACCIOTANTO
	OF ASSISTANTS.
We Hugh meleugton	lemnly swear that we assisted
and Edward Leppun do sol	lemnly swear that we assisted
	uty Mineral Surveyor, in anarking the corners and
surveying the boundaries of the mining claim	
1 1	Imown as the
John	Lawy, known as the , represented
/ /	
	veyed by said deputy mineral surveyor and under
his direction; and that said survey has been i	n all respects, to the best of our knowledge and
belief, faithfully and correctly executed, and t	the corner and boundary monuments established
	shed by the United States Surveyor-General for
angong	N t A 'la : -
O	High Shillington, Chainman.
	Edward Lippien, Chainman.
	, Arman .
1	, Flagman.
Subscribed and s	sworn to by the above-named persons before me
this a d	
11115	day of July 1900
	day of July 1904
	day of July 1904 Je and for the County of Contine Territory of Arizona. The state of the County of Contine Territory of Arizona. The state of the County of Contine Territory of Arizona.

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR			
I, Leo Claud, U. S. Deputy Mineral			
Surveyor, do solemnly swear that, in pursuance of instructions received from the United			
States Surveyor General for, dated, dated			
United States, the official regulations and instructions thereunder, and the instructions			
of said Surveyor General, faithfully and forrectly executed the survey of the Mining			
, known as the			
JU CANCEL STORES			
County, ausona in Section			
appear, Township No. 338, Range No. 24 & Gant SRB4 M			
and designated as Survey No. 1901, as represented			
in the foregoing field notes, which accurately show the boundaries of said mining claim			
as distinctly marked by monuments on the ground, and described in the attached copy			
of the location certificate, which was received by me from the Surveyor General with			
said instructions, and that all the corners of said survey have been established and per-			
petuated in strict accordance with the law, official regulations and instructions there-			
under; and I do further solemnly swear that the foregoing are the true and original			
field notes of said survey and my report therein, and that the labor expended and			
improvements made upon said mining claim by claimant or grantors			
are as therein fully stated, and that the character, extent, location and itemized value			
thereof are specified therein with particularity and full detail, and that no portion of			
said labor or improvements so credited to this claim has been included in the estimate			
of expenditures upon any other claim.			
U. S. Deputy Mineral Surveyor.			
Subscribed and sworn to by the said Seo Cocart			
U. S. Deputy Mineral Surveyor, before me			
this 9th			
day of July 1904			
Corpesnith			
! sad for to county of			
0 9~154			

Affidavit of Five Hundred Dollars Improvements.

we, Hugh Millington, and Edward Leppine
of lawful age, being first duly swarn according to law, depose and say: That we
are acquainted with the John Pain mining claim,
situate in Warren Mining district, Coches County, Arizona Territory, for which Shathet
ha made application for survey prior to application for patent under the provisions
of the Act of Congress, approved May 10, 1872; and that the labor done and improve-
ments made thereon by the applicant and grantor sexceed Five Hundred
Dollars in value, and further that we are not personally interested in said mine.
Aught (Illing ton.
Edward Leppien
County of Cochise 88:
Sworn to and subscribed before me, this
SEAL. day of July , 190 4
69865500-2-03 NOTARY FUBLIC Promp For the County of Co. 15 in Territory of Arizons Ny Condition Expire search 21, 1908.

Quartz Claim

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the John Daisy Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Michael O'Rielly, the undersigned on the 1st day of Sept. 1897. The length of this claim is 780 feet, and this is 150 feet in a Westerly direction and 630 feet in a easterly direction from the center of the discovery shaft; at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds on each side of the center of said claim.

The general course of the lode deposit and premises is from the West to the East. The claim is situated and located in Warren Mining District, Cochise County in the Territory of Arizona, about one mile in a easterly direction from the Town of Bisbee. The surface boundaries of the claim are marked upon the ground as follows; Beginning at a Monument of stones at a point in a Westerly direction 150 feet from the discovery shaft (at which this notice is posted) being in the center of the West end line of said claim; thence 300 feet to a monument of stones, being the south wwest corner of said claim; thence 390 feet to a monument of stones, at the center of the South side line of said claim; thence 390 feet to a monument of stones being at the South east corner of said claim; thence North 300 feet to a monument of stones at the center of the easterly end of said claim; thence North 300 feet to a monument of stones, being at the North east corner of said claim; thence West 390 feet to a monument of stones, being at the center of the North side line of said claim; thence West 390 feet to a monument of stones at the North West Corner of said claim; thence South 300 feet to the place of beginning.

All done under the provisions of Chapter Six of title XXXII of the Revised Statutes of the United States, and of an Act of the Genrral Assmebly of Arizona, entitled "An Act Concerning Mines" Approved March 20th 1895.

12

Dated and posted on the Ground this 1st day of September, 1897.

Locator Michael O'Reilly.

Filed and recorded at request of August Jones November 8th 1897 at 1/P. M. Book 14, Record of Mines, page 386.

TERRITORY OF ARIZONA,

County of Cochise, SS.

I, Fmank Hare, County Recorder in and for said county of Chchise, do hereby certify that I have compared the foregoing copy with the Original Location Notice of the John Daisy Mining Claim, filed and recorded in my office on the 8th day of November, 1897, in Book 14, Record of Mines, at page 386, and that the same is a full, true and correct copy of such original, and of the whole thereof.

Witness my hand and official seal, this 29th day of Dec. 1903.

County Recorder.

Mays Hare

4-687.

SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,


Phoenix, Arizona.		
	Sefet-22-, 1904	
I, U. S. Surveyor-General for the district of Arizona.		
do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the		
Mining Claim of L. C. Shattuck,		
	, known as the	
John Daisy,	a	
situate in Warr	en Mining District,	
CochiseCounty,	Arizona,	
MXSERIA approx. Township No. 23 S	, Range No. 24 E. G. & S.R.B &M (unsurveyed)	
, designated as Survey No. 1901.		
executed by Geo. C. Clark,	, U.S. Deputy Mineral	
Surveyor, June 15th to July 9th 1904. , 190 , under my instructions dated		
Jan. 4th 1904. , 190., have	been critically examined and the necessary cor-	
rections and explanations made, and the said Field Notes and Return, and the Survey they describe,		
are hereby approved. A true copy of the copy of the location certificate filed by the applicant for		
survey is included in the field notes.		
Fran	el & Ingalle	

7360b5m3-03

U. S. Surveyor-General for Arizona.

SURVEY Nº 1901

Scale I.In=200Ft.



Geo. C. Clark. U.S. Dep. Min. Surveyor