UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT ARIZONA STATE OFFICE

9605 (956) M.S. 1931

NOTICE OF CANCELLATION OF MINERAL SURVEY

The Adams and Jefferson lodes, Mineral Survey No. 1931, located in sections 27, 28, 33 and 34, Township 10 North, Range 1 West, Gila and Salt River Meridian, Arizona, are hereby canceled.

These claims have not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"Adams and Jefferson lodes, M.S. 1931, were canceled May 20, 2002, by memo 9605 (956) M.S. 1931, which is now a part of the original field notes."

May 20, 2002 Date

Chief Cadastral Surveyor of Arizona

1

MAY 9-1904

Similar

G. E. Sp.

(4-683.)

Mineral Survey No. 1931

Lot No.		
 <u> </u>		
1		
rescale	Land District.	
	Halla Dibliou	

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF KNOWN AS THE _____Mining District, County, lugared Section , Township , Range 7 Surveyed under instructions dated Christ 1904 U. S. Deputy Mineral Surveyor. Claim located for the Cart, 1 Survey commenced Coloric 28, 1902 Survey completed , 1 70 + . Hudres o 6-160

Armdon & Noris alleys for diament

PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

	-
WE, C. J. Whilson and Chal Bully	C.,
do solemnly swear that we will well and faithfully execute the duties of chain care that we will level the chain upon even and uneven ground and plumb the tally-either by sticking or dropping the same; that we will report the true distance to notable objects, and the true length of all lines that we assist in measuring, to the	riers; -pins, to all e best
of our skill and ability, and in accordance with instructions given us, in the surv	ey of
	s the
, known a	
in Section , Township No. , Range No. , mining dis	strict,
in Section , Township No. , Range No. (Range No.), Chainm (Chas. Bailye , Chainm	an.
Subscribed and sworn to by the above-named persons be	
me this 25 day of Copric , 18/64	4
I, & Hiller do solemnly swear that I will well	19.
I do solemnly swear that I will well	land
truly perform the duties of axeman, in the establishment of corners and other du according to instructions given me and to the best of my skill and ability, in the su	ities,
of the Mining Claim of Leo, a Starring Con	
known as the concurrence and lefterson	
more fully described in the preceding affidavit.	9
More rany described in the preceding anidavia. Willams, Axem	an.
Subscribed and sworn to by the said R.G. Whiles	coro.
Subscribed and sworn to by the said hefore me this	av of
before me this de	ay OI
" 9 2 7 Finley	
	lue
I, Colice do solemnly swear that I	will
well and truly perform the duties of flagman, in the establishment of corners and o	other
duties, according to instructions given me and to the best of my skill and ability, in	i the
survey of the Mining Claim of Les P Harrington	
known as the Halaunx & Fefferson	
more fully described in the preceding affidavit.	7
Chas. Ballye, Flagm	an.
	www.
Subscribed and sworn to by the said to be subscribed and sworn to by the said to be subscribed.	ny of
Dulley before me this 28 de	ay of
o 6-145 Coprel 1870 L May 19 in hy Orrany 0	,
o 6-145	· · · · ·
" (moreny o	del

POOR

QUALITY

The following pages are scanned at the best possible quality setting. The original pages are of poor quality and this is the best possible reproduction.

d Intracon gobe.

seciming at cor. Lo. 1, walnut: dan cor. No.P Moreon Tole, Sur. No. 1984, and cor. No. 2 Champion. Tole, ole. No. 1904.

and the reality of the bridge inc. set one fact in compared, along which is more of stones that its stone marked J. 1-1921. Same stone marked H. 2-195- and C. 2-1929.

A x on a porphyry rock in place marked B. A. J. 1-1981 brs. S. 78° E. 18 ft.

Com. sommon to Soon. 31, 32, 37 & 38, T. 10 A. ... 1 w. G. t S. R. I. brs. N. 6° 45' W. 4986.1 Ct.

Ilence S. 0° 45° H.

Var. 140 1.

To cor. No. 9, which is also cor. No. 1 Chymlen, and war. No. 2, Goo. unshington lodes, Sur. No. 1893. and cor. No. 1 Aban lode, of this survey.

a normhyny stone 6x13x04 ins. set one font in mount, alongside a mon. of stones 3x2 ft. stone marked J. 2-1931. and A. 1-1931. pame stone marked C. 1-1832 and G. w. 8-1889.

A w on a porphyry rock in place marked B. A. C. 1-1300 brs. S. 64° 15' W. 70.8 ft.

Ax on a northyry rook in place marked B. .. G. .. 2-1329 brs. N. 12° 80° H. 245 ft.

Thence H. 78° W.

Var. 14° h.

To S. C. End, which is also the N. C. and Alams lode of this surrey.

230.

Feet.	Surrey No. 1931
	A perphyry stone Pox10x24 ins. set one foot in
	ground, alongsile a mon. of stones 3x2 ft. Stone mark-
	of D. C. E. J. 1981, and N. C. E. A. 1981.
520.	To cor. No. 2, which is also ser. No. 4, Adams to
	of this survey.
	A pornury stone 6x12x24 ins. set he fort in grow
	alengside a mon. of stones S.S ft. Stone marke W. 8-
	1981 and A. 4-1981.
	A ton a pornagry rook in place marked B. n. A.
	4-1931 brs. N. 78° 32.1 ft.
v	
	Thence N. U° 45° W.
	Var. la a R.
	lo dor. No. 4, a authorite stone 4x10x84 inc. set
	one fort in ground, alongside a mon. of stones 3x3 ft.
	Stone narked J. 4-1931. No brs. available.
	Tience S. 78° E.
	Var. 14° E.
* O .	
	one foot in ground, alongsile a mon. of stones 8x8 It
500.	Stone marked N. C. E. J. 1981.
0.50 a	fo cor. No. 1, the place of negimin , survey of
	exterior boundaries.
	ADA IS LODE.
	Beginning at cor. No. 1, which is also cor. No.
	2 Jefferson lode of this survey, and cor. No. 1 Charp-
	ion, and cor. No. 2 Geo. Washington loles, Sur. No.

1829. Cor. described above.

leet. Survey He. 1931.

Cor. common to Sees. 21, 22, 27 & 28, 7. 10 %.

R. 1 W. G. & S. ... H. brs. N. 5° 21° w. 5075.0 ft.

Theree S. C' 4' L.

Var. 140 ...

1343.1

Goo. mashington and Dyke Lodes, Sur. No. 1820.

A colar post 4 ins. in diam. and 4 ft. long, set one foot is ground, and surrounded by mon. of stones. Foot marked A. 2-1981. Same post marked G. 1-1889, G. ... 1-1809 and D. 1-1829.

A to a retar tree S ins. in diam., blanet and morbel S. I. G. 1-1839 brs. N. 57° 10' E. 17.4 ft.

Thence N. 75° w.

Var. 14° ...

200.

To J. C. End, which is also the R. C. End Dyko lode, Sur. No. 1820. A quartite stone lox15:24 ins. set one foot in ground, aloneside a non. of stones 8x8 ft. Stone marked S. C. E. A. 1931. Same stone marked N. C. E. D. 1829.

530.

To cor. No. 3, which is also cor. No. 4, Byke Lode, Sur. No. 1829. A slate stone 4x12x24 ins. set one foot in ground, alongside a non. of stones 2x3 ft. Stone marked A. 8-1931. Same stone marked D. 4-1829. No pro. available.

Thence N. 0° 4' W.

Var. 140 L.

1343.1

To cor. No. 4, which is also cor. No. 3, Jefferson lode of this survey. cor. described above.

Foot	DURINGS	110	1001
10000	DOM: TO T		

Thener S. 78° E.

Var. 140 H.

200.

To N. C. had, which is also the S. C. End Jefferson lote of this currey. None described above.

520.

fo cor. No. 1, the place of beginning, curvey of exterior boundaries.

Note:

Any discrepancies between Survey No. 1981 and the location notices are due to errors in the Sacretains. Latter.

Survey No. 1983 is identical with the locations on the ground.

nil Asia

VHINS.

Jefferson vein extends from Dis. Shaft No. 1,
S. 0° 45' E. 300 ft. and N. 0° 45' W. 1200 ft.
Ada a vein extends from Dis. Shaft No. 1, S. 0°

4° E. 300 ft. and N. 0° 4° w. 1042.1 ft.

LOCATION.

This claim is located on unsurveyed Gowt. land, approximately in T. 10 N. R. 1 w. G. & S. R. H. in Figer Mining District, Yavapai Co., Ariz., and is bounded on the east by Chamion and Geo. "assington lodes, Sur. No. 1829, on the south by Dyke lole, Sur. No. 1829, and on the west and north by Covt land.

EXPENDITURE OF FIVE HUNDLED DOLLARS.

I certify that the value of the labor and improvoments upon this claim, placed thereof by the claimente and thoir grantors, is not less than 1600.00 for each location in claim, and that said improvements consist of Jefferson lodu:

Dis. Shift No. 1, which brs. from the S. C. H. mor. N. 0° 45' ... 300 ft. Shaft 4x6 ft. 10 ft. deer.

Note:

There is to be credited to Jefferson lole \$400.00 worth of the improvements on Guge development turnel. Alans lode:

Dis. Shaft No. 1, which brs. from S. C. H. mon. N. C° 4' w. 300 ft. Shaft 4x0 ft. 10 ft. deep.

Note:

There is to be credited to Adams Lode \$400.00 worth o" the improvements on Guge development Lannel.

INSTRUCENT.

This Survey was made with a Gurley Light Mountain Solar Transit. The courses were deflected from the true meridian as determined by direct solar obser at ions. The distances were neasured with a 75 ft. steel tape and a 100 ft. steel chain. J. J. D. H. S. Prescett, Ariz.

May 5"1904.

FINAL OATHS FOR SURVEYS.

A list of the names of the individual	s employed by J. Ferhu
United States Deputy Mineral Surveyor, t	to assist in running, measuring, and marking the lines
	foregoing field notes of the survey of the mining claim
of Les. Poten	unglon
known as the Account a	ud Ilferson
and showing the respective capacities in v	which they acted.
	Chairman.
	THS OF ASSISTANTS.
We, Julye	
and J. C. Willson,	do solemnly swear that we assisted
, United States	Deputy Mineral Surveyor, in marking the corners and
surveying the boundaries of the mining c	claim of Les. P. Hunnigton
	/
	/
· Lanes Gud L	, known as the , represented a surveyed by said deputy mineral surveyor and under
in the foregoing field notes as having beer	, known as the , represented
in the foregoing field notes as having beer his direction; and that said survey has b	, known as the , represented a surveyed by said deputy mineral surveyor and under
in the foregoing field notes as having beer his direction; and that said survey has belief, faithfully and correctly executed,	, known as the , represented , represented a surveyed by said deputy mineral surveyor and under seen in all respects, to the best of our knowledge and
in the foregoing field notes as having beer his direction; and that said survey has belief, faithfully and correctly executed,	, known as the , represented , represented a surveyed by said deputy mineral surveyor and under seen in all respects, to the best of our knowledge and and the corner and boundary monuments established furnished by the United States Surveyor-General for
in the foregoing field notes as having beer his direction; and that said survey has belief, faithfully and correctly executed, according to law and the instructions for the survey has belief.	, known as the , represented , represented a surveyed by said deputy mineral surveyor and under seen in all respects, to the best of our knowledge and and the corner and boundary monuments established furnished by the United States Surveyor-General for
in the foregoing field notes as having beer his direction; and that said survey has belief, faithfully and correctly executed, according to law and the instructions for the survey has belief.	, known as the , represented a surveyed by said deputy mineral surveyor and under been in all respects, to the best of our knowledge and and the corner and boundary monuments established furnished by the United States Surveyor-General for Chairman.
in the foregoing field notes as having beer his direction; and that said survey has belief, faithfully and correctly executed, according to law and the instructions for the survey has belief.	, known as the , represented a surveyed by said deputy mineral surveyor and under seen in all respects, to the best of our knowledge and and the corner and boundary monuments established furnished by the United States Surveyor-General for Chainman. Chairman. Chainman. Chainman.
in the foregoing field notes as having beer his direction; and that said survey has belief, faithfully and correctly executed, according to law and the instructions for the survey has belief.	, known as the , represented a surveyed by said deputy mineral surveyor and under been in all respects, to the best of our knowledge and and the corner and boundary monuments established furnished by the United States Surveyor-General for Chairman.
in the foregoing field notes as having beer his direction; and that said survey has belief, faithfully and correctly executed, according to law and the instructions for the same of the s	, known as the , represented a surveyed by said deputy mineral surveyor and under seen in all respects, to the best of our knowledge and and the corner and boundary monuments established furnished by the United States Surveyor-General for Chainman. Chairman. Chainman. Chainman.
in the foregoing field notes as having beer his direction; and that said survey has belief, faithfully and correctly executed, according to law and the instructions for the same of the s	, known as the, represented a surveyed by said deputy mineral surveyor and under seen in all respects, to the best of our knowledge and and the corner and boundary monuments established furnished by the United States Surveyor-General for
in the foregoing field notes as having been his direction; and that said survey has be belief, faithfully and correctly executed, according to law and the instructions for the survey has been successful to law and the instructions for the survey has been successful.	, known as the, represented a surveyed by said deputy mineral surveyor and under been in all respects, to the best of our knowledge and and the corner and boundary monuments established furnished by the United States Surveyor-General for

FINAL OATH OF U.S. DEPUTY MINERAL SURVEYOR

I, , U. S. Deputy Mineral
Surveyor, do solemnly swear that, in pursuance of instructions received from the United
States Surveyor General for
, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of the thirty love
known as the
a totaled & believen
situate in Mining District,
County, Ougnu , in Section
, Township No. , Range No. ,
and designated as Survey No. / , as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or grantors
are as therein fully stated, and that the character, extent, location and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
(. Terries
l'. S. Deputy Mineral Surveyor.
S. J.
Subscribed and sworn to by the said.
U. S. Deputy Mineral Surveyor, before me a Wolfing Inblie in and for Amapai County Airona this 6th
for Annapai County airona this 6 6 th
day of himy 190 ft.
off and Calif
Thomas C. Job
notary Inblu
My Commission Enfine July 9/907
I ablib the many

Affidavit of Five Hundred Dollars Improvements.

aur Cha	& Batters	and.	P. P. Willse	N
W (C)		,		
	g first duly sworn acco	- 7		
are acquainted with	h the the	Coffee	'or minir	ıg claim,
situate in	is Tieres	Mining dist	rict Favapui	County
	*/			
Arizona Territoru	for which.	Han	mylore	
errizonea rerritory, j	5, CO 1000/01		U	
hamade applica	tion for survey prior to o	application j	for patent under the p	rovisions
of the Act of Congre	ess, approved May 10, 18	872; and the	at the labor done and	improve-
ments made thereon	ı by the applicant and	1. Tus	rantor 2. exceed Five	Hundred
Dollars in value, as	nd further that we are	not persona	lly interested in said	mine.
		O	has. Ba	the
		00	Polille	rV.
TERRITORY County of	$\left. rac{\partial F}{\partial R} ARIZONA, ight. ight. \left. \left.$:		
V			d before me, this	84
海 山山山 山山 B SEAL. C	day of	el er	il , 190 L	
<u> </u>		V	9 1 1 11	
			2. 4. Ferner	,
6986b500-2-03			Vanne (8)	where
I.	hamis has owners		V	

"Adams" .

Notice of Mining Location. Lode Claim.

To all whom it may concern; This mining claim, the name of which is the "Adams" Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Geo.P.Harrington, the undersigned, on the 1st

day of August, 1903.

The length of this claim is 1500 feet and I claim 300 feet in a southerly direction and 1200 feet in a northerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim.

The general course of the lode deposit and premises is from

the North to the South.

The claim is situated and located in the Tiger Mining District, in Yavapai County, in the Territory of Arizona, about one mile in a westerly direction from the Ora Bella Mill and lies on the west

side of the Washington claim and north of the Dyke.

The surface boundaries of the claim are marked upon the ground as follows; Beginning at a mon. of stones at a point in a southerly direction 300 feet from the discovery shaft (at which this notice is posted), being in the center of the south end line of said claim; thence westerly 300 feet to a mon. of stones being the S.W.corner of said claim; thence northerly 1500 feet to a mon. of stones, being at the N.W. corner of said claim; thence easterly 300 feet to a mon. of stones at the center of the north end of said claim; thence easterly 300 feet to a mon. of stones, being at the N.E. corner of said claim; thence southerly 1500 feet to a mon. of stones at the S.E. corner of said claim; thence westerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States and of an act of the General Assembly of Arizona, entitled "An Act Concerning Mines", approved March 20th, 1895 and amended March 2nd, 1899.

Dated and posted on the ground this first day of August, 1903. Geo.P. Harrington,

Recorded at request of Geo. P. Harrington, Sept. 14", A.D. 1903, at 9:15 o'clock A.M. in Book 69 of Mines, page 356, Records of Yavapai County, Arizona.

(Seal)

P.J.Farley, County Recorder.

By G.M.Dotson, Deputy.

* ********************************

"Jefferson".

Notice of Mining Location. Lode Claim.

To all whom it may concern; This mining claim, the name of which is the "Jefferson" Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Geo.P. Harrington, the undersigned, on the

1st day of Aug. 1903.
The length of this claim is 1500 feet and I claim 300 feet in a southerly direction and 1200 feet in a northerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds on each side of the center of said claim. The general course of the lode deposit and premises is from the North to the South.

The claim is situated and located in the Tiger Mining District, in Yavapai County, in the Territory of Arizona, about one mile in a westerly direction from Ora Bella Mill and lies west of the Champion Claim & North of the Adams.

The surface boundaries of the claim are marked upon the ground as follows; Beginning at a mon. of stones at a point in a southerly direction 300 feet from the discovery shaft (at which this notice is posted), being in the center of the south end line of said claim; thence westerly 300 feet to a mon. of stones, being the S.W.corner of said claim; thence northerly 1500 feet to a mon. of stones being at the N.W. corner of said claim; thence easterly 300 feet to a mon. of stones at the center of the north end of said claim; thence easterly 300 feet to a mon. of stones being at the N.E. corner of said claim; thence southerly 1500 feet to a mon. of stones at the S.E. corner of said claim; thence westerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an act of the General Assembly of Arizona, entitled "An Act Concerning Mines", approved March 20th, 1895 and amended March 2nd, 1899.

Dated and posted on the ground this first day of August, 1903. Geo.P. Harrington.

Recorded at request of Geo.P.Harrington, Sept. 14", A.D.1903, at 9:15 o'clock A.M. in Book 69 of Mines, page 357, Records of Yavapai County, Arizona.

P.J.Farley, County Recorder. (Seal)

By G.M.Dotson, Deputy.

Territory of Arizona, | ss. County of Yavapai, |

I, P.J.Farley, County Recorder in and for the County of Yavapai, Territory of Arizona and custodian of the records thereof,
do hereby certify that I have compared the within and foregoing
with and the same is a full, true and correct copy of the notices
of location of the following described Mining Claims as the same
appear of record in my office, viz;-

The "Adams" Mine or Mining Claim, the notice of location whereof is of record in the office of the County Recorder of the County of Yavapai in Book 69 of Mines, page 356; and

The "Jefferson" Mine or Mining Claim, the notice of location whereof is of record in the office of the County Recorder of the County of Yavapai in Book 69 of Mines, page 357, all records of Yavapai County, Arizona.

In Witness Whereof I have hereunto set my hand and affixed my official seal this the 30th day of March, A.D.1904.

A VA P

County Recorder.

SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.


Department of the Interior,

Office of U. S. Surveyor-General,

		Phoenix	, Arizona	
			May 2,	7 *, 1904
	I, U. S. Surveyor-General for		V	
	1, 0. 5. Surveyor-Meneral for	V. 0		
	do hereby certify that the foregoing and hereto att	ached Field Notes	s and Return of th	e Survey of the
	Mining Claim of Geo. P. Harr	ington		
				, known as the
	Adams & Jeffers	ion		action consisted a grant rank design in Alberto seep.
	situate in	Tiger	1	Mining District,
	Yavapai Cou	nty,	Arizona	***************************************
	in Section, Township No		Ranga No	
	in Section, Township No		-, Ivange Ivo.	
	, designated as Survey No	19	31	
	executed by	her	, U.S.	Deputy Mineral
	Surveyor, April 28-29	, 19	904, under my ins	structions dated
Δη	ril 1 st, 1904. , 190 , h	arva hoon oritically	z avaminad and th	e necessary cor-
n p	, 19U, 1	lave been crincariy	examined and in	o necessary cor
	rections and explanations made, and the said Field	d Notes and Retu	ırn, and the Surve	y they describe,
	are hereby approved. A true copy of the copy o	f the location cer	tificate filed by the	e applicant_ for
	survey is included in the field notes.	a		
	In	and De	Ingalls	/
		U. S. Surveyor-Ge	neral for Arizon	na.
		•	Y158	

7360b5m3-03

SURVEY Nº 1931 PRESCOTT LAND DISTRICT.



SURVEYED APR. 28#1904 by J. J. Fisher U.S. D. M. Surveyor.