

MS

0

1

9

3

2

April 21st 1904
MAY 9-1904
Examined
S. E. J.

1

(4-683.)

Mineral Survey No. 1932

Lot No. _____

Prescott Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Geo. F. Huntington

KNOWN AS THE

McClellan and Lebaron
Truce

Mining District,

Yavapai County, Arizona

Section _____, Township 11 N, Range 1 E

Surveyed under instructions dated April 1, 1904,

by J. J. Fisher,
U. S. Deputy Mineral Surveyor.

Claim located see loc. on, 1

Survey commenced April 25, 1904

Survey completed " 26, 1904

o 6-100

Address
Hendon & Norris
attys for claimant
Prescott
Ariz.

PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

WE, R. G. Willson and Chas. Battye,
do solemnly swear that we will well and faithfully execute the duties of chain carriers;
that we will level the chain upon even and uneven ground and plumb the tally-pins,
either by sticking or dropping the same; that we will report the true distance to all
notable objects, and the true length of all lines that we assist in measuring, to the best
of our skill and ability, and in accordance with instructions given us, in the survey of
the Mining Claim of Geo. P. Harrington
McKinley and Lebanon, known as the
situate in Tiger mining district,
Maricopa County, Arizona,
in Section _____, Township No. _____, Range No. _____.

R. G. Willson, Chainman.
Chas. Battye, Chainman.

Subscribed and sworn to by the above-named persons before
me this 25th day of April, 1894
by commission expires May 19, 1894

J. J. Fisher
Notary Public

I, R. G. Willson, do solemnly swear that I will well and
truly perform the duties of axeman, in the establishment of corners and other duties,
according to instructions given me and to the best of my skill and ability, in the survey
of the Mining Claim of Geo. P. Harrington
known as the McKinley and Lebanon,
more fully described in the preceding affidavit.

R. G. Willson, Axeman.

Subscribed and sworn to by the said R. G. Willson
before me this 25th day of
April, 1894
by commission expires May 19, 1894

J. J. Fisher
Notary Public

I, Chas. Battye, do solemnly swear that I will
well and truly perform the duties of flagman, in the establishment of corners and other
duties, according to instructions given me and to the best of my skill and ability, in the
survey of the Mining Claim of Geo. P. Harrington
known as the McKinley and Lebanon,
more fully described in the preceding affidavit.

Chas. Battye, Flagman.

Subscribed and sworn to by the said Chas. Battye
before me this 25th day of
April, 1894
by commission expires May 19, 1894

J. J. Fisher
Notary Public

POOR QUALITY

The following pages are scanned at the best possible quality setting. The original pages are of poor quality and this is the best possible reproduction.

1.

Feet.

Survey No. 1932.

Mc. KINLEY 201A.

Beginning at cor. No. 1, the northeast cor. of loc. whence the northwest cor. of C. C. Bair & Co's claim on Tiger lode, Lot No. 41, brs. N. 3° 15' W. 332 ft.

A porphyry stone 24x24 ins. set one foot in ground, alongside a mon. of stones 3x3 ft. Stone marked Mc.K. 1-1932.

A x on a porphyry rock in place marked B. K. 10 1-1932 brs. N. 43° 35' W. 17 ft.

A x on a porphyry rock in place marked B. K. 10A 1-1932 brs. S. 51° 15' W. 4 ft.

Cor. common to Deer, 21, 22, 27 & 28, 1. 10 N. A. 1 W. G. & S. N. H. brs. N. 15° 35' W. 418.0 ft.

thence S. 3° 10' W.

Var. 14° W.

1300. To cor. No. 2, which is also the southwest cor. of J. L. Taylor & Co's claim on Tiger lode, Lot No. 40, and the N. C. and Lebranon lode of this Survey.

A porphyry stone 8x12 ins. 12 ins. above ground, marked McK 2-1932, same stone marked N. C. E. 14 1932 and A. J. M. L. XIII. No brs. available.

thence N. 30° 25' W.

var. 14° W.

200. To S. C. Ind, a porphyry stone 4x12x24 ins. set one foot in ground, alongside a mon. of stones 3x3 ft. Stone marked S. C. E. McK 1932. whence, J. M. brs. N. 9° 10' E. 50 ft.

225. To cor. No. 3, which is also cor. No. 3, Lebranon

Post

Survey No. 1329.

to the lode of this survey, at intersection of line 3-4 Geo. Washington lode Sur. No. 1329, at N. $0^{\circ} 4'$ W. 467 ft from cor. No. 4 Geo. Washington, cor. No. 4 Gage, Sur. No. 1329, and cor. No. 4 of this survey.

A porphyry stone $8 \times 8 \times 24$ ins. set one foot in ground, alongside a non. of stones 3×3 ft. Stone marked McK 3-1329 and L 3-1329. No brs. available.

Hence N. $0^{\circ} 4'$ W.

Var. 14° E.

375.1 To cor. No. 4, which is also cor. No. 3 Geo. Washington, and cor. No. 4 Champion lodes, Sur. No. 1329.

A porphyry stone $8 \times 10 \times 24$ ins. set one foot in ground alongside a non. of stones 3×3 ft. Stone marked McK 4-1329. See stone marked G. W. 3-1329 and C. 4-1329.

A rock on a porphyry rock in place marked S. A. C. 4-1329 brs. N. $25^{\circ} 10'$ W. 22.5 ft.

Hence N. $0^{\circ} 45'$ W.

Var. 14° E.

343.1 To cor. No. 5, on line 3-4 Champion lode, Sur. No. 1329, at N. $0^{\circ} 45'$ W. 343.1 ft. from cor. No. 4 Champion.

A porphyry stone $8 \times 8 \times 24$ ins. set one foot in ground, alongside a non. of stones 3×3 ft. Stone marked McK 5-1329. No brs. available.

Hence S. $60^{\circ} 30'$ E.

Var. 14° E.

327. To N. C. lode, a porphyry stone $8 \times 10 \times 24$ ins. set

Feet. Survey No. 1932.

477. one foot in ground, alongside a mon. of stones 3x3 ft. Stone marked N. C. E. Mck 1932.

To cor. No. 1, the place of beginning, survey of exterior boundaries.

* * * * *

LABQMI LODS.

Beginning at cor. No. 1, the northeast cor. of location. a granite stone 6x3x24 ins. set one foot in ground, alongside a mon. of stones 3x3 ft. Stone marked L. 1-1932.

A x on a granite rock in place marked S. N. L. 1-1932 brs. N. 67° 10' W. 20.3 ft.

Cor. common to Secs. 21, 22, 27 & 28, T. 10 N. R. 1 W. G. & S. R. 11. brs. N. 12° 52' W. 7831.7 ft.

Hence S. 14° 2' W.

Var. 14° E.

1492.8 To cor. No. 2, a porphyry stone 3x10x24 ins. set one foot in ground, alongside a mon. of stones 3x3 ft. Stone marked L. 2-1932. No brs. available.

Hence N. 80° 20' W.

Var. 14° E.

200. To S. C. and, a granite stone 3x14x24 ins. set one foot in ground, alongside a mon. of stones 3x3 ft. Stone marked S. C. E. L. 1932.

374. To cor. No. 3, at intersection of line 3-4 Gage lode, Sur. No. 1820, at N. 12° E. 470 ft. from cor. No. 3 Gage. Orig. loc. mon. brs. N. 80° 20' W. 151 ft.

Feet. Survey No. 1932.

A porphyry stone 8x10x24 ins. set one foot in ground, alongside a mon. of stones 3x3 ft. Stone marked L. 3-1932.

A x on a porphyry rock in place marked B. R. L. 3-1932 brs. S. $29^{\circ} 30'$ W. 11.3 ft.

Thence N. 13° E.

Var. 1° N.

1080. To cor. No. 4, which is also cor. No. 4, Geo. Washington and cor. No. 4, Gage lodes, Sur. No. 1320.

A porphyry stone 8x10x24 ins. set one foot in ground, alongside a mon. of stones 3x3 ft. Stone marked L. 4-1932. Same stone marked G. .. 4-1932 and G. 4-1932.

A x on a porphyry rock in place marked B. R. G. .. 4-1932 brs. N. $28^{\circ} 30'$.. 10.3 ft.

A x on a porphyry rock in place marked B. R. G. 4-1932 brs. N. $28^{\circ} 25'$ E. 10.7 ft.

Thence N. $0^{\circ} 4'$ W.

Var. 1° E.

437. To cor. No. 5, which is also cor. No. 3, McKinley lode of this survey. Cor. described above.

Thence S. $80^{\circ} 20'$ E.

Var. 14° E.

25. To S. C. E. McKinley.

205. To E. C. Eml, which is also the cor. No. 3, McKinley lode of this survey. Cor. and mon. described above.

525. To cor. No. 1, the place of beginning, survey of exterior boundaries.

Survey No 1932 is identical with location except where otherwise noted in Field Notes.

5.

Survey No. 1333.

AREAS.

LEBANO LODE:.....14.214 Acres. *check*
 MCKINLEY LODE.....12.009 " *check*
 Total net area lode claims.....26.222 Acres.

VEINS.

Lebano vein extends from Pis. Cut no. 1, S. 14° 3' W. 703 ft. and N. 14° 3' E. 785.3 ft.

McKinley vein extends from initial mon. S. 9° 10' W. 50 ft. and N. 9° 10' E. 1450 ft.

LOCATION.

This claim is located on unsurveyed Govt. land, approximately in T. 10 N. R. 1 W. G. & S. N. M. in Tiger Mining District, Yavapai Co., Ariz., and is bounded on the west by Gage, Geo. Washington and Champion lodes, Sur. No. 1329. On the east by the Taylor and Bean claims on the Tiger lode, Lots No. 40 and 41 respectively, and Intermediate, unsurveyed, Battye, Fisher et al. claimants. On the south by Syracuse unsurveyed, Battye, Fisher et al. claimants, and on the north by Govt. land.

EXTENT OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements upon this claim, placed thereon by the claimants and their grantors, is not less than \$500.00, for each location in claim, and that said improvements consist of

Survey No. 1932.

LEBANON LODE:

Dis. Cut No. 1, which brs. from S. C. E. mon. N. 14° 3' E. 708 ft. Cut 4x15 ft. 12 ft. face.

Value.....\$100.00

Shaft No. 2, which brs. from S. C. E. mon. N. 14° 3' E. 855 ft. Shaft 4x6 ft. 10 ft. deep.

Value.....\$100.00

Tunnel No. 3, which brs. from N. C. E. mon. S. 14° 15' E. 413 ft. Tunnel 4x6 ft. 60 ft. long.

Value.....\$300.00

McKINLEY LODE:

Dis. Cut No. 1, which brs. from S. C. E. mon. N. 9° 10' E. 10 ft. Cut 4x13 ft. 11 ft. face.

Value.....\$100.00

NOTE: There is to be credited to McKinley lode \$400.00 worth of the improvements on the Gage development Tunnel.

* * * * *

NOTE: The discrepancies between the survey of the Lebanon lode and the location certificate are due to errors in the latter.

* * * * *

INSTRUMENT.

This survey was made with a Gurley Light Mountain Solar Transit. The courses were deflected from the true meridian as determined by direct solar observations. The distances were measured with a 75 ft steel tape and a 100 ft. steel chain.

Prescott, Ariz.

May 5th. 1904.

J. J. Fisher

U. S. D. M. S.

DIRECTIONS.—1. Carry out the area in acres to three decimals, and all other calculations to two decimals only.

2. In balancing Lat. and Dep. do not obliterate or change the original figures:

Put the corrected figure or figures above in red ink. Do not change the footing of the original figures, but put below them the corrected footing in red ink.

The corrections for balancing fallings should be proportional to the lengths of the lines.

3. In calculations of fallings take result to nearest hundredth. In calculations of N. and S. areas drop all after second decimal. Deputies are cautioned not to use tables that do not give results exact to the decimal specified.

TABLING AND CALCULATIONS OF LEBONAN AND Mc KINLEY, SURVEY No. 1932

G-95

LEBONAN.

Mc KINLEY

No.	COURSE.	DISTANCE.	LATITUDES.		DEPARTURES.		DOUBLE M. D.	N. AREAS.	S. AREAS.
			NORTH.	SOUTH.	EAST.	WEST.			
	N. 80° 20' W.	525.	88.16		517.54		1944.72	83288.28	
	S. 0° 4' E.	467.		467.00	.54		427.74		199754.58
	S. 12° W.	1030.		1007.44			214.14		215733.20
	S. 80° 20' E.	374		62.80	368.69		368.69		23153.73
	N. 14° 3' E.	1493.8	1449.08		362.65		1099.83	1593741.66	
			153727.23729					1677029.94	43864151
								438641.51	
								1238388.43	
								43560	619194.21
								183594	
								174240	
								93542	
								87120	

$$\begin{array}{r} 1677029.94 \\ 438641.51 \\ \hline 21238388.43 \\ 43560 \\ \hline 619194.21 \\ 183594 \\ \hline 174240 \\ 93542 \\ \hline 87120 \end{array}$$
 14214 Acres

123456789

	S. 80° 20' E.	477.		80.08	470.23		470.23		37656.02
	S. 9° 10' W.	1500.		1480.84			238.96		701.50
	N. 80° 20' W.	225.	37.78				221.80		240.74
	N. 0° 4' W.	875.1	875.10				1.01		17.93
	N. 0° 45' W.	648.1	648.04				8.46		8.46
			156094156095						548242
									3026812
									1076465.28
									30268.12
									1046197.16
									43560
									523098.58
									43560
									87498
									87120
									378580
									348480

$$\begin{array}{r} 1046197.16 \\ 43560 \\ \hline 523098.58 \\ 43560 \\ \hline 87498 \\ 87120 \\ \hline 378580 \\ 348480 \end{array}$$
 12.008 A.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by J. J. Fisher

United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of.....

known as the Geo. P. Harrington
McCreeley and Lebanon

and showing the respective capacities in which they acted.

- Chas. Battye....., Chainman.
- R. S. Willson....., Chainman.
- R. S. Willson....., Axman.
- Chas. Battye....., Flagman.

FINAL OATHS OF ASSISTANTS.

We, Chas. Battye

and R. S. Willson, do solemnly swear that we assisted J. J. Fisher

....., United States Deputy Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of Geo. P. Harrington

known as the McCreeley and Lebanon

represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for.....

- Chas. Battye....., Chainman.
- R. S. Willson....., Chainman.
- R. S. Willson....., Axman.
- Chas. Battye....., Flagman.

Subscribed and sworn to by the above-named persons before me this 26th

day of April, 1904

J. J. Fisher
Notary Public

My commission expires
May 17 1904

(4-686.)

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, J. J. Fisher, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated April 17, 1904, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Geo. W. Hammond & Co. & John W. Robinson, known as the _____, situate in Yuma Mining District, Yuma County, Arizona, in Section _____, Township No. _____, Range No. _____ and designated as Survey No. 1997, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

J. J. Fisher
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said J. J. Fisher
U. S. Deputy Mineral Surveyor, before me a Notary Public in and for
Yavapai County Arizona this 6th
day of May 1904

Thomas C. Job
Notary Public

My Commission Expires July 9, 1907.

Affidavit of Five Hundred Dollars Improvements.

We, Chas. Battye, and R. G. Willson

of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the McKinley and Lebanon mining claim, situate in Pine Grove Mining district, Yavapai County, Arizona Territory, for which Geo. P. Huntington

has made application for survey prior to application for patent under the provisions of the Act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon by the applicant and his grantor exceed Five Hundred Dollars in value, and further that we are not personally interested in said mine.

Chas. Battye
R. G. Willson

TERRITORY OF ARIZONA, }
County of Yavapai } ss:

Sworn to and subscribed before me, this 26th

day of April, 1904



J. J. Fisher
Notary Public

AMENDED

Notice of Mining Location.

LODE CLAIM.

To All Whom It May Concern:

This mining claim, the name of which is the Lebanon Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Geo. P. Harrington & J. S. Lee

the undersigned, on the 28 day of January, 1904

The length of this claim is 1500 feet, and we claim 792 feet in a northward

Southward direction, and 705 feet in a Southward direction from the center of the discovery monument, at which this notice is posted, lengthwise of the claim, together with 300 or less feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Northward to the Southward

The claim is situated and located in the Dejeu Mining District, in Maricopa County, in the Territory of Arizona, about one mile in a SW direction from Base Bull mill & from the South end of the last true location on the Dejeu lode

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a mon. of stone

at a point in a Northward direction 792 feet from the discovery monument, (at which this notice is posted), being in the center of the North end line of said claim; thence S. 80° 20' E 300 feet to a mon. of stone, being the NE corner of said claim; thence S. 14° 21' W 1500 feet to a mon. of stone being at the SE corner of said claim; thence N. 80° 20' W 300 feet to a mon. of stone at the center of the South end of said claim; thence N. 80° 20' W 200 feet to a mon. of stone, being at the SW corner of said claim; thence N. 14° 21' E 1500 feet to a mon. of stone at the N.W. corner of said claim; thence S. 80° 20' E 200 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895, and amended March 2nd, 1899.

This is an Amended Location Notice of the Lebanon Mining Claim, located by Geo. P. Harrington & Otto Liberson

on the 3d day of October, 1903, and recorded in Book 69 of Records of Mines, at page 579,

in the office of the County Recorder of the aforesaid County of Maricopa to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 28 day of January, 1904
Geo. P. Harrington
J. S. Lee

1024

Indexed
1024

14
14

Handwritten
Feb 28

Sebanon

J. S. Lee and
Geo P Harrington

Liger District

Dated Jan 28 - 1904

Recorded at Request of

Chas Battye

Feb 16 A. D. 1904

At 11:50 o'clock A M

In Book 70 of 99

Pages 74-75

Records of Yavapai County, Arizona

J. J. Farley
County Recorder.

By R. E. Butler Deputy

AMENDED

Notice of Mining Location.

LODE CLAIM.

To All Whom It May Concern:

This mining claim, the name of which is the Mc Kinley
 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Geo. P. Harrington & J. S. Lee
 the undersigned, on the 28 day of January 1904

The length of this claim is 1500 feet, and we claim 1450 feet in a northerly direction, and 50 feet in a Southerly direction from the center of the discovery monument, at which this notice is posted, lengthwise of the claim, together with 300 or less feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the northerly to the Southerly

The claim is situated and located in the King Mining District, in Yavapai County, in the Territory of Arizona, about 1/2 mile in a S.W. direction from Pop Bell

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a corner of stone

at a point in a northerly direction 1450 feet from the discovery monument, (at which this notice is posted), being in the center of the northerly end line of said claim; thence easterly 200 feet to a corner of stone, being the N.E. corner of said claim; thence Southerly 1500 feet to a corner of stone being at the S.E. corner of said claim; thence Westerly 200 feet to a corner of stone at the center of the South end of said claim; thence westerly 25 feet to a corner of stone, being at the S.W. corner of said claim; thence northerly 1500 feet to a corner of stone at the N.W. corner of said claim; thence easterly 300

feet to the place of beginning.
 All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895, and amended March 2nd, 1899.

This is an Amended Location Notice of the Mc Kinley Mining Claim, located by Geo. P. Harrington & Otto Liberson on the 1st day of Jan. 1904, and recorded in Book 69 of Records of Mines, at page 621, in the office of the County Recorder of the aforesaid County of Yavapai to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 28 day of January 1904
Geo. P. Harrington
J. S. Lee

Indexed by
1023

W. H. Kinley

*L. S. Lee and
Geo. T. Harrington*

Sign District

Dated Jan 28th 1904

Recorded at Request of

Chas. Patten
"Sub 16" A. D. 1904

At *11:58* o'clock *A*. M.

In Book *70 of Mines*

Pages *42-43*

Records of Yavapai County, Arizona

P. J. Furler
County Recorder.

By *R. E. Butler* Deputy

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona

May 27, 1904

I, U. S. Surveyor-General for District of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of Geo. P. Harrington

known as the

Mc Kinley & Lebonan

situate in Pine Grove Mining District,

Yavapai County, Arizona

in Section Township No. Range No.

designated as Survey No. 1932

executed by J. J. Fisher, U. S. Deputy Mineral

Surveyor, April 25-26, 1904, under my instructions dated

April 1st, 1904, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,

are hereby approved. A true copy of the copy of the location certificate filed by the applicant for

survey is included in the field notes.

Frank S. Ingalls

U. S. Surveyor-General for Arizona

