NOV 21 Aug

april by and

(4-683.)

## Mineral Survey No. 1961

Lot No....

Gila Land District.

### FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Martin Costello

KNOWN AS THE

Turquoise Mining District,

Gochise County, Arizona

Section Township 19 S , Range 255 (unsurveyed)

Surveyed under instructions dated July 5 , 1904,

by J. A. Rockfellow U.S. Deputy Mineral Surveyor.

Claim located February 9 , 1904

Survey commenced Sept. 23, , 1904

Survey completed Sept. 24, , 1904

0 6—160

Lamants Attorney Lama Reidy Tomostone

Ans

nated in the decree of the court as Cor. No. 2 A, and the place of beginning the survey of this conflict, containing 6.622 acres to be excluded to the Brooklyn lode.

#### **特殊特殊特殊特殊特殊特殊特殊特殊特殊特殊**

I hereby certify that the foregoing field notes of the amendment to Mineral Survey No. 1961, for the exclusion of the area in conflict between the said London lode and the Brooklyn lode, unsurveyed, are correct and in accordance with the decree of the court of the Second Judicial District of the Territory of Arizona, in and for the County of Cochise, Fletcher M. Doan, Judge, in the case of G. Gottschalk et al, Plaintiffs, vs. Martin Costello, Defendant, and that said amendment has been correctly platted upon the plat of said Survey No. 1961, in ink of a distinctive color.

Junt Songalla U. S. Surveyor General.

N . , 4

Feet

OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona, June 5, 1908.

Amendment to the Field Notes of Mineral Survey
No. 1961, London lode, to establish and exclude the conflict between the said London lode and the Brooklyn lode, unsurveyed, said amendment being required by Department letters "N" dated December 24, 1907, and May 22, 1908, the basis of the conflict being established and set forth in a Decree of the District Court of the Second Judicial District of the Territory of Arizona, in and for the County of Cochise, Fletcher M. Doan, Judge, presiding, G. Gottschalk et al being plaintiffs, vs.
Martin Costello, Defendant.

#### \*\*\*

Beginning at a point on line 1-2 of the original survey of the London lode, which point is designated in the Decree of the Court as Corner No. 2 A, of said survey, and is situate N. 76° 04' E. 210.1 ft. from Cor. No. 1.

Thence S. 36° 02' E.

1360.2 to an angle point.

Thence S. 41° 48' E.

40.7 to an angle point.

Thence N. 74° 32' E.

45.77 to a point on line 2-3 of the original survey of the London lode, N. 21° 55' W. 192.31 ft. from Cor. No. 3 of the London lode.

Thence N. 21° 55' W.

along line 2-3 of the original survey of the London lode, 1307.69 to the original Cor. No. 2 of the London lode, Survey No. 1961.

Thence S. 76° 04' W.

394.9 to a point on line 1-2 of the original survey, desig-

# PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

do solemnly swear that De will well and faithfully execute the duties of chain carriers; that De will level the chain upon even and uneven ground and plumb the tally-pins, either by sticking or dropping the same; that We will report the true distance to all notable objects, and the true length of all lines that We assist in measuring, to the best of omy skill and ability, and in accordance with instructions given the survey of the Mining Claim of Martine situate in , Township No. 19 S, Range No. 25 Subscribed and sworn to by the above-named persons before me this L 3 day of De ..., do solemnly swear that I will well and truly perform the duties of axman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of known as the more fully described in the preceding affidavit. ...., Axman. Subscribed and sworn to by the said ..... before me this day of ...., 190.... , do solemnly swear that I will well and truly perform the duties of flagman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of known as the more fully described in the preceding affidavit. , Flagman. Subscribed and sworn to by the said.....

\_\_\_\_\_before me this\_\_\_\_\_day of

...., 190....

4114b3m6-02

#### SURVEY No. 1961, LONDON LODE

Beginning at Cor No 1, identical with location, a pine post 4 ins square, 3 ft above ground in a mound of stone, scribt N. W. C. -- L to which I add 1-1961,

whence;

\*\*DU.S.M.M. No.1 of Turquoise district beers N 35° 14'W,8450.2ft.

\*\*D) A cross and B R 1 - 1961 chiseles on limestone bed
rock bears 176°04' E 29.1 ft.

- (X) and B R 1- 1961 chiseled on limestone bedrock bears S 44°15' E 14.5 ft,
  - 4) A stone monument bears S 74° W 280.6 ft
- ) A stone monument bears S 74°35' W 280.6 ft
  - 6) A stone monument bearso N 38° 20' E 50.4 ft
  - (5) A stone monument bears N 3° 30' E 138.2 ft.

    Thence N 76° 04' 5. Va 12° 30'E
- 302.5 North center end a pine post 4 ins square, 3 ft above ground in a mound of stone, scribed N C E L to which I add 1961 520.0 19.5 ft left a double stone monument containing notice of "Hardtack" claim,
- 577.0 37 ft left stone monument,
- 605.0 To cor No 2, identical with location, a pine post 4 ins square, 3 ft above ground in a mound of stone, scribed N=40

  N E C 1 to which T add 2 1961,

#### Whence:

- reef bears S 76°04' w, 20.2 ft,
- A) A cross(X) and B R 2 1961 chiseled on a limestone reef bears N 47° W, 25.0 ft.
- h) Helens Dome bears N 37° 10 E,
  - A) A stone monument bears N 50° 35E, 47 ft,
- Thence S 21° 55' E, Va 12° 40' E,
- 1500.0 To Cor No 3 identical with location, a pine post 4 ins square, 3 ft above ground in a mound of stone, scribed

#### SURVEY Nd. 19612 LONDON LODE (CONTINUED)

S E C- L to which L add 3-1961,

Whence

- ( ) College Peak bears S 51° 33E,
  - place mass (X) and B R 3 1961, chiseled on limestone in FB place mass 36 X 24 X 12 ins bears S 64°08 W 29.8 ft.
  - A cross (X) and B R 3-1961 chiseled on limestone in place 30 X 20 X 10 ins bears N 11° 05 W 30.7 ft.
  - A double monument, a board and a stake bears N 76°04'E

Thence S 76°04 W va 12°30 E.

- 302.5 South center end, a pine post 4 ins square, 3 ft above ground in a mound of stone, scribed S. C. E. -b; to which I add 1961:
- 605.0 To Cor No 4, identical with location, a pine post4 ins square, 3 ft above ground scribed S. W. C.-L to which I add 4-1961,

Whence:

- Dos Cabezas peak bears N 18° 48'E.
- place 22 X 20 X 6 lns bears 19°18'E, 38.2 ft.
- place 24 X 18 X 12 ins bears S 69° 30 /E, 23.3 ft.
- A stone monument bears S. W. 4.5 ft.

Thence N 21° 55'E, va 12° 50'E;

1500.0 To Cor No 1, the place of beginning.

Area----20.632 Acres

The survey of this lode is adentical with location.

Location.

This claim is located in Turquoise mining district Cochise County, Arizona; in approximately Tp 19 S, R 25 E (unsurveyed)

The lode line is N 21 55 W 1110 ft and S 21 55'E, 390 ft from the discovery shaft.

Surrounding claims are on the East, Brooklyn lode, unsurveyed, O'Connor and Mitcheson claimants.

On the South and West groundclaimed by John Gleeson et al.

#### Expendiiture of \$500.00

ments upon this placed thereon by the claimants and their grantors, is not less than five hundred dollars, and that said improvements consist of:

- 1)D iscovery shaft which bears from S Center End N 21 55 W
  390 ft. Shaft 7 X 5 ft, 16 ft deep,
  Value--\$150.00
- 2)A shaft which bears from S. Center End N 22° 15'W 420. ft
  Shaft 6X5 ft, 23 ft deep.
- 3) A shaft which bears from S. center End N 24 45 W 470ft Shaft 6 X 5 ft, 30 ft deep.

Value---\$300.00

- 4)A shaft which bears from S. Center End N 30°10 W, 590 ft
  Shaft 6 X 5 ft, 25 ft dep.

  Value-----\$250.00
- 5) A shaft which bears from S. CenterEnd N 14°E, 260 ft.

  Shaft 7 X 5 ft, 25 ft deep with drift running from bottom.

  Value ----- more than \$250.

Other improvements.

Shaft of Brooklyn lode Whichmbears from S. Center End N 7 45' W, 627 ft. Shaft 6 X 5, 10 ft deep.

#### INSTRUMENT.

This survey was made with a Young & Sons mountain transit, No. 6855, provided with a Smith Solar attachment

The courses were deflected from true meridians as determined by direct solar observations. The distances were measured 100 ft. and 500 ft. steel tapes.

Tombstone, Arizona.

Nov. 17, 1904. In St Packfieeour U.S. Sifo Minil Sunyor

.

## FINAL OATHS FOR SURVEYS.

#### LIST OF NAMES.

$\Lambda$ list of the names of the individuals em	aployed by John Bo Pockfulane
	ssist in running, measuring, and marking the lines
corners and boundaries described in the foreg	going field notes of the survey of the mining claim
of Martin Bos	lulo
known as the Loudon	lulo
and showing the respective capacities in whice	
	William Dell Chainman
	, channel
	, Chainman.
	, Axman.
	, Fiagman.
FINAL OATHS	S OF ASSISTANTS.
W. I, William	Bull
anyl , do s	
Lacheles and United States De	soleminy swear that we assisted
	enuty Mineral Surveyor in marking the corners and
curveying the houndaries of the mining glain	eputy Mineral Surveyor, in marking the corners and
surveying the boundaries of the mining clain	eputy Mineral Surveyor, in marking the corners and of Marking Coelello
	·
	, known as the
Loudon	, known as the, represented
in the foregoing field notes as having been su	, known as the, represented arveyed by said deputy mineral surveyor and under
Loudoning field notes as having been su his direction; and that said survey has been	, known as the, represented reveyed by said deputy mineral surveyor and under in all respects, to the best of our knowledge and
Loudoning field notes as having been su his direction; and that said survey has been	, known as the, represented arveyed by said deputy mineral surveyor and under
in the foregoing field notes as having been su his direction; and that said survey has been belief, faithfully and correctly executed, and according to law and the instructions furn	, known as the, represented reveyed by said deputy mineral surveyor and under in all respects, to the best of our knowledge and
in the foregoing field notes as having been su his direction; and that said survey has been belief, faithfully and correctly executed, and	, known as the, represented arveyed by said deputy mineral surveyor and under in all respects, to the best of our knowledge and the corner and boundary monuments established hished by the United States Surveyor-General for
in the foregoing field notes as having been su his direction; and that said survey has been belief, faithfully and correctly executed, and according to law and the instructions furn	, known as the, represented arveyed by said deputy mineral surveyor and under in all respects, to the best of our knowledge and the corner and boundary monuments established
in the foregoing field notes as having been su his direction; and that said survey has been belief, faithfully and correctly executed, and according to law and the instructions furn	, known as the, represented arveyed by said deputy mineral surveyor and under in all respects, to the best of our knowledge and the corner and boundary monuments established hished by the United States Surveyor-General for
in the foregoing field notes as having been su his direction; and that said survey has been belief, faithfully and correctly executed, and according to law and the instructions furn	, known as the, represented arveyed by said deputy mineral surveyor and under in all respects, to the best of our knowledge and the corner and boundary monuments established hished by the United States Surveyor-General for
in the foregoing field notes as having been su his direction; and that said survey has been belief, faithfully and correctly executed, and according to law and the instructions furn	, known as the, represented arveyed by said deputy mineral surveyor and under in all respects, to the best of our knowledge and the corner and boundary monuments established hished by the United States Surveyor-General for
in the foregoing field notes as having been su his direction; and that said survey has been belief, faithfully and correctly executed, and according to law and the instructions furn A	, known as the, represented arveyed by said deputy mineral surveyor and under in all respects, to the best of our knowledge and the corner and boundary monuments established aished by the United States Surveyor-General for, Chainman, Chainman, Chainman, Axman, Flagman.
in the foregoing field notes as having been su his direction; and that said survey has been belief, faithfully and correctly executed, and according to law and the instructions furn Amazon.	, known as the
in the foregoing field notes as having been su his direction; and that said survey has been belief, faithfully and correctly executed, and according to law and the instructions furn Amazon.	, known as the, represented arveyed by said deputy mineral surveyor and under in all respects, to the best of our knowledge and the corner and boundary monuments established aished by the United States Surveyor-General for, Chainman, Chainman, Axman, Flagman.

## FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, John A. Rockfellow, U. S. Deputy Mineral
Surveyor, do solemnly swear that, in pursuance of instructions received from the United
States Surveyor General for Auzona, dated
July 5-1904, , I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of Martin Costello
, known as the
London,
situate in / manoul Mining District.
Cochise County, arvzora, in Section
. Township No. 195, Range No. 25 E (unsurveyed)
and designated as Survey No. 1961, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or him grantors
are as therein fully stated, and that the character, extent, location and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
·
Colman Parkeles
l'. S. Deputy Mineral Surveyor.
Subscribed and sworn to by the said The Cl Hockfelow.
U. S. Deputy Mineral Surveyor, before me Truck lot Good body a
noting Patric in To Cochise Count augustis 17 in
day of nortula 190 X
my Christian Expuls april 27400 1 1000
1 Uffacille Tosalony
Holany Public

## Affidavit of Five Hundred Dollars Improvements.

We, William Shaw, and Mm A Commen	-
of lawful age, being first duly sworn according to law, depose and say: That we	1
are acquainted with the Loudon mining claim,	
situate in Carquoise Mining district, Cochrise County, Arizona Territory, for which Martin Costello	
Arizona Territory, for which / Martin Costello	
ha $oldsymbol{\mathcal{S}}$ made application for survey prior to application for patent under the provisions	
of the Act of Congress, approved May 10, 1872; and that the labor done and improve-	
ments made thereon by the applicant and Lis grantors exceed Five Hundred	
Dollars in value, and further that we are not personally interested in said mine.	
Jm Alhaw	
Jan Shaw	
TERRITORY OF ARIZONA,  County of Ochise  88:	
Sworn to and subscribed before me, this 16	
SEAL ( ) day of	
6956b500-2-03	z
	1

Notice is hereby Given, That the London, Lode Miging Claim has been -located by Martin Costello, on the 9th day of February 1904. aid Claim is Fifteen Hundred feet in length, and Six Hundred feet wide; that is Three Hundred feet wide on each side of the Point of Discovery. And the Southerly center end monument of the claim is distantS 21° 55' E 390 fest from the point of Discovery, a monument on which this notice is posted, and the opposite Center and monument a monument of stones is distant N. 21° 5 ' W 1110 feat from said point of Discover, And the general course of the claim is N.21° 55' W. and S.21° 5' E. Twis claim is situate in the Turquoise Mining District, Cochise County merritory of Arizona.

And the North center end is distant S. Easterly about 1 1/2 mili from U.S. M\_neral Monument No.1 of this district. From the south center end, College Peak bears S 51° 38' eE, Dos Cabezas peak bears N lo 42' E, Millers Peak, Huachuda Mts, bears S 51° 15' W, and a cross (X) and B.R. chiseled on limestone bed rock bears N. 87° 25' E. 4.2 fe t.

Posted on the ground, this 9th day of February 1904.

Witness

Martin Costello Locator.

J.A. Rockfellow.

This is an amended Notice of Location of the London lode located Jan. 1st 1887 by A. Casey and recorded in Book 11 Record of Mines at pages 243, And is made to better define the locus of said claim

Martin Costello

Oxaux

Filed and recorded at request of F.W. Goodbody April 9,1904 at 9:30

A.M.Book 25 page 120 Record of Miges. Territory of Arizona : SS.

I, Frank Hare County Record r in and for said County hereby certify that I have compared to read group with the original inall feation notice of the London mining claim, filed and recorded in my office in the 9th, day of April 1904, in Book 21 page 120, Record / of Mines, and that the same is a full, true and correct copy of such original and of the whole thereof.

Witness my hand and seal of office, this 24th day of June 1904.

gounty Recorder.

London Amended Molice Goeation


#### 4-687.

# SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

## Department of the Interior,

Office of U.S. Surveyor-General,

I, U. S. Surveyor-General for the district of Arizona.  do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of Martin Costello,
do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
, known as the
London, .
situate in Mining District,
Cochise, County, Arizona.
in Section, Township No. 19 3. , Range No. 25 E. (unsur'd
, designated as Survey No. 1961
executed by, U.S. Deputy Mineral
Surveyor, Sept. 23 -24 1904. , 190, under my instructions dated
July 5, 1904., have been critically examined and the necessary cor-
rections and explanations made, and the said Field Notes and Return, and the Survey they describe,
are hereby approved. A true copy of the copy of the location certificate filed by the applicant for
survey is included in the field notes.  U.S. Surveyor-General for Arizona.



S