Sort 18 18

Canning 1904

(4—683.)

Mineral Survey No. 1976

Lot No.	
Sila	Land District.

FIELD NOTES

A- 1 - 4	
OF THE SURVEY OF THE MINING CLAIM OF	
IN Hullace et-al.	
1	
KNOWN AS THE	
Honder	
December in Harren Mining District,	
backing an account	
County,	
Section appear, Township 238, Range 216 St SRB2	27
Surveyed under instructions dated august 16th, 1904	
by Franklin H. Sunth	
U. S. Deputy Mineral Surveyor.	
Claim located see Hotices, 1	
Survey commenced august 18 de, 1904 Survey completed august 20 de, 1904	
Survey commenced august 18 , 1964	
Survey completed august 20 th 1904	
Julive, completed in the second secon	
0 6-160	
+ Office address of Claurant.	
+ Office address of Claurant. Bushee bochise bounty augona	
Justice,	

Que 9/24 9-25 84

PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

		7	R Cal
WE, Hugh Meei	rigton and	Frank	Majoth,
do solemnly swear that we will			
that we will level the chain upo		_	
either by sticking or dropping	The second secon	-	
notable objects, and the true len of our skill and ability, and in a			
of our skill and ability, and in a the Mining Claim of situate in Section of Township Markets Township Markets Township Markets Subset	decordance with 1	instructions given us	s, in the survey of
the Mining Claim of	o, constan		
M	1011		, known as the
situate in	rend		mining district,
Cachiag	County,	auzona	De so,
in Section appear Township	No. 238, Ran	ge No. 24 651	O PETIT
//	11 01/1	. 90 . 1-	J. Commerce of
	Mught 11	May un	, Chainman.
	elson!	alla Cott	. Chainman.
C	'1-1-1	Ø 1 11 1	1
	me this //	day of are que	1804
		0 - 0	and it
			-11:-11
I,	ż	lo colemnly cycly of	Mise, Territors
truly perform the duties of axen			
according to instructions given i			
of the Mining Claim of			7-2.11
or the mining chann or			
known as the			
more fully described in the prec	eding affidavit	,	
more runy described in the prec-	came amaavit.		
			, Axeman.
Suba	aribad and sworn	to by the said.	
		-	
		before me this	aay of
		, 18 .	
		1	
Ι,		do solemnly	swear that I will
well and truly perform the dutie			
duties, according to instructions	given me and to t	the best of mv skill a	and ability, in the
survey of the Mining Claim of			
leasure of the			
known as the			,
more fully described in the prec	eding affidavit.		
			Flagman
		to by the said.	
		before me this	day of
		, 18 .	

Peginning at Gor.No.1, the Nw. cor., identical with location and with Gord.No. and Prespectavely of New Centumy and Norton lodes, Survey No.1918 a pine post 4 ft.long 4ins. sq. set 1 ft.in the ground in a mound of stones and scribed 1-1976 W.L., whence a pine post of same dimensions and scribed W.C.1-1976 brs.N. 30° 54' H. 50 ft., and a second pine post of same dimensions and scribing brs. S. 30° 54' W. 50 ft. and US.M.M.No.1872 Warren Lining bistrict brs. N.36° /3'W 49/1.3 ft.

Thence S. 59° 06' E.

- 300.0 along line I Norton lode, Survey No. 1918 to original location for N. end center
- Coo.C same bearing to Jor.No.?, the NH. cor., identical with location and with Gor.No. W Morton Lode, Survey To. 1918 a sine post 4 ft.long 4 ins. sq. set 1 ftin the ground in a mound of stones and scribed 2-1976 v.L., whence a pine post of some dimensions and scribed ".C.2-1976 brs. N. 30° 54' H. 50 ft., and a second pine post of some dimensions and scribing brs. F. 30° 54' v. 50 ft., Thence S. 30° 54' v.

28.4 to Gera. No Mand F respectively of Norton and Bolivar lodes, Survey No.1918

- 435.5 same bearing to Cor. Pow Bolivar lode, Survey Bo. 1918 and a cor. of Never Sweat lode, unsurveyed,
- 600.00 same bearing to original location for E. side center,
- 1198.9 same bearing to dor.No.3, the SN. cor., identical with location, a pine post 4 ft.long 4 lns. sq. set 1 ft.in the ground in a mound of stones and scribed 3-1976, w.h. whence a pine post of same dimensions and scribed w. C. 3-1976 brs. N. 20° 54' E. 50 ft., and a second pine post of same dimensions and scribing brs. S. 30° 54' w. 50 ft. Thence N. 59°06' w.
 - 300.0 to original location for S. end center,
 - same bearing to Cor.No.4, the ST. cor., identical with location and with Cor.No.W.Hot Stuff lode, Survey No.1918

a pine post 4 ft.long 4 ins. sq. set 1 ft.in the ground in a mound or stones and scribed 4-1976 W.L., whence a pine post of same dimensions and scribed W. G. 4-1976 brs.W. 30° 54' E. 50 ft., and a second pine post of same dimensions and scribing brs. F. 30° 54'W. 50 ft.

Thence N. 30° 54! E.

599.3 to Cors. No. I and I respectively of Hot Stuff and New Gentury lodes, Survey Ho. 1918 and identical with original location for ". side center

1198.9 wile bearing to Cor. No.1 the place of beginning.

Ledge

The presumed course of the vein on this claim is from the S. end center of location F. 30° 54 F.1198.9 ft.

Area.

Total and net area "onder lode,

16.514 Acres

Inprovenients.

I certary that the value of the labor and improvements on this claim placed thereon by claimantson their grantons is not less than \$500 and that said improvements consist of:

No.1 Dissovery shart 4xex56 ft. brs.from Cor.No.4 N.82° 45'E

Total improvements "onder Lode,

∂600.00

Adjoining Glaims.

Horth Horton Lode, Survey No.1918, I.W. Wallace, etal., owners.

Past Bolivar lode, Survey To.1918, same owner.

Hever Seeat lode, unsurveyed, J.L.Gorrie, et al., owners. South Francisco lode, unsurveyed, H.A.Smith, et al., owners. "est Hot Stuff and Yew Century lodes, Survey Ho.1918, I.W. Wallace, et al., owners.

Location

This claim is located about 3min a SE. direction fr m the City of Disbee, on Insurveyed Lands in Warren Mining District, Cochise County, Arisona, approximately in Tp. 23 S.R.24 H. G & S R B & H.

INSTRUMENT.

This survey was made with a Leitz Mount in and Lining transit. The courses were deflected from the true meridian as determined by solar observation, checked by an observation on Polaris. The distances were measured with a 300 foot steel tape.

Magnetic Variation 12° 30' E.,

U. S. Deputy Mineral Surveyor.

Bisbes, Arizona,

1904.

FINAL OATHS FOR SURVEYS.

TIPT	OF	NAMES.
LIOI	OI.	INAMES.

The state of the s	• •
A list of the names of the individuals employed by Trankling HS	ruch
United States Deputy Mineral Surveyor, to assist in running, measuring, and marking	g the lines
corners and boundaries described in the foregoing field notes of the survey of the mi	ning claim
of Iwwwallace of al	
known as the Wonder	
and showing the respective capacities in which they acted.	
Auch millington.	Ok ainman
Hugh Millington, Trank Rapoth,	Chairman
,	
,	Fiagman.
FINAL OATHS OF ASSISTANTS.	
- Aud Michigan	
We. Augh Melington and Frank Rafath, do solemnly swear that we assisted In	
, United States Deputy Mineral Surveyor, in marking the o	corners and
surveying the boundaries of the mining claim of	
, known as the , 1	
, 1	represented
in the foregoing field notes as having been surveyed by said deputy mineral surveyor	and under
his direction; and that said survey has been in all respects, to the best of our know	wledge and
belief, faithfully and correctly executed, and the corner and boundary monuments	
according to law and the instructions furnished by the United States Surveyor-C	established
auzona	General for
Muzona. Hush Millians ton	General for
Muzona Hugh Millians ton	General for
Suph Millians ton	General for Chainman. Chainman.
Suphfullings ton, of	General for Chainman. Chainman. Axman .
Suph Millians ton	General for Chainman. Chainman. Axman
Subscribed and sworn to by the above-named persons	General for Chainman. Chainman. Arman Flagman. before me
Subscribed and sworn to by the above-named persons	General for Chainman. Chainman. Arman Flagman. before me
Highfulliajs ton Frank Ragath,	General for Chainman. Chainman. Arman Flagman. before me

FINAL OATH OF U.S. DEPUTY MINERAL SURVEYOR

i F	· holing
1, chaune	ue // Xhuith , U. S. Deputy Mineral
	ear that, in pursuance of instructions received from the United
States Surveyor General f	for augang, dated , 1904 I have, in strict conformity to the laws of the
august 16 m	
United States, the official 1	regulations and instructions thereunder, and the instructions
	faithfully and correctly executed the survey of the Mining
Claim of	Lie Wallace, eval
	, known as the
	Houser,
situate in War	Mining District,
Caching	County, arrang in Section No. 23 S, Range No. 24 6 67 5 RB + M.
atel . Township I	No. 23 S. Range No. 24 & SRBYM
and designated as Survey	No. 1976 , as represented
	es, which accurately show the boundaries of said mining claim
	nonuments on the ground, and described in the attached copy
	e, which was received by me from the Surveyor General with
	t all the corners of said survey have been established and per-
100 and 100 an	nce with the law, official regulations and instructions there-
	solemnly swear that the foregoing are the true and original
	y and my report therein, and that the boor expended and
	said mining claim by claimant or Mesa grantors
are as therein fully stated	d, and that the character, extent, location and itemized value
thereof are specified there	rein with particularity and full detail, and that no portion of
said labor or improvement	ts so credited to this claim has been included in the estimate
of expenditures upon any	other claim.
	Tranklin M. Amit
	l'. S. Deputy Mineral Surveyor.
Subscribed and swor	on to by the said Tranklin U. A.
	neral Surveyor, before me
o.s. Deputy Min	The .
	this 20
day of au	quer 1904
	Corollmith
	NOTARY FUBLIC In and for the County of Cochièc, Territory of Arizont.
e 5154	My Commission Expires March 21, 1903.

Affidavit of Five Hundred Dollars Improvements.

We, Jugh Meinigton, and Frank Rafoth
of lawful age, being first duly sworn according to law, depose and say: That we
are acquainted with the Would mining claim,
situate in Manuel Mining district, Cochise County, Arizona Territory, for which Wallace of al
have imade application for survey prior to application for patent under the provisions
of the Act of Congress, approved May 10, 1872; and that the labor done and improve-
ments made thereon by the applicant and from grantor Lexceed Five Hundred
Dollars in value, and further that we are not personally interested in said mine.
Hylfhillington FrankRod sth
TERRITORY OF ARIZONA, County of
Sworn to and subscribed before me, this
day of august, 190 L
6986b500-2-03 NOTAR FUELLO and for the Congression Expires March 21, 1908.

County of Cochise, SS.

I, Frank Hare, County Recorder in and for said county, hereby certify that I have compared the foregoing copy with the original Location Notice of the Wonder Mining Claim, filed and recorded in my office on the 28 day of March , 1901, and in Book 18 Record of Mines, at page 5/8, and that the same is a full, true and correct copy of such original, and of the whole thereof.

winess my hand and official seal this 26th day of July Frank Kare 1904.

. By R. M. Hattich, Defuty.

Motice of Mining Location.

Lode QUARTZ CLAIM.

This mining	claim, the name of which is the Wonder
	nate on lands belonging to the United States of America, and in which there are valuable mineral
Oliver	O. Howell and Edward O'bonnell,
citis	end of the U.S. In the 23rd day of January 190.1
the undersigned,	on the 23 rd day of January 190.1
The length	of this claim is 1500 feet
and Mc clai	
in a	northerly direction and 300
	fect in a Southerly direction from
	e discovery shaft, at which this notice is posted, lengthwise of the claim, together with
40 <u>0</u> 6 100	300 teet in width of the surface grounds, on each side of the center of said
claim The gener	al course of the lode deposit and premises is from the north
	h.
•	situated and located in the Worren Mining District, in
0 (Well County, in the Territory of Arizona, about 4 miles
1 . +1	the country, in the territory of Arizona, about 4 (1)
	easterly direction from the town of Risbee and
about :	e miles l'east of Don Luis.
	boundaries of the claim are marked upon the ground as follows: Beginning at
mon	ument of stones
at point in a	Southerly direction 300 feet from
the discovery sha	t (at which this notice is posted), being in the center of the bouth
end line of said cl	nim: thence 300 feet to a monument of
None	hains the horizontal and the second claims there
The second secon	750 feet to a monument of atomes at the center of
the .	750 feet to a monument of at the center of side line of said claim; thence 750
feet to a MIMU	ment of stones at the northwest corner of said
claim: thence	300 rece to a monument of stones
t the center of the	north end of said claim; thence 300
	iment of storebeing at the northeast
	in: thence 750 teet to a monument of
A3 100	in: thence of 500 rect to a rrior to receive of
stones	heing at the center of the last side line of said claim;
thence	750 feet to a monument of stones as
the Souther	ist corner of said claim; thence 300
feet to the place o	f beginning.
All done und	ter the provisions of Chapter Six of Title XXXII, of the Revised Statutes of the United States, and eneral Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895; and
Dated and po	sold on the ground this 2.3 — day of Yunuary 190.1.
A.V	Oliver O. Wornell
W. T. S.	Edward, O'Connell
.dd #1	corded at request of J. M. O'bonnell Mch. 28, as, 1901 at of mines, page 1518. E OF LOGATION OF QUARTZ CLAIM. Heermans Stationery Company's Correct Form Blanks.—Tucson Arizona.
an army	To Winds Dage 1010.

An Act Concerning Mines.

Be it Enacted by the Legislative Assembly of the Territory of Arizona:

SECTION I. Every notice of location of a mining claim shall contain: First, the name of the claim located; second, the name of the locator; third, the date of location; fourth, the number of feet in length of said claim and the number of feet claimed on each side of the center of the distosone natural object, or permanent monument, as will outset of the locate deposit or premises located; sixth, the locality of the claim with reference or the location of the location of which shall not contain. Effect, the name of the locator or locators; third, the date of location; fourth, the number of feet in length of said claim and the number as may be sufficiently of the claim with reference to some natural object, or permanent monument, as will diffatify the claim, shall be void. First, sinking a Before filing such location certificate with the County Recorder of the proper County, the discoverer shall locate his claim by serface and deeper if overy shaft upon the premises so claimed, to a depth of at least ten feet from the lowest part of the rim of such shaft at the on the surface, a plain and or notice substantially conforming to the location certificate; third, by marking such claim or premises on the ground. Section 4. Such substantially conforming to the location certificate; third, by marking such claim or premises on the ground the Ground, or by substantial Stone Monuments at least Three Feet High, to wit: One at each corner of said claim, and one at the Ground, or by substantial Stone Monuments at least Three Feet High, to wit: One at each corner of said claim, and one at the depth of the leet from the surface, shall be equal in amount of which shall be equal in amount of was one shall be equal to a shaft ten feet deep and four feet wide by six feet long, and which shall cut a lode or mineral in place at Section 5. Any open-cut, case of the feet shall be marked by Elght substantial Posts projecting at least Three Feet Above the Surface of discoverer shall have ninety days from the date of discovering the locati

TERRITORY OF ARIZONA, County,


Notary Public.

SECTION 10. Such affidavit when so recorded shall be prima facie evidence of the performance of such labor or the making of such improve ments, and said original affidavit after it has been recorded, or a certified copy of record of same, shall be received as evidence accordingly by all the Courts of this Territory.

SECTION 11. The relocation of forfeited or abandoned lode claims shall only be made by sinking a new discovery shaft and fixing new boundaries in the same manner and to same extent as is required in making a new location; or the relocator may sink the original discovery shaft ten feet deeper than it was at date of commencement of such relocation, and shall erect new or make the old monuments the same as originally required. In either case a new location monument shall be erected, and the location certificate shall state if the whole or any part of the new location is located as abandoned property.

SECTION 12. This Act shall take effect and be in force from and after July 1st. 1895.

SECTION 13. All Acts and parts of Acts in conflict with this Act are hereby repealed.



The above diagram is to give the locator a general idea of plan of location under the new law. Your discovery shaft can be in the center of claim or any distance from from either end you desire. In the diagram we have placed it 500 feet from one end and 1000 feet from the other. In lescription be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

TERRITOF			} ss.	, p #	11,000		County	Recorder in	and for th	ne County an
Territory aforesai	d, do hero	by certify	that the w day of Records o	r <mark>ithin i</mark> nst	rument w	as filed for	record and d County	uly recorde	o'elock d in Book t pages	M., o No
		e (a)	33 my nau	and one						Recorder.
Motice of Location.			DATED	Filed and recorded at request of		A. D. 1	at. M. Pool	Pages	County Recorder.	Deputy Recorder.

SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U.S. Surveyor-General,

	Phoenix, Arizona.
I, U. S. Surveyor-General for Ari	zona
do hereby certify that the foregoing and hereto at	tached Field Notes and Return of the Survey of the
Mining Claim of I. W. Wallace,	et al.,
	, known as the
WONDER	
situate in Warre	n. Mining District,
CochiseCou	inty,Arizona
	23 S. , Range No. 24 E. G & S R B. & M. (unsurveyed)
designated as Survey No	1976
executed by Franklin W. Smith	, U. S. Deputy Mineral
Surveyor, Aug. 18 - 20,	, 190, under my instructions dated
Aug. 16, 1904 , 190,	have been critically examined and the necessary cor-
rections and explanations made, and the said Fig.	eld Notes and Return, and the Survey they describe,
are hereby approved. A true copy of the copy	of the location certificate filed by the applicant. for
survey is included in the field notes.	
<u> </u>	ank A Lyade
•	U. S. Surveyor-General for Arizona.

 $7360\mathrm{b}5\mathrm{m}3\text{-}03$

Survey No. 1976.

