Capied byout 3 (4-683.)Mineral Survey No. 1978 Lot No. FIELD NOTES THE SURVEY OF THE MINING CLAIM OF 44. Obomell atty for facol On Coches County, augon Section aprot , Township 735. , Range 2 65 Rd Surveyed under instructions dated august 16, 1 90,1 U. S. Deputy Mineral Surveyor Claim located see ceo Survey commenced august 25th 190,4 Survey completed September 18th . 1904 Tostoffice address of blacine auto ally. Disher backies County anizona

PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

WE Hugh Melington	and Frank Rafoth,
do solemnly swear that we will well and faithfully level the chain upon even and uneven ground and pathe same; that we will report the true distance to a	execute the duties of chain carriers; that we will blumb the tally-pins, either by sticking or dropping all notable objects, and the true length of all lines
that we assist in measuring, to the best of our skil	
given us, in the survey of the Mining Claim of	Jacob Auring et al
known as the 265	
situate in Marie	mining district
Cochise Con	
	nge No DV ESaus SRB+M
in section appears, Township No, Ka	
- Augh	Milly M., Chainman.
J.	nk Kafoth, Chainman.
Subscribed and sw	orn to by the above-named persons before me this
	1 ch day of august, 190 K
	Corallmeth
	Dand to Confect Cotta Territo of Ariz
I,	do solemnly swear that T will well and truly
erform the duties of axman, in the establishment ions given me and to the best of my skill and	
nown as the	
nore fully described in the preceding affidavit.	
	, Axman.
Subscribed and sw	orn to by the said
· •	before me this day of
	, 190
¶	
I,	, do solemnly swear that I will well and truly
perform the duties of flagman, in the establishment ions given me and to the best of my skill and	l ability, in the survey of the Mining Claim of
known as the	
nore fully described in the preceding affidavit.	
	Flagman.
Subscribed and sw	orn to by the said
	before me this day of
	, 190

Beginning at Cor. No. 1, the NE. cor., identical with location, a pine post 4 ft.long 4 inc. sq. set 1 ft. in the ground ina mound of stones and scribed 1-1978 No.5L., whence a pine post of same dimensions and scribed W. C. 1-1978 brs. S. 52° 13' W. 50 ft., and a second pine post of same dimensions and scribing brs. N. 52° 13' E. 50 ft., and NW. cor. Sec. 30 Tp. 23 S R 25 E G & S R B & M brs. S. 83° 24' E. 5413.3 ft.

Thence S. 52° 13' W.

- 300.0 to original location for T. end center,
- 575.9 same bearing to the intersection of line 2-3 Chicago lode, Survey No. 1962 at S. 48° 50' H. 58.7 ft. from Cor. No.3 and the intersection of the N. end line of Steuben lode unsurveyed at S. 48° 50' H. 6.7 ft. from the NE. cor.
- cation and with Gor.No.1 No. 3 lode, Survey No.1977,
 a pine post 4 ft.long * ins. sq. set 1 ft in the ground in
 a mound of stones and scribed 1-1978 No.5 L., whence a pine
 post of same dimensions and scribing brs. C. 52° 13' W.
 50 ft., and a second pine post of same dimensions and
 scribing brs. N. 52° 13' E. 50 ft.

Thence N. 46° 35' W.

- 7.8 along line 1-4 No. 3 lode, Survey No.1977 to the intersection of the W. side line of Steuben lode, unsurveyed at S. 54° 53' W. 24.0 ft. from the NM. cor.,
- same bearing to Cor. No.3 the SW. cor. identical with location with Cor.No.4 No. 3 lode, Survey No.1977 and with the NE. and SE. cors respectively of No. 2 and No. 4 lodes unsurvyeed. a pine post 4 ft.long 4 ins. sq. set 1 ft in the ground in a mound of stones and combed 3-1978 N.5 lode whence a pine post of same dimensions and scribed W. C. 3-1978 brs. N. 52° 13' E. 50 ft., and a second pine post of same dimensions and scribed whence a give post of same dimensions and scribed whence a give post of same dimensions and second pine post of same dimensions and scribing brs. S. 52° 13' W. 50 ft.

Thence N. 52° 13'Ey

- 300.0 along E. end line No.4 lode unsurveyed to original location for w. end center,
- same bearing to Cor.No.4 the NW. cor., identical with the NE. and SE cors. respectively of No.4 and No. 2 lodes unsurveyed and Cor.No.3 No.7 lode Survey No.1979, a pine post 4 ft.long 4 ins. sq. set 1 ft in the ground in a mound of stones and scribed 4-1978 No.5 L., whence a pine post of same dimensions and scribed W.C. 4-1978 brs. N. 52° 13' E. 50 ft., and a second pine post of samedimensions and scribing brs. S. 52° 13' W.50 ft.,

Thence S. 469 35' E.

- 708.7 along line 3-2 No. 7 lode, Survey No. 1979 to the intersection of line 3-4 Chicago lode, Survey No. 1962 at N. 43°
 58' E. 571.5 ft. from Cor.No.3.
- 757.3 same bearing to Cor. No. 2 No. 7 Lode Survey No. 1979.
- 850.0 same bearing to Cor. No.1, the place of beginning.

Ledge.

The presumed course of the vein on this claim is from the E. end center of locationN. 46° 35' W. 850 ft.

ARTA.

Total areaNo. 5 lode,

Lead area in conflict with Chicago lode
Survey No. 1962,

Less area in conflict with
Steuben lode, unsrveyed 0.000 1.347

Net area No. 5 lode,

IMPROVEMENTS.

I hereby certify that the value of the labor and improvements on this claim placed thereon by claimants or their grantors is not less than \$500 and that said improvements consist of:

- No.1 Discovery shaft 4x6x10 ft. brs.from Cor.No.3 N. 88° 10' E 515 ft., Value, \$100.00
- No.2 Shaft 4x6x10 ft. brs.fromsame point S. 74° 45' E. 240 ft., Value,
- No. 3 Shaft 4x6x9 ft. brs. Fromsame point S. 72°

 55' E. 300 ft., Value 90.00

10.288 A

No 5 (Con)

	No 5 (Con)	5
No. 4	Open Gut 4x9x12 ft. brs. from some poitnt S. 69° 35' E.	
	330 ft., Value \$90.00	
No.5	Shart 5x7x10 ft., brs.from same point S. 68° 20' E.	
	566 ft., Value, 120.00	
No.6	Shaft 6x8x10 ft. brs.from same point 5.62°	
N N -	25'E. 410 ft., Value 125.00	
	Total improvements No. 5 lode,	\$ 625. 00
	ADJOINING CLAIMS.	
North	No.7 lode, Survey No. 1979, owned by applicants herein.	30
East	Chicago lode, Survey Ho. 1962, Geo. J. McCabe, et al owners.	
	Steuben lode unsurveyed, Jacob Pirrung owner.	
South	No. 3 lade, Survey No.1977, owned by applicants herein.	
West	No. 4 lode, unsurveyed, Jacob Pirrung, owner.	
	LOCATION.	
	This claim is located about 3 mi. in a SE. direction	
	from the City of Bisbee on unsurveyed lads in the Warren	
	Mining District in Cochise County Arizona, ap roximately	
	in Tp. 23 S. R 24 E G & S R B & M.	
		2

INSTRUMENT

This survey was made with a Leitz Mountain and Mining transit. The courses were deflected from the true a merican as determined by solar observation checked by an observation on Polaris. The distances were measured with a 300 feot steel tape.

Magnetic Variation 12° 30' E.

U. S. Deputy Mineral Surveyor.

Bisbee, Arizona,

September 1st 1904.

FINAL OATHS FOR SURVEYS.

	OF NAMES,	1
A list of the names of the individuals or	nployed by Haullei Wo	Imice
United States Deputy Mineral Surveyor, to a		
corners and boundaries described in the fore		
of Jacob Jim	going near notes of the survey of the mini	ing claim
known as the 10 5	ing et al	
and showing the respective capacities in which		
	Sheef Mieeington, Che Trank Rafoth, Che	ainman.
	Traces Rafoth, Che	ainman.
	, Ax	man.
	, Fic	ıgman .
	• • • • • • • • • • • • • • • • • • • •	
FINAL OATH	S OF ASSISTANTS.	
We, Nugh, Millie	iglosi solemnly swear that we assisted Frac	
nd frank Cafoth, dos	solemnly swear that we assisted Frac	Mui
W. Thutth, United States D.	eputy Minæral Surveyor, in marking the cor	mers and
urveying the boundaries of the mining clain	n of Jacob Tuning	
curveying the boundaries of the mining clain	n of Jacob Arning	
		etal:
<i>9</i> ₁	, known as the	etal.
265	, known as the, rep	etal
n the foregoing field notes as having been so	, known as the, reparties of the surveyor and the sur	etal
n the foregoing field notes as having been so nis direction; and that said survey has been	, known as the, reparveyed by said deputy mineral surveyor and in all respects, to the best of our knowledge.	etal
n the foregoing field notes as having been so nis direction; and that said survey has been belief, faithfully and correctly executed, and	, known as the, reparveyed by said deputy mineral surveyor are in all respects, to the best of our knowled the corner and boundary monuments es	etal presented and under edge and tablished
n the foregoing field notes as having been so nis direction; and that said survey has been belief, faithfully and correctly executed, and according to law, and the instructions furn	, known as the, reparveyed by said deputy mineral surveyor and in all respects, to the best of our knowled the corner and boundary monuments estails by the United States Surveyor-Gen	etal presented ad under edge and tablished neral for
n the foregoing field notes as having been so nis direction; and that said survey has been belief, faithfully and correctly executed, and	, known as the, reparveyed by said deputy mineral surveyor and in all respects, to the best of our knowled the corner and boundary monuments estails by the United States Surveyor-Gen	etal presented ad under edge and tablished neral for
n the foregoing field notes as having been so nis direction; and that said survey has been belief, faithfully and correctly executed, and according to law, and the instructions furn	, known as the, reparveyed by said deputy mineral surveyor and in all respects, to the best of our knowled the corner and boundary monuments estails by the United States Surveyor-Gen	etal presented ad under edge and tablished neral for
n the foregoing field notes as having been so nis direction; and that said survey has been belief, faithfully and correctly executed, and according to law, and the instructions furn	, known as the , reparveyed by said deputy mineral surveyor and in all respects, to the best of our knowled the corner and boundary monuments estaished by the United States Surveyor-General Mallington, Charles Surveyor, Charles	etal presented and under edge and lablished neral for ainman.
n the foregoing field notes as having been so nis direction; and that said survey has been belief, faithfully and correctly executed, and according to law, and the instructions furn	, known as the, repurveyed by said deputy mineral surveyor are in all respects, to the best of our knowled the corner and boundary monuments estaished by the United States Surveyor-General Mullington, Charles and Rofoth, Charles And Rofot	etal presented and under edge and tablished neral for ainman. ainman.
n the foregoing field notes as having been sured his direction; and that said survey has been belief, faithfully and correctly executed, and according to law, and the instructions furn any and the instructions.	, known as the, reparveyed by said deputy mineral surveyor and in all respects, to the best of our knowled the corner and boundary monuments estaished by the United States Surveyor-General Respects, Charles and Respects and	etal presented and under edge and tablished neral for ainman. ainman. agman.
n the foregoing field notes as having been so his direction; and that said survey has been belief, faithfully and correctly executed, and according to law, and the instructions furn any one. Subscribed and	, known as the	etal presented ad under edge and lablished meral for ainman. ainman. ainman. ainman.
n the foregoing field notes as having been so his direction; and that said survey has been belief, faithfully and correctly executed, and according to law, and the instructions furn any one. Subscribed and	, known as the, reparveyed by said deputy mineral surveyor and in all respects, to the best of our knowled the corner and boundary monuments estaished by the United States Surveyor-General Respects, Charles and Respects and	etal presented ad under edge and lablished meral for ainman. ainman. ainman. ainman.

County Cochise Territ vol a manufacture Lacon Cochise Territ vol a

FINAL OATH OF U.S. DEPUTY MINERAL SURVEYOR

_	I Snawkling House
U. S. Deputy Mineral	I, Jawelley Jewes
deted	States Surveyor Conord for Assault And Assault
oformity to the layer of the	States Surveyor General for Augona. August 16th 1904, I have, in strict
	United States, the official regulations and instructions th
3	
	of said Surveyor General, faithfully and correctly execu
t af., known as the	Claim of Jacob Curring
, known as the	() 17-15-
	- 1/1
The ISKBYD	Locking County, County, County, County, Township No. 235, Range No. 246
mour	and designated as Survey No. 1978
	n the foregoing field notes, which accurately show the bo
	s distinctly marked by monuments on the ground, and o
1	f the location certificate, which was received by me fro
AND SALES AND	aid instructions, and that all the corners of said survey h
	etuated in strict accordance with the law, official regula
are the true and original	nder; and I do further solemnly swear that the forego
the labor expended and	eld notes of said survey and my report therein, and
grantors	mprovements made upon said mining claim by claimant
ocation and itemized value	re as therein fully stated, and that the character, exter
il, and that no portion of	hereof are specified therein with particularity and full
n included in the estimate	aid labor or improvements so credited to this claim has
	of expenditures upon any other claim.
1/.	
Solin Mariet	+1
U.S. Deputy Mineral Surveyor.	7-1-60
1/1	Subscribed and grown to by the soil
un former	Subscribed and sworn to by the said
1	U.S. Deputy Mineral Surveyor, before me
this 1 et	
	1 State of the second s
	day of Deplember 1.904.
Dnieth	day of software figures.

Affidavit of Five Hundred Dollars Improvements..

\mathcal{F} \mathcal{R} \mathcal{R} \mathcal{R} \mathcal{R}
one, Frank Rafoth, and Millette
of lawful age, being first duly sworn according to law, depose and say: That we
are acquainted with the 205 mining claim,
situate in Warren Mining district, Coches County,
Arizona Territory, for which fact the
et al
half_made application for survey prior to application for patent under the provisions
of the Act of Congress, approved May 10, 1872; and that the labor done and improve-
ments made thereon by the applicant sand from grantor sexceed Five Hundred
Dollars in value, and further that we are not personally interested in said mine.
Frank Rapoth.
Safillette
County of Coches
Sworn to and subscribed before me, this
SEAL. day of September, 190 of
Coroclinik
Le and the Count

County of Cechine/ SS.

I, Frank Hare, County Rec rd r in and for said county, hereby certify that I have compared the foregoing copy with the original location notice of the Ao (6) Tining Claim, filed and recorded in my office on the 28th day of March 1902, in Book 20 Record of Mines at page 109, and that the same is a full, true and correct copy of such original, and of the whole thereof.

witness my hand and official seal this 23 day of June, 1904.

Thank Mark

County necorder.

Motice of Mining Location


Quartz LODE CLAIM

This Mining Claim, the name of which is the 70, 5.
Mining Claim, situate on lands belonging to the United States of America, and in which there
are valuable mineral deposits, was entered upon and located for the purposes of exploration and
purchase by acob Pirrung, Robert J. Kutchison, Wm
(Locator must insert either "a citizen of the United States,")
the undersigned, on the 29 day of Alcentification
The length of this claim is 1500 feet
The length of this claim is 1500 feet, and and claim about 100 feet,
in a Westerly, direction and alrow 1400
feet in a lasterly direction from
V
the center of the discovery shaft, at which this notice is posted lengthwise of the claim, together
with 300 feet in width of the surface grounds, on each
side of the center of said claim. The general course of the lode deposit and premises is from the
Lasterly to the westerly
The claim is situated and located in the Warrend Mining District, in
County, in the Territory of Arizona, about 3 miles
in a lasterly direction from Bisbeel
,
The surface boundaries of the claim are marked upon the ground as follows: Beginning at
at a point in a Mesterly, direction about 100 feet from
the discovery shaft (at which this notice is posted), being in the center of the MCLT
the discovery shaft (at which this notice is posted), being in the center of the MCOT end line of said claim; thence 300 feet to a monument.
end line of said claim; thence 300 feet to a monument
end line of said claim; thence 300 feet to a MONUMINT, being the S. W. corner of said claim; thence
end line of said claim; thence 300 feet to a monument, being the S.W. corner of said claim; thence 1500 feet to a monument, being at the
end line of said claim; thence 300 feet to a monument, being the S. W. corner of said claim; thence 1500 feet to a monument, being at the S. E. corner of said claim; thence 300 feet
end line of said claim; thence 300 feet to a MONUMENT, being the S.W. corner of said claim; thence 1500 feet to a MONUMENT, being at the S.E. corner of said claim; thence 300 feet to a MONUMENT end of said claim;
end line of said claim; thence 300 feet to a monument, being the S. W. corner of said claim; thence 1500 feet to a monument, being at the S. E. corner of said claim; thence 300 feet
end line of said claim; thence 300 feet to a MONUMENT, being the S. W. corner of said claim; thence 1500 feet to a MONUMENT, being at the S. E. corner of said claim; thence 300 feet to a MONUMENT, being at the to a MONUMENT, being at the feet to a MONUMENT, being at the
end line of said claim; thence being the S. W. corner of said claim; thence /500 feet to a Monument, being at the S. G. corner of said claim; thence 300 feet to a Monument being at the center of the look end of said claim; thence feet to a Monument, being at the Corner of said claim; thence Corner of said claim; thence
end line of said claim; thence 300 feet to a MONUMENT, being the S. W. corner of said claim; thence 1500 feet to a MONUMENT, being at the S. E. corner of said claim; thence 300 feet to a MONUMENT JEMA, at the center of the LOUT end of said claim; thence 300 feet to a MONUMENT, being at the M. E. corner of said claim; thence 1500 feet to a MONUMENT at the M. W. corner of said claim;
end line of said claim; thence 300 feet to a monument, being the S.W. corner of said claim; thence 1500 feet to a monument, being at the S.E. corner of said claim; thence 300 feet to a monument being at the center of the loat end of said claim; thence 300 feet to a monument, being at the M.E. corner of said claim; thence 1500 feet to a monument at the N.W. corner of said claim; thence 300 feet to the place of beginning.
end line of said claim; thence 300 feet to a monument, being the 5. W. corner of said claim; thence 1500 feet to a monument, being at the 5.6. corner of said claim; thence 300 feet to a monument, being at the to a monument, being at the more feet to a monument, being at the M. E. corner of said claim; thence 1500 feet to a monument, being at the more feet to a monument at the M. Corner of said claim; thence 300 feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of
end line of said claim; thence 300 feet to a monument, being the S. W. corner of said claim; thence 1500 feet to a monument, being at the S. E. corner of said claim; thence 300 feet to a monument, being at the corner of the look end of said claim; thence 300 feet to a monument, being at the M. E. corner of said claim; thence 1500 feet to a monument, being at the certer of the Normal At the Corner of said claim; thence 200 feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Control of the Control of Arizona, entitled "An Act to Control of the Control of the Control of the Control of the Control of Arizona, entitled "An Act to Control of the Control o
end line of said claim; thence 300 feet to a Monument being the 5. W. corner of said claim; thence 1500 feet to a Monument being at the S.E. corner of said claim; thence 300 feet to a Monument being at the center of the lost end of said claim; thence 300 feet to a Monument being at the M.E. corner of said claim; thence 1500 feet to a Monument being at the center of the lost end of said claim; thence 1500 feet to a Monument at the corner of said claim; thence 300 feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Codify the Laws of the Territory of Arizona," approved March 16, 1901.
end line of said claim; thence 300 feet to a monument, being the 5. W. corner of said claim; thence 1500 feet to a monument, being at the set to a monument of said claim; thence 300 feet to a monument, being at the more feet to a monument, being at the feet to a m
end line of said claim; thence 300 feet to a monument, being the 5. W. corner of said claim; thence 1500 feet to a monument, being at the set to a monument of said claim; thence 300 feet to a monument, being at the more feet to a monument, being at the feet to a m
end line of said claim; thence 300 feet to a Monument being the 5. W. corner of said claim; thence 1500 feet to a Monument being at the S.E. corner of said claim; thence 300 feet to a Monument being at the center of the lost end of said claim; thence 300 feet to a Monument being at the M.E. corner of said claim; thence 1500 feet to a Monument being at the center of the lost end of said claim; thence 1500 feet to a Monument at the corner of said claim; thence 300 feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Codify the Laws of the Territory of Arizona," approved March 16, 1901.
end line of said claim; thence 300 feet to a monument, being the 5. W. corner of said claim; thence 1500 feet to a monument, being at the set to a monument of said claim; thence 300 feet to a monument, being at the more feet to a monument, being at the feet to a m
end line of said claim; thence 300 feet to a monument, being the 5. W. corner of said claim; thence 1500 feet to a monument, being at the set to a monument of said claim; thence 300 feet to a monument, being at the more feet to a monument, being at the feet to a m

No. 110.—NOTICE OF LOCATION OF LODE CLAIM.—The H. H. NcNeil Company's Red Line Blanks, Phoenix, Arizona.

1. Filed and recorded at request of John aylward.

Mary 28 1912 at 9 a. m. Book 20 Record of mines page 109.



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument. as will identify the claim.

Motice of Location.

LODE CLAIM.

-6	9		
	1		
Dated			190
Filed and	l recorde	ed at the	request of
			D. 190
ıt			M.
Book			
Page			
	•••••		
		County	Recorder.
ያ ፓ			D1
		Deputy	Recorder.

SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U.S. Surveyor-General,


	P	hoenix, Ar	iuona.
			ct. 14", 1904
I, U. S. Surveyor-Genera	l for the dist	rict of Ar	izona.
do hereby certify that the for	regoing and hereto attached	l Field Notes and	Return of the Survey of the
Mining Claim of J 8	cob Pirrung et a	1.	

			known as the
	No. 5,		
situate in War	ren		Mining District,
0	ochise, County,	A	izona.
in Section approx.	, Township No23 S	•, R	ange No. 24 E.
, designa	ted as Survey No. 1978		
executed by Franklin	W. Smith,		, U. S. Deputy Mineral
Surveyor, Aug. 25th t	o Sept. 1st 1904	•, 190	, under my instructions dated
Aug. 16, 1904.	, 190, have l	peen critically ex	amined and the necessary cor-
rections and explanations ma	ade, and the said Field No	tes and Return,	and the Survey they describe,
are hereby approved. A tru	ie copy of the copy of the	location certification	ate filed by the applicant. for
survey is included in the fie		inh H	in Tall
		Surveyor-General	A (*) ' () () - ()

7360b5m3-03

Survey No. 1978.

Scale 1. in=200.ft.



Large Drawing