

notes and formers copied 9/9/04 1904 Class (4 - 683.)Mineral Survey No. 1979 Lot No. Land District. FIELD NOTES OF THE SURVEY OF THE MINING CLAIM OF MO Connece any for facol Turn KNOWN AS THE H07 surverte in Warnen Mining District, Cochise County, augona , Township 335, Range 24 6 Jack SRB Surveyed under instructions dated 16 august, 190% by frankie 7 U. S. Deputy Mineral Surveyor Claim located see evotice, 1 Survey commenced august 20th , 1904 Survey completed September 15t, 1904 Jostoffice address of Clanceauts atty. Diskey bachisg barrety augona

-684. 2 PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM. eletter, and do solemnly swear that we will well and faithfully execute the duties of chain carriers; that we will level the chain upon even and uneven ground and plumb the tally-pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with instructions given us, in the survey of the Mining Claim of ... known as the situate in mining district County in Section approx, Township No. 23 Range No.c, Chainman. ..., Chainman. Subscribed and sworn to by the above-named persons before me this , 190.4/, do solemnly swear that I will well and truly I,.... perform the duties of axman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of known as the more fully described in the preceding affidavit., Axman. Subscribed and sworn to by the said, 190 I,-----....., do solemnly swear that I will well and truly perform the duties of flagman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of known as the more fully described in the preceding affidavit. Flagman. Subscribed and sworn to by the said....., 190..... 4114b3m6-02

Survey No. 1979.

No.7

.

.

-	1000	
		Beginning at Cor.No.1, the NE. cor., identical with 10-
		cation, a pine post 4 ft.los. 4 ins. sq. set 1 ft in the
		ground in a mound of stones and scribed 1-1979 No.7 L., whence
	50	a pine post of same dimensions and scribed W. C. 1-1979
		brs. S. 52° 17' W. 50 ft., and a second pine post of same
		dimensions and scribing brs. H. 52° 13' E. 50 ft. and
		NW. Cor. Sec. 30 Tp. 23 S. R. 25 E G & S R B & M brs.
		S. 78° OS' E. 5081.5 ft.
		Thence S. 52° 13'W.
	300.0	to original location for H. end center,
	568,3	same bearing to the intersection of the line cormon to Lone
		Star and Chicago lodes, Survey No.1962 at S. 48° 50' M.
		53.2 ft. from Cors. No. 5 and 4 respectively their common
and the second se		corners.
	600.0	same bearing to Cor.No.2, the SE. cor., identical with location
		a pine post 4 ft.long 4 ins. sq. set 1 ft in the ground
		in a mound of stones and scribed 2-1979 No.7 L., whence a p
	x	pine post of same dimensions and scribed W. C. 2-1979 brs.
and the second se		I. 46° 35' W. 50 ft., and a second pine post of some di-
	ut.	mensions and scribing brs. R. 46° 35' E. 50 ft.,
	48.6	Thence N. 46° 35' V.
	<u><u><u></u></u></u>	along line 1-4 No.5 lode, Survey No.1978 to the intersec-
		tion of line 3-4 Chicago Lode, Survey No.1962, at S. 43° 58'
		W.29.2 ft. From Cor.No.4
	757.3	same bearing to Cor.No.3, the SW. cor., identical with lo-
		cation, with Cor.No.4, No. 5 lore Survey No. 1978 and the
		NE and SE cors respectively of No. 4 and No. 6 lodes,
		unsurveyed, a pine post 4 ft.long 4 ins. sq. set 1 ft
		in the ground in a mound of stones and scribed 3-1979 No.7L
and the second second		whence a pine post of same dimensions and scribed ". C. 3-1979
		brs. N. 52° 13' H. 50 ft, and a second pine poist of same
		dimensions and scribing brs. 8. 52° 13' W. 50 ft.
	300 0	Thence N. 52° 13' E.
		along T. end line No. 6 lode, unsurveyed to original lo-
		cation for W. end center,

Survey No.1979

		Survey No.1979	
	Feet	No. 7 . 4	
	600.0	same bearing to Cor.No.4 the NW. cor., identical with lop	
		NE cation and with Cor. of No.6 lode unsurveyed, a pkne post	
		4 ft.long 4 ins. sq. set 1 f t in the ground ina mound of	
		stones and scribed 4-1979 No.7 L. thence a pine post of	
		same dimensions and scribed W. C. 4-1979 brs. S. 529 13' W	
		50 ft., and a second pine post of same dimensions and	
		scribing brs. N 52° 13' E. 50 ft.	×
		Thence S. 46° 35' E.	
		to the intersection of line 4-3 Lone Star Lode, Survey No.1982	
		at N. 43° 58' E. 563,8 rt. from Jor.No.3,	
	757.3	same bearing to Cor.No.1, the place of beginning.	
		Ledge.	
		The presumed course of the vein on this claim is	
		from the E. end center of location N. 46° 35' W. 757.3 ft.	
	8	ARIEA .	
	•	Total area No. 7 lode, Less area in conflict with Lone Star lode, Survey No.1962 1.212 Les area in conflict with Chicago 19de, 1.247	
		Survey No.1962, Net area No.7 lode. 8.744 A	
		Net area No.7 lode, 8.744 A	ł.
		ADJOINING CLAIMS.	
		Unsurveyed ground, owner unknown.	
	Rast.	Lone Star and Chicago lode Survey No.1962 G.J.McCabe et al. owners.	
	Pouth		
	West	No 6 lode, unsurveyed Jacob Pirrung of ner.	
		IMPROVEMENTS	
		I certify that the value of the labor and improvements	
	3	on this clain placed thereon by claimants or their granters	
		is not less than \$500 and that said improvements consist of:	
	NO.1	Discovery shaft 4x6x10 ft. brs.from Cor.No.4 S. 15° 50' E.	
	N- 0	525 ft., Value, \$100.00	
	No.2	Shaft 4x6x10 ft. brs. from same point S. 19º 40'E.	
	No.3 No.4	550 ft., Value, 100.00	
		Shaft 5x6x5 ft. brs.from sume point 8. 29° 45' D.	
,		140 ft., Value, 50.00	
		Shart 4x6x10 ft. brs.from same points. 14° 00'E.	
		550 ft., Value, 100.00	

V

Survey No. 1979

	Feet	No.7
		IMPROVENENTS (Con)
ł	No.5	Shaft 4x18x10 ft. brs.fromsame point S. 13º 15' W. 640 ft
		Value \$150.00
	No .6	Shaft 6x8x10 ft. brs.from same point S. 20° 30' W. 400 ft.
	No. 7	Value 100.00 Shoff 6x 18'x 10' from some point 5.8° 40' w 2 10 ft value 150.00 Total improvements on No.7 lode, \$750.00
		LOCATION.
- • 0		This claim is located about 3 mi. from the City of Warren mining Dishief, Bisbee in a ST. direction, on unsurveyed lands in Cochise
		County, Arizona, approximately in Tp 23 S R 24 E G & S R B &M
	x	

L

1

INSTRUMENT.

This survey was made with a Leitz Mountain and Mining transit. The courses were deflected from the true meridian as determined by solar observation checked by an observation on Polaris. The distances were measured with a 300 foot steel tape.

Magnetic variation 12° 30' 3.

U. S. Deputy kineral Surveyor.

Bisbee, Arizona, . 1 Scht . . . 1904.

7 FINAL OATHS FOR SURVEYS. LIST OF NAMES. A list of the names of the individuals employed by Maule United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines corners/and boundaries described in the foregoing field notes of the survey of the mining claim uning et al of known as the and showing the respective capacities in which they acted. , Chainman. Clette, Chainman., Axman., Fiagman. FINAL OATHS OF ASSISTANTS. hand Kalatt We Sillelto , do solemnly swear that we assisted fraully W, United States Deputy Mineral Surveyor, in marking the corners and surveying the boundaries of the mining glaim of Sung etal , known as the , represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for arizona Frank Rolath, Chainman. illette, Chainman., Axman, Flagman. Subscribed and sworn to by the above-named persons before me this day of September 1904

o 6—167

(4 - 686.)

FINAL OATH OF U.S. DEPUTY MINERAL SURVEYOR

....., U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Muzonal, dated 16 ch 1901, I have, in strict conformity to the laws of the august United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Ctal Claim of, known as the situate in County, augo re. , in Section raf, Township No. 230, Range No. 346 Jand SKB and designated as Survey No. 1979, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the layor expended and improvements made upon said mining claim by claimants or When grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

1. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said... U.S. Deputy Mineral Surveyor, before me. this day of 1902

3-154

NOTAH FUBLIC In and for the County of Cochise, Territory of Arizo My Commission Expires March 21, 1908.

Affidavit of Five Hundred Dollars Improvements.

We, Frank Rapoth, and JaSillette of lawful age, being first duly sworn according to law, depose and say: That we No. 7 mining claim, are acquainted with the..... Cochise County, situate in.Mining district,.... Arizona Territory, for which.....

hat made application for survey prior to application for patent under the provisions of the Act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon by the applicant of and further that we are not personally interested in said mine.

Frank Rapath

illette

TERRITORY OF ARIZONA, ss: County of.

Sworn to and subscribed before me, this.

day of September, 190 &

v ou interior de la constance 21, le

श्रेकककक

69861500-2-03

Motice of Mining Location

Quarty LODE-CLAIM

To All Wabom it May Concern:

This Mining Claim, the name of which is the Mo. 7.7
Mining Claim, situate on lands belonging to the United States of America, and in which there
are valuable mineral deposits, was entered upon and located for the purposes of exploration and \mathcal{P}
purchase by Jacob Pirrung, Robert, Hutchiom, W ^m Aylward, John Aylward, (Locatof must insert either "a citizen of the United States,")
the undersigned, on the 29 day of Alcember 190 !
The length of this claim is
and ave claim about 150 feet,
in a westerly direction and about 1350
feet in a lasterly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together
with 300 feet in width of the surface grounds, on each
side of the center of said claim. The general course of the lode deposit and premises is from the Lasterly to the westerly The claim is situated and located in the Warren Mining District, in
in a casterly direction from Bibles
The surface boundaries of the claim are marked upon the ground as follows: Beginning at
at a point in a westerly direction about 150 feet from the discovery shaft (at which this notice is posted), being in the center of the West
end line of said claim; thence <u>300</u> feet to a monument

TERRITORY OF ARIZONA?

County of Cochise/ SS.

I, Frank Hare, County Rec rd-r in and for said county, hereby certify that I have compared the foregoing copy with the original location notice of the $\underline{Mo(7)}$ Mining Claim, filed and recorded in my office on the $\underline{28^{42}}$ day of \underline{March} 1902, in Book $\underline{20}$ Record of Mines at page $\underline{111}$, and that the same is a full, true and correct copy of such original, and of the whole thereof.

witness my hand and official seal this 2-3" day of June, 1904.

at 9 a.m. Book 20 Record of mines page 111.

County Recorder.

10

Motice of Mining Location

11

Quarty LODE CLAIM

To All Mohom it May Concern:

This Mining Claim, the name of which is the
Mining Claim, situate on lands belonging to the United States of America, and in which there
are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by faceb Pirrung, Robert , Hutchison, WM Aylward, John Aylward (Locator must insert either "a citizen of the United States.")
the undersigned, on the 29 day of Alcember 190 !
The length of this claim is 1500feet,
and we claim about 150 feet,
in a westerly direction and about 1350
feet in a lasterly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together
with 300 feet in width of the surface grounds, on each
side of the center of said claim. The general course of the lode deposit and premises is from the lasterly to the westerly
The claim is situated and located in the Marren Mining District, in Cochine County, in the Territory of Arizona, about 3 miles in a easterly direction from Bushee
The surface boundaries of the claim are marked upon the ground as follows: Beginning at
The surface boundaries of the claim are marked upon the ground as follows: Beginning at at a point in a McAlerly direction about 150 feet from the discovery shaft (at which this notice is posted), being in the center of the McAt
at a point in a <u>Westerly</u> direction <u>about</u> 150 feet from the discovery shaft (at which this notice is posted), being in the center of the <u>West</u> end line of said claim; thence <u>300</u> feet to a <u>Monument</u>
at a point in a Westerly direction about 150 feet from the discovery shaft (at which this notice is posted), being in the center of the West
at a point in a <u>Westerly</u> direction <u>about</u> 150 feet from the discovery shaft (at which this notice is posted), being in the center of the <u>West</u> end line of said claim; thence <u>306</u> feet to a <u>Monument</u> , being the <u>A.M.</u> corner of said claim; thence <u>1500</u> feet to a <u>Monument</u> , being at the
at a point in a <u>Westerly</u> direction <u>about</u> 150 feet from the discovery shaft (at which this notice is posted), being in the center of the <u>West</u> end line of said claim; thence <u>300</u> feet to a <u>monument</u> , being the <u>A.M.</u> corner of said claim; thence <u>1500</u> feet to a <u>monument</u> , being at the <u>S.E.</u> corner of said claim; thence <u>300</u> feet
at a point in a <u>Westerly</u> direction <u>about</u> 150 feet from the discovery shaft (at which this notice is posted), being in the center of the <u>West</u> end line of said claim; thence <u>306</u> feet to a <u>Monument</u> , being the <u>A.M.</u> corner of said claim; thence <u>1500</u> feet to a <u>Monument</u> , being at the
at a point in a <u>Westerly</u> direction <u>about</u> 150 feet from the discovery shaft (at which this notice is posted), being in the center of the <u>West</u> end line of said claim; thence <u>300</u> feet to a <u>monument</u> , being the <u>A.M.</u> corner of said claim; thence <u>1500</u> feet to a <u>monument</u> , being at the <u>S.E.</u> corner of said claim; thence <u>300</u> feet
at a point in a <u>MtAlerly</u> direction <u>about</u> 150 feet from the discovery shaft (at which this notice is posted), being in the center of the <u>MtAlerly</u> end line of said claim; thence <u>300</u> feet to a <u>Monument</u> , being the <u>S.E.</u> corner of said claim; thence <u>300</u> feet to a <u>Monument</u> , being at the <u>S.E.</u> corner of said claim; thence <u>300</u> feet o a <u>monument</u> <u>being</u> at the center of the <u>East</u> end of said claim; thence <u>300</u> feet to a <u>monument</u> , being at the
at a point in a <u>Westerly</u> direction <u>about</u> 150 feet from the discovery shaft (at which this notice is posted), being in the center of the <u>West</u> end line of said claim; thence <u>300</u> feet to a <u>Monument</u> , being the <u>S.E.</u> corner of said claim; thence <u>300</u> feet to a <u>Monument</u> being at the <u>S.E.</u> corner of said claim; thence <u>300</u> feet o a <u>Monument</u> lieing at the center of the <u>East</u> end of said claim;
at a point in a Westerly direction about 150 feet from the discovery shaft (at which this notice is posted), being in the center of the west end line of said claim; thence 300 feet to a monument , being the S.E. corner of said claim; thence 300 feet to a monument, being at the S.E. corner of said claim; thence 300 feet o a monument bring at the center of the East end of said claim; thence 300 feet to a monument, being at the M.E. corner of said claim; thence 1500

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Coduly Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

ber Dated and posted on the ground this... .190/ dav ohn

No. 110.-NOTICE OF LOCATION OF LODE CLAIM.-The H. H. Neneil Company's Red Line Blanks, Phoenix, Arizona. "iled and recorded at request of John aylward Mar. 28

This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either ead desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument. as will identify the claim.



WITNESS my hand and official seal the day and year first above written.	ofCounty, Arizona, at pagesRecords of	on this	Territory aforesaid, do hereby certify that the within instrument was filed for record ato'clock,	I,, County Recorder in and for the County and	County of
---	---------------------------------------	---------	---	---	-----------

(3)

.

SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

4-687.

Department of the Interior,

Office of U.S. Surveyor-General,

____Phoenix, Arizona, .____

Quet 20 - , 1904 I, U.S. Surveyor-General for Arizona, do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of Jacob Pirrung, et al, , known as the situate in Warren Mining District, Cochise County, Arizona, in Section approt., Township No. 23 S., Range No. 24 E. G. & S. R. B. & M., unsurveyed designated as Survey No. 1979 executed by Franklin W. Smith , U.S. Deputy Mineral Surveyor, ang. 20 - Sept. 1th 1904 , 190- , under my instructions dated August _____16, _____, 1904., have been critically examined and the necessary corrections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. A true copy of the copy of the location certificate filed by the applicant. for survey is included in the field notes.

Frank & Lugaco

U. S. Surveyor-General for Arizona.

7360b5m3-03

