

OCT 7 1904 0 Opper by Endora 10/15-104 platted 2. Q. (4-683.) Mineral Survey No. 1985. Lot No. Jula Land District. FIELD NOTES OF THE SURVEY OF THE MINING CLAIM OF metion development to JM. O'Connell atty . KNOWN AS THE Instation . situate in Warren Mining District, Cochise County, Guzana Section Township 23 S, Range 24 6 98 SAB & M Surveyed under instructions dated suptember 22,190 of by Lankling W. S. J. U. S. Deputy Mineral Surveyor. Claim located see cuteficate, 1 Survey commenced Suptember 205th, 1904 Survey completed October 1st , 1 90 el Post Office address, clamants atty Bishee, bochiss bounty arigona areas of the of the stand

4-684. PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM. WE. do solemuty swear that we will well and faithfully execute the duties of chain carriers; that we will level the chain upon even and uneven ground and plumb the tally-pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with instructions function developme given us, in the survey of the Mining Claim of \_\_\_\_ known as the mining district situate in ..... cap an County. in Section approv, Township No. 23.5, Range No. 246 Chainman, ., Chainman, Subscribed and sworn to by the abovg-named persons before me this 2. th day of september , 190.4 FUELIC In and for the County of Cochise, Territory of Arizona, My Commission Expires March 21, 1908. ....., do solemnly swear that I will well and truly I... perform the duties of axman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of known as the ..... more fully described in the preceding affidavit. ....., Axman, Subscribed and sworn to by the said ..... before me this day of ....., 190..... ...... ....., do solemnly swear that I will well and truly I,..... perform the duties of flagman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of known as the \_\_\_\_\_ more fully described in the preceding affidavit. -----, Flagman. Subscribed and sworn to by the said -----before me this day of ....., 190..... 4114b3m6-02

# Survey No. 1985.

-	and the second se	
		Beginning at Cor.No.1, the NW. cor., identical with 10
		dation and at the point of intersection of line 3-2 Ophir
		lode, Survey No. 1981 with line 8-9 Gottontail lode, Sur
		vey No.1910, a pine post 4 ft.long 4 ins. sg. set 1 ft
		in the ground in a mound of stones and scribed 1-1985
		$\overset{\cdot}{P}$ L whence a pine post of same dimensions and scribed W C
		1-1985 brs. N. 14°34' E. 50 ft., and a second pine post
-		of same dimensions and scribing brs. S. 14° 34' 7. 50 ft
		and U S k k No 4 Warren kinin District brs. N. 78º 03'
	- 1	". 4544.9 ft.
		Tlence S. 75° OG: E.
	618.1	alon, the S side line of Cottontail lode, Survey No.1910
		to Cor. No 2, the NE cor identical with Cor No 8 Softon
		tail lore, furvey No.1910 a pine post 4 ft long 4 ins.
		sq set 1 ft in the ground in a nound of stones and scribed
		2-1985 P L., whence a pine post of same dimensions and
		meribed ". C. 2-1985 brs S 75° 06' E. 50 ft., and a second
		Pine post of same dimensions and scribing brs. N. 75°
		06' ". 50 ft. and original location for NA corbrs. S.
		75° 06' E. 11.7 feet.
		Thence S. 01,° 09' E.
	40.1	along line 8-7 Cottont Al lode, Survey No.1910 to Cor.No
		3, identical with Cors.No.1 and 7 respectively of Mount-
		ain Maid Lode, Survey No. 1585 and Cottontail Lode,
		Survey No.1910, a line post 4 ft.long 4 ins. sq. set lft
		in the ground in a mound of stones and scribed 3-1985
		P L whence a pine post or sale dimensions and scribed
		". C. 3-1985 $\otimes$ brg.N.29° 35' H. 50 ft. and a second pine
		post of same dimensions and seribing brs. 9. 29° 35' W.
		50 ft, thence & 149-74-1.
		Thence S. 14° 54' W.
2	260.0	to Cor.No.4, identical rith original location for W. end
		center, a pine post 4 ft long 4 ina. sq. set 1 ft in the
		ground in a mound of stones and scribed 4-1985 P. L.
		whence a pine post of same dimensions and scribed ". C.

## Survey No.1985 PROTECTION

4-1985 brs. S. 14º 34' W. 50 ft., and a second pine post of same dimensions and ceribing ors. N. 14º 34' M. 50 ft Thence S. 42° 50' 30" ". 297.9 ft. +0-+07 Jo Cor No.5 the SI cor., identical with the NE cor. of Last Chance losde unsurvered and on the intersection of line 1-2 Mountain Maid lode, Survey No.1585 at S. 29° 35' V. 537.2 ft, from Cor.No.1, which cor. being identical with Cor. No. 3 of this survey, a pine post 4 ft. long 4 ins. sq set 1 ft in the ground in a normal of stones and southed 5-1985 P. L. whence a pine goot of same dimensions and scribed W. G. 5-1985 brs. F. 75º 15' W. 50ft., and a se ond pine post of care dimensions and coribing brs. S 75° 15' 3. 50 ft. and original location for Sd. cor. brs S. 75° 15' T. 240 ft.,

#### Thence 1. 75° 15' ".

287.65 along the N. side line of Last Chance Lode, unsurveyed to the intersection of line 2-3 Erie Cattle Claim, Survey No.1464 at N. 54° 4 8' W. 214 ft. from Cor.No.3
474.6 same bearing to Cor.No.6 the SW. cor., a pine post 4 ft long 4 ins. sq. set 1 rt in the ground in a mound of stones and scribed 6-1985 P L whence a pine post of same dimensions and scribed W. C. 6-1985 brs. E. 75° 15' W 50 ft and a second pin post of same dimensions and scribed F. 50 ft. and or ginal location for SW cor. brs. E. 75° 15' W. 17 ft.

Thence N. 14° 58' E.

69,6 ft to the intersection of line 2-3 Erie Cat le Claim at E. 54° 49' W. 413,2 ft. from Cor.No,3

222.2 same bearing to Gor.No.7 identical ith the NA cor of Wedge lode, unsurveyed, a pine post 4 ft.long 4 ins. sq set 1 ft in the ground in a mound of stones and scribed 7-1925 P. L., whence a pine post of same dimensions and scribed V. C. 7-1985 brs. H. 14° 58' H. 25 ft. and a second pine post of same dimensions and scribing brs. S. 14° 58' V. 25 ft. -2-

Feet

293.9

Survey No. 1985

	Survey No. 1985
Feet	Protection
	Thence N. 60° 22! W.
17,28	f along N. end line Wedge lode, unsurveyed to for No.8
	identical with the NW cor of Wedge lode, and with Cors No
	3 of the Come by Chance lode Furvey Ho.1643 and Ophir
	lode, Survey Vo.1981 a pine post 4 ft.long 4 ins. sq.
	set 1 ft in the ground in a nound of stones and scribed
	8-1985 P, L. whence a pine post of same dimensions and
	scribed ". C. 8-1985 brs. N. 14° 34' E. 25 ft., and a
	second pine post of same dimensions and scribing brs.
	S. 14° 34' W. 25 1°.,
77 4 1 17	Thence H. 14° 34' E.
3413	along line 3-2 Ophir lode, Survey Ho.1981 to original
	location for ". and center,
332,8	same bearing to Cor.No.1, the place or beginning.
	Ledge.
	The presumed course of the yein on this claim is
	from the ". end center of location S. 75° 06' E. 629.2 ft.
	AREA.
	Tetal area Protection lode 7.564 Acres
	ain Haid loce, Survey Po.1585 0.415
	Clain Survey No.1464 0.149 0.564
	Net area Protection lode 7.000 Acres
	Improvements.
	I certify that the value of the labor and improve-
	ments on this claim placed thereon by claimant or its
	grantors is not less than \$500 and that said improvements
	consist of:
No. 1	Discovery Shaft 4x8x20 ft. brs. From, # end center of
	location 8.75° 06' E. 8 ft. Value \$225.00
Nc. 2	Shaft 4x9x25 ft. brs.from Cor.No.8 N. 20°
	E 80 ft., Value, 300.00
No. 3	Shaft 4x6 and 2 ft. deep filled in
	Total improvements on improvements \$525.
	-3-

-+

5

Survey No. 1985.

Protection

Adjoining Claims North Cottontail lode, Survey Ho.1910, Maurice Denn et al owners East Kountain Maid Lode, Survey No.1585 owned by applicant hewein. South Last Chance, Lode, unsurveyed, Frank Bopp, t al owners. Erie Cattle Claim, Survey Ho.1464, owned by applicant

Vest

herein

Wedge lode, unsurveyed, Frank Bopp, et al owners. Come by Chance Lode, Survey Ho.1645 owned by applicant herein. Ophir Mdc, Survey Ho.1981, Joseph H.Muneim orner LOCATION.

This lain is located about & mi in an easterly direction from the town of Lovell in the Warren Lining District, Cochise County, Arizona, on unsurveyed Lands approximately in Tp. 23 S R. 2 4 D G & C R B & M

#### INSTRUMENT.

This survey was made with a Leitz Mountain and Mining transit. The courses were deflected from the true meridian as determined by solar observation, checked by an observation on Polaria. The distances very measured with **3** a 300 foot steel tape. Magnetic Variation 12° 30' E.

U. S. Deputy Mineral Surveyor.

Bisbee, Arizona,

etaly 4 - 1904.

Note

Any discrepancies which may appear. between the courses and distances of this survey and those of the adjoining approved surveys are due to errors in the latter.

### FINAL OATHS FOR SURVEYS.

(4-685)

### LIST OF NAMES.

$\Lambda$ list of the names of the individuals employ	walter their Whenth		
United States Deputy Mineral Surveyor, to assist			
corners and boundaries described in the foregoin	g field notes of the survey of the mining claim		
of function development	at to MO Connell atty		
known as the <u>notection</u>			
and showing the respective capacities in which they acted.			
	Notes Place, Chainman.		
	217 Barriel, Chainman.		
	C		
	, Axman.		
	, Fiagman.		
FINAL OATHS (	OF ASSISTANTS.		
Wey Deter Chiado			
Ne Bartal	nnly swear that we assisted Franklin		
	y Mineral Surveyor, in marking the corners and		
surveying the boundaries of the mining claim of			
figuetion develo	forment les.		
fli O'Connell atty	, known as the		
Protection	, known as the, represented		
in the foregoing field notes as having been survey			
his direction; and that said survey has been in	all respects, to the best of our knowledge and		
belief, faithfully and correctly executed, and the	e corner and boundary monuments established		
according to law and the instructions furnishe	d by the United States Surveyor-General for		
avizona	50		
	Ide Chiado Ouiman		

Chainman. , Axman . ....., Flagman.

Subscribed and sworn to by the above-named persons before me this \_\_\_\_\_\_ day of \_\_\_\_\_\_\_\_, 1 70 4

In and for the County of Cochise, Territory of Arizon My Commission Expires, March 21, 1903.

5

### FINAL OATH OF U.S. DEPUTY MINERAL SURVEYOR

I. Ch ....., U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for <u>Muzona</u>, dated 22nd Deptember 1904, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining calforment to. Claim of ... Connell atty, known as the situate in arren County, Gugong ., in Section pprot, Township No. 23 S, Range No. 27 & Jr SM B & M and designated as Survey No. 1985, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

l'. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said.... U.S. Deputy Mineral Surveyor, before me..... \_\_\_\_\_ this \_\_\_\_ day of cloked , 19 201 In and for the County et Tertit Ar. 141 6 My Commission Exp 905 0 3-154

Affidavit of Five Hundred Dollars Improvements.

ter Chiado of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the ... mining claim, boch County, situate in. men Arizona Territory, for which..... u0' Concell atty 60 ----ha A made application for survey prior to application for patent under the provisions of the Act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon by the applicant.... and grantor's exceed Five Hundred Dollars in value, and further that we are not personally interested in said mine. Notes Quade 1114 mordevar TERRITORY OF ARIZONA, ss: County of 600 Sworn to and subscribed before me, this.....? 6986b500-2-03 In and

2 1

Territory of Arizona,)

:SS.

County of Cochise. )

I, Frank Mare County Recorder in and for said County, hereby certify that I have compared the annexed copy with the criginal location notice of the Protection mining claim, filed and recorded in my office on the 17th day of July 1903, in Book 27 page 344, Record of Mines, and that the same is a full, true and correct copy of such original and of the whole thereof. Witness my hand and seal of frice, this lot h day of September Frank stare 19,4.

Conty Recorder.

, a doa tino branko, rindita, Arizona."

12 Motice of Mining Location LODE CLAIM To All Whom It May Concern: This Mining Claim, the name of which is the..... Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by H. D. Hovland a citizen of the US (Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.") the undersigned, on the 9th day of func The length of this claim is ..... 600 feet. 20 ....claim ..... and ....feet. direction and 580 feet in an Eastert direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together feet in width of the surface grounds, on each with ..... side of the center of said claim. The general course of the lode deposit and premises is from the west to the East Cochece County, in the Territory of Arizona, about 2 Males in a southeasterly direction from the town of Subec and ided by 6 by Mountain Made, on S by One Hatte clain The surface boundaries of the claim are marked upon the ground as follows: Beginning at a Monument at a point in a m unesterly direction 20 ... feet from the discovery shaft (at which this notice is posted), being in the center of the end line of said claim; thence mortherly 280 feet to a post being the 20. 24 corner of said claim; thence asterly 600 feet to a post .....,, being at the corner of said claim; thence SouthErla 4 280 feet monunexit\_at the center of the O .....end of said claim; to a thereby 280 feet to a post , being at the corner of said claim; thence. wester 1.600 at the ..... corner of said claim; feet to a Therely 280 feet to the place of beginning. thence All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes on the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901. Dated and posted on the ground this 976 day of tune 190 3 thessed to D. Hooland H.a. Smith 1 and recorded at request 7 Records

----

County Recorder.

6

.190.....

County Recorder.

Deputy Recorder.

Hotice of Location

LODE CLAIM

Filed and Recorded at request of

at.....M.

Book

Dated ....

Pages .....

 $B_{\mathbf{V}}$ 

On Te this ritory afore. said WITNESS my reby certify hand and official Record. that the within the day and filed 190. for County record and County above Recorder written in and H Book for .o'clock, the County and M

County of.

TERRITORY

OF

ARIZONA

33



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end de. sired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

÷ ...



19 ····

### SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

4-687.

### Department of the Interior,

Office of U.S. Surveyor-General,

Phoenix, Arizona,

Oct. 21, 190.4

I, U.S. Surveyor-General for Arizona				
do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the				
Mining Claim ofJunction Development Co., J.M.O. Connell, atty.				
, known as the				
Protection				
situate in				
Cochise County, Arizona.				
in-Sectionapprox, Township No. 23.S. Range No. 24 E. G. & S. R. B. & M				
, designated as Survey No. 1985				
executed by, U.S. Deputy Mineral				
Surveyor, September 25, October 1, 1904,, 190., under my instructions dated				
September 22, 1904,, 190, have been critically examined and the necessary cor-				
rections and explanations made, and the said Field Notes and Return, and the Survey they describe,				
are hereby approved. A true copy of the copy of the location certificate filed by the applicant. for				
survey is included in the field notes.				

mark an pole

U. S. Surveyor-General for \_\_Arizona.

7360b5m3-03

