(4-683.)

Mineral Survey No. 1988

Lot No.

Gila Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

The Imperial Copper Company	
KNOWN AS THE Emerald, Silver Bell, and Black Daisy Lodes.	
Silver Bell	Mining District,
Pina County, Arizona	
Section, Township 12 South , Range	UE, unsurveyd
Surveyed under instructions dated Sept. 27, , 19	04,
by John A. Rockfel	low,
U. S. De	puty Mineral Surveyor.
Claim located See location notices	, 1
Survey commenced	1 904
Survey completed Dec. 15th	, 1 904
o 6—160	

Address of claimants Attorney,

Ben Goodrich,

Tombstone, Arizona.

Ares 0.16 The line 016 Sefe!hme 916 2/8/05

TERRITORY OF ARIZONA,
County of Smua Ss.
$G \mathcal{W} \mathcal{O} \mathcal{O} \mathcal{O}$
Before me, , a Notary Public
in and for the County of Arizona, on this day personally appeared
in and for the County of Arizona, on this day personally appeared Nobert B Stewart and Fred Stewart
known to me to be the person. J whose name S. and subscribed to the foregoing instrument and acknowledged
that
Given under my hand and seal of office, this day
of JD 190
1 / Muss
(My Commission expires 11)

No. 130.—ACKNOWLEDGMENT—The H. H. McNell Company's Red-Line Blanks, Phoenix, Arizona.

PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

WE Gobert B	Stewart and Fred & Vither	<u>,</u>
level the chain upon even and the same; that we will report	Il well and faithfully execute the duties of chain carriers; that we will uneven ground and plumb the tally-pins, either by sticking or dropping the true distance to all notable objects, and the true length of all lines o the best of our skill and ability, and in accordance with instructions	5
given us, in the survey of the		
Coppu	60	
known as the Emis	ald Silver Beel & Black	Da
situate in Vilou	Bee mining district	t
Jimas	County, Anzma	,
	ip No. 125, Range No. 8 5 Lucisman	jeo
, 2,,,,,,,	Charle B Chinasa	7
	Joseph D. Dewall, Chainman.	
	red S. Pitkin , Chainman.	
	Subscribed and sworn to by the above-named persons before me this	3
	30 th day of november, 190 4	
	John Doan Justin of	Peac
	Alexandell primer Ou	
•	arizona Je	cret
	in the establishment of corners and other duties, according to instruc	
· The state of the	best of my skill and ability, in the survey of the Mining Claim o	
Lucyun as the		
known as the more fully described in the pro		
, , , , , , , , , , , , , , , , , , , ,		
	, Axman.	
	Subscribed and sworn to by the said	
	before me thisday	of
	, 190	
Series Commission Commission	, do solemnly swear that I will well and true is the state of someword of a decision and other duties a sounding to instru	
	n, in the establishment of corners and other duties, according to instr best of my skill and ability, in the survey of the Mining Claim	
***************************************	м	
known as the		
more fully described in the p		
	, Flagma	22.
	Subscribed and sworn to by the said.	
	before me this da	y of
	, 190	

SURVEY No. 1988.

Emerald Lode.

Beginning at Cor. No. 1, identical with location and with Cor. Nos. 4, Prospector Lode, Sur. No. 1818,

- 2, Marmoth Copper lode, Sur. No. 1821,
- 1, Mountain View bode, Sur. No.1925, a pine post 4 ins. sq. 2 1/2 ft. high, in mound of stone scribed; 4-1818 P, 2-1821 M, 1-1925 MV, and 1-1927 E. The last I change to 1-1988 E.

Whence va. 13°55' E

1) U.S.M.M. No. 1 of this districtbears S 51° 05° W, 286.2 ft.

Thence I run N 56° 20' E.

- 277.9 N/Center End, a pine post 4 ins. sq. 3 ft. high in nound of stone, marked in paint "NORTH CENT of EMERALD"

 I add 1988 by scribing on post.
- 594.1 Intersect line 1-2 Wedge lode, Sur. No. 1924 at N 33°27 W 239.1 ft/ from ccr. No. 1;
- 595.7 To Cor. No. 2, identical with location and ith Car. No. 2, Mountain View lode, Sur. No. 1925., a pine post 4 mis. sq. 2 ft high in mound of stone, scribed 2-1925 M V and 2-1927 E, which I change to 2-1988 E.

Whence va. 14°E

1- A cross(X) and R R 2-1938, chiseled on limestone 14 X
14 X 12 ins. bears N 7° 05'E, 13.6 ft.

Thence S 33° 10' E;

299.1 To Cor. No. 3 within the boundaries of location and identical with Cort.No. 1 Wedge lode, Sur. No. 1924, and to post 4 ins. sq., 2 ft. high in mound of stone, scribed 1-1924 W and 1-1816 C, to which I add 3-1988 E,

Whence ya.14° E.

1) A cross and B R 3-1988 chiseled on limestone 13 X 14 X2 ins. bearsN 60° E, 4.0 ft. Alongside is a post painted N E cor. Emerald (error).

Thence S 33° 38'E

Along very steep west slope of limestone mountain

- 105.0 Sharp ridge bears E. & W.
- 299.9 Postil. Oft. left painted S / Center Confidence
- 450.0 Post 0.9 ft. left painted S center Silver Bell (error)
- 502.5 To Cor. No. 4 within the boundaries of location, identical with Cor. No. 1, Silver Bell lode of this survey, a pine post 4 ins. sq. 3 1/2 ft. high in mound of stone, scribad S. W. C. S B, to which I add4-1988.

Whence Va. 13° 10' E

- roc's at two points hears a) N 2° 11' W, 10.2 ft.
- b) S 72° 30' E, 7.1 ft.

Thence S 33° 52' E

- 42.0 Sharp rocky divide bears E&W
- 95.8 Cor. No. 2Confidence, a pine post 4 ins. sq. 2 ft. high in mound of stone, scribed 2-1816 C and 1-1927 S B also painted S W C Si, S E C- C
- 219.0 Stone monument 12 ft. right.
- 348.75 S. Center End Silver Bell lcde, a cross(X) chiseled on bed rock.
- 397.5 Post in mound of stone, unmarked.
- 551.5stone monument 7 ft. right.
- 597.5 To COR. No. 5, identical with location and with E Cor.

 Silver Bell, S W Cor. Black Daisy lodes of this survey

 and N W Cor. Mollie lode. unsurveyed, a pine post 4 ins,

 sq. 3 ft. high in mound of stone, scribed 3-1927 E, 2-1927

 S B, 1-1927 B D, and N E Cor. Mollie; the first three

 of which I change to 5-1938 E, 4-1988 S B, 1-1988 B D.

Whence Va. 13° 50' E

- 1) Baboquivari Peak bears S 5° 37' W about 30 miles.
- 2)A cross(X) and B R 5-1988, chiseled on limestone bedrock bears N 75° 45° E, 21.7 ft.
- 3) A cross(X) and B-R 5-1988 chiseled on limestone bedrock bears S 67° 30' E, 29.7ft.
- 4) A cross(X) and B R 5-1988, chiseled on linestone bedrock bears N 37° 25' W, 9.0 ft.

Thence S 56° 20'W.

- 298.4 S Center End, a pine post 4 ins.sq., 4 ft. high in mound of stone, marked in paint East Center of Emerald Mine. I scribe on same 1988.
- pector lode, Sur.No.1818, a pine post 4 ins.sq. 2 ft. high in mound of stone, scribed 3-1818 P and 4-1927 E. This I change to 6-1988 E2

Whence Va. 13°45'E

- 1- A cross(X) and B R 6-1988 chiseled on a limestone 8x5x2 ft bears N 58°W 22.5 ft.
- 2- A cross(X) and B R 6-1988 chiseled on limestone 6x4x2 ft. bears S 76°15*E 60.3 ft.
- 3- A post marked in paint S cor. of Emerald Mine: N E cor. Prospector Mine and scribed W C, brs. N.W. 2 ft.

Thence N 33°38'W

1 499.1 To Cor. No. 1 the place of beginning.

Silver Bell Lode.

Beginning at Cor.No.1, identical with location and with Cor.No.4, Emerald lode of this survey heretofore described, to which I add 1-1988/

Whence Va? 13°10'E.

U.S.M.M. NO.1 bears N 82°12'W 1171.% ft.

Thence N 25°24'E

- 0.4 Intersect line 1-2 Confidence lode, Sur.No.1815, at N 33°40'W 96.0 ft from Cor.No.2.
- 490.2 Intersect line 2-3 Confidence lode at, N 16°43'E 545.4 ft. from Cor.No.2.

695.0 Work 10 ft, right.

129000 Gulch 15 ft. wide, course N.W.

1500.0 to Cor.No.2, identical with location, a pine post 4 ins.sq.

3 ft. high in mound of stone, scribed N.W.C-S.B. to which
I add 2-1988.

Whence Va. 14°20'E

1- A cross(X) and B.T 2-1988 scribed on a palo verde tree

3 ins.diam brs. S 33°52'E 53,2ft.

2- A cross(X) and B.T. 2-1985 scribed on a palo verde tree 4 ins.diam. bears N 30°20'W 27.9

Thence S 33°52'E

101.3 left 1.6 ft. a post in mound of stone scribed 4-1927 SB.

348.75N.Center End(Contains amended notice of location) a pine post 4 ins.sq. 3 ft.high in mound of stone scribed N C E-S B to which I add 1988.

356.0 22 ft. left a stone monument.

697.5 to Cor.No.3, identical with location, a pine post 4 ins.sq.

2 1/2 ft high in mound of stone scriber N EC-S B, to which I add 3-1988.

Whence Va. 14°E

1- A post inscribed 4-1927 B D and 3-1927 S B brs.

\$ 25°24(w 2.0 ft.

2- A cross(X) and B T 3-1988 scribed on a palo verde tree

4 ins.dam. brsq.N 63°54'W 35.7 ft.

2- A cross(X) and B T 3-1988 scribed on a palo verde tree

4 ins.diam. brs N 50°34'E 32.8 ft.

150.0 Gulch course N.W. 5 twide

281.0 Mouth of cut, course E S E.

400.0 Gulch course N.W. 5 t Wide

760.0 High divede bears N W & S E.

1500.0 To Cor.No.4, identical with location and with Cor.No.5 Emerald lode of this Survey, heretofore described (scribed for this lode 4-1988 S B.)

Thence N 33°52'W Va. 13°50'E

Along line 6-5 Emerald lode heretofore described.

by a monument of stone. Set a pine post 4 ins.sq. 3 ft.long on cross, in mound of stone, scribed S C E-S B 1988.

697.5 To Cor. No.1, the place of beginning.

Black Daisy Lode.

Beginning at Cor.No.1, identical with Cor.No. Emerald and 4 Silver Bell lodes of this survey, heretofore described, (scribed for this lode 1-1988 B.D.)

Whence Va? 13°50'E

U.S.M.M. No.1 of this district brs. N 64°31 V 1718.8 ft.

Along line 3-4 Silver Bell lode of, this survey heretofore & described.

1497,2xTo Cor.No.², a pine post 4 ins.sq. 3 1/2 ft.long set 3 ins. in ground to hedrock in mound of stone, scribed 2-1988 B D.

Whence Va. 14°E

1- Cor. of loc., a pine post scribed 4-1927 B D and 3-1927S B

bears N 25°24'E 0.8 ft. 2 Cor No 5 Silver Bell lode, heretofore described. Thence N 83°09'E brs N 25°24E 2.8 ft

294.4 To Cor.No.3, a pine post 4 ins.sq. 3 1/2 ft.long, set 10 ins. in ground to bed rock, in mound of stone, scried 3-1988BD.

Whence Va. 14°25'E

A cross(X) and B R 3-1988 chiseled on a face 48x3 ins. in a porphyry reef, brs. S 19°30'E 20.6 ft.

- 2- A cross(X) and B R 3-1988 chiseled on a porphyry rock 16x14x6 ins. brs. S $67^{\circ}00^{\circ}E$ 12.1 ft.
 - 3- Index Finger Butte bears N 41°51'W about 10 miles.
- 4-Loc.Cor. brs. N 63°17'E 5.9 ft.A post in mound of stone scribed N.END CENT. B.D.

Thence N 83°17'E

- 110,0 Gulch & ft. wide, course N.W.
- 300.2 To Cor.No.4, identical with lock and with Cor. No.4 Herbert lode, sur.No. 1815. A pine post 4 ins.sq. 3 ft.high in mound of stone scribed 4-1015 H and 3-1927 B D. This I change to 4-1988 P D.

Whence Va. 14°40'E

- 1- A cross(X) and B R 4-1988 chiseled on porphyry rock 24x20x12 ins. brs. S $67^{\circ}45^{\circ}W$ 17.6 ft.
 - 2- A cross(X) and B R 4-1988 chiseled on a porphyry rock 20x15x15 %ins. hrs. N 44°13°W 22.5 ft.

Thence S 25°28'W

- 280.0 Gulch 6 ft.wide, course N.W.
- 1200.0 High divide brs. E & W.
- 1497.9 To Cor.No.5, identical with location and with Cor.No.1 Herbert lode, a pine post 4 ins.sq. 2 1/2 ft, high? in a mound of stone on an immense boulder, scribed 1-1815 H.S.W.Cor. and

2-1927 B D: this I change to 5-1988 B.D.

Whence Va. 14°30'E

1- A cross(X) and B R 5-1988 chiseled on a limestone rock 60x60x48 ins. brs. S 63°35'W 7.5 ft.

2- A cross(X) and B R 5-1988 chiseled on a limestone 36x24x12 ins. brs. N 59°10'E 13.0 ft.

Thence S 83°09'W

Along very steep southerly slope of ridge.

300.2 S.Center End, a pine post 4 ins.sq. 3 1/2 ft.high in mound of stone marked S E Cent.B D to which I add 1988.

360.0 Precipetous bluff 30 ft.high bears N W &S E.

592.2 To Cor. No.1, the place of beginning.

Total net area

Location.

This thair is situated in Silver Bell Mining District,

/2

Pima Co., Ariz., in approximately Tp. AS R DE E

The presumed course of the ledges in each location is from Genter End to Cen ter End .

On the Emerald,

N 33°37'W 73.6 ft, and \checkmark

\$ 33°37°E 1425. Tt. from discovery.

On the Silver Bell,

N 25°24'E 1472 ft. and V

S 25°24'W 28 ft. from discovery.

On the Black Daisy,

N 25° 26'E 580 ft. and V

27' 918.5 25° 28'W St. from discovery. Adjoining Claims.

On the North.

Mountain View Lode, Sur. No. 1925.

On the East.

Wedge Lode, Sur.Np.1924.

Confidence Lode, Sur.No.1816.

Herbert Lode, Sur. No. 1815.

On the South,

Mollie Jode, unsurveyed.

On the West,

Prospector Lode, Sur. No. 1818.

Improvements.

I certify that the value of labor and improvements upon this claim, placed thereon by the claimants and their grantors, is not less than fifteen hundred dollars, and said improvements consist of:

On Emerald Lode;

1- Discovery shaft which bears from N.Center End S 33°50'E 73.6 ft. Shaft is 5x5 f 8 ft. deep. value \$ 75.00 From Cor.No.1

2- A shaft in a cut which brs. S 39°10°E 286 ft.
6x5 ft 10 ft.deeep Value \$100.00

3- A cut, winze, tunnel and drift, the mouth of which brs.

\$ 43°45'E 518 ft. Cut, course N E ,17x5 ft, thence same course tunnel 6 1/2x 5 ft, 23 ft. and righ , a drift 20 ft. and winze 6x4 ft 20 ft deep.

Total Value \$700.00

As this tunnel also tends to develop the Silver Bell and Black Daisy lodes adjacent, I assign two hundred dollars of this work to the Black Daisy.

4- A cut winze and tunnel, the mouth of which brs. S41°45'E 568 ft. Course of cut N E 13x5 ft, thence tunnel 27 ft.

Near mouthat left is winze 6x4ft 45 ft. deep.

Total value \$800 00

5- A cut the mouth of which brs. S 43°25°E 826 ft.Course of cut N E 12x4 ft. 8 ft.face. Value \$ 75.00

6- A shaft which bears S 65°45°E 324 ft. Shaft 7x5 ft 40 ft. deep. Value \$400.00

7- A cut, the center of N. side of which brs. S 60°30'E 453 ft. Course of cut E & W , 20x10 ft 4 ft. face.

Value \$ 40.00

On Silver Bell Lode;

From S Center End

1- Discovery cut and shaft which brs. N 41°45°E 28 ft.

Shaft 6x4 ft 10 ft. deep.

Value \$100.00

From Cor No. 2) from eagher hout

2 A shaft which bes, N 50 10'E 134 & Shaft 6x4 ft 10ft deep

3- A cut and tunnel the mouth of which bears S 24°40'W

780 ft. Course of cut S 31°W 21.5 ft. Cut 10 ft.wide 12 ft.

face. Thence two tunnels

a(South 32.5 ft. tunnel 6 1/2x4 1/2 ft. h(S76°W 10 ft. Tunnel 6 1/2x4 1/2 ft. (Partly off this claim).

Value of cut and easterly tunnel \$350.00

From above mentioned point at mouth of cut, a large stone menument, brs. S 19°E 12.5 ft, and a post in mound of stone brs. S 15°30°W 19 ft. This monument contains a notice of loca ion of Silver Bell Mine.

4- A cut which bears S 19°40'W 781 ft. Course of cut
S E 12 ft.Cut 5 ft.wide 5 ft. face. Value \$ 30.00
On Black Daisy Lode.

From Cor.No.2.

1- Discovery Cut, the mouth of which brs. S 11°20'E 366 ft. Curse of cut S 30°W 25 ft. Cut 8 ft. wide, 15 ft.face.

Value \$150.00

2- A cut which brs.\$ 3°05'W 374 ft. Course of cut S W 15 ft. Cut 4 ft.wide, 8 ft. face. Value \$ 75.00 3- A cut, the mouth of which brs.\$ 24°30'W 281 ft. Course of cut E S E 14 ft. Cut 4 ft.wide, 8 ft. face.

Value \$ 75.00

4- A cut, the mouth of which bears \$5.30 m 234 ft. Course of cut S E. Cut 4 ft.wide, 8 ft. face. Value \$75.00 5- Work on Emerald ground assigned to this lode\$200.00

Instrument.

This survey was made with a Young and Son's mountain transit (No. 6855) provided with a Smith solar attachment.

The courses were deflected from true meridian as determined by direct solar observations; the distances were measured with 100 and 500 ft. steel tapes.

Note: any discrepancies between the courses and distances of this survey and those of, contiguous or adjoining surveys are due to discrepancies in the latter.

Tombstone, Arizona.

January 16, 1905.

U.S. Dept. Min. Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by John A Poch Julian					
United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines					
corners and boundaries described in the foregoing field notes of the survey of the mining claim					
of The Interial Copper Co.					
known as the Emmaed, Silver Bill & Black Daisy					
and showing the respective capacities in which they acted.					
Lovet B. Stewart, Chainman.					
Fred & Pilkerin, Chainman.					
, $\Lambda xman$.					
, Flagman.					
FINAL OATHS OF ASSISTANTS.					
We. Pourt & Sturant					
and Fred & Pittom, do solemnly swear that we assisted In					
A Packfeens, United States Deputy Mineral Surveyor, in marking the corners and					
surveying the boundaries of the mining claim of					
The Imperial Copper Co.					
, known as the Coursed					
Silver Bell & Black Dairy, represented					
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under					
his direction; and that said survey has been in all respects, to the best of our knowledge and					
belief, faithfully and correctly executed, and the corner and boundary monuments established					
according to law and the instructions furnished by the United States Surveyor-General for					
Anzina. DI B W/ /					
Month of Vacout, Chainman.					
Fred & Pethins, Chainman.					
Axman .					
, Flagman.					
Subscribed and sworn to by the above-named persons before me					
this I day of Secondar 1909					
Bept 7 1908					
Notan Coll in the in					
- Colored Colo					

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, John A Packfielace, U. S. Deputy Mineral	
Surveyor, do solemnly swear that, in pursuance of instructions received from the United	
States Surveyor General for Amazon, dated	
Dept 27/904, I have, in strict conformity to the laws of the	
United States, the official regulations and instructions thereunder, and the instructions	
of said Surveyor General faithfully and correctly executed the survey of the Mining	
Claim of The Imperial Copper Co	
Emerald Elen Bice Belleving known as the	
Emurally Siem Bul Black Daisy,	
situate in Silver Bue Mining District,	
Onna County, Ariz, in Section	
approx. Township No. 125, Range No. 8 = - currency en	4
and designated as Survey No. 1988, as represented	
in the foregoing field notes, which accurately show the boundaries of said mining claim	
as distinctly marked by monuments on the ground, and described in the attached copy	
of the location certificate, which was received by me from the Surveyor General with	
said instructions, and that all the corners of said survey have been established and per-	
petuated in strict accordance with the law, official regulations and instructions there-	
under; and I do further solemnly swear that the foregoing are the true and original	
field notes of said survey and my report therein, and that the labor expended and	
improvements made upon said mining claim by claimant or to grantors	
are as therein fully stated, and that the character, extent, location and itemized value	
thereof are specified therein with particularity and full detail, and that no portion of	
said labor or improvements so credited to this claim has been included in the estimate	
of expenditures upon any other claim.	
formitto fochafielaro	-
l'. S. Deputy Mixeral Surveyor.	
of Markethan	
Subscribed and sworn to by the said to the Whole Subscribed and sworn to by the said to th	
U. S. Deputy Mineral Surveyor, before me Hrauk Wy works dy	
a notary Public Column County air zona this 17 4	
Transition of the state of the	
Mauk W Goodbody	
notain Public	

Affidavit of Five Hundred Dollars Improvements.

one, 6.0. Mose and Povert Bestewart
of lawful age, being first duly sworn according to law, depose and say: That we
are acquainted with the Enersed Sieve But & But the mining claim,
situate in Silver Beel Mining district, Prince County,
Arizona Territory, for which The Amperial Capper
Company
ha I made application for survey prior to application for patent under the provisions
of the Act of Congress, approved May 10, 1872; and that the labor done and improve-
ments made thereon by the applicant and to grantor exceed Five Hundred
Dollars in value, and further that we are not personally interested in said mine.
-Bomos
abent B-Stwart
TERRITORY OF ARIZONA, County of Sina 88:
Sworn to and subscribed before me, this
SEAL. day of Seember, 190.
Holan Mublic
My commission expires Sept 7 1908

EMERALD MINE.

Location Notice. NOTICE IS HEREBY GIVEN that the undersigned, in compliance with the mining Act of Congress, approved May 10, 1872, has this day located and claimed fifteen hundred linear feet along the course of this lead, load or vein of mineral bearing quartz, and three hundred feet in width on each side of the middle of said lead, load or vein, situate in the Silver Bell Mining District, County of Pima, Arizona, and more particularly described as follows, to-wit:

commencing at this monument of stones being the center of Northerly end of claim, and upon which this notice is posted, thence easterly 300 feet to a monument of stones, thence southerly 1500 feet to a monument of stones, thence westerly 300 feet to a monument of stones, being the center of the southerly end of claim, thence westerly 300 feet to a monument of stones; thence Wortherly 1500 feet to a monument of stones; thence easterly 300 feet to place of beginning.

This claim is situated about 2 miles southerly from the Atlas Smelter, is the first southerly extension of the Elliott Mine, is bounded on the West by the prospector, on the East by the Silver Bell and Confidence Mines and on the South by the Annie Laurie & Nora O'Neil Mines, was formerly known as the Emerald Mine and shall still be known as the Emerald Mine, relocated January 1 st. 1893.

Witnesses: Chas. R. Baker

Wm M. Moore

Fred G. Morris.
Filed and recorded at request of J.D.Burgess January 3rd. A.D. 1893.at 9 A.M.

Chas. A. Shibell County Recorder.

Territory Of Arizona)
)ss.
County of Pima)

I, Charles. A. Shibell, County Recorder in and for the County of Pima, Arizona Territory, do hereby certify that the foregoing is a full, true and correct copy of the notice of location of the Emerald Mine, situated in Silver Bell Mining District, Pima County, Arizona Territory, as the same appears of record now in my office, in Book CC, Records of Mines, on page 737 thereof.

In witness whereof I have hereunto set my hand and affixed my official seal at my office in Tucson, Arizona, this 27 day of

September, SEAL.

February A.D. 1904.

County Recorder, rank worth, Ariz.

BLACK DAISY MINING CLAIM.

Notice of Mining Location. Quartz Claim. TO ALL WHOM IT MAY CONCERN: This mining claim the name of which is the Black Daisy Mining Claim, situated on lands belonging to the United States of America and in which there are valuable mineral deposits was entered upon and located for the purpose of explor ation and purchase by Julius H. Volkert and Wm. Klug, the undersigned on the 237d. day of March 1899.

The length of this claim is fifteen hundred feet and we claim 300 feet on each side of the discovery shaft (at which this notice is posted) lengthwise of the claim.

The general course of the lode deposit and premises is from the South to the North. The claim is situated and located in the Silver Bell Mining District in Pima County, in the Territory of Arizona, about two miles in a southeasterly direction from the Silver Bell store and Camp. surface boundaries of the claim are marked upon the ground as follows. Beginning at a monument of stones at a point in a Northerly direction about 700 feet from the discovery shaft, at which this notice is posted being in the center of the North end line of said claim; thence westerly 300 feet to a monument of stone being the Northwest corner of said claim; thence southerly 750 feet to a monument of stones at the center of the west side line of said claim; thence Southerly 750 feet to a monument of stones being the South west corner of said claim; thence easterly 300 feet to a monument of stones at the center of the South end of said claim; thence easterly 300 feet to a monument of stones being at the South East corner of said claim; thence Northerly 750 feet to a monument of stones at the center of the east side line of said claim; thence Northerly 750 feet to a mon ment of stones at the Northeast corner of said claim; thence westerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title
XXXII of the Revised Statutes of the United States, and of

Act of the General Assembly of Arizona entitled " A n Act Concerning Mines" approved March 20 th. 1895.

Dated and posted on the ground this 23 rd. day of March 1899.

Julius H. Volkert

Wm. Klug.

Filed and recorded at request of Julius Volkert, June 16th. 1899 at 2:40 P.M.

Chas. A. Shibell,
County Recorder.

Territory of Arizona)
)ss.
County of Pima.)

I, Charles, A. Shibell, County Recorder in and for the County of Piras, Arizona Territory do hereby certify that the foregoing is a full, true and correct copy of the notice of location of the Black Daisy Mining Claim, situate in Silver Bell Mining District, Pima County, Arizona Territory as the same appears of record now in my office in Tucson, and this 27-th. day of February A.D. 1904.

than a format

S F A L . County Recorder, Pima Co., Arizona.

AMENDED. NOTICE OF MINING LOCATION. Lode Claim.

TO ALL WHOM IT MAY CONCERN: This mining claim, the name of which is the Silver Bell. Mining Claim, situate on lands belonging to the United States of America and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by J. O. Ford, a citizen of the United States, predecessor in title of the the undersigned, on the 3rd day of January 1893. The length of this claim is 1500 feet and I claim 1500 feet in a S. Westerly direction from mon. at which this notice is posted. lengthwise of the claim, together with 300 feet in width of the surface grounds; on each side of the center of said claim. The general course of the lode deposit and premises is from the North East to the South West. The claim is situated and located in the Silver Bell Mining District, in Pima County in the Territory of Arizona, about 1 3/4 miles in a S. Easterly direction from the Atlas Smelter. The s urface boundaries of the claim are marked upon the ground as follows: Beginning at mon. of stone, being in the Center of the N. East end line of said claim; thence S. Easterly 300 feet to a mon of stone being the S.E. corner of said claim; thence S. Westerly 1500 feet to a mon. of stone being at the S.W. corner of said claim thence N. westerly 300 feet to a mon. of stone at the center of the S. west end of said claim; thence N. westerly 300 feet to a mon. of stone being at the N.W. corner of said claim; thence N. Easterly 1500 feet to a mon. of stone at the corner of said claim; thence S. Easterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled " An Act to Revise and Codify the Laws of the Territory of Arizona" approved March 16, 1901.

This is an Amended Location Notice of the Silver Bell

Mining Claim, located by J.O. Ford on the 3 rd. day of January 1893, and recorded in Book C.C.C. of Record of Mines, at page 734 in the office of the County Recorder of the aforesaid County of Pima, to which reference is hereby made, and this Amended Location Notice, is made and posted to cerrect errors in the description in the said original Location Notice by the present owner.

Dated and posted on the ground this 10th day of March 1904.

The Imperial Copper Company, a corporation.

By Ben Goodrich Agent.

Territory of Arizona)
)ss.
County of Pima.)

I, Chas. A. Shibell County Recorder in and for the County of Pima, do hereby certify that the above and foregoing is a full, true and correct copy of the amended location Notice of the Silver Bell Mining Claim, situated in Silver Bell Mining District, Pima County, Arizona, and as Amended Mch. 10, 1904. As appears of record now in my office in Book J.J. Record of Mines pages 421.

In witness whereof, I have hereunto set my hand and affixed my official seal, at my office in Tucson, this act has of day of April A.D. 1904.

SEAL.

County Recorder of Pima County Arizona.

-6 for a ghibele

7

SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.


Department of the Interior,

Office of U.S. Surveyor-General,

		Pho	enix, Arizona.	
			March	29, 1905.
I, U. S. Surveyor	-General for	the distri	ct of Arizona.	
do hereby certify that	the foregoing and he	reto attached Fie	ld Notes and Return o	f the Survey of the
Mining Claim of	The Imperi	al Copper (Company.	
				, known as the
Emerald, S	Silver Bell &	Black Daisy	7,	
situate in	Silver	Bell,		Mining District,
	Pima	County,A	rizona.	
in Section Office	Township	No. 12 S	Range No	8 E.unsurveyed.
			3	
executed by John	A. Rockfellow	.2	, τ	J. S. Deputy Mineral
Surveyor,	ec. 1, to 15,1	904.	, 190, under m	y instructions dated
Sept.	27, 1904. ,1	90, have been	critically examined an	d the necessary cor-
rections and explanat	ions made, and the sa	uid Field Notes a	and Return, and the S	urvey they describe,
are hereby approved.	A true copy of the	copy of the loca	tion certificate filed by	y the applicant for
survey is included in	the field notes.	Man	1 Avers	all
		TT S Sam	wayor-General for	Arizona.

7360b5m3-03





SURVEY No. 1988

GILA LAND DISTRICT

SCALE 300FT. TO LINCH

SURVEYED BY JOHN A. ROCKFELLOW

U.S. DEP. MIN. SURVEYOR.

DEC. 1 TO 15, 1904.

Large Drawing