

MS.

0

2

0

0

0

1
MINERAL SURVEY NO. 2000

Claims	M & B Desc.	Improvements	Loc. Notices
Abe Lincoln	Pg. 20	Pg. 31	5
Black Warrior	1	25	6
Brunette	17	30	3
Dark Horse	13	28	4
Little Chief	5	25	1
Right Bower	9	26	2

APR-5 1905

Capitalized
4/21/05

(4-683.)

Mineral Survey No. 2000.

Lot No.

Prescott Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

The White Gold Mining Company, Edward Eisele, Vice President

P. O. address, Phoenix, Arizona.

KNOWN AS THE

Black Warrior, Little Chief, Right Bower, Dark Horse, Brunette,
and Abe Lincoln lodes, ~~and Dark Horse, Little Chief, Black
Warrior, Right Bower, Milk sites~~ Black Rock Mining District,

Yavapai County, Arizona Territory.

Section approx. Township 9 N., Range 3 W. unsurveyed
amended November 11, and
Surveyed under instructions dated Dec. 27, 1904.

by G. A. Streitz,
U. S. Deputy Mineral Surveyor.

- Claim located see location notices 1
- Survey commenced November 14, 1904. 1
- Survey completed January 8, 1905. 1

Ties OK
Ledges OK
areas OK

PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

WE, ^{W.} George Perkins and ^{C.} Thomas Marshall,
do solemnly swear that we will well and faithfully execute the duties of chain carriers; that we will level the chain upon even and uneven ground and plumb the tally-pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with instructions given us, in the survey of the Mining Claim of The White Gold Mining Company.....

known as the Right Bower, Brunette, Dark Horse, Little Chief, Abe Lincoln and Black Warrior lodes, and Dark Horse, Little Chief, Black Warrior and Right Bower and Little Chief claims.
situate in Black Rock mining district
Yavapai County, Arizona Territory
in Section, Township No., Range No.

Geo. W. Perkins , Chairman.
Thos. C. Marshall , Chairman.

Subscribed and sworn to by the above-named persons before me this
12th day of November , 1904.

*my com. Expires
April 28-1906.*

O. Schupp
Notary Public.

I,, do solemnly swear that I will well and truly perform the duties of axman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of

known as the
more fully described in the preceding affidavit.
....., Axman.

Subscribed and sworn to by the said
..... before me this day of
....., 190....

I,, do solemnly swear that I will well and truly perform the duties of flagman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of

known as the
more fully described in the preceding affidavit.
....., Flagman.

Subscribed and sworn to by the said
..... before me this day of
....., 190....

FFET.

SURVEY NO. 2000.

BLACK WARRIOR LODGE.

Beginning at the S. W. Cor. of the location,

A mound of stone 3 ft. base, 3 ft. high, containing a stake and marker;

At which point I set Cor. No.1.

A redwood post 4 ins. square, 4 ft. long, set 18 ins. in ground, in a mound of stone 4 ft. base, 2 ft. high, scribed 1-2000 - B. W.,

Whence,

U. S. L. M. No.1866 bears S. 39° 19' W., 8385.77 ft.

Bald Peak bears N. 24° 22' W.

A cross (X) and B. R. 1-2000 - B. W., chiseled on a rock, 2-1/2x4-1/2 ft. on its west face, in a granite ledge bears S. 53° 12' E., 48.23 ft.

Thence N. 39° 49' W.

Va. 14° 4' E.

331.44 to the West End Center of the location,

A mound of stone 4 ft. base, 3-1/2 ft. high, containing a stake and marker.

At which point I set the W. E. C., identical with witness corner to Cor. No.2.

A redwood post 4 ins. square, 4 ft. long, set 18 ins. in ground in a mound of stone, 4 ft. base, 2 ft. high, scribed W. E. C. - B. W.; W. C. 2-2000 - B. W.

Whence,

The monument on Whites Peak bears N. 85° 23' E.

The S. E. Cor. of River View lode, unsurveyed, bears S. 59° 39' W., 111.00 ft. A mound of stone 3 ft. base, 3 ft. high, containing a board penciled "S. E. Cor. River View claim, Chick Rogers owner."

Abrupt descent to ground subject to overflow from the Hassayampa river.

2.

FEET.

576.97 East bank Hassayampa river.

Intersect east end line River View lode, unsurveyed, at its East End Center and at N. $13^{\circ} 59' W.$, 251.26 ft. from its S. E. Cor.

A mound of stone 2-1/2 ft. base, 2 ft. high with a post 2x4 ins. 4 ft. above the mound, penciled "East End Center River View lode, Chick Rogers owner."

662.88 To N. W. Cor. of the location,

A mound of stone 2-1/2 ft. base, 1-1/2 ft. high, containing stake and marker.

Cor. No.2 was not set at this point, as it falls in bed of Hassayampa river.

Whence,

Monument on Whites Peak bears S. $89^{\circ} 42' E.$

A cross (X) and B. R. - 2-2000 - B. W. chiseled on a sloping granite ledge, 6 ft. above bed of Hassayampa river, bears S. $80^{\circ} 13' W.$, 45.28 ft.

A reference corner bears N. $39^{\circ} 49' W.$, 46.12 ft.

A mound of stone, 3-1/2 ft. base, 3 ft. high, containing stake and blazer.

At which point I set a bearing post.

A redwood post 4 ins. square, 4 ft. long, set on an iron pin 1 in. dia., 12 ins. long, (6 ins. in granite and 6 ins. in post) in a mound of stone 4 ft. base, 2-1/2 ft. high, scribed 2-2000 - B. W. - B. P.

Thence N. $75^{\circ} 21' E.$

Va. $14^{\circ} 04' E.$

37.44 Intersect east end line River View lode, unsurveyed, at N. $13^{\circ} 59' W.$, 77.76 ft. from its East End Center.

98.60 East bank Hassayampa river.

267.00 Wagon road to Wickenburg, course S. $37^{\circ} W.$

325.68 S. W. Cor. Black Warrior Mill Site, unsurveyed, whence its N. W. Cor. bears N. $2^{\circ} 52' E.$ 139.92 ft.

FEET.

A stake in cleft of rock, penciled "S. W. Cor. Black Warrior Mill Site", with a mound of stone 2-1/2 ft. base, 2-1/2 ft. high.

Identical with witness Cor. to Cor. No.2, Black Warrior lode, of this survey.

At which point I set a witness Cor. to Cor. No.2.

An iron pin, 1 in. in dia., 12 ins. long, set 10 ins. in a drill hole in granite, chiseled W. C. 2-2000 - B. W.; with a mound of stone 3 ft. base, 3 ft. high.

1125.34 S. E. Cor. Black Warrior Mill Site, unsurveyed,

Whence,

Its N. E. Cor. bears N. 2° 52' E. 172.26 ft.; and intersect west end line Little Chief lode of this survey at S. 6° 13' W., 166.90 ft. from its W. E. C., and N. 6° 13' E., 133.10 ft. from its S. W. Cor.

A stake and tack on shelf of rock, with 2 stakes penciled "S. E. Cor. Black Warrior Mill Site"; "Intersect Black Warrior and Little Chief" respectively; with a mound of stone 2-1/2 ft. base, 2-1/2 ft. high.

1179.54 to N. E. Cor. of the location.

A mound of stone, 3 ft. base, 3-1/2 ft. high, containing a stake and marker.

At which point I set Cor. No.3.

A redwood post 4 ins. square, 4 ft. long, set 18 ins. in sidling granite, in a mound of stone 4 ft. base, 2 ft. high, scribed 3-2000 - B. W.,

Whence,

Monument on Whites Peak bears S. 81° 03' E..

A cross (X) and B. R. - 3-2000 - B. W. chiseled on a rock, 3x4 ft. on its north face, in a granite ledge, bears S. 33° 42' W., 8.72 ft.

FEET.

Thence S. $39^{\circ} 49'$ E.

Va. $14^{\circ} 05'$ E.

258.44 Intersect south side line Little Chief lode, of this survey, at S. $77^{\circ} 16'$ E., 238.20 ft. from its S. W. Cor.

331.44 to East End Center of location.

A mound of stone 3 ft. base, 3 ft. high, containing stake and marker.

At which point I set the E. E. C.

A redwood post 4 ins. square, 4 ft. long set 16 ins. in decomposed granite, in a mound of stone 4 ft. base, 2 ft. high, scribed E. E. C. - B. W.

Whence,

The location monument of this lode bears S. $75^{\circ} 21'$ W., 239.52 ft.

The discovery shaft bears S. $75^{\circ} 21'$ W., 229.00 ft.

Bald Peak bears N. $31^{\circ} 6'$ W.

Monument on Whites Peak bears S. $88^{\circ} 05'$ E.

503.44 South bank Johnson wash.

662.88 to Cor. No.4.

This falls in Johnson wash and not set.

Whence,

Bald Peak bears N. $29^{\circ} 33'$ W.

Monument on Whites Peak bears N. $83^{\circ} 01'$ E.

Thence S. $75^{\circ} 21'$ W.

Va. $14^{\circ} 16'$ E.

9.00 South bank Johnson wash.

36.00 Witness corner to S. E. Cor. of the location.

A mound of stone 3 ft. base, 2-1/2 ft. high, containing stake and marker.

At which point I set witness Cor. to Cor. No. 4.

A redwood post 4 ins. square, 4 ft. long, set 6 ins. in earth and 12 ins. in granite, in a mound of stone 4 ft. base, 2 ft. high, scribed 4-2000 - B. W. - W. C.

- FEET.
- 154.48 Edge of bluff.
 - 271.78 Crest of ridge.
 - 731.96 Intersect N. side line Champion lode, unsurveyed,
at S. 75° 37' E., 575.69 ft. from its N. W. Cor.
 - 803.80 Graded road from camp to Wickenburg, course S.
16° 15' E.
 - 1079.80 Edge of mesa.
 - 1119.96 West End Center Champion lode, unsurveyed.
A mound of stone, 3-1/2 ft. base, 3-1/2 ft. high,
identified by Ray Sayre one of its locators.
And intersect West End line Champion lode, unsurveyed,
at S. 37° 05' E., 302.27 ft. from its N. W. Cor.
A mound of stone 4 ft. base, 3-1/2 ft. high,
identified by Ray Sayre one of its locators.
 - 1179.54 to Cor. No.1, the place of beginning.

LITTLE CHIEF LODGE.

Beginning at the S. W. Cor. of the location.

A mound of stone, 4 ft. base, 4 ft. high, containing stake and marker.

At which point I set Cor. No.1.

A redwood post 4 ins. square, 4 ft. long, set 20 ins. in ground, in a mound of stone, 5 ft. base, 2 ft. high, scribed 1-2000 - L. C.

Whence,

U. S. L. M. No.1866 bears S. 39° 50' W., 9309.86 ft.

Bald Peak bears N. 29° 56' W.

Monument on Whites Peak bears S. 85° 21' E.

FEET.

Thence N. $6^{\circ} 13'$ E.Va. $13^{\circ} 53'$ E.

- 35.00 Graded wagon road in camp, on a curve.
 78.00 Edge of bluff.
 133.10 The S. E. Cor. Black Warrior Mill Site, unsurveyed,
 described above.

Intersect N. side line Black Warrior lode, of this
 survey at S. $75^{\circ} 21'$ W., 54.20 ft. from its N. E. Cor.

- 153.50 Lower wagon road.
 243.00 Center Johnson wash, 50 ft. wide, course N. 52°
 15' W.
 300.00 West End. Center of location.

A monument of stone 4 ft. base, 4 ft. high, con-
 taining stake and marker.

At which point I set the W. E. C.

A redwood post 4 ins. square, 4 ft. long, set 21
 ins. in sand and gravel, in a mound of stone 4 ft. base,
 20 ins. high, scribed W. E. C. - L. C.

Whence,

The location monument of this lode bears S. $71^{\circ} 09'$
 E., 210.50 ft.

The discovery.

An open cut and tunnel bears S. $69^{\circ} 07'$ E., 214.00
 ft.

Monument on Whites Peak bears S. $77^{\circ} 09'$ E.

A willow tree, 8 ins. dia., blazed and scribed
 X B. T. - W. E. C. - L. C. bears N. $14^{\circ} 59'$ E., 25.88
 ft.

A willow tree, 11 ins. dia., blazed and scribed
 X B. T. - W. E. C. - L. C. bears N. $39^{\circ} 08'$ W., 20.44
 ft.

- 333.00 South bank Hassayampa river.
 349.08 Intersect south side line Iowa lode, unsurveyed,
 at S. $80^{\circ} 30'$ W., 275.85 ft. from its S. E. Cor.
 A mound of stone 2 ft. base, 2 ft. high, with a

FEET.

stake penciled S. E. Cor. Iowa claim, Sam. Powell owner.

445.08 N. bank Hassayampa river.

537.25 To the N. W. Cor. of the location.

A wooden plug in drill hole in rock on edge of bluff, with a stake marked "N. W. Cor. Little Chief lode," with a witness mound of stone 4 ft. base, 4 ft. high, 5 ft. to west.

At which point I set Cor. No.2.

An iron pin, 1 in. dia. 12 ins. long, wedged in a drill hole 10 ins. deep, on edge of rock bluff, rock chiseled 2 - 2000 - L. C.

Whence,

A cross (X) and B. R. 2-2000 - L. C. chiseled on a granite rock, 6x12 ft. on its S. W. face, bears N. 25° 0' E., 23.22 ft.

A redwood post, 4 ins. square, 4 ft. long, set on rock, in a mound of stone 3-1/2 ft. base, scribed B. P. 2-2000 - L. C., bears N. 79° 35' W., 5.00 ft.

Thence S. 79° 35' E.

Va. 13° 53' E.

64.50 West bank Hassayampa river.

172.50 East bank Hassayampa river.

308.85 Intersect east end line Iowa lode, unsurveyed, at N. 31° 17' E., 100.27 ft. from its S. E. Cor. described above.

389.52 Steep cliff.

426.88 Intersect west end line Right Bower lode, of this survey, at N. 6° 13' E., 29.21 ft. from its S. W. Cor. and S. 6° 13' E., 270.79 ft. from its W. E. C.

729.50 Tramway grade, 6 ft. wide, course S. 46° 13' W.

946.00 Rock cliff.

1494.32 To the N. E. Cor. of the location, identical with S. E. Cor. Right Bower lode, on line 1 - 2, Dark Horse lode, both of this survey.

FEET.

A mound of stone, 3 ft. base, 3 ft. high, containing stake and markers.

At which point I set Cor. No.3,

Identical with Cor. No.4, Right Bower lode, of this survey.

A redwood post 4 ins. square, 4 ft. long, set 12 ins. in granite, in a mound of stone 5 ft. base, 2-1/2 ft. high, scribed 3-2000 - L. C.; 4-2000 - R. B.,

Whence,

Cor. No.1, Right Bower lode, of this survey, bears N. 81° 09' W., 1065.70 ft.

Bald Peak bears N. 38° 41' W.

Thence S. 6° 13' W.

Va. 13° 54' E.

- 98.30 Ridge.
- 181.00 S. W. Cor. Dark Horse lode, of this survey,
Identical with N. W. Cor. Lone Hand lode, unsurveyed.
- 298.00 To East End Center of the location
Identical with W. E. C. Lone Hand lode, unsurveyed.
A monument of stone 3-1/2 ft. base, 3 ft. high, containing stake and markers.
At which point I set the E. End Center.
A redwood post 4 ins. square, 4 ft. long, set 12 ins. in granite, in a mound of stone 4 ft. base, 2 ft. high, scribed E. E. C. - L. C.
Whence,
Bald Peak bears N. 37° 26' W.
- 598.00 To the S. E. Cor. of the location,
Identical with S. W. Cor. Lone Hand lode, unsurveyed.
A mound of stone 5 ft. base, 3 ft. high, containing stake and markers.
At which point I set Cor. No.4.

FEET.

A redwood post 4 ins. square, 4 ft. long, set 14 ins. in schist, in a mound of stone 4 ft. base, 2 ft. high, scribed 4-2000 - L. C.

Whence,

Monument on Whites Peak bears N. 75° 27' E.

Bald Peak bears N. 36° 15' W.

A cross (X) and B. R. 4 - 2000 - L. C. chiseled on a granite rock, 6x6 ft. on its western face, bears S. 77° 14' E., 46.45 ft.

Thence N. 77° 16' W.

Va. 14° 14' E.

- 980.00 Graded wagon road, 12 ft. wide, to meet tramway, course N. 25° 30' E.
- 1210.00 Center Johnson wash, 30 ft. wide, course N. 31° 45' W.
- 1261.80 Intersect east end line Black Warrior lode, of this survey, at S. 39° 49' E., 258.44 ft. from its Cor. No.3, and N. 39° 49' W., 73.00 ft. from its E. E.C.
- 1448.00 Graded wagon road to camp, course N. 43° 30' W.
- 1500.00 To Cor. No.1, the place of beginning.

RIGHT BOWER LODGE.

Beginning at the S. W. Cor. of the location.

A mound of stone 3-1/2 ft. base, 2-1/2 ft. high, containing stake and marker.

At which point I set Cor. No.1, 1 ft. north of a rock wall 6 ft. high.

A redwood post 4 ins. square, 4 ft. long, set on an iron pin 1 in. dia., 12 ins. long (6 ins. in granite, 6 ins. in post) in a mound of stone 3-1/2 ft. base, 3 ft. high, scribed 1-2000 - R. B.

Whence,

U. S. L. M. No.1866 bears S. 40° 21' W., 9943.03 ft.

No bearing available.

FEET.

Thence N. $6^{\circ} 13'$ E.Va. $13^{\circ} 53'$ E.

- 29.21 Intersect N. side line Little Chief lode, of this survey, at S. $79^{\circ} 35'$ E., 426.88 ft. from its Cor. No.2
Abrupt descent.
- 53.50 South bank Hassayampa river, a rock cliff.
- 144.65 North bank Hassayampa river.
- 259.80 Gravel bluff.
- 300.00 To West End Center of the location.
A mound of stone 4 ft. base, 4 ft. high, containing stake and marker.
At which point I set the W. End Center.
A redwood post 4 ins. square, 4 ft. long, set 18 ins. in gravel, in a mound of stone, 4 ft. base, 2 ft. high, scribed W. E. C. - R. B.
Whence,
The East End Center Iowa lode, unsurveyed, bears S. $31^{\circ} 17'$ W., 3.50 ft.
A mound of stone 4 ft. base, 4 ft. high, with a marker, penciled "East End Center Iowa claim, Sam Powell locator."
The location monument of this lode bears S. $84^{\circ} 14'$ E., 274.53 ft.
No.1. The discovery tunnel, known as the "Lower" tunnel, the portal of which bears S. $81^{\circ} 53'$ E., 280.78 ft.
No.2. Dump of upper tunnel bears S. $70^{\circ} 45'$ E., 345.40 ft.
No.3. Collar incline shaft, bears S. $84^{\circ} 07'$ E., 438.92 ft.
No.4. Lower Open Cut, bears S. $70^{\circ} 16'$ E., 514.82 ft.
No.5. Upper Open Cut, bears S. $70^{\circ} 32'$ E., 575.65 ft.
No.6. Top Tunnel, bears S. $70^{\circ} 39'$ E., 682.83 ft.

FEET.

No other bearings available.

519.00 South bank Hassayampa river.

597.00 North bank Hassayampa river.

600.00 To N. W. Cor. of the location.

A mound of stone 4 ft. base, 4 ft. high, containing stake and marker.

This is the point for Cor. No.2.

Not set, as 3 ft. of water in Hassayampa river covers the ground.

Whence,

The N. E. Cor. Iowa lode, unsurveyed,

Identical with W. E. C. Left Bower lode, unsurveyed, bears N. 1° 13' W., 57.46 ft.

A mound of stone 2 ft. base, 2 ft. high, with 2 markers penciled respectively "N. E. Cor. Iowa claim, Sam F. Powell owner" and "West End Center Left Bower claim".

An iron pin, 1 in. dia. 12 in. long, wedged in a drill hole 8 ins. deep in granite, bears N. 6° 13' E., 62.40 ft. A granite wall, 5.00 ft. east was chiseled B. P. 2 -2000 - R. B.

No bearings available.

Thence S. 81° 09' E.

Va. 13° 59' E.

38.21 Intersect west end line Left Bower lode, unsurveyed, at S. 31° 29' E., 74.26 ft. from its W. E. C. described above, and N. 31° 29' W., 225.74 ft. from its S. W. Cor.

A mound of stone 3-1/2 ft. base, 2-1/2 ft. high, containing stake and marker.

96.00 Rock Bluff.

100.51 Witness Cor. to Cor. No.2.

A redwood post 4 ins. square, 4 ft. long, set on

FEET.

R. B.; W. F. C. - D. H.

Whence,

Bald Peak bears N. 39° 56' W.

Wades Peak bears N. 31° 47' E.

Monument Whites Peak bears S. 35° 34' E.

95.25

Begins steep descent.

600.00

To Cor. No.4.

Identical with Cor. No.3, Little Chief lode of
this survey and described above.

Thence N. 81° 09' W.

Va. 13° 54' E.

Steep descent.

492.00

Rock cliff.

780.30

Tramway grade, 6 ft. wide, course S. 46 13' W.

1065.70

To Cor. No.1, the place of beginning.

DARK HORSE LODGE.

Beginning at S. W. Cor. of location.

Identical with N. W. Cor. Lone Hand lode, unsurveyed, on line 3 - 4 Little Chief lode of this survey.

A mound of stone 3-1/2 ft. base, 2-1/2 ft. high, containing stake and markers.

At which point I set Cor. No.1.

A redwood post 4 ins. square, 4 ft. long, set 12 ins. in granite, in a mound of stone, 4 ft. base, 2-1/2 ft. high, scribed 1-2000 - D. H.

Whence,

U. S. L. M. No.1866 bears S. 45° 55' W., 10400.67 ft.

Bald Peak bears N. 37° 55' W.

14.

FEET.

Thence N. $6^{\circ} 13' E.$ Va. $13^{\circ} 42' E.$

- 82.70 Ridge.
- 181.00 Cor. No.4 Right Bower lode of this survey,
Identical with Cor. No.3, Little Chief lode of
this survey and described above.
Steep ascent.
- 385.75 Edge of shelf.
- 481.00 To West End Center,
Identical with F. E. C. Right Bower lode of this
survey and described above. On crest of ridge.
Steep descent.
- 781.00 Cor. No.3 Right Bower lode, described above.
- 962.00 To N. W. Cor. of the location.
A mound of stone, 3-1/2 ft. base, 2-1/2 ft. high,
containing stake and marker.
At which point I set Cor. No.2.
A redwood post 4 ins. square, 4 ft. long, set 18
ins. in decomposed granite, in a mound of stone 6 ft.
base, 2 ft. high, scribed 2-2000 - D. H.
Whence,
Monument on Whites Peak bears S. $21^{\circ} 18' E.$
High Peak bears N. $79^{\circ} 03' E.$
-
- Thence N. $44^{\circ} 48' E.$
Va. $13^{\circ} 56' E.$
- 103.30 Low ridge.
- 186.30 Trail, course N. W.
- 342.25 Intersect south side line Left Bower lode, unsurveyed,
at S. $68^{\circ} 32' W.$, 219.11 ft. from its S.E. Cor.
- 526.00 Center of Slim Jim Gulch, wash 20 ft. wide, course
N. $68^{\circ} 01' W.$
- 565.88 Intersect east end line Left Bower lode, unsurveyed,
at N. $30^{\circ} 33' W.$, 91.15 ft. from its S. E. Cor. and
S. $30^{\circ} 33' E.$, 161.92 ft. from its East End Center.

FFFFT.

832.75

To N. E. Cor. of the location.

A granite rock in place, 4x9 ft. on south face, a point marked on face and a marker penciled "N. E. Cor. Dark Horse claim" in seam of rock.

I chiseled a cross (X) on the point above marked and 3 - 2000 - D. H., for Cor. No.3.

Whence,

Monument on Whites Peak bears S. 3° 42' W.

Thence S. 6° 13' W.

Va. 13° 53' E.

22.00

Arrayo, 6 ft. wide, course S. 42° 0' W.

175.60

A witness Cor. to Cor. No.3, Brunette lode of this survey and described below.

180.60

Place for Cor. No.3, Brunette lode, of this survey, on N. edge crumbling cliff; being north wall of Slim Jim Gulch.

393.10

East edge Slim Jim wash.

481.00

To East End Center of the location,

Identical with West End Center Brunette lode, and being the Location Monument for both the Dark Horse and Brunette lodes of this survey.

A mound of ore, 3 ft. base, 3 ft. high, stake, tack and markers in center of top. Its base is 2 ft. above bottom of Slim Jim Gulch and on its east edge.

No post was set in this mound as high water would destroy it.

Whence,

A cross (X) and B. R. - E. E. C. - D. H.; W. E. C. - B. R. chiseled on rock wall, W. side Slim Jim Gulch, bears N. 28° 38' W., 53.50 ft.

A cross (X) and B. R. - E. E. C. - D. H., chiseled on rock wall, west side Slim Jim Gulch, bears S. 41° 30' W., 58.06 ft.

FFET.

A cross (X) and B. R. - W. E. C. - B. R., chiseled on rock wall east side Slim Jim Gulch, bears S. 16° 25' W., 50.40 ft.

No.1. Discovery tunnel bears S. 68° 46' W., 41.60 ft.

No.2. Tunnel bears S. 30° 50' W., 279.83 ft.

No.3. " " S. 31° 39' W., 424.14 ft.

No.4. Side Cut " S. 41° 25' W., 446.12 ft.

No.5. Tunnel " S. 43° 03' W., 286.37 ft.

No.6. " " S. 34° 07' W., 69.00 ft.

This corner is in box canyon of Slim Jim Gulch; no other bearings available.

538.38 Witness Cor. to E. E. C. Dark Horse lode and W. E. C. Brunette lode, both of this survey; and to Location Monument for both lodes.

A redwood post 4 ins. square, 4 ft. long, set 19 ins. in earth and rock, in a mound of stone 4-1/2 ft. base, 2 ft. high, scribed W. C. - E. E. C. - D. H.;
W. E. C. - B. R.

756.00 North edge Slim Jim wash, course N. 29° 52' W.

780.00 South edge Slim Jim wash.

781.40 Place for Cor. No.4, Brunette lode of this survey.

792.50 Witness corner to Cor. No.4 Brunette lode of this survey, described below.

Steep ascent.

962.00 To S. E. Cor. of the location,

Identical with N. E. Cor. Lone Hand lode, unsurveyed.

A mound of stone 3 ft. base, 2-1/2 ft. high, containing stake and markers.

At which point I set Cor. No.4.

A redwood post 4 ins. square, 4 ft. long, set 6 ins. in earth and 11 ins. in granite, in a mound of stone 4 ft. base, 2 ft. high, scribed 4-2000 - D. H.

No bearings available.

FEET.

Thence S. 44° 48' W.

Va. 14° 04' E.

Steep ascent.

542.75

Crest of mountain.

Steep descent.

832.75

To Cor. No.1, the place of beginning.

BRUNETTE LODE.

Beginning at the S. E. Cor. of the location, on line 3 - 4 Abe Lincoln lode of this survey.

A mound of stone 3 ft. base, 3 ft. high, containing stake and marker.

At which point I set Cor. No.1.

A redwood post 4 ins. square, 4 ft. long, set 11 ins. in quartz, in a mound of stone 4 ft. base, 2 ft. high, scribed 1-2000 - B. R.

Whence,

U. S. L. M. No.1623 bears S. 71° 33' E., 9303.92 ft.

No bearings available.

Thence N. 6° 13' E.

Va. 14° 16' E.

300.40

To East End Center, of the location,

Identical with West End Center Abe Lincoln lode of this survey.

A mound of stone 4 ft. base, 3 ft. high, containing stake and markers.

At which point I set the East End Center,

Identical with West End Center Abe Lincoln lode, of this survey.

A redwood post 4 ins. square, 4 ft. long, set 20 ins. in earth and rock, in a mound of stone 4 ft. base, 1-1/2 ft. high, scribed E. E. C. - B. R.; W. E. C. - A. L.

18.

FEET.

Whence,

Improvement No.3, a side cut, bears N. $86^{\circ} 45'$ W.,
615.67 ft.

No.4. A shaft and side cut, bears S. $47^{\circ} 14'$ W.,
236.40 ft. from No.3 above.

No bearings available.

Steep ascent.

600.80 To N. E. Cor. of the location.

A mound of stone 3 ft. base, 3 ft. high, contain-
ing stake and marker.

At which point I set Cor. No.2.

A redwood post 4 ins. square, 4 ft. long, set 12
ins. in decomposed granite, in a mound of stone, 4 ft.
base, 2 ft. high, scribed 2-2000 - B. R.

No bearings available.

 Thence N. $86^{\circ} 45'$ W.
Va. $14^{\circ} 06'$ E.41.00 Arroyo, 4 ft. wide, course S. $13^{\circ} 12'$ W.

Steep Ascent.

358.00 High Ridge.

561.00 High ridge.

1260.69 Witness Cor. to Cor. No.3.

A redwood post 4 ins. square, 4 ft. long, set 9
ins. in granite, in a mound of stone 6 ft. base, 2 ft.
high, scribed W. C. - 3-2000 - B. R.

1310.69 To N. W. Cor. of the location.

A stake and tack on edge of crumbling cliff with
mound of stone 5 ft. north, containing stake and marker.

Cor. No.3 was not set, permanent corner could not
be established on extreme edge of crumbling cliff.

Whence,

Witness Cor. to Cor. No.3 bears N. $6^{\circ} 13'$ E., 5.00
ft.

FEET.

A redwood post 4 ins. square, 4 ft. long, set 18 ins. in decomposed granite, in a mound of stone 3-1/2 ft. base, 2 ft. high, scribed W. C. - 3-2000 - B. R.

From W. corner above.

Bald Peak bears N. 46° 34' W.

From true corner No.3.

Thence S. 6° 13' W.

Va. 13° 53' E.

300.40

To West End Center,

Identical with East End Center Dark Horse lode of this survey and with the Location Monument for both lodes and described above.

Whence,

No.1. The Discovery Tunnel, bears N. 25° 32' E., 19.35 ft.

No.2. A tunnel, bears S. 57° 19' E., 35.70 ft.

357.78

Witness Cor. to W. E. C. and described above.

600.80

To S. W. Cor. of the location.

A mound of stone 3 ft. base, 2-1/2 ft. high, containing stake and marker.

Cor. No.4 was not set. This point is near south edge of Slim Jim wash where permanent corner could not be established,

Whence,

A witness corner to Cor. No.4 bears S. 6° 13' W., 11.10 ft.

A redwood post 4 ins. square, 4 ft. long, set 18 ins. in rock, in a mound of stone 3 ft. base, 18 ins. high, scribed W. C. - 4-2000 - B. R.

No bearings available.

FEET.

From true Cor. No.4.

Thence S. $86^{\circ} 45'$ E.Va. $14^{\circ} 12'$ E.

27.00 East edge Slim Jim wash.

44.84 A cross (X) and W. R. - 4-2000 - B. R. chiseled on
rock wall about 18 ft. high.

313.00 On ridge.

1011.00 South spur of mountain.

1274.89 Arroyo, 6 ft. wide, course S. $5^{\circ} 50'$ E.

1310.69 To Cor. No.1, the place of beginning.

 ABE LINCOLN LODGE.

Beginning at the S. E. corner of the location.

A mound of stone 3 ft. base, 2-1/2 ft. high, containing stake and marker.

At which point I set Cor. No.1.

A redwood post 4 ins. square, 4 ft. long, set 18 ins. in rock, in a mound of stone, 5-1/2 ft. base, 22 ins. high, scribed 1-2000 - A. L.

Whence,

U. S. L. M. No.1623 bears S. $65^{\circ} 37'$ E., 8121.95 ft.Bald Peak bears N. $54^{\circ} 48'$ W.U. S. L. M. No.1866 bears S. $52^{\circ} 25'$ W.

 Thence N. $6^{\circ} 13'$ E.
Va. $14^{\circ} 0'$ E.

27.41 Watershed between Slim Jim and Mahoney gulches.

326.25 To East End Center of the location.

A mound of stone 3 ft. base, 3 ft. high containing stake and marker.

At which point I set the East End Center.

A redwood post 4 ins. square, 4 ft. long, set 18 ins. in decomposed granite, in a mound of stone 4 ft. base, 2 ft. high, scribed E. E. C. - A. L.

FEET.

Whence,

U. S. L. M. No.1866 bears S. $51^{\circ} 25'$ W.Bald Peak bears N. $55^{\circ} 57'$ W.A stone monument, 4 ft. base, 4-1/2 ft. high, not identified, bears S. $73^{\circ} 04'$ W., 787.00 ft.

470.10

Edge of bluff.

Steep descent.

652.50

To the N. E. Cor. of the location.

A mound of stone 3 ft. base, 2-1/2 ft. high, containing stake and marker.

At which point I set Cor. No.2.

A redwood post 4 ins. square, 4 ft. long, set 2 ft. in ground, in a mound of stone, filled with earth, 4 ft. base, 1-1/2 ft. high, scribed 2-2000 - A. L.

Whence,

The Location Monument of this lode bears S. $62^{\circ} 52'$ W., 405.34 ft.The discovery tunnel bears S. $64^{\circ} 45'$ W., 389.15 ft.Bald Peak bears N. $57^{\circ} 45'$ W.

 Thence S. $73^{\circ} 04'$ W.
Va. $14^{\circ} 0'$ E.

Steep descent.

268.40

Arrayo, 7 ft. wide, course N. $10^{\circ} 20'$ W.

Steep ascent.

680.40

Divide between Slim Jim and Mahoney gulches.

880.00

South slope sharp peak.

1271.50

Shoulder of mountain, slope S. 33° W.

Steep descent.

1496.53

To N. W. Cor. of the location.

A mound of stone 3 ft. base, 2-1/2 ft. high, containing stake and marker.

At which point I set Cor. No.3.

A redwood post 4 ins. square, 4 ft. long, set 12 ins. in decomposed granite, in a mound of stone 4 ft.

FEET.

base, 2-1/2 ft. high, scribed 3-2000 - A. L.

No bearings available.

Thence S. 6° 13' W.

Va. 14° 0' E.

Steep descent.

- 25.85 Cor. No.2, Brunette lode of this survey and described above.
- 326.25 To West End Center,
Identical with East End Center Brunette lode of this survey and described above.
- 626.65 Cor. No.1, Brunette lode of this survey and described above.
- 652.50 To S. W. Cor. of the location.
A mound of stone, 3 ft. base, 3 ft. high, containing stake and marker.
At which point I set Cor. No.4.
A redwood post 4 ins. square, 4 ft. long, set 10 ins. in granite, in a mound of stone 4 ft. base, 2-1/2 ft. high, scribed 4-2000 - A. L.
No bearings available.
-
- Thence N. 73° 04' E.
Va. 14° 20' E.
- 85.45 Point of ridge.
- 177.15 Arroyo, 6 ft. wide, course S. 22° 30' W.
- 554.00 On a flat ridge.
- 1496.53 To Cor. No.1, the place of beginning.
-

A R E A .

Total area Black Warrior lode 16.24~~4~~ Acres.

Area in conflict with
 River View lode, unsurveyed, 0.033 "
 Champion lode, unsurveyed, 1.244 "

Total area Black Warrior lode 16.24~~4~~ Acres.

Less area in conflict with
 Little Chief lode , of this survey 0.507 "

Net area Black Warrior lode 15.73~~7~~ Acres.

Total area Little Chief lode 19.420 Acres.

Area in conflict with
 Black Warrior lode, of this survey 0.507 "

Total area Little Chief lode 19.420 "

Less area in conflict with
 Iowa lode, unsurveyed, 0.905 Acres. "
 Right Bower lode of this survey 0.357 " = 1.262 "

Net area Little Chief lode, 18.158 Acres.

Total area Right Bower lode, 14.663 Acres.

Area in conflict with
 Little Chief lode, of this survey, 0.357 "
 Left Bower lode, unsurveyed, 0.870 "

Total area Right Bower lode, 14.663 Acres.

Total area Dark Horse lode, 11.469 Acres.

Area in conflict with
 Left Bower lode, unsurveyed, 0.226 "

Total area Dark Horse lode, 11.469 Acres.

Net area Black Warrior lode,	15.737 Acres.
Net area Little Chief lode,	18.158 ✓ "
Total and net area Right Bower lode,	14.663 "
Total and net area Dark Horse lode,	11.469 "
Total and net area Brunette lode,	18.053 / "
Total and net area Abe Lincoln lode,	20.612 ✓ "
	<hr/>
Net area lode claim	98.692 Acres.

The surveys of the Black Warrior, Little Chief, Right Bower, Dark Horse, Brunette and Abe Lincoln lodes are identical with the respective locations as defined by the monuments of each.

L O C A T I O N .

This claim is located upon unsurveyed lands of the United States, in Black Rock Mining District, Prescott Land District, Yavapai County, Arizona Ter.

Presumed to be on Secs. 20 and 21, T. 9 N., R. 3 W., G. & S. R. B. & M.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements upon this claim, placed thereon by the claimants and their grantors is not less than five hundred dollars for each location and that said improvements consist of:

No.1. The discovery shaft of the Black Warrior lode, which bears from the E. E. C. S. 75° 21' W. 229.00^{ft}, 5x5 ft. 10 ft. deep,
Value , \$ 100.00

No.2. Open cut of the Black Warrior lode, which bears from the E. E. C., S. 75° 21' W., 210 ft. and connects with shaft above,
5x5 ft. 18 ft. long.
Value, \$ 100.00

~~No.3~~ The lower 26 ft. of Wings in Tunnel No. 1. of the Right Bower lode included to the Black Warrior: 6x6 ft., 26 ft. deep. Value 500.00

No.1. The discovery tunnel and open cut of the Little Chief lode, which bears from the W. E. C. S. 69° 07' E., 214.00 ft.
Open cut 5x6 ft., 15.3 ft. long.
Value, \$ 150.00

Tunnel 5x6 feet, 26 ft. long,
Value, \$ 310.00

Total value discovery tunnel, \$ 460.00

No.2. Portion of tramway, itemized as No.8 under Right Bower improvements,
Value, \$1919.00

No.1. The discovery tunnel of the Right Bower lode, known as "Lower Tunnel", the portal to which bears S. 81° 53' E., 280.78 ft. from the W. E. C.

The general course is N. 81° 25' E.

Main tunnel, 6x6 ft. 394 ft. long,
The first 374 ft. credited Right Bower lode, Value \$5640.00
The last 20 ft. credited the Lincoln lode, " \$300.00

At 205 ft. from portal

A station, timbered, 15x18 ft. 10 ft. high,

Value, \$ 400.00

From station above

A switch tunnel connects with main tunnel, 231 ft. from portal,

Size, 5x6 ft., 15 ft. long,

Value, \$ 180.00

In station, a winze,

6x12 ft., 12.5 ft. deep.
and credited Right Bower lode, value, \$570.00
 continued 6x6 ft., 26 ft. deep,
credited Black Warrior lode, Value, \$500.00

An air shaft connects Lower tunnel, 168.4 ft. from portal, with north cross cut in Upper Tunnel.

Size, 4x5 ft., 40.5 ft. long,

Value, \$ 245.00

Total value Lower Tunnel, \$7035.00

\$7035.00

No.2. The Upper tunnel of Right Bower lode, the dump of which bears S. 70° 45' E., 345.40 ft. from W. E. C. General course N. 87° 15' E.

Main tunnel, 4x6 ft. 168.3 ft. long,

Value, \$1683.00

3 drifts, 4x6 ft., 118.5 ft. long,

Value, \$1185.00

Station, 6x7 ft., 10 ft. long,

Value, \$ 190.00

Total value Upper Tunnel, \$3058.00

No.3. An incline shaft of Right Bower lode, timbered, double compartment, the collar of which bears S. 84° 07' E., 438.92 ft. from the W. E. C., and connects in the Lower tunnel at station.

6x12 ft., 100.0 ft. long,

Value, \$3400.00

No.4. The Lower side cut of the Right Bower lode, which bears S. 70° 16' E., 514.82 ft. from the W. E. C.

Average 15x9 ft., 10 ft.high,

Value, \$ 100.00

No.5. The Upper side cut of the Right Bower lode, which bears S. 70° 32' E., 575.65 ft. from the W. E. C.

22x7 ft., 8 ft. high,

Value, \$ 92.00

No.6. The Top Tunnel of the Right Bower lode, which bears S. 70° 39' E., 682.83 ft. from the W. E. C.

Side cut average 17x12 ft. 10 ft.high,

Tunnel 4x6 ft., 16 ft. long,

Value, \$ 312.00

No.7. A blacksmith shop, in cliff of solid rock, above portal of No.1 - Lower Tunnel of Right Bower lode

6x10 ft., 18 ft. long,

Value, \$ 360.00

and an air shaft connecting with No.1 Lower Tunnel,

3x4 ft., 12 ft. long,

Value, \$ 60.00

Total value NO.7 Blacksmith shop, \$ 420.00

No.8. Tramway on Right Bower and Little Chief lodes. The crest of Whites Mountain at the East End Center of Right Bower lode, is 565 ft. higher than the Hassayampa river at Lower Tunnel of Right Bower lode, a distance of 785 ft. There is no near place to deposit or work the ore extracted from the lode. High water in the Hassayampa river formerly cut off communication between camp and the upper and Lower Tunnels of the Right Bower lode. It was therefore necessary to construct this tramway, the incline shaft connecting with the Lower tunnel and a platform on the surface, to remove the ore from the tunnel to a place for deposit and working.

The platform at incline shaft (described in No.3)

A side hill cut, 118.00x17.00 ft., and average 10 ft. high, partly in rock, partly in earth,

Value, \$ 148.00

The Tramway, beginning 75.85 ft. south of collar incline shaft (No.3),

Side cut in rock, average 6x6 ft., 814.67 ft. long,

Value, \$2933.00

Total value platform and tramway, \$3081.00

The south side line Right Bower lode crosses tramway at 281.56 ft. from platform,

Credited Right Bower lode, \$1162.00

Credited Little Chief lode, \$1919.00

No.1. Discovery tunnel of the Dark Horse lode, the portal to which bears S. 68° 46' W. 41.60 ft. from the East End Center.

5x5 ft., 21 ft. long,

Value, \$ 210.00

No.2. Tunnel of the Dark Horse lode, the portal to which bears S. 30° 50' W., 279.83 ft. from the E. E. C.

Side cut, 24x6 ft., 16 ft. high, Value, \$ 170.00

Tunnel, 5x6 ft., 22 ft. long, Value, \$ 264.00

Total value Tunnel No.2, \$ 434.00

No.3. Tunnel of the Dark Horse lode, the portal to which bears S. 31° 39' W., 424.14 ft. from the E. E. C.

Side cut, 6x30 ft., 13 ft. high, Value, \$ 174.00

Tunnel, 5x7 ft., 33 ft. long, Value, \$ 485.00

Total value Tunnel No.3, \$ 659.00

No.4. Side cut of the Dark Horse lode, the center of which bears S. 41° 25' W., 446.12 ft. from the E. E. C.

8x36 ft., 8 ft. high, Value, \$ 170.00

No.5. Tunnels of the Dark Horse lode, one portal common to two tunnels bears S. 43° 03' W., 286.37 ft. from the E. End Center.

Side cut, average 14x25 ft., 12 ft. high,

Value, \$ 310.00

South tunnel, 5x6 ft., 50 ft. long,

Value, \$ 600.00

West Tunnel, 5x6 ft., 22 ft. long,

Value, \$ 264.00

Total value Tunnels No.5, \$1174.00

No.6. Open cut of the Dark Horse lode,

which bears S. $34^{\circ} 07' W.$, 69.00 ft. from the
E. End Center.

8x15 ft., 18 ft. high, Value, \$ 160.00

No.1. Discovery tunnel of the Brunette
lode, the portal to which bears N. $25^{\circ} 32' E.$,
19.35 ft. from the West End Center.

4x6 ft., 20 ft. long, Value, \$ 200.00

No.2. Tunnel of the Brunette lode, a
platform at mouth of which bears S. $57^{\circ} 19' E.$,
35.70 ft. from the West End Center.

Platform cut, 10x31 ft., 8 ft. high,
Value, \$ 184.00

Open cut, 10x11 ft., 8 ft. high, Value, \$ 66.00

Tunnel, 4x6 ft., 32 ft. long, \$ 320.00

Total value Tunnel No.2, \$ 570.00

No.3. Side Cut of the Brunette lode,
which bears N. $86^{\circ} 45' W.$, 615.67 ft. from the
East End Center.

5x10 ft., 9 ft. high, Value, \$ 50.00

No.4. Shaft and side cut of the Brunette
lode bears S. $47^{\circ} 14' W.$, 236.40 ft. from a
stake on the center line, N. $86^{\circ} 45' W.$,
615.67 ft. from the East End Center.

Side cut, 12x22 ft., 8 ft. high, Value, \$ 165.00

Shaft at N. W. Cor. side cut,

4x6 ft., 9 ft. deep, Value, \$ 100.00

Total value shaft and side cut No.4, \$ 265.00

No.1. Tunnel of the Abe Lincoln lode,
the portal to which bears S. 64° 45' W.,
389.15 ft. from the the corner No.2.

Open cut, 6x6 ft., 6 ft. long,	Value,	\$ 43.00
Tunnel, 6x6 ft., 19 ft. long,	Value,	<u>\$ 285.00</u>
Total value Tunnel No.1,		\$ 328.00

No.2. *The last 20 ft. of Discovery
Tunnel no. 1. of the Right Bower lode
6x6 ft., 20 ft long, Value* \$300.00

Total credited Black Warrior lode:

No.1. Discovery shaft,	\$ 100.00
No.2. Open cut,	\$ 100.00
<i>The lower 26 ft. of Wings in No. 1 Tunnel of Right Bower lode</i>	<u>\$ 500.00</u>
Total credited Black Warrior lode,	<u>\$ 700.00</u> 700.00

Total credited Little Chief lode:

No.1. Discovery tunnel and open cut,	\$ 460.00
No.2. Portion of tramway, described as No.8, Right Bower improvements,	<u>\$1919.00</u>
Total credited Little Chief lode,	\$2379.00

Total credited Right Bower lode:

No.1. Discovery Tunnel "Lower",	\$7035.00
No.2. "Upper" Tunnel,	\$3058.00
No.3. Incline shaft,	\$3400.00
No.4. Lower side cut,	\$ 100.00
No.5. Upper side cut,	\$ 92.00
No.6. Top Tunnel,	\$ 312.00
No.7. Blacksmith shop,	\$ 420.00
No.8. Portion of Tramway,	<u>\$1162.00</u>
Total credited Right Bower lode,	<u>\$15579.00</u> 15579.00

Total credited Dark Horse lode:

No.1. Discovery tunnel,	\$ 210.00
No.2. Tunnel and side cut,	\$ 434.00
No.3. Tunnel and side cut,	\$ 659.00
No.4. Side cut,	\$ 170.00

No.5. Tunnels and side cut,	\$1174.00
No.6. Open cut,	\$ 160.00
Total credited Dark Horse lode,	\$2807.00

Total credited Brunette lode:

No.1. Discovery Tunnel,	\$ 200.00
No.2. Tunnel, p. & o. c.	\$ 570.00
No.3. Side cut,	\$ 50.00
No.4. Shaft and side cut,	\$ 265.00
Total credited Brunette lode,	\$1085.00

Total credited Abe Lincoln lode:

No.1. Discovery Tunnel,	\$ 328.00
no.2. <i>Part of Discovery Tunnel no.1 of Right Bower lode</i>	300.00
Total credited Abe Lincoln lode,	\$ 628.00

The surface embraced by this claim is diverse in character. The Black Warrior lode lies largely on a mesa. The Little Chief lode is on a steep slope from the west side of Whites mountain, westerly towards junction of Johnson Gulch and Hassayampa river. The Right Bower lode, a steep descent from crest of Whites mountain, westerly towards Hassayampa river. The Dark Horse lode a steep descent from crest of Whites mountain, north east to Slim Jim Gulch. The Brunette and Abe Lincoln lodes lie mostly on south side of divide between Slim Jim and Mahoney gulches and ascend from Slim Jim Gulch toward the east.

The presumed course of the Black Warrior lode is S. 75° 21' W., 1179.24 ft. from its East End Center. The presumed course of the Little Chief lode is S. 77° 16' E., 1500.00 ft. from its West End Center. The course of the Right Bower lode is S. 81° 09' E., 1065.70 ft. from its West End Center. The course of the Dark

Horse lode is N. 44° 48' E., 832.75 ft. from its West End Center. The presumed course of the Brunette Lode is S. 86° 45' E., 1310.69 ft. from its West End Center. The presumed course of the Abe Lincoln lode is N. 73° 04' E., 1496.53 ft. from its West End Center.

CLAIMANTS OF ADJOINING LOCATIONS.

West of Black Warrior lode:

River View lode, unsurveyed;

Chick Rogers, locator.

South of Black Warrior lode:

Champion lode, unsurveyed;

J.H.Sayre, Roy Sayre, T.J.Connell, locators.

North of Black Warrior lode:

Black Warrior Mill Site, unsurveyed;

The White Gold Mining Co., locator.

North and west of Little Chief lode and west of Right Bower lode:

Iowa lode, unsurveyed;

Sam Powell, locator.

North of Right Bower and Dark Horse lodes:

Left Bower lode, unsurveyed;

The White Gold Mining Co., owner.

South of Dark Horse Lode, Lower Hand Lode unsurveyed.

All other boundaries of this claim are unsurveyed lands of the United States.

This survey was made with a Gurley Light Mountain transit. The courses were deflected from the true meridian as determined by an observation on Polaris at Western Elongation, Nov. 15, 1904.

The distances were measured with 100 ft. steel tapes.

Note.-- The differences between these field notes and the location certificates of the Black Warrior, Little Chief, Right Bower, Dark Horse, Brunette and Abe Lincoln lodes, are due to errors in the latter.

G. A. Streitz
U. S. Dep. Min'l. Surveyor

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by G. A. Streitz

United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of The White Gold Mining Company

known as the Right Bower, Brunette, Dark Horse, Little Chief, Abe Lincoln and Black Warrior Lodes, & ~~Dark Horse, Little Chief, Black Warrior~~ and ~~Right Bower, Mill-sites~~ and showing the respective capacities in which they acted.

- Geo. W. Perkins....., Chairman.
- Thos. C. Marshall....., Chairman.
-, Arman.
-, Flagman.

FINAL OATHS OF ASSISTANTS.

We, Geo. W. Perkins

and Thos. C. Marshall....., do solemnly swear that we assisted G. A. Streitz....., United States Deputy Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of The White Gold Mining Company

known as the Right Bower, Brunette, Dark Horse, Little Chief, Abe Lincoln and Black Warrior lodes, & ~~Dark Horse, Right Bower, Little Chief,~~ and ~~Black Warrior, Mill-sites~~

represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona.

- Geo. W. Perkins....., Chairman.
- Thos. C. Marshall....., Chairman.
-, Arman.
-, Flagman.

Subscribed and sworn to by the above-named persons before me this 9th

day of January....., 1905.

My Com. Exp. Apr. 28-1906.
918915ms403

W. Schupp
Notary Public

(4-686.)

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, Gustavus A. Streit, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona Territory, dated Nov. 11, and Dec. 27, 1904, I have, in strict conformity to the laws of the

United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of The White Gold Mining Company

known as the Black Warrior, Little Chief, Right Bower, Dark Horse, Brunette, and Abe Lincoln lodes, & Dark Horse, Right Bower, Little Chief, & Black Warrior Mill sites, Black Rock Mining District,

Yavapai County, Arizona, in Section Township No. Range No.

and designated as Survey No. 2000, as represented

in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Gustavus A. Streit, U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said Gustavus A. Streit, U. S. Deputy Mineral Surveyor, before me O. E. Schupp this Fourth day of April, 1905

O. E. Schupp, Notary Public.

My commission expires April 28, 1906.

Affidavit of Five Hundred Dollars Improvements.

We, James Kaler, and J W Smith

of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the Black Warrior, Little Chief, Right Bower, ~~and Dark Horse, Little Chief, Black Warrior and Right Bower~~ mining claims situate in BLACK ROCK Mining district, YAVAPAI County, Arizona Territory, for which The White Gold Mining Company

has made application for survey prior to application for patent under the provisions of the Act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon by the applicant and its grantors exceed Five Hundred Dollars in value, ^{for each claim,} and further that we are not personally interested in said mine.

James Kaler
J W Smith

TERRITORY OF ARIZONA, }
County of Yavapai } ss:

Sworn to and subscribed before me, this 23

day of March, 1905



W. J. Gilbert
Notary Public
My Commission expires Sept-10 1907

"Little Chief".Notice of Mining Location.
Lode Claim.

To all whom it may concern:- This mining claim, the name of which is the Little Chief Mining Claim, situate on lands belonging to the United States of America and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by G.L.White, the undersigned, on the 13 day of July, 1901.

The length of this claim is 1500 feet and i claim 1300 feet in a easterly direction and 300 feet in a westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred (300) feet in width of the surface grounds, on each side of the center of said vein. The general course of the lode deposit and premises is from the easterly to the westerly.

The claim is situated and located in the Black Rock Mining District, in Yavapai County, in the Territory of Arizona, about two miles below the lower dam on the Hassayampa River across the river from Powells camp runing parallel along the south side of the Right Bower Mining Claim.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones at a point in a easterly direction thirteen hundred feet from the discovery shaft (at which this notice is posted), being in the center of the east end line of said claim; thence northerly 300 feet to a monument of stones being the northeast corner of said claim; thence westerly 1500 feet to a monument of stones being at the northwest corner of said claim; thence southerly 300 feet to a monument of stones at the center of the west end of said claim; thence southerly 300 feet to a monument of stones being at the southwest corner of said claim; thence easterly 1500 feet to a monument of stones at the southeast corner of said claim; thence northerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six of Title XXXII, of the Revised Statutes of the United States and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines", approved March 20th, 1895 and amended March 2d, 1899 and March 16, 1901.

Dated and posted on the ground this 13th day of July, 1901.

L.L.White.

Witness,

Geo. Gibbs
W.R.Glore.

Filed and recorded at request of L.L.White, July 18th, A.D. 1901, at 1 o'clock P.M. in Book 59 of Mines, page 325, Records of Yavapai County, Arizona.

P.J.Farley,
County Recorder.

(Seal)

By C.R.Nicus,
Deputy Recorder.

Right Bower.

Notice of Location.

Know all men by these presents: That we the undersigned have this day located 1500 feet of this vein or lode, bearing precious metals, with all dips, spurs, angles and variations, with surface ground 300 feet on each side of vein, with all mineral deposits contained therein and all timber and water thereon or appurtenant thereto, according to the provisions of the United States Mining laws.

The exterior boundaries are as follows: Commencing at this monument and notice and running 300 feet in an easterly direction to monument at S.E. corner; thence in a northerly direction parallel with the ledge 1500 feet to monument at N.E. corner; thence at right angles across the ledge in a westerly direction 600 feet to monument at N.W. corner; thence parallel with the lode in a southerly direction 1500 feet to monument at S.W. corner; thence at right angles across the ledge in an easterly direction 300 feet to place of beginning.

This claim is in Black Rock Mining District, Yavapai County, Arizona and may be more generally described as situated in the east side of the Hassayampa River from the Powell Mine and is about 2 1/2 miles above the mouth of Fools canyon, the south end connecting with the north end of the Powell Mine and shall be known as the Right Bower Mining Claim.

Dated on the ground this 1st day of January, 1892.

Jeff Baldrige 1/3.
Leonard White 1/3
Sam F. Powell 1/3.
Locators.

Recorded at request of Sam Powell, Jan. 13th, A.D. 1892, at 9 o'clock A.M. in Book 33 of Mines, pages 287 & 288, Records of Yavapai County, Arizona.

By F.A. Trittle Jr.,
(L.S.)
Deputy.

Charles H. Akers,
County Recorder.

Brunette.

Notice of Location.

Know all men by these presents: That we the undersigned have this day located fifteen hundred (1500) linear feet of this vein or lode, bearing precious metals, with all dips, spurs, angles and variations, with surface ground three hundred (300) feet on each side of the centre of vein, with all mineral deposits contained therein, and all timber growing within the limits of said claim, and all water and water privileges thereon or appurtenant thereto, under and according to the provisions of the United States Mining Laws, under which it is located.

This claim commences at this monument and notice placed upon the ledge and runs seven hundred and fifty (750) feet in a northerly direction and seven hundred and fifty -750- feet in a southerly direction along the ledge.

The exterior boundaries are as follows, viz: Commencing at a monument of stone on west boundary line, distant three hundred (300) feet in a westerly direction from discovery monument; thence in a northerly direction parallel with the ledge fifteen hundred (1500) ft. feet to monument of stone at N.W. corner of claim; thence in an easterly direction at right angles across the ledge six hundred (600) feet to monument of stone at N.E. corner of claim; thence in a southerly direction parallel with the ledge fifteen hundred (1500) feet to monument of stone at S.E. corner of claim; thence at right angles across the ledge in a westerly direction six hundred (600) feet to monument of stone at S.W. corner of claim and place of beginning.

This ledge may be more generally described as situated about three hundred yards (300) yds east from the Hassayampa river in what is known as Silver Gulch and about one mile below the new dam site of the Walnut Grove Water Storage Company and the south end of the claim connecting with the north end of the Dark Horse Mining Claim in Black Rock Mining District, Yavapai County, Arizona Territory and shall be known as the Brunette Mining Claim.

Dated on the ground this first day of January, 1898.

Jeff Baldrige 1/3
Sam W. Powell 1/3
Leonard White 1/3.

Recorded at request of Sam Powell, Jan 13th, A.D. 1898, at 9 o'clock A.M. in Book 33 of Mines, pages 385 to 387, Records of Yavapai County, Arizona.

Charles H. Akers,
County Recorder.

By F.A. Tuttle, Jr.,
(D.S.)
Deputy.

"Dark Horse"

Notice of Location.

Know All Men By These Presents: That we the undersigned, have this day located 1500 feet of this vein or lode, bearing precious metals, with all dips, spurs, angles and variations, with surface ground 300 feet on each side of vein, with all mineral deposits contained therein, and all timber and water thereon or appurtenant thereto, according to the provisions of the United States Mining Laws.

The exterior boundaries are as follows:

Commencing at this monument and notice and running 300 feet in an easterly direction to monument at N.E. corner; thence in a southerly direction parallel with the ledge 1500 feet to monument at S.E. corner; thence at right angles across the ledge in a westerly direction 600 feet to monument at S.W. corner; thence parallel with the ledge in a northerly direction 1500 feet to monument at N.W. corner; thence at right angles across the ledge in an easterly direction 300 feet to the place of beginning.

This claim is in the Black Rock Mining District, Yavapai County Arizona, and may be more generally described as situated about 300 yds. from the Hassayampa River in what is known as Silver Gulch, the South end connecting with the North end of the Right Bower Mining Claim, and shall be known as the Dark Horse Mining Claim.

Dated on the ground this 1st day of January 1892.

Jeff Baldrige 1\3

Leonard White 1\3

Sam F. Powell 1\3

Locators.

Recorded at the request of Sam Powell Jan. 13th A.D. 1892, at 9 o'clock A.M., in Book 33 of Mines pages 288 & 289, Records of Yavapai County, Arizona.

(L.S.)

Charles H. Akers
County Recorder.

By F.A. Trittle Jr.
Deputy

Abe Lincoln.

Notice of Mining Location.
Quartz Claim.

To all whom it may concern: This Mining Claim, the name of which is the Abe Lincoln Mining Claim, situate on lands belonging to the United States of America and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Sam F.Powell, A.Children and A.Smith, the undersigned, on the 10th day of January, 1899.

The length of this claim is fifteen hundred (1500) feet and we claim five hundred (500) feet in a easterly direction and one thousand 1000 feet in a westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred (300) feet in width of the surface grounds on each side of the center of said claim. The general course of the lode deposit and premises is from the east to the west.

The claim is situated and located in the Black Rock Mining District, in Yavapai County, in the Territory of Arizona, about one and a half miles in a easterly direction from Powell's Camp.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone at a point in a easterly direction 500 feet from the discovery shaft (at which this notice is posted), being in the center of the east end line of said claim; thence northerly 300 feet to a monument of stone being the north west corner of said claim; thence westerly 750 feet to a monument at the center of the north side line of said claim; thence westerly 750 feet to a monument being at the south west corner of said claim; thence southerly 300 feet to a monument at the center of the west end of said claim; thence southerly 300 feet to a monument being at the southeast corner of said claim; thence easterly 750 feet to a monument of stone being at the center of the south side line of said claim; thence easterly 750 feet to a monument at the N.E.corner of said claim; thence northerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines", approved March 20th, 1895.

Dated and posted on the ground this 10th day of January, 1899.

Sam F.Powell §
Al Smith §
A.Children §

Witness, J.W.Munchus
Dan Davis.

Filed and recorded at request of Sam F.Powell, March 27th, A.D. 1899, at 9 o'clock A.M., Book 50 of Mines, page 540, Records of Yavapai County, Arizona.

(Seal)

W.I.Johnson,
County Recorder.

By P.J.Farley,
Deputy Recorder.

Black Warrior.

Notice of Location.

Know all men by these presents; That I the undersigned, have this day located fifteen hundred (1500) linear feet of this vein or lode, bearing precious metals, with all dips, spurs, angles and variations, with surface ground three hundred (300) feet on each side of the center of vein, with all mineral deposits contained therein, and all timber growing within the limits of said claim, and all water and water privileges thereon or appurtenant thereto, under and according to the provisions of the United States Mining Laws, under which it is located.

This claim commences at this monument and notice placed upon the ledge, and runs 200 feet in a northerly direction and 1300 feet in a southerly direction along the ledge from discovery shaft.

The exterior boundaries are as follows, viz: Commencing at a monument of stone on west boundary line, distant three hundred (300) feet in a westerly direction from discovery monument, thence in a northerly direction parallel with the ledge 200 feet to monument of stone at N.W. corner of claim; thence in an easterly direction at right angles across the ledge six hundred (600) feet to monument of stone at N.E. corner of claim; thence in a southerly direction parallel with the ledge fifteen hundred (1500) feet to monument of stone at S.E. corner of claim; thence at right angles across the ledge in a westerly direction six hundred (600) feet to monument of stone at S.W. corner of claim; thence in a northerly direction parallel with the ledge 1300 feet to monument on west boundary and place of beginning.

This ledge may be more generally described as situated about 500 feet in a southerly direction from Whites Camp on the Hassayampa River and at the mouth of Smelter Gulch and about 1200 feet from the Right Bower mining claim which is owned by the White Gold Mining Company in Black Rock Mining District, Yavapai County, Arizona Territory, and shall be known as the Black Warrior Mining Claim.

Dated on the ground this 21 day of June, 1902.

Witness, J.Kaler.

L.J.White, Locator.

Recorded at request of L.J.White, Sept.18th, A.D.1902, at 2:30 o'clock P.M. in Book 54 of Mines, page 191, Records of Yavapai County, Arizona.

By F.H.Baldwin, Deputy.

(Seal)

P.J.Farley, County Recorder.

Office of U. S. Surveyor General.

Phoenix, Arizona, June 27, 1905.

By supplemental report, dated June 26, 1905, a copy of which is hereto attached, G. A. Streitz, U. S. Dep. Mineral Survey, certifies that it is the intention of the White Gold Mining Company to develop the Black Warrior Claim through the winze in Tunnel No.1, of the Right Bower lode; and he therefore credits the lower twenty-six (26) feet of this winze, value Five hundred (\$500.00) dollars to the improvements of the Black Warrior lode.

He further certifies that it is the intention of said Company to develop the Abe Lincoln lode, through Tunnel No.1, of the Right Bower lode, and therefore credit the last twenty (20) feet of said tunnel, value Three hundred (\$300.00) dollars to the development of the Abe Lincoln lode.

As it appears that the most economical way to develop the Abe Lincoln lode and the Black Warrior lode will be through this winze and tunnel, a portion of the value of same is properly credited to the said Black Warrior and Abe Lincoln lodes; and I therefore certify that the improvements made upon and for the benefit of the Black Warrior and Abe Lincoln lodes, included in Mineral Survey No. 2000 exceeds Five hundred (\$500.00) dollars in value for each location.

(Signed) Frank S. Ingalls
U. S. Surveyor-General.

June 27, 1905.

JUN 27 1905

SURVEY NO. 2000.

Supplemental report of improvements made for Black Warrior and Abe Lincoln lodes, at time of survey.

I certify that it is the intention of the White Gold Mining Company:

To develop the Little Chief and Black Warrior lodes through the winze in No. 1 discovery tunnel of the Right Bower lode, and are sinking this winze to gain depth before drifting.

The lower 20 ft of above winze is credited to the Black Warrior lode.

Value \$500.00

To drive tunnel No. 1 of the Right Bower lode along the vein, developing the Right Bower, Bark Horse, Brunette and Abe Lincoln lodes, which are presumed to be on the same vein.

The last 20 ft of tunnel No. 1 of the Right Bower lode is credited to the Abe Lincoln lode.

Value \$300.00

Gustavus A. Streit
U.S. Deputy Mineral Surveyor.

TERRITORY OF ARIZONA

COUNTY OF MARICOPA) SS.

Subscribed and sworn to before me this 26 day of June, 1905 by the said Gustavus A. Streit, U.S. Deputy Mineral Surveyor.

W. H. Ward
Notary Public.

My commission expires Dec 16th 1908

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD
NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona.

June 7" , 1905.

I, U. S. Surveyor-General for the district of Arizona.

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of The White Gold Mining Company,

known as the
Black Warrior, Little Chief, Right Bower, Dark Horse, Brunette,
and Abe Lincoln

situate in Black Rock Mining District,
Yavapai County, Arizona.

in Section approx., Township No. 9 N., Range No. 3 W. unsurveyed
2000, designated as Survey No. 2000

executed by G. A. Streitz, U. S. Deputy Mineral
Surveyor, Nov. 14 1904 to Jan 8, 1905., 190., under my instructions dated

Nov. 11, 9th Dec. 27, 1904., 190., have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe,
are hereby approved. A true copy of the copy of the location certificate filed by the applicant for
survey is included in the field notes.

Frank S. Ingalls

U. S. Surveyor-General for Arizona.

4-688.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.

June 7, 1905, 1905

I, U. S. Surveyor-General for the district of Arizona.

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of The White Gold Mining Company,

known as the Black Warrior, Little Chief, Right Bower, Dark Horse, Brunette and Abe Lincoln,

situate in Black Rock

Mining District, Yavapai County, Arizona.

in Section approx., Township No. 9 N., Range No. 3 W. unsurveyed, and

designated as Survey No. 2000, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon ^{each of} said mining claims by claimant or its grantors, and that said improvements consist of, excepting the Black Warrior and Abe Lincoln lodes.

Black Warrior lode 1 cut & 1 shaft, total value \$200.--Little Chief 1 cut, 1 tunnel and portion of tramway, total value \$2379.00, Right Bower, 3 cuts, 3 tunnels, 1 shaft, drifts etc and portion of tramway, total value credited to Right Bower \$15059.--Dark Horse, 5 cuts and 5 tunnels, total value \$2807., Brunette, 2 tunnels, 3 cuts & 1 shaft, total value \$1085, Abe Lincoln, 1 tunnel and 1 cut total value, \$528. Certificate for the Black Warrior and Abe Lincoln lodes will be furnished upon supplemental report of Deputy, and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Prescott,

Arizona. is correct and in conformity with the foregoing Field Notes.

United States Surveyor-General for Arizona.

RIVERVIEW LODGE
(UNSURVEYED)

U.S.L.M. No. 1866 Bears S. 39° 19' W. 838.57 FT.
U.S.L.M. No. 1866 Bears S. 39° 50' W. 9309.86 FT.
U.S.L.M. No. 1866 Bears S. 70° 21' W. 9973.03 FT.

CORNWELL

BLACK WARRIOR

BLACK WARRIOR
1179.54 FT. E. 1125.34

LODGE (UNSURVEYED)

Presumed Course of Lodge
S. 75° 21' W. 1179.80 FT.

N. 13° 58' W. 251.26 FT.
S. 53° 21' W. 1110.00 FT.
N. 39° 49' W. 331.44 FT.

CHAMBERLAIN
S. 37° 05' E. 302.27 FT.
S. 75° 37' E. 575.69 FT.

Wickenburg
Maggon Road

S. 75° 21' W. 1179.80 FT.
731.96 FT.

Loc. Mont.
D. S. SHAFT
S. 75° 21' W. 320.01 FT.
S. 75° 21' W. 329.52 FT.

COR. No. 1
N. 69° 13' E. 1500.00 FT.

Graded Road

980.00 FT.

U.S.L.M. No. 1866 Bears S. 45° 55' W. 10400.65 FT.

LITTLE CHIEF
S. 77° 16' E. 1500.00 FT.

McCORMACK

E.C.C.

667.88 FT.

667.88 FT.

LARAGE

MAP