

MS

0

2

0

1

1

MAR 9 1905

MAR 24 1905

copied by [unclear] 11/6/05

(4-683.)

Mineral Survey No. 2011

Lot No. _____

Prescott

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Buffalo Lime Ceps Mining Company

KNOWN AS THE

Andra. Fraction Buffalo, Producers, Lime Ceps #1, Lime Ceps #2 & Lime Ceps #3,

Glenn Creek

Mining District,

Yavapai

County,

Arizona

Section approx, Township 12-N, Range 3-E

Dec. 29-1904

Surveyed under instructions dated March 5th, 1905

by J. J. Fisher,
U. S. Deputy Mineral Surveyor.

Claim located on loc. certificates, 1

Survey commenced Feb 25th, 1905

Survey completed March 8th, 1905

o 6-180

Address.

H. J. Andrews

Atty in fact for Claimant

Prescott

Arizona

*Tie lines OK #1
Venus OK #2
Areas OK #3*

-1-

Feet.

Survey No. 2011.

ANDREA.

Beginning at cor. No. 1, set a granite stone 20x10x6 ins. one foot in ground, marked A 1-2011, along side a mon. of stones 3x3 ft.

A x on a granite rock in place, marked B.R.A 1-2011, brs. N. 37° W. 72.5 ft.

A x on a granite rock in place, marked B.R.A 1-2011, brs. N. 5° 45' W. 105.5 ft.

U. S. M. M. No. 2 C. C. D. brs. S. 70° 17' E. 2003.9'

Thence N 61° 37' 30" E

1500.4 To cor. No. 2, which is also cor. No. 1 Fraction lode of this survey. Whence loc. mon. brs. S. 27° E. 36'. A mon. of stones 3x3 ft.

Set a granite stone 24x3x6 ins. one foot in ground, along side a mon. of stones 3x3 ft. Stone marked A 2-2011.

A x on a granite rock in place, marked B.R.F 1-2011 brs. N. 48° 15' W. 11.2 ft.

A x on a granite rock in place, marked B.R.A 2-2011, brs. S. 68° 30' E. 31.5 ft.

Thence N. 27° W.

264 To N.C.E. which is also S.C.E. Fraction lode of this survey. Set a porphyry stone 20x12x3 ins. one foot in ground, along side a mon. of stones 3x3 ft. Stone marked N.C.E.A 2011, and S.C.E.F 2011.

564 To cor No. 3, which is also cor. No. 5 Fraction. Set a granite stone 24x10x6 ins. one foot in ground, along side a mon. of stones 3x3 ft. Stone marked A 3-2011 and F 5-2011.

A x on a granite rock in place, marked B.R.F 5-2011 brs. N. 15° 30' W. 23.1 ft.

Feet.

Survey No. 2011.

Thence S. 63° W.

1200 To cor No. 1 Buffalo lode of this survey.

1500 To cor. No. 4. Set a granite stone 20x10x6 ins.
one foot in ground, along side a mon. of stones 3x3 ft.
Stone marked A 4-2011.

A x on a granite rock in place, marked B.R.A 4-2011
brs. N. 87° 45' W. 53 ft.

Thence S. 27° E.

300 To S.C.E. Set a granite stone 24x12x3 ins. one
foot in ground, along side a mon. of stones 3x3 ft. Stone
marked S.C.E.A 2011.

600 To cor No. 1, the place of beginning survey of
exterior boundaries.

* * * * *

FRACTION.

Beginning at cor. No. 1, which is also cor No. 2
Andrea lode of this survey, cor. described above, whence
U.S.M.M.No.2 C.C.D. brs. S. 22° 10' E 1500 ft.

Thence N. 54° 49' E.

745.2 To cor. No. 2, Set a granite stone 24x12x3 ins. one
foot in ground, along side a mon. of stones 3x3 ft. Stone
marked F 2-2011. No brs. available.

Thence N. 27° W.

300 To N.C.E. Set a lava stone 24x10x8 ins. one foot in
ground, marked N.C.E.F 2011, along side a mon of stones
3x3 ft.

Feet.

Survey No. 2011.

600 To cor No.3. Set a granite stone 24x20x6 ins. one foot in ground, along side a mon. of stones 3x3 ft. Stone marked F 3-2011.

A x on a granite rock in place, marked B.R.F 3-2011, brs. N 8° 15' E. 25.7 ft.

Thence S. 45° W.

460 To cor No. 4, which is also cor. No. 1 Lime Cap #1 and cor No. 2 Buffalo lodes of this survey.

Set a granite stone 24x12x6 ins. one foot in ground along side a mon. of stones 3x3 ft. Stone marked F 4-2011 B 2-2011, L.C.NO. 1, 1-2011.

A x on a granite rock in place, marked B.R.L.C.#1 1-2011, brs. S. 37° 45' E. 33.6 ft.

A x on a granite rock in place, marked B.R.B 2-2011, brs. N. 80° 45' W. 71.5 ft.

Thence S. 63° W.

300 To cor. No. 5, which is also cor. No. 3 Andrea, cor. described above.

Thence S. 27° E.

300 To S.C.E., which is also N.C.E. Andrea of this survey. Mon. described above.

564 To cor. No. 1, the place of beginning survey of exterior boundaries.

* * * * *

BUFFALO.

Beginning at cor. No. 1. Set a granite stone 24x10 x6 ins. one foot in ground, marked B 1-2011, and a mon. of stones along side, *3x3 feet.*

5

Feet.

Survey No. 2011.

A x on a granite rock in place, marked B.R.B 1-2011
brs. N. 26° 15' E. 34 ft.

A x on a granite rock in place, marked B.R.B 1-2011
brs. S. 68° 30' E. 11.8 ft.

U.S.M.M.No. 2, C.C.D. brs. S. 54° 33' E. 2322.3 ft.

Thence N. 63° E.

1200 To cor No. 3 Andrea and cor No. 5 Fraction lodes.

1500 To cor. No. 2, which is also cor. No. 1 Lime Cap
#1 and cor. No. 4 Fraction lodes. Cor described above.

Thence N 27° W.

300 To N.C.E. which is also S.C.E. Lime Cap #1 of this
survey. Set a lava stone 20x10x3 ins. one foot in ground
along side a mon. of stones 3x3 ft. Stone marked N.C.E.
B 2011 and S.C.E.L.C.No. 1, 2011.

600 To cor. No. 3, which is also cor. No.4 Lime Cap #1
and cor. No. 4 Protector lodes of this survey.

Set a porphyry stone 24x12x10 ins. one foot in
ground, along side a mon. of stones 3x3 ft. Stone marked
B 3-2011, L.C.No.1,4-2011 and P 4-2011. No brs. available

Thence S. 63° W.

600 To cor No. 1 Protector.

1500 To cor. No.4. Set a granite stone 24x8x3 ins. one
foot in ground, along side a mon. of stones 3x3 ft.
Stone marked B 4-2011.

A x on a granite rock in place ,marked B.R.B 4-2011
brs. S. 8° 15' E. 21.9 ft.

Feet.

Survey No. 2011.

Thence S. 27° E.

300 To S.C.E. Cut a x on a granite boulder 3x5 ft. 5 ft. above ground, marked S.C.E.B 2011, along side a mon. of stones 3x3 ft.

600 To cor. No. 1, the place of beginning survey of exterior boundaries.

* * * * *

PROTRACTOR.

Beginning at cor. No. 1. Cut a x on a granite boulder 2x3 ft. 1.5 ft. above ground, along side a mon. of stones 3x3 ft. Boulder marked P 1-2011.

A x on a granite rock in place, marked B.R.P 1-2011, brs. N. 56° 30' W. 13 ft.

U.S.M.M.No. 2, C.C.D. brs. S. 30° 44' E. 2664.2 ft.

Thence N. 57° W.

1500 To cor. No. 2. Set a granite stone 20x8x8 ins. one foot in ground, marked P 2-2011, along side a mon. of stones 3x3 ft.

A x on a granite rock in place, marked B.R.P 2-2011 brs. S. 8° W. 37.1 ft.

Thence N. 63° E.

300 To W.C.E. Set a granite stone 20x10x5 ins. one foot in ground, along side a mon. of stones 3x3ft.

Stone marked W.C.E.P 2011.

600 To cor. No. 3. Set a granite store 20x12x4 ins. one foot in ground, along side a mon. of stones 3x3ft. Stone marked P 3-2011. A x on a granite rock in place, marked B.R.P 3-2011, brs. S. 6° 50' E. 75 ft.

Feet.

Survey No. 2011.

Thence S. 57° E.

1500

To cor. No. 4., which is also cor No .4 Lime Cap #1, and cor No. 3 Buffalo of this survey. Cor. described above.

Thence S. 63° W.

300

To E.C.E. Seta lava stone 20x10x3 ins. one foot in ground, marked E.C.E.P 2011, along side a mon. of stones 3x3 ft.

600

To cor No. 1, the place of beginning survey of exterior boundaries.

* * * * *

LIME CAP #1.

Beginning at cor. No. 1, which is also cor. No. 2 Buffalo and cor. No. 4 Fraction lodes of this survey. Cor. described above.

U.S.M.M.No. 3. C.C.D. brs.S. 15° 18' E. 2102.3 ft.

Thence N. 45° E.

460

To cor.No. 3, Fraction lode of this survey.

1500

To cor. No. 2. Set a lime stone 24x12x3 ins. one foot in ground, along side a mon. of stones 3x3 ft. Stone marked L.C.#1, 2-2011.

A x on a lime stone in place, marked B.R.L.C.#1, 2-2011, brs. N. 76° E. 21.3 ft.

Thence N. 27° W.

300

To N.C.E.Lime Cap #1 and S.C.E.Lime Cap #2. Set a lime stone 24x10x5 ins. one foot in ground, along side a mon. of stones 3x3 ft. Stone marked N.C.E.L.C.#1 2011 and S.C.E.L.C.#2 2011.

Feet.

Survey No. 3011.

600 To cor. No. 3. Set a lime stone 18x12x12 ins. one foot in ground along side a mon. of stones 3x3 ft. Stone marked L.C.#1 3-2011.

A x on a lime stone in place marked B.R.L.C.#1 3-2011, brs. N 78° E 13.1 ft.

A x on a lime stone in place marked B.R.L.C.#1 3-2011, brs.S 32° 15' E 14 ft.

Thence S. 45° W.

204.1 To intersect line 3-4 Line Cap #2 of this survey at N. 12° E. 61.9 ft. from cor. No. 4 L.C.#2.

1500 To cor. No. 4, which is also cor. No. 3 Buffalo and cor. No. 4 Protector lodes of this survey.

Cor. described above.

Thence S. 27° E.

300 To S.C.E., which is also N.C.E. Buffalo lode of this survey. Mon. described above.

600 To cor. No. 1 the place of beginning survey of exterior boundaries.

* * * * *

LIME CAP #2.

Beginning at cor. No. 1. Set a lime stone 20x12x4 ins. one foot in ground, along side a mon. of stones 3x3 ft. Stone marked L.C.#2, 1-2011. No brs. available.

U.S.M.M.No. 2 C.C.D. brs.S 11° 23' W. 3359.5 ft.

Thence N. 12° E.

1175 To cor No. 2, which is also cor. No. 1 Lime Cap #3 of this survey. Set a lime stone 20x12x12 ins. one foot in ground, along side a mon. of stones 3x3 ft.

Feet.	Survey No. 2011.
	<p>Stone marked L.C.#2, 2-2011, and L.C.#3, 1-2011.</p> <p>No brs. available.</p> <p style="text-align: center;">Thence N 78° W.</p>
300	<p>To N.C.E., which is also S.C.E. Line Cap #3.</p> <p>Set a lime stone 20x12x12 ins. one foot in ground along side a mon. of stones 3x3 ft. Stone marked N.C.E.L.C.#2 2011 and S.C.E.L.C.#3, 2011.</p>
600	<p>To cor No. 3, which is also cor No.4 L.C.#3.</p> <p>Cut a x on a lime stone in place marked L.C.#2, 3-2011 and L.C.#3,4-2011, along side a mon. of stones 3x3 ft.</p> <p>No brs. available.</p> <p style="text-align: center;">Thence S. 12° W.</p>
1113.1	<p>To intersect line 3-4 L.C.#1 at S. 45° W. 204.1ft. from cor. No.3.</p>
1175	<p>To cor No.4. Set a lime stone 24x18x5 ins. one foot in ground along side a mon. of stones 3x3ft. Stone marked L.C.#2, 4-2011</p> <p>A x on a lime rock in place, marked B.R.L.C.#2 4-2011, brs. N. 63° 35' E. 23.8 ft.</p> <p>A x on a lime rock in place marked B.R.L.C.#2 4-2011, brs. S. 22° 30' W. 9.4 ft.</p> <p style="text-align: center;">Thence S. 78° E.</p>
300	<p>To S.C.E., which is also N.C.E.L.C.#1 of this survey. MON. described above. <i>at S. 27° E. 300 ft. from cor. No. 3 - L.C. No. 1.</i></p>
600	<p>To cor. No.1, the place of beginning survey of exterior boundaries.</p> <p style="text-align: center;">* * * * *</p>

Feet.

Survey No. 2011.

LIME CAP #3.

Beginning at cor. No.1, which is also cor.No.2,
Lime Cap #2 of this survey. Cor. described above.

U.S.M.M.No.2 C.C.D. brs. S. 11° 33' W. 4534.6 ft.

Thence North.

1500 To cor. No.2. Cut a x on a granite boulder 4x4 ft.
2.5 ft. above ground, marked L.C.#3, 2-2011, along side a
mon. of stones 3x3 ft. No brs. available.

Thence N. 78° W.

300 To N.C.E. Set a granite stone 24x12x3 ins. one foot
in ground, along side a mon. of stones 3x3 ft.

Stone marked N.C.E.L.C.#3, 2011.

600 To cor. No.3. Set a granite stone 24x10x3 ins. one
foot in ground, along side a mon. of stones 3x3 ft.

Stone marked L.C.#3, 3-2011. A x on a granite rock
in place, marked B.R.L.C.#3, 3-2011, brs. S. 41° E. 40.6 ft.

Thence South.

1500 To cor No.4, which is also cor. No.3, L.C.#2, of this
survey. Cor described above.

Thence S. 78° E.

300 To S.C.E., also N.C.E.L.C.#2, mon. described above.

600 To cor No.1, the place of beginning survey of
exterior boundaries.

Note:- Survey No.2011 is identical with the loc.
except as noted in these field notes.

VARIATION at all the corners is 14° E.

Survey No. 2011.

AREA.

Andrea		20.041 acres.
Fraction		9.388 "
Buffalo		20.660 "
Protector		17.892 "
Lime Cap #1		19.649 "
Lime Cap #2		
Gross area	16.416 ^{16.183} A.	
Less area in conflict		
with Lime Cap #1	<u>.861</u>	15.555 ^{15.302} " ✓
Lime Cap #3		<u>20.209</u> "
Total area		122.849 ^{123.116} acres.
* * * * *		

LOCATION.

This claim is located approximately in T. 15 N. R. 3 E. G & S. R. M., in Cherry Creek Mining District, Yavapai County, Arizona, and is bounded on the S.E. by the Bison, M. Jones, claimant, and Leghorn, R.H. Burmister, claimant, all unsurveyed, on all other sides by public land.

* * * * *

VEINS.

Andrea vein extends from S.C.E. N. 63° E. 1500 ft. to the N.C.E.

Fraction vein extends from S.C.E. N. 51° 51' E. 740.9 ft. to N.C.E.

Buffalo vein extends from S.C.E. N. 63° E. 1500 ft. to N.C.E.

Protector vein extends from E.C.E. N. 57° W. 1500 ft. to W.C.E.

Lime Cap #1 vein extends from S.C.E. N. 45° E. 1500 ft. to N.C.E.

Survey No. 3011.

Lime Cap #2 vein extends from S.C.E. N.12° E. 1175 ft. to N.C.E.

Lime Cap #3 vein extends from S.C.E. North 1500 ft. to N.C.E.

* * * * *

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of labor and improvements upon this claim, placed thereon by the claimant and its grantors, is not less than five hundred dollars for each location in claim, and that said improvements consist of :-

Andrea, Dis. Cut No.1, 4x15 ft. 10 ft. face, which hrs. from cor. No.1 N.38°E. 720 ft.

Value \$100.00

Note: \$400.00 worth of the work done in Tunnel No.3, Buffalo lode is to be credited to the Andrea lode.

Fraction, Dis. Cut No.1, 4x12 ft. 12 ft. face, which hrs. from N.C.E. S.51°51'W. 150 ft.

Value \$100.00

Note: \$400.00 worth of the work done in Tunnel No.3, Buffalo lode is to be credited to the Fraction lode.

Buffalo, Dis. shaft No.1, 4x6 ft. 50 ft. deep, which hrs. from cor. No.1, N.46°E. 940 ft.

Value \$500.00

Tunnel No.2, 4x6 ft. course N.65°E. 116 ft., which hrs. from cor.No.1, N.42°15'E. 925 ft.

Value \$1160.00

Tunnel No.3, 4x6 ft. course N.54°30'E. 427 ft. thence E. 220 ft. thence S.27°E. 150 ft., which hrs. N.7°15'E. 670 ft. from cor. No.1.

Value \$7920.00

12
713

Survey No. 2011.

Protector, Dis. Cut No. 1, 4x12 ft. 10 ft. face, which
brs. from E.C.E. N.57°W. 100 ft.

Value \$100.00

Note: \$400.00 worth of the work done in Tunnel No. 3,
Buffalo lode is to be credited to the Protector lode.

Line Cap #1, Dis. Cut No. 1, 4x15 ft. 10 ft. face, which
brs. from cor. No. 3 Fraction, N.23°E. 765 ft.

Value \$100.00

Note: \$400.00 worth of the work done in Tunnel No. 3,
Buffalo lode is to be credited to Line Cap #1 lode.

Line Cap #2, Dis. Cut No. 1, 4x15 ft. 10 ft. face, which
brs. from S.C.E. N.12°E. 20 ft.

Value \$100.00

Note: \$400.00 worth of the work done in Tunnel No. 3,
Buffalo lode is to be credited to Line Cap #2 lode.

Line Cap #3, Dis. Cut No. 1, 4x12 ft. 10 ft. face, at
S.C.E. of claim.

Value \$100.00

Note: \$400.00 worth of the work done in Tunnel No. 3,
Buffalo lode is to be credited to Line Cap No. 3 lode.

* * * * *

INSTRUMENT.

This survey was made with a Gurley Light Mountain
Solar Transit. The courses were deflected from the true
meridian as determined by direct solar observations.
The distances were measured with 75 ft. steel tape.

Prescott Ariz.

Mar. 8th 1905.

J. J. Fisher
U.S.D.M.S.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by J. J. Fisher
 United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines
 corners and boundaries described in the foregoing field notes of the survey of the mining claim ^{known}
 of Andrea, Fraction, Buffalo, Protector, Lime Cap No. 1, Lime Cap No. 2 & Lime Cap No. 3.
 known as the Claimed by Buffalo Lime Cap Mining Company
 and showing the respective capacities in which they acted.

Chas. Battye , Chairman.
E. C. Hemenway , Chairman.
E. C. Hemenway , Axman.
Chas. Battye , Flagman.

FINAL OATHS OF ASSISTANTS.

We, Chas Battye
 and E. C. Hemenway , do solemnly swear that we assisted J. J.
Fisher , United States Deputy Mineral Surveyor, in marking the corners and
 surveying the boundaries of the mining claim of Buffalo Lime Cap Mining
Company

..... , known as the Andrea, Fraction
Buffalo, Protector, Lime Cap #1, Lime Cap #2, & Lime Cap #3 , represented
 in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under
 his direction; and that said survey has been in all respects, to the best of our knowledge and
 belief, faithfully and correctly executed, and the corner and boundary monuments established
 according to law and the instructions furnished by the United States Surveyor-General for
Arizona

Chas Battye , Chairman.
E. C. Hemenway , Chairman.
E. C. Hemenway , Axman .
Chas. Battye , Flagman.

Subscribed and sworn to by the above-named persons before me
 this 8th day of March , 1905

My Commission expires
May 9th 1908.

J. J. Fisher
Notary Public

(4-686.)

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, J. J. Fisher, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Oregon, dated

file 29

March 5th 1905, I have, in strict conformity to the laws of the

United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Buffalo Lime Ceap Mining Company

known as the Andea, Frachon, Buffalo, Protected Lime Ceap #1, Lime Ceap #2 & Lime Ceap #3,

situate in Cherry Creek Mining District,

Jawapsee County, Oregon, in Section

..... Township No. Range No. and designated as Survey No. 2011, as represented

in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

J. J. Fisher
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said J. J. Fisher
U. S. Deputy Mineral Surveyor, before me

this 8th
day of March 1905

My commission expires November 28-1906
J. E. Faulkner
Notary Public.

Affidavit of Five Hundred Dollars Improvements.

We, Chas. Battye and J. J. Fisher

of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the

Andrea, Inactive, Buffalo, Protected
Line Cep#1, Line Cep#2, & Line Cep#3 mining claim, situate in Cherry Creek

mining district, Yavapai County, Arizona Territory, for which Buffalo Line Ceps
Mining Company

has made application for survey prior to application for patent under the provisions of the Act of Congress

approved May 10, 1872; and that the labor done and improvements made thereon by the applicant and

its grantor exceed five hundred dollars in value, and further that we are not personally interested

in said mine.

Chas. Battye
J. J. Fisher

TERRITORY OF ARIZONA,
COUNTY OF Yavapai } ss:

Sworn to and subscribed before me this 8th day

[SEAL.]

of March, 1905
My commission expires November 28, 1906
J. E. Faulkner
Notary Public

117866400-2-04

My commission expires. Nov. 28, 1906

"Andrea".

Notice of Mining Location.
Lode Claim.

To all whom it may concern: This mining claim, the name of which is the Andrea Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Mark Bradley, William Christman & H.M. Rolston, the undersigned, on the 12th day of June, 1903.

The length of this claim is 1500 feet and we claim 750 feet in a northerly direction and 750 feet in a southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred (300) feet in width of the surface grounds, on each side of the center of said vein. The general course of the lode deposit and premises is from the northerly to the southerly.

The claim is situated and located in the Cherry Creek Mining District, in Yavapai County, in the Territory of Arizona, about a mile in a westerly direction from the Sitting Bull Mining Claim, and near the head of the East fork of Cherry Creek.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones at a point in an northerly direction 750 feet from the discovery shaft (at which this notice is posted) being in the center of the north end line of said claim; thence easterly 300 feet to a monument of stones, being the northeast corner of said claim; thence southerly 1500 feet to a monument of stones being at the southeast corner of said claim; thence westerly 300 feet to a monument of stones at the center of the south end of said claim; thence westerly 300 feet to a monument of stones being at the southwest corner of said claim; thence northerly 1500 feet to a monument of stones being the northwest corner of said claim; thence easterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six of title XXIII of the Revised Statutes of the United States and of an act of the General Assembly of Arizona, entitled "An Act Concerning Mines", approved March 20th, 1895 and amended March 2d, 1899, and March 16th, 1901.

Dated and posted on the ground this 12th day of June, 1903.

Mark Bradley 1/6,
William Christman 1/6
H.M. Rolston 2/3.

Recorded at request of Wm. Christman, Sept. 10th, A.D. 1903, at 9:20 o'clock A.M. Book 69 of Mines, page 341, Records of Yavapai County, Arizona.

P.J. Farley,
County Recorder.

(Seal)

By G.M. Dotson,
Deputy.

"Line Cap #1".

Amended Notice of Mining Location.
Lode Claim.

To all whom it may concern: This mining claim, the name of which is the Line Cap #1 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Buffalo Line Cap Mining Company, the undersigned, on the 22th day of August, 1904.

The length of this claim is 1500 feet and it claims 1500 feet in a N.E. direction from the center of the discovery monument, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds on each side of the center of said claim. The general course of the lode deposit and premises is from the S.W. to the N.E.

The claim is situated and located in the Cherry Creek Mining District, in Yavapai County, in the Territory of Arizona, about about one mile in a N.E. direction from the Setting Bull Mining Claim, a patented mine and joins the Buffalo on the east.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at the discovery monument (at which this notice is posted), being in the center of the west end line of said claim; thence N. 27° W. 300 feet to a mon. being the N.W. corner of said claim; thence N. 45° E. 1500 feet to a mon. being at the N.E. corner of said claim; thence S. 27° E. 300 feet to a mon. at the center of the east end of said claim; thence S. 27° E. 500 feet to a mon. being at the S.E. corner of said claim; thence S. 45° W. 1500 feet to a mon. at the S.W. corner of said claim; thence N. 27° W. 300 feet to the place of beginning.

All done under the provisions of Chapter Six of title XXXII of the Revised Statutes of the United States and of an Act of the General Assembly of Arizona entitled "An Act Concerning Mines", approved March 20th, 1895 and amended March 2nd, 1899.

This is an amended location notice of the Line Cap No. 1 Mining Claim, located by Wm. Christman et al on the 10th day of January, 1903 and recorded in Book 39 of Records of Mines, at Page 339 in the office of the County Recorder of the aforesaid County of Yavapai to which reference is hereby made and this amended location notice is made and posted to correct errors in the description in the said original location notice.

Dated and posted on the ground this 22th day of August, 1904.

Buffalo Line Cap Mining Company,
By Mark Bradley, Agt.

Recorded at request of Mark Bradley, Aug. 25", A.D.1904, at 9:00 o'clock A.M. in Book "0 of Mines, pages 349 - 350, Records of Yavapai County, Arizona.

(Seal)

P.J.Parley,
County Recorder.

By P.J.Kochane,
Deputy.

"Lime Cap No.2"Amended Notice of Mining Location.
Lode Claim.

To all whom it may concern: This mining claim, the name of which is the Lime Cap No.2 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Buffalo Lime Cap Mining Company, the undersigned, on the 28th day of August, 1904.

The length of this claim is 1500 feet and it claims 1500 feet in a northerly direction from the center of the discovery monument, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the south to the north.

The claim is situated and located in the Cherry Creek Mining District, in Yavapai County, in the Territory of Arizona, about 1½ miles in a N.E. direction from the Sitting Bull Mining Claim, a patented mine and joins the Lime Cap #1 on the east.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at the discovery monument (at which this notice is posted) being in the center of the south end line of said claim; thence N. 78° W. 300 feet to a mon. being the S.W. corner of said claim; thence N. 12° E. 1500 feet to a mon. being at the N. W. corner of said claim; thence S. 78° E. 300 feet to a mon. at the center of the north end of said claim; thence S. 78° E. 300 feet to a mon. being at the N.E. corner of said claim; thence S. 12° W. 1500 feet to a mon. at the S.E. corner of said claim; thence N. 78° W. 300 feet to the place of beginning.

All done under the provisions of Chapter Six of title XXXII of the Revised Statutes of the United States and of an act of the General Assembly of Arizona, entitled "An Act Concerning Mines", approved March 20th, 1895 and amended March 2nd, 1899.

This is an amended location notice of the Lime Cap No.2 Mining Claim, located by Wm. Christman et al on the 11th day of January, 1903 and recorded in Book 69 of Records of Mines, at Page 340 in the office of the County Recorder of the aforesaid County of Yavapai to which reference is hereby made and this amended location notice is made and posted to correct errors in the description in the said original location notice.

Dated and posted on the ground this 28th day of August, 1904.
Buffalo Lime Cap Mining Company,
By Mark Bradley, Agt.

Recorded at request of Mark Bradley, Aug. 28", A.D.1904, at 9:00 o'clock A.M. in Book 70 of Mines, pages 350 - 352, Records of Yavapai County, Arizona.

(Seal)

P.J.Farley,
County Recorder.By P.J.Keohane,
Deputy.

"Line Cap No. 3".

Notice of Mining Location.
Lode Claim.

To all whom it may concern; This mining claim, the name of which is the Line Cap No. 3 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Buffalo Line Cap Mining Company, by Mark Bradley, Agt. all are citizens of the U.S. the undersigned, on the 17th day of July, 1904.

The length of this claim is 1500 feet and it claims 1500 feet in a northerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim.

The general course of the lode deposit and premises is from the northerly to the southerly.

The claim is situated and located in the Cherry Creek Mining District, in Yavapai County, in the Territory of Arizona, about 2 miles in a north easterly direction from the Sitting Bull Mining Claim, a patented mine and joins the Line Cap Mining Claim No. 2 on the N. east.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at the discovery shaft (at which this notice is posted) being in the center of the S. end line of said claim; thence 300 feet to a mon. being the N.W. corner of said claim; thence 1500 feet to a mon. being at the N.E. corner of said claim; thence 300 feet to a mon. at the center of the north end of said claim; thence 300 feet to a mon. being at the S.E. corner of said claim; thence 1500 feet to a mon. at the S.W. corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six of title XXXII of the Revised Statute of the United States and of an act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the laws of the Territory of Arizona", approved March 16, 1901.

Dated and posted on the ground this 17th day of July, 1904.

Buffalo Line Cap Mining Co.,

By Mark Bradley, Agt.

Filed and recorded at request of Mark Bradley, Aug. 25th, A.D. 1904, at 9:00 o'clock A.M. ~~in~~ Book 72 of Mines, page 201, Records of Yavapai County, Arizona.

(Seal)

P. J. Farley,
County Recorder.

By M. B. Farley,
Deputy Recorder.

"Fraction".Amended Notice of Mining Location.
Lode Claim.

To all whom it may concern: This mining claim, the name of which is the Fraction Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Buffalo Line Gap Mining Company, the undersigned, on the 22th day of August, 1904.

The length of this claim is 750 feet and it claims 750 feet in a N.E. direction from the center of the discovery monument at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the S.W. to the N.E.

The claim is situated and located in the Cherry Creek Mining District, in Yavapai County, in the Territory of Arizona, about 2 mile in a northerly direction from the Sitting Bull Mining Claim, a patented mine and joins the Buffalo on the east.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at the discovery monument (at which this notice is posted) being in the center of the west end line of said claim; thence N. 27° W. 300 feet to a mon. being the N.W. corner of said claim; thence N. 53° E. 750 feet to a mon. being at the N.E. corner of said claim; thence S. 27° E. 300 feet to a mon. at the center of the east end of said claim; thence S. 27° E. 300 feet to a mon. being at the S.E. corner of said claim; thence S. 53° W. 750 feet to a mon. at the S.W. corner of said claim; thence E. 27° W. 300 feet to the place of beginning.

All done under the provisions of Chapter Six of title XXXII of the Revised Statutes of the United States and of an act of the General Assembly of Arizona, entitled "An Act Concerning Mines", approved March 19th, 1899 and amended March 2nd, 1899.

This is an amended location notice of the Fraction Mining Claim, located by Wm. Christman et al on the 8th day of July, 1903 and recorded in Book 69 of Records of Mines, at page 343 in the office of the County Recorder of the aforesaid County of Yavapai to which reference is hereby made and this amended location notice is made and posted to correct errors in the description in the said original location notice.

Dated and posted on the ground this 22th day of August, 1904.

Buffalo Line Gap Mining Company,
By Mark Bradley, Agt.

Recorded at request of Mark Bradley, Aug. 25th, A.D. 1904, at 9:00 o'clock A.M. in Book 70 of Mines, pages 356 - 357, Records of Yavapai County, Arizona.

P. J. Farley,
County Recorder.

(Seal)

By P. J. Keohane,
Deputy.

"Buffalo".

Amended Notice of Mining Location.
Lode Claim.

To all whom it may concern: This mining claim, the name of which is the Buffalo Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Buffalo Lime Cap Mining Company, the undersigned, on the 22th day of August, 1904.

The length of this claim is 1500 feet and it claims 1500 feet in a N.E. direction from the center of the discovery monument at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds on each side of the center of said claim. The general course of the lode deposit and premises is from the S.W. to the N.E.

The claim is situated and located in the Cherry Creek Mining District, in Yavapai County, in the Territory of Arizona about 2 mile in a northerly direction from the Sitting Bull Mining Claim, a patented mine.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at the discovery monument (at which this notice is posted), being in the center of the west end line of said claim; thence N. 27° W. 300 feet to a mon. being the N.W. corner of said claim; thence N. 63° E. 1500 feet to a mon. being at the N. E. corner of said claim; thence S. 27° E. 300 feet to a mon. at the center of the east end of said claim; thence S. 27° E. 300 feet to a mon. being at the S.E. corner of said claim; thence S. 63° W. 1500 feet to a mon. at the S.W. corner of said claim; thence N. 27° W. 300 feet to the place of beginning.

Statutes of the United States All done under the provisions of Chapter Six of title XXXII of the Revised Statutes and of an Act of the General Assembly of Arizona entitled "An Act Concerning Mines" approved March 20th, 1896 and amended March 2nd, 1899.

This is an amended location notice of the Buffalo Mining Claim located by Maud Allen, located on the 2 day of January, 1902 and recorded in Book 47 of Records of Mines at page 195 in the office of the County Recorder of the aforesaid County of Yavapai to which reference is hereby made and this amended location notice is made and posted to correct errors in the description in the said original location notice.

Dated and posted on the ground this 22th day of August, 1904.

Buffalo Lime Cap Mining Company,
By Mark Bradley, Agt.

Recorded at request of Mark Bradley, Aug. 25th, A.D. 1904, at 9:00 o'clock A.M. in Book 70 of Mines, pages 352 - 354, Records of Yavapai County, Arizona.

(Seal)
By P.J. Keohane,
Deputy.

P.J. Farley,
County Recorder.

Territory of Arizona, }
 County of Yavapai, } ss.

I, P.J.Farley, County Recorder in and for the County of Yavapai, Territory of Arizona and custodian of the records thereof, do hereby certify that I have compared the within and foregoing with and the same are full, true and correct copies of the notices of location of the following described mines or mining claims, situate, lying and being in the Cherry Creek Mining District, Yavapai County, Arizona Territory, to-wit:--

The "Andrea" Mine or Mining Claim, the notice of location whereof is of record in the office of the County Recorder of the County of Yavapai in Book 69 of Mines, page 341, Records of Yavapai County, Arizona:

The "Lima Cap No.1" Mine or Mining Claim, the amended notice of location whereof is of record in the office of the County Recorder of the County of Yavapai in Book 70 of Mines, pages 349 - 350, Records of Yavapai County, Arizona:

The "Lima Cap No.2" Mine or Mining Claim, the amended notice of location whereof is of record in the office of the County Recorder of the County of Yavapai in Book 70 of Mines, pages 350 - 352, Records of Yavapai County, Arizona:

The "Lima Cap No.3" Mine or Mining Claim, the notice of location whereof is of record in the office of the County Recorder of the County of Yavapai in Book 72 of Mines, page 361, Records of Yavapai County, Arizona:

The "Exaction" Mine or Mining Claim, the amended notice of location whereof is of record in the office of the County Recorder of the County of Yavapai in Book 70 of Mines, pages 356 - 357, Records of Yavapai County, Arizona:

The "Protector" Mine or Mining Claim, the amended notice of location whereof is of record in the office of the County Recorder of the County of Yavapai in Book 70 of Mines, pages 354 - 355, Records

of Yavapai County, Arizona:

The "Buffalo" Mine or Mining Claim, the amended notice of location whereof is of record in the office of the County Recorder of the County of Yavapai in Book 90 of Mines, pages 352 - 354, Records of Yavapai County, Arizona.

In Witness Whereof I have hereunto set my hand and affixed my official seal this the 27th day of December, A.D.1904.

R. J. Furler

County Recorder.



MAR. 6- 1905

"Protector"

Amended
Notice of Mining Location,
Lode Claim.

To all whom it may concern:

This mining claim, the name of which is the Protector Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Buffalo Line Cap Mining Company the undersigned, on the 22nd day of August 1904.

The length of this claim is 1500 feet and it claims 1500 feet in a N.W. direction from the center of the discovery monument, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the S.E. to the N.W.

The claim is situated and located in the Cherry Creek Mining District, in Yavapai County, in the Territory of Arizona, about 3/4 of a mile in a Northerly direction from Sitting Bull, a patented mine, and joint the Buffalo on the North.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at the discovery monument, (at which this notice is posted), being in the center of the East end line of said claim; thence N. 63° E. 300 feet to a mon. of stones, being the N.E. corner of said claim; thence N. 57° W. 1500 feet to a mon. of stones being at the W.W. corner of said claim; thence S. 63° W. 500 feet to a mon. of stones at the center of the West end of said claim; thence S. 63° W. 300 feet to a mon. of stones, being at the S.W. corner of said claim; thence S. 57° E. 1500 feet to a mon. of stones, at the S.E. corner of said claim; thence N. 63° E. 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines", approved March 20th 1898, and amended March 2nd, 1899.

This is an Amended Location Notice of the Amended Location of the Protector Mining Claim, Amended by Buffalo Line Cap Mining Company on the 22nd day of August 1904, and recorded in Book 70 of Records of Mines, at pages 354-355, in the office of the County Recorder of the aforesaid County of Yavapai, to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said Amended Location Notice, an error being made in the surface boundaries of said Protector Mine.

Dated and posted on the ground this 26th day of February 1905.

Buffalo Line Cap Mining Company


By H.T. Andrews
Att'y. for Company.

Recorded at request of J.J. Fisher, Mar. 4th A.D. 1905 at 9.55 o'clock A.M., in Book 70 of Mines, pages _____ Records of Yavapai County, Arizona.

(Seal)

Roland Mosher
County Recorder.

By _____
Deputy.



Territory of Arizona,)
) ss.
County of Yavapai)

I, Roland Mosher, County Recorder in and for the County of Yavapai, Territory of Arizona and custodian of the records thereof do hereby certify that I have compared the within and foregoing with and the same is a full, true and correct copy of the Amended Notice of Location on the "PROTECTOR" Mining Claim, as the same appears from the records of my office in Book 70 of Mines, pages _____, Records of Yavapai County, Arizona.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal this 4th day of March A.D. 1905.

Roland Mosher
County Recorder.



4-687.

**SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD
NOTES AND SURVEY OF MINING CLAIM.**

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona.

Jan 15, 1905

I, U. S. Surveyor-General for the district of Arizona.

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of Buffalo Lime Cap Mining Company.

known as the Andrea, Fraction, Buffalo, Protector, Lime Cap No.1, Lime Cap No.2, Lime Cap No.3, situate in Cherry Creek, Mining District, Yavapai County, Arizona.

in Section ADDFOX, Township No. 15 N., Range No. 3 E.

, designated as Survey No. 2011

executed by J. J. Fisher, U. S. Deputy Mineral

Surveyor, Feb. 25th - Mch. 8th 1905, 1905, under my instructions dated

Dec. 29, 1904 and March 5th 1905, 1905, have been critically examined and the necessary cor-

rections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. A true copy of the copy of the location certificate filed by the applicant for survey is included in the field notes.

Frank J. Longwell

U. S. Surveyor-General for Arizona.

