FEB 23 1905

find 1-year. To

(4-683.)

Mineral Survey No. 2023

Lot No.
*
 Puscot Land District.

FIELD NOTES

KNOWN AS THE

Consisted Morry

Country

Sedep 2/23/05

Stand Canon.
Ariz.

PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

W JA J	terse M. It Lockridge
evel the chain upon even an the same; that we will repor that we assist in measuring,	vill well and faithfully execute the duties of chain carriers; that we will d uneven ground and plumb the tally-pins, either by sticking or dropping of the true distance to all notable objects, and the true length of all lines to the best of the skill and ability, and in accordance with instructions
iven as, in the survey of the	e Mining Claim of R. H. Cameron
many on the Cake	Horn
known as the	
situate in	mining district
Coconino	County, Arysna,
n Section 23, Towns	ship No. 31 M., Range No. 2 5.
80	J. Herst Champan
	W. St. Lockridge, Chainman.
	Subscribed and sworn to by the above-named persons before me this
	1 st. long February 100/
50.	James m. Toulde my commission spires ma
	James m. Toulde
	my commission office
I,	do solemnly swear that I will well and truly
	, in the establishment of corners and other duties, according to instruc-
	best of my skill and ability, in the survey of the Mining Claim of
nore fully described in the p	receding affidavit, Axman.
	Subscribed and sworn to by the said
	before me thisday of
	, 190
	, 1
-111110	buido
	kridge, do solemnly swear that I will well and truly
	e, in the establishment of corners and other duties, according to instruc- best of my skill and ability, in the survey of the Mining Claim of
-	10
nown as the Cape	Horn
ore fully described in the pr	eceding affidavit.
	W. St. Lockridge, Flagman.
	W. S. Lockeridge, Flagman. Subscribed and sworn to by the said with Locking
	, ~
Ă.	James m. Joulding' notary Public
12	Day of the same of
41745-2006-00	James mondeing
4114b3m6-02	notary Puble

Survey No. 2023.

Cape Horn Loie,

Beginning at cor. No. 1, iden. with cor. of loc.

a pine post 5 ft. long 4 ins. diam. set in mon. of
stenes 2 ft. base, 2 ft. high. marked S. E. cor.

C. H. M. C.

Set a sand stone 24 x 12 x 6 ins. 18 ins. in ground, marked C. H. 1-2028.

A pinon 14 ins. diam. brs. N. 15° E. 9.8 ft. marked B. T. C. H. 1-2028.

A pinon 8 ins. diwa.brs. S. 84° 30° W. 21.8 ft. marked B. T. C. H. 1-2023.

1/4 sec. cor. bet. secs 23 & 24 T. St N. r. 3 E. brs. N. 59° 47° E. 780.4 ft.

Theree N. 82° 24' W.

var. 14° E.

1500

To cor. No. 2, iden. with cor. of location, a pine post 6 ft. long 4 ins. diam. set in a mon. of stones
3x3 ft.marked S. W. Cor. C. H. M. C.

A lime stone 18 x 12 x8 ins. 12 ins. in ground, marked C. H. 2-2028, same stone marked G. E. 1-2022.

A pinon 8 ins. diam. brs. N. 49° 56° E. 47.1 ft.

marked B. T. C. H. 2-2023.

Thence N. 20° 02° E

Var. 14° E.

300

To W. E. C. loc. mon. a pine post 5 ft. long, 4 ins. diam. set in mon. of stones 2 ft. base, 2 ft. high. marked W. C. E. C. H. M. C.

To cor. No. 3, whence loc. cor. brs. N. 20°02° E. 6.5°

A pine post 4ft, long 4 ins. diam.set in mon. of

Feet.

Survey No. 2023.

stones, 2x2 ft. marked N. W. cor. C. H. M. C.

Set a lime stone 13 x 12 x 6 ins. 12 ins. in ground, marked C. H. 3-2023, same stone marked G. E. 6-2022.

A pinon 6 ins. diam. brs. S. 87° 30° W. 11.4 ft. marked B. T. G. E. 6-2022.

A pinon 10 ins. diam. brs. S. 21° 05' W. 21.7 ft. marked B. T. G. E. 6-2022.

Thence S. 82° 24° E.

Var. 14° E.

1500

To cor. No. 4, iden. with loc. cor. a pine post 4.5 ft. long, 4 ins. diam. set in a mon. of stones 3x2 ft. marked N. E. cor. C. H. M. C.

Cut a X on a rock in place 12 x 15 ins. level with the ground, marked C. H. 4-2023.

A pinon 4 ins. diam. brs. S. 20° E. 11.7 ft. marked B. T. C. H. 4-2023.

A pinon 8 ins. diam. brs. N. 71° 40° E. 31 ft. marked B. T. C. H. 4-2023.

Thence S. 20° 02° W.

Var. 140 H.

300

To E. C. E. loc. mon. a pine post 4 ft. long, 4 ins. diam. set in a mon. of stones 2x2 ft. marked E. C. E. C. H. M. C.

600

To cor. No. 1, the place of beginning survey of exterior boundaries.

AREA

Cape Horn lode

20.176 acres.

Survey No. 2023.

LOCATION.

This claim is located in sec. 23 T. 31 N. R. 2 E. in unorganized mining district, Coconino County, Ariz. and is bounded on the west by Golden Eagle lode, Sur. No. 2022.

VEIN.

Cape Horn Vein extends from the W. C. End S. 82° 24' E. 1500ft. to the E. C. End.

I certify that the value of the labor and improvements upon this claim, placed thereon by the claimant and his granters, is less than five hundred tellars, and that said improvements consist of:-

Dis. cut No. 1, which brs. from W. C. End S. 84° 04° E. 245 ft. Cut 4 x10 ft. 10 ft. face.

Value \$100.00

Cut No. 2, which brs. from W. C. EndN. 80° 48' E. 414 ft. Cut 4 x 20 ft. 9 foot face.

Value

\$100.00

Cut No. 3, at W. C. End. Cut 4 x 6 ft. 6 ft. face.

From Cor. No. 2. Black Smith shop bis. N. 550 490E. 260 ff.

INSTRUMENT.

This survey was made with a Young & Sors Light Mt.

Solar Transit. The courses were deflected from the true meridian as determined by direct solar observations. The distances were measured with 50 ft. & 100 ft. steel tapes.

Prescott Arizona. Peb. 18th. 1905 John A. Kesse U. S. D. M. S.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

Λ list of the names of the individuals emp	loyed by John 4. Hesse
	ist in running, measuring, and marking the lines
	ing field notes of the survey of the mining claim
of A. H. Cameron	
known as the Cafe Horse	
and showing the respective capacities in which	
	A Kesse
9	W. W. Rockridge, Chainman.
	W. W. hockruge, Chainman.
•	, Axman.
	W. H. Lockridge, Fiagman.
FINAL OATHS	OF ASSISTANTS.
Wo I Kesse	
w. N. Lockridge do so	lemnly swear that we assisted John (4)
	uty Mineral Surveyor, in marking the corners and
surveying the boundaries of the mining claim	and the corners and
surveying the boundaries of the mining claim	of M. St. Curreto is
	, known as the Cape Form
	, represented
in the foregoing field notes as having been surv	reyed by said deputy mineral surveyor and under
his direction; and that said survey has been i	n all respects, to the best of the knowledge and
belief, faithfully and correctly executed, and t	he corner and boundary monuments established
according to law and the instructions furnis	hed by the United States Surveyor-General for
	hed by the United States Surveyor-General for
anjona	
anjona	
anjona	
anjona	
anjona	Messe, Chainman. No Lockridge, Chainman. , Axman. M. Lockridge, Flagman.
Anyona Subscribed and s	

my conmission expires may 17. 1908

n 6---167

FINAL OATH OF U.S. DEPUTY MINERAL SURVEYOR

I, John D Wesse, U. S. Deputy Mineral
Surveyor, do solemnly swear that, in pursuance of instructions received from the United
States Surveyor General for Congoura, dated January 30 1905, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of Q. N. Cameron
Situate in situate in situate in section Coconico County, Congrue in Section 2.3 , Township No. 3/ 20. , Range No. 2 6
situate in unorganized Mining District,
Coconino County, arizona, in Section
2.3 , Township No. 3/ 20., Range No. 25.
and designated as Survey No. 2023, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or his grantors
are as therein fully stated, and that the character, extent, location and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
John I Hesse
l'. S. Deputy Mineral Surveyor.
Subscribed and sworn to by the said John F Dfesse U. S. Deputy Mineral Surveyor, before me a notary Public in and for the County of Coconino this 6 th. day of February 1,905.
U. S. Deputy Mineral Surveyor, before me a notary Public
in and for the Country of Coconino this & th.
day of February 8 1,905.
James M. Goulding
- John as Incrovating

8

Amended Location Certificate.

Territory of Arizona :

SS

County of Coconino

Know all men by these presents:

That Ralph H. Cameron, the undersigned have this 23rd day of February, 1904, amended located and claimed and by these presents do amend, locate and claim by right of discovery and amended location in compliance with the mining acts of Congress approved May 10th, 1872, and all subsequent acts and with paragraph 3238 of the Revised Statutes of Arizona, of 1901, and with local customs, laws and regulations, fifteen hundred linear feet and horizontal measurements. on the Cape Horn lode, vein, ledge or deposit, along the wein thereof with all its dips angles and variations as allowed by law together with 300 feet on each side of the middle of said vein at the surface of ar as can be determined from present developments and all veins, lodes, ledges or deposits and surface ground within the lines of said claim 1500 feet running S 82°24′E from center of discovery shaft and 750 feet running from center of discovery, said discovery shaft being situate upon said lode, vein, ledge or deposit and within the lines of said claim in Francis Mining District, County of Coconino and Territory of Arizona described by metes and bounds as follows, towit: Beginning at the S.E. cor. of cluim from which the 1/4 sec. cor. bet. secs. 23 and 24 Tp. 31, N. Rg. 2 E. of the C. & S. R. Meridian, bears N. 79°39′E. 584 feet dist. running thence N. 82°24′W. I500 ft.: thence N. 20°02′E. 600 ft.; thence S. 82°34′E., I500 ft.; thence S. 20°02′W.
600 feet to the phace of beginning. This being the same lode orignally located on the 10th day of April 1902, and recorded on the 10th day of July, 1902, in Book 4 of mines, page 106, in office of Recorder of Coconino County. This further and amended Certificate of Location is made without waiver of any previously acquired rights, but for the purpose of correcting any errors in the original location, description or record.

Said claim was discovered the Ioth of April A.D. 1902. Date of amended location Feby, 23rd, 1904.
R.H. Cameron.

Recorded at request of R.H.Cameron, March 5th, I904, at 9 o'clock A.M. in Book 5 of mines, at page 363.

H.C. Hibben, County Recorder.

000000000000000000000000

9

0000000000000000000000000

Territory of Arizona, : ss,

County of Coconino

I, H.C.Hibben, County Recorder in and for the County Office, Territory of Arizona, and custodian of the records of said office, do hereby certify that the foregoing one page is a full, true correct and complete copy of the Amended Notice of location, of the Cape Horn Lode Mining claim, as the same appears of record in my said office in Book 5 of mines at page 363, Records of Coconino County, Arizona.

In witness whereof I have hereunto set my hand and affixed my officail sea this 27th day of January, A.D. 1905.

County Recorder, Coconino County, Arizona Territory.



00000000000000000000000000

4-687.

SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U.S. Surveyor-General,

	Phoenix, Arizona.
w w	April 8 , 1905
I, U.S. Surveyor-General for the dist	rict of Arizona.
do hereby certify that the foregoing and hereto attac	hed Field Notes and Return of the Survey of the
Mining Claim of R. H. Cameron,	
	, known as the
Cape Horn,	
situate in Unorga	nized, Mining District,
CoconinoCounty	, Arizona.
in Section, Township No	31 N., Range No. 2 E.
, designated as Survey No	2023
executed by John F. Hesse,	, U. S. Deputy Mineral
Surveyor, Feb. 3rd to 6th 1905	•, 190, under my instructions dated
Jan. 30th 1905. , 190, hav	e been critically examined and the necessary cor-
rections and explanations made, and the said Field	Notes and Return, and the Survey they describe,
are hereby approved. A true copy of the copy of t	he location certificate filed by the applicant. for
survey is included in the field notes.	7
Tha .	ut Dispaces
U.	S. Surveyor-General for Arizona.

7360b5m3-03

Report of improvements made upon Cape Horn lode claim including work done after the survey.

I certify that the value of the labor and improvements upon the Cape Hern lode, placed thereon by the claimant or his granters, is not less than five hundred dellars (\$500.00), and that said improvements were made prior to the expiration of the period of publication, to wit July 29,1905, and consist of:

No. 1, Discovery cut which brs. from W.C.end, S. 84° 04° E. 245 ft., cut $4 \times 10 \times 10$ ft.

Value-----\$100.00

No. 2.Cut, which brs. from W.C. end, N. 80° 48' E.

414 ft., cut 4 x 20 9 ft. face. Value-----\$100.00

Ho. 3.-

Cut, at W.C. end, cut 4 x 6 x 6 ft. face.

Value-----\$50.00

These three improvements were reported at time of survey

No. 5.Shaft, which brs. from W.C. end, S. 62° 45' E.
256 ft. dist., shaft 4 x 6 x 18 ft. deep.

Total value of improvements on this claim-\$940.00

Other Improvements.

From a point on line 1-2, at S. 82° 24' E. 625 ft. from cor. No. 2.The S. W. cor. of log building, Cameron's Hotel,

30 x 34 ft., brs. N. 53° 30' W. 229 ft. dist.

The S. W. cor. of frame building, 43 x 15 ft., Cameron's dining-room and kitchen, brs. N. 27° 35' W. 343 ft.

S.W. cor. of frame building, 25 x 15 ft. brs. N. 17° 30'W.

S.E. cor. frame house, 14×16 ft. brs. N. 4° 40' E. 267 ft. dist.

S.W. cor. of frame building, 36 x 182 ft. E. & W. with L running south from center 38 x 110 ft., brs. 8°
43' E. 390 ft. dist. known as D.A. Notel.

N.W. cor. of B.A.Hetel, 136 x 65 ft. brs. N. 42° E. 409 ft.dist.

N. ". cor. of barn, 130 x 58 ft. brs. N. 50° E. 176 ft. S.E. cor. of barn, 50 x 64 ft., brs. N. 49° 14' E. 126 ft. dist.

H.W. cor. of shed, 14 x 14 ft. brs. N. 81. 20° E.
103 ft. dist.

All of the foregoing buildings were on the claim at time of survey, but were not reported for the reason that I thought it my duty to report only the improvements of a mining character. I have since been correctly informed by the Surveyor General.

Phoenix, Arizona.

July 22,1905.

John G. Hesse

U. S. Dep. Min'l. Surveyor

Affidavit of Five Hundred Dollars Improvements.

We, L. Ferralland, R. J. Barton
of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the
Pape 3 Form mining claim, situate in unorganized
mining district, Cocours County, Arizona Territory, for which
Q. H. Cameron
ha. A. made application for survey prior to application for patent under the provisions of the Act of Congress
approved May 10, 1872; and that the labor done and improvements made thereon by the applicant and
first grantor. s. exceed five hundred dollars in value, and further that we are not personally interested
I Ferral Janon
TERRITORY OF ARIZONA, COUNTY OF Sworn to and subscribed before me this day
[SEAL.] of feely, 1905 11786b400-2-04 rmy Common Expire afil 28-1901


Certificate of U. S. Surveyor General

AS TO

EXPENDITURES REPORTED AFTER RETURN OF SURVEY OF MINING CLAIM-

I, U.S. Surveyor General for the district of Arizona,
do hereby certify that Five Hundred Dollars' worth of labor has been expended or
improvements made by claimant or his grantors, upon the mining claim of R. H. Cameron,
known as the Cape Horn,
situate inmining district,
CoconinoCounty, Arizona.
in Section , Township No. , Range No. ;
that said improvements consist of No.1, Discovery Cut, value, \$100.
No. 2, Cut, value, \$100. No. 3, Cut, value \$50. No.4, Tunnel,
value \$510. No. 5, 3haft, value \$180. Total value of improvements,
\$940,00 Other improvements consisting of houses etc.
, and that no portion of said labor or improvements has been
included in the estimate of expenditures upon any other claim. A copy of the report of
John F. Hosse, U.S. Deputy Mineral Surveyor, dated
<u>July 32, 1905.</u> , is hereto attached.
Frank Singress
U. S. Surveyor General for Artizona.
Office of U. S. Surveyor General,
Phoenix, Arizona.
July 26, 1905. 1

o 2—178



SURVEYED Jeb. 3-6-,05 by J. J. Hesse U.S. Dep. MIN. SURVEYOR.