Gr print 1/2/05-

(4-683.)

Mineral Survey No. 2018

Lot No.

Land District.

FIELD NOTES

KNOWN AS THE

KNOWN AS THE

KNOWN AS THE

Mining District,

Cochiese County, Augura

Section Office matty. Township 23 S. Range 30 S. S. Surveyed under instructions dated They 3 I 1905

by Learkey 26. Surveyor

Claim located Surveyor

Claim located Surveyor

Survey commenced They 3 I 1905

Survey commenced They 3 I 1905

Survey completed They 3 I 1906

Survey completed They 3 I 1906

Post office address of Claimanto attorney Bishee, bothise bounty anyong

Tie OK. and EK Ledy OK J.M.O. Bonnell.

to Mc. atam.

Beginning at Cor.No.1 the E cor. identical with location and with Cor.No4.No.7 lode, Survey No.1979 a pine post 4 ft long 4 ins sq set 1 ft in the ground in a mound of stones and scribed 1-2048 No.6 L whence a pine post of same difference and scribed W. C. 1-2048 brs. S. 52° 13' W. 50 ft and a second pine post of same dimensions and scribing brs. N. 52° 13' W. 50 ft and NW cor Sec 30 Tp23 S R 25 E G & S R B & M brs S. 74° 05' E. 5741.1 ft.

Thence 8. 52° 13' ".

300.0 to original location for SE end center.

600.0 same bearing to Cor.No.2, the S & rner identical with location and with Gors.No.1,4 and 3 respectively of No.4 lode Survey No.2047, No.5 lode S rvey No.1918 and No.7 lode, Survey No.1979 a pine post 4 ft long 4 ins sq s t 1 ft in the ground ina mound of stones and scribed 2-2048 No.6 L whence a pine post of same dimensions and scribed 2-2048 M. C. brs. S. 52° 13' W.50 At and a second % pine post of same dimensions and scribing brs. N. 52° 13' E. 50 ft.

Thence N. 48° 15' W.

1485.8 along line 1-4 No.4 lode, Survey No.2047 to Cor.No.3, the Wear identical with location and with Cor.No.4 No.4 lode Survey No.2047, a pine post 4 ft long 4 ins sq set 1 ft in the ground in a mound of stones and scribed 2048-3 No.6 L whence a pine post of same dimensions and scribed W. C. 3-2048 brs. N. 52° 13' E. 50 ft and a second pine post of same dimensions and scribing brs. S.

Thence N. 52° 13' E.

300.0 to original location for My end center

same bearing to Cor.No 4 the H cor, identical with location, a pine post 4 ft long 4 ins sq set 1 ft int the ground in a mound of stones and semi bed 4-2048

whence a pine post of same dimensions and scribed ". C. 2048-4 brs N. 52° 13' E 50 ft., and a second pine post of same dimensions and scribing brs. S. 52° 13 ! W. 50 ft. Thence S. 48° 15' E. 1485.8 to Cor. No. 1 the place of beginning. Led e. The presumed course of the vein on this claim is from the NW E C location 8. 48° 52 E. 1485.8 ft. oalue of the labor and

The improvements placed upon this labor and placed upon this laim by claimant and his grantors is not less than \$500 and that said improvements consist of: Discovery shaft 6x7x10 ft benter or the HW side of No.1 which brs from the NW end center of location 6.45°10'E 310 ft., Value \$110.00 shaft 4x7x10 ft center of H side of which brs from N" No.2 E C location S. 09° 30' E. 210 ft, Value Open Cut 4x8x30 ft and tunnel 5x6x15 ft course No.3S.18°22'E.center of mouth of open out brs. from Jor.No.4 8.18° 22'B.490 ft., Vale 300,00 No.4 Shart 6\$5 x 7x12 center of NW side of which bra from HW E C location S 44°50'E.530 ft., Value 150.00 Total improvements on No.6 lode \$660 AREA. Total and net are Mo.6 lode, 20.125 acres. -121 ADJOINING CLAIMS . unsurveyed ptop NW. Oversight lode, A.T. Sowle, owner, Suaqui Grande lode, unsurveyed, Jos.G. McCabe, et al owners NE Mendota lode, unsurveyed, Jos.G. McCabe, et al owners. Alpha lode, unsurwyed, Geo. Henninger et al orners. Kreimeier Eureka lode unsurveyed, Henry Kreindier, owner. SE No.7 lode Survey Ho.1979 and No.5 lode Survey Ho.1978

Jacob Pirrung et al owners.

No.4 lode, Survey No. 2047 owned by applicantherein.

SW

LOCATION.

This claim is Executed about 3 mi in an E direction from the City of Bisbes on unsurveyed lands in the Warren Mining District, Cochise County, Arizona, approximately in to 23 S R 24 E G & S R B & M.

INSTRUMENT.

1485.8

This survey was made with a : L. Berger & Sons No.1 C transit. the courses were deflected from the true meridian as determined by a solar observation, checked by anobservation on Polaris. The distances were measured with a 300 ft steel tape. Magnetic variation 12° 30'E.

Jantlin W South

U.S. Deputy Mineral Surveyor.

Dated at Bisbee, Arizona, May 5,1905.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

	9	al 8 el
Λ list of the names of the individuals emp		
United States Deputy Mineral Surveyor, to ass	ist in running, measuring,	and marking the lines
corners and boundaries described in the forego	<u> </u>	
of Hoval a Smith, JOD	Convey at	7
known as the		***************************************
and showing the respective capacities in which	they acted.	
	Blos	Chainman
	Per Hill	, Chainman. , Chainman.
		, Axman.
		, Flagman.
	(· ·
FINAL OATHS	OF ASSISTANTS.	
al Andrews		
	lemnly swear that we assis	
M. Joneth, United States Dep		narking the corners and
surveying the boundaries of the mining claim	of Hovally	th.
A Most torbee Valy		
	, known as the	
Noko -		, represented
in the foregoing field notes as having been surv	veyed by said deputy mine	ral surveyor and under
his direction; and that said survey has been i	n all respects, to the best	of our knowledge and
belief, faithfully and correctly executed, and t	the corner and boundary	monuments established
according to law and the instructions furnis	shed by the United States	s Surveyor-General for
Gizana		
	T.W.ST Heter Ch	ory Chainman.
	Teter Ch	iale, Chainman.
	***************************************	, Axman .
. C. 1 1 1		, Flagman.
Subscribed and s	swogn to by the above-nar	ned persons before me
Subscribed and s		ned persons before me

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I. Franklin W. Smith , U. S. Deputy Mineral
Surveyor, do solemnly swear that, in pursuance of instructions received from the United
States Surveyor General for Aizona, dated
Thay 3 rd, 1905, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of House 9 Smith
, known as the
not ,
situate in Mining District,
County, augma, in Section approx. Township No. 23 S, Range No. 246 St.
appear, Township No. 23 S, Range No. 246 818 100 100
and designated as Survey No. 2048, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or grantors
are as therein fully stated, and that the character, extent, location and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
of expenditures upon any other traini.
Lacable When it
l'. S. Deputy Mineral Surveyor.
y that 2 spring 22 mental conjugate
Subscribed and sworn to by the said Tranklin 2. Smith
U. S. Deputy Mineral Surveyor, before me
this
day of Thay 1,905.
1, 900
CoroESmith

Affidavit of Five Hundred Dollars Improvements.

We Allow	and Peter Chiado
	ording to law, depose and say: That we are acquainted with the
Noc	mining claim, situate in Mariew
1	County, Arizona Territory, for which Avoal achie
try Millound on	7
ha	application for patent under the provisions of the Act of Congress
	or done and improvements made thereon by the applicant and ed dollars in value, and further that we are not personally interested
in said mine.	Peter Chiado
TERRITORY OF ARIZONA, COUNTY OF COUNTY OF	Sworn to and subscribed before me thisday
[SEAL.]	of May 1900
. 11786b400-2-04	Dona For D'OTANY PURE
	The state of Altabu

ARRINDED LOCATION MOVICE.

The undersigned, Roval A. Ordin, Robert J. But sheson, Wh. Wi-ward and John Ayleard, being the present of next of the Co.(6) winin chain, in the Warren Edmin, Pastalet, Scaline County, Arizona Territory, of thich the original location notice in recorded in the order of the recorder of mark county, in book 20, or decorded of kines, at page 110, do hereby award maid ordein I notice fillows waiving any rights, so that the same of it was a rollows:

TO und whom it may denoewn:

This mining elein, the reme of thich is de.(6) mining it is, situate on lands belonging to the United States of Incolar, more and in which there are valuable miner I appoint a marker upon and located for the purpose of exploration are impulsed by Jose Pirtung, Robert J. Hutcheson, the Aylvered and Jose Aylvered, as the 22 Met of Perember 1901, 200 1/28 Handed less from is the by the understanded as the 22 Met of Aylvered and Jose Aylvered, as the of the understanded as the 22 Met of International Aylvered and the state of the understanded as the 22 Met of the understanded as the state of the claim is Mould 1300 Rect and to the name of the claim is Mould 1300 Rect and to the name of the claim is Mould 1300 Rect and to the name of the claim is Mould 1300 Rect and to the name of the claim is Mould 1300 Rect and to the name of the claim is Mould 1300 Rect and to the name of the claim is Mould 1300 Rect and to the name of the claim is Mould 1300 Rect and to the continuous and the claim is Mould 1300 Rect and the state of the continuous and the claim is Mould 1300 Rect and the claim is the claim is the claim is the claim is the claim in the claim is the claim in the claim in the claim is the claim in the claim in the claim in the claim is the claim in the claim in the claim in the claim in the claim is the claim in the claim

Territory of Arizona, County of Cechise.

I, Frank Hare, County Recorder in and for said County, hereby vertify that I have compared the foregoing copy with the Amended Location Notice of the No (6) Mining Claim, filed and recorded in my office on the 25th day of April, 1905, in Book 25, at pages 336-8 Record of Mines, and that the same is a full, true and correct copy of such original and of the whole thereof.

Witness my hand and seal ofortice this 28th day of April, 1905.

County Recorder.

ARENDED LOCATION NOTICE.

The undersigned, Hovel A. Smith, Robert J. Mutcheson, Vn. (yi-ward and John Ayk and, being the present orners of the So.(6) minin claim, in the Warren Mining Edstrict, tooldies Gounty, Arizona Territory, of thick the original location notice is resorted in the original location notice in resorted in the original page 10, to hereby arend sait original notice ifficut valving any rights, so that the same of the same of the rollows:

TO all whom it may doncern:

This mining claim, the reace of his his No. (6) mining it for, nituate on lands belonging to the United States of States, and in which there are valuable kinear lands its amakes of the states of States, and located for the purpose of exploration and sometically decreased in the purpose of exploration and sometically of the 1901, 20 Mutcheson, What Ayrear and John Ayrear of the 1901 and the 22 Mutcheson is a second to the understanded on the 22 Mutcheson is a second to the understanded on the 22 Mutcheson is a second of the alain in six hundred form, being shape of the fact in a selection of the slaim in six hundred form, but the first of the state is a six hundred form, but the first of the slaim is form 1300 for its as the north of the claim is form 1300 for its matcheson is a second course of the claim in located in the value of the slaim in located in the value of the claim in the received of the claim in the received in the value of the claim in the received in the value of the claim in the received in the value of the claim in the received in the claim in the rece

on the southeast end by the No.(7), on the softwart and by the No.(4)_ on the northwest and by the Suagui Crante and Over light their Lains. and on the northeast side by the Suagui Grande in the northeast side by the Suagui Grande in the northeast side

The auxface boundaries of the of it. The set who is given as follows: Regiment at a 2 1 4 5000 late operate with the accumulation of the southernies of said claim; thence there herdred feet to the southernies of the southernies.

**Title XLVII of the Revised Statutes of Armona Territory.

Dited and posted on the proper this 22 ml day of April, 1905.

Aboval a Smith.

Vitness Franklin W. Smith.

4-687.

SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U.S. Surveyor-General,

	Phoenix, Arizona.
	June 2,4, 190 5
I, U.S. Surveyor-General for the d	istrict of Arizona.
do hereby certify that the foregoing and hereto	attached Field Notes and Return of the Survey of the
Mining Claim of Horal A. Smith,	
	, known as the
N	0.6,
situate in	Mining District,
CochiseCo	ounty, Arizona.
in Section approx. Township No.	23 S. Range No. 24 E. unsurveyed
, designated as Survey No	2048
executed by Franklin W. Smith,	, U.S. Deputy Mineral
Surveyor, May 5th to 7th 1905.	, 190, under my instructions dated
May 3rd 1905. , 190	, have been critically examined and the necessary cor-
rections and explanations made, and the said F	ield Notes and Return, and the Survey they describe,
are hereby approved. A true copy of the copy	of the location certificate filed by the applicant. for
survey is included in the field notes.	1
	U. S. Surveyor-General for Arizona.
	U. S. Surveyor-General for Arizona.

7360b5m3-03

owned by Hoval A. Smith and situated in the Warren Mining District, dochise County, Territory of Admona.

Improvements.

on this claim placed thereon by the claimant or his grantons is not less than \$500 and that sois inprovements were placed on the claim before the 12th day of July,1905, and prior to the expiration of the period of publication of the application for patent, and that said improvements are as follows:

- No.1 Discovery shaft 6x7x10 ft center of W sideof which bra from NW E C location S. 45° 10' 1. 310 ft., Value \$110.
- No.2 Shaft 4x7x10 ft. center of north side of which bro.

 from NV E d location S. 9° 30' H. 210 ft, Value \$\frac{9}{100}\$.
- No.3 Open Cut 4x8x30 it and tunnel 5x6x15 ft course 813° 22' go open cut at mouth of tunnel, center of mouth of open cut bra from Jor.No.4. S. 18° 22' E. 490 ft., Value 300.
- No.4 Shaft 6.5x7x12 ft center of No side of thick bra from No E C location S. 44° 50' E. 530 ft., Value 150.
- No.5 Shaft on led = 4x6x10 ft. bro from SU E G location H. 48° 15' W. 365 ft., Value, 100.00
- No.6 Shaft 4x6x10 ft on ledge, brs from S E Eclocation N
 48° 15' W. 628 ft., Value, 100.00

Total improvements on group,

860.00

rareklin Whenry

U. S. Deputy Mineral Surveyor.

Dated at Bisbes, Arigona,

August 20 1905.

Affidavit of Five Hundred Dollars Improvements.

Certificate of U.S. Surveyor General

AS TO

EXPENDITURES	REPORTED	AFTER	RETURN	OF	SURVEY	OF	MINING	CLAIM.

		×
I, U.S. Surveyor Genera	d for Dist.	of Arizona.
do hereby certify that Five H	Iundred Dollars	worth of labor has been expended or
improvements made by claims	ant or his	grantors, upon the mining claim of
	Hoval A. Sm	nith
••••		
known as the	No.6	···,
situate in	Warren	mining district,
Cochise	County,	Arizona
		, Range No;
that said improvements consi	ist of 5 shafts	s 1 cut and 1 tunnel, total
1		
***************************************	*******************************	
, an	ıd that no portion	of said labor or improvements has beer
included in the estimate of ex	penditures upon a	any other claim. A copy of the report o
Franklin W. Smith		, U.S. Deputy Mineral Surveyor, dated
August 20, 1905.		
	F	and A malles
	U. S. Surveyor	· General for Arizona
Office of U.S. Surveyor General		
Phoenix, Arizon	a,	is a second of the second of t
Sept. 12, 190	5. 1	

SURVEY NO. 2048 SCALE 200 FT = 1 IN Nº 6.

Sundand Crounde Crounde Crounde Crounde Crounded Crounde Crounded Crounded Crounded Crounded Crounded Crounded Crounded