defind by our 1

(4-683.)

Mineral Survey No. 2064

Lot No.

Land District. FIELD NOTES OF THE SURVEY OF THE MINING CLAIM OF Palo alto Gold Mining Co. i County, arizona 30 , Township 13 N , Range 1 E (unsurveyed) Surveyed under instructions dated April 26th, 1905, U. S. Deputy Mineral Surveyor Survey commenced April 275 Survey completed april 287 05, 1 o 6—160 Mr. J. W. Hubbard, Gen. Manager of Co.
Chaparal
Ariz

## PALO ALTO LODE. 149

	feet	÷0	.e.z	
		Beginning at cor. No.1	560.	
No.4	th dor.	Identical with the cor, of the location		
•		A granite stone 5 x 7 x 20 ins. set 9 ins. in the		
	elij i	ground to bed rock and chiseled 1 P A 2064, and raised a		
	10 .n	mon. of stone 2 ft. base by 2 ft. high around the c	or.	
		whence,		
		U. S. Min. Mon. No.1 at mouth of Ticonderega and Galena		
		gulches brs S. 780 11" W. 1262.97 ft.		
		No other bearings available.	730	
*		Thence N.57° 36' E.	1047	
	* T'80 M	Cross road brs S.W. and S.		
· insa.	663.13	Intersect line 2-3 of the Columbia lode, Survey 1	10.1878	
		F.L. Wright et al., claimants, at a point N. 30° 27'		
	FIGH. C.	149.95 ft. from Cor. No.3 which is a granite stone 6	x 12	
		ins. by 12 ins. above the ground, chiseled 3 C 1878	and	
•	edeH .	surrounded by a mon. of stones.		
	685.27			
	-	No.1176, John S. Jones claimant, at a point N. 22°		
		50.04 ft. from Cor. No.1 which is a granite stone 6		
		by 14 ins. above the ground, chiseled 1 I No.2 1176	308	
DATE	Ted me to	and surrounded by a mon. of stones.		
	1046.1			
		. Identical with the cor. of the location and with	-	
		No. 1 of the Sunol lode of this Survey. On line 1-2 Independent 7.2 Ende Surv. 7.1176	376	
		A granite stone 6 x 5 x 20 ins. set 8 ins. in		
		ground to bed rock and chiseled 2 P A 2064, with a	men.	
	. # ard	of stone 2 ft. base by 2 ft. high alongside.  Cor replied funder 1 2 feele bro, 5. 500 m 372.7 ft.  No bearings available.	499	
	• Od	verter , cool el sulo Thence S. 31° 30' E. Thence	.888.	
	260.5	To the North Center End		
		Identical with the location, and with the South	center	
		End of the Sunol.		
		'A mon. of stones 2 ft. base by 22 ft. high.		
•	413	cross Ticonderoga gulch 15 ft. wide, course E.	brs W.	

## SURVEY NO. 2064.

#### PALO ALTO LODE.

feet

560.5 To cor. No.3.

Identical with the cor. of the location and with cor. No.4

f.of . too to gninshes

JEBT.

of the Sunol lode of this Survey at the A

A granite stone 7 x 9 x 28 ins. set 12 ins. in the ground and chiseled 3 P A 2064, surrounded by a mon. of stones 2 ft. base by  $2\frac{1}{2}$  ft. high.

shels. The solo bearings available for the said . B. . B

. Thence S. 56° 6' W. To sedolin

720 Cross road, brs N.W. and S.E.

1047 To cor. No.4 7 07 1 00 000

Identical with the cor. of the location and with cor.

No.1 of the Ella lode, Survey No.1129, John S. Jones claimant.

. A granite stone 12 x 17 ins. by 20 ins. above the

ground, chiseled 4 P A. 2064, and surrounded by a mon. of

stones 2 ft. base by 21 ft. high.

Cor. No.1 of the New Year lode, Survey No.1499, H.K.

Behn claimant, brs S. 84° 25' E. 53 ft.

No other bearings available. . 3 mor . erif. e

one Bil i o proje ociast a pi Thence No. 319 30' W. ... 10.03

300 To the South Center End. et evodo .ent 41 to

Identical with the location and with the North Center End

To car Hages

The or we into

of the Ella lode!

A mon. of stones 2 ft. base by 21 ft. high.

376 Cor. No.4 of the Ella lode, Survey No.1129

A cross on granite ledge in place 5 ft. by 6 ft. by

stones 11 ft. base by 2 ft. high alongside.

498 Cross Ticonderoga gulch 12 ft. wide, course E. brs W.

536.6 Intersect line 3-4 of the columbia lode, Survey No.

1878, at a point 66° 6' W. 666.3 ft. from cor. No.3

1 588 Along To the place of beginning.

The variation at all the corners is 14° E.

Oress finoncero, a with 15 ft, wide, comes E, bra E

# PALO ALTO LODE.

feet

1180

Yavapai County, Arizona, on unsurveyed land in what would approximately be, if surveyed, Sec. 30, Tp. 13 N., R. 1 E., G. & S. R. M.

## Adjoining Claims.

On the North the Sunol lode of this Survey; on the East the Half Chance lode, unsurveyed, claimant unknown; on the South the Ella lode, Survey No.1129, John S. Jones claimant, and the Marion C. lode, unsurveyed, claimant unknown; on the West the Columbia, Survey No.1378, F. L. Wright et al. claimants, U. S. public land and the Independent No.2 lode, Survey No.1176, John S. Jones claimant.

A granite stonesges x 18 ins. set C ins. in the

The course and length of the ledge on the Palo Alto claim is from the S. C. E. N. 56° 6' E. 1047 ft. to the N.C.E. and is traceable by croppings.

ores Ticorder . SUNOL LODE. course I's sector

Thance S. Flo 81 W.

Beginning at cor. No.1 . . . and doling dometed 4

No.2 of the Palo Alto lode of this Survey.

No. Min. Men. rel by 568°52' nr 2277.565.

A granite stone chiseled 1 S 2064

Ye want at Thence N. 50° E. T. to 2.3%

1149.1 Cor. No.2 of the Independent No.2 lode, Survey No.1176

A granite stone 5 x 14 ins. by 8 ins. above the ground

chiseled 2 I No.2 1176

Cross gulch 6 ft. wide, course S. 40° E., brs N. 40°W.

1499.1, 7.0 To cor. 4No. 20mm noitesel est fix by Isolinebl

Identical with the cor. of the location of

This point falls in the center of the Chaparral and witness

McCabe stage road. A corner was, therefore, established at a point S. 31° 30' E. 32.5 ft. from the true corner point.

A ledge of granite in place 4 ft. by 6 ft. by 16 ins.

#### SURVEY NO. 2064.

### SUNOL LODE.

feet

above the ground, chiseled a cross for the exact witness

. & B. R. M.

corner point and W C 2 S 2064, and raised a mon. of stones

2 ft. base by 22 ft. high alongside.

No bearings available.

The McCabe road brs E. and W.

Thence S. 31° 30' E.

From the true corner point.

155 Cross wagon road, brs N.E. and S.W.

290.5 To the North Center End.

Identical with the location

A mon. of stones 2 ft. base by 2 ft. high

590.5 To Cor. No.3

Identical with corner of the location

A granite stone 7 x 8 x 18 ins. set 6 ins. in the

ground to bed rock and chiseled 3 S 2064 and surrounded

by a mon. of stones 2 ft. base by 22 ft. high

No bearings available. eldeson at bas . T.D.M

Thence S. 51º 8' W.

390 Cross Ticonderoga gulch 15 ft. wide, course E. brs W.

A branch gulch brs N.W. 1.04 . 100 de Bullinines

-800 Easterly edge of Ticonderoga gulch brs N.E. and S.W.

1494.8 To Cor. No. 4 1 to shot still class sid to S. off

Identical with the cor. of the location and with Cor.

A granite stone chiseled 4 S 2064 ... . 100 I.G.I.

HIDT OU STORE S Thence N. 31 0 30 W. Lang A

147.5 Cross Ticonderoga gulch 15 ft. wide, course E. brs W.

300 . To the South Center End

Identical with the location and with the N.C.E. of the

Palo Alto lode ent it . 100 ent film Isolimbi

bas for A mon. of stone new eds at aller saint state

560.5 To the place of beginning

at a point G. 52.6 ft. from the true of anion

point.

A levies of grantee in place 4 ft. by G rt. hg lo and.

#### SURVEY NO. 2064

MIAID FER SHALLOG SUNOL LODE. TO THUTLGWERKS

eds of .. Tod x o x b third a thems out to mested eas th The variation at all the corners is 14° E.

Value \$7150.00 drift 4 x 6 x 175 ft. to die Hast. This claim is located in the Big Bug Mining District, Yavapai County, Arizona, on unsurveyed land, in what would approximately be, if surveyed, Sec. 30, Tp. 13 N., ord . FR. I E., G. & S. R. M. . sostwe eds to ever A disv

.Jr Col : 8 x 4 Jiim a levadjoining claims. .....

To the North the Gold Note and Columbia claims, unsurveyed, claimants unknown; to the East the Isabel lode, unsurveyed; \_\_ Young claimant, and the Half Chance lode, unsurveyed, claimant unknown; on the South the Palo Alto lode of this Survey; on the West the Independent No.2 lode, Survey No. 1176, and the Columbia lode;

tie true meridian apage rined by selar coservation.

The course and length of the ledge on the Sunol lode is from the N.C.E. S. 51° 8' W. 1494.8 ft. to the S.C.E. and is traceable by croppings.

Areas.

Palo Alto......13.790 acres

Less conflict with the Independent No. 2 Less conflict with Columbia 1.530 "

1.734

Net area of Palo alto Lode 12.056 acres

EXPENDITURE OF FIVE HUNDRED DOLLARS PER CLAIM.

I certify that the value of the labor and improvements upon these claims, placed thereon by the claimants or their grantors, aggregates not less than \$500.00 per claim and that said improvements consist of:

#### Palo Alto Lode

U. H. Hep. Mar. Mur.

Discovery shaft No.1, 4 x 6 x 68 ft. deep, timbered, is N. 26° 30° W. 308 ft. from Cor. No.4. Value \$1300.00 Shaft No.2, 4 x 8 x 200 ft. deep, timbered, with A

frame on the surface, brs N. 21° 15' E. 595 ft. from Cor. No.4. At 50 ft. level a dwift 4 x 6 x 50 ft. to the West.

### SURVEY NO. 2064.

#### EXPENDITURE OF FIVE HUNDRED DOLLARS PER CLAIM.

At the bottom of the shaft a drift 4 x 6 x 50 ft. to the West with cross-cut 4 x 6 x 40 ft. to the North, and a drift 4 x 6 x 175 ft. to the East. This claim is located in the Hig Bug Hising District,

Yavapai County, Arisona, on unsurvey-ebout tours

Discovery shaft No.1, 4 x 8 x 200 ft. deep, timbered, with A frame at the surface, bears 23° 10' W. 313 ft. from Cor. No.4. On the 100 ft. level a drift 4 x 6 x 100 ft. long to the East; on the 200 ft. level a drift 4 x 6 x 150 ft. long to the east, and a drift 4 x 6 x 85 ft. long to the West, and a cross-cut 4 x 6 x 49 ft. long to the North.

00.0687\$ suite value on the South the Falle Allo

This Survey was made with a Gurley light mountain transit with a solar attachment. The courses were deflected from the true meridian as determined by solar observation.

The distances were measured with a 200 ft. steel tape.

The discrepancy between the tie lines of the Sunse and Palo alto as showing and those given by calculations using the tre line of the Ella "lode Survey Nº 1129, is due to error in the latter tie.

BSSTA

U. S. Dep. Min. Sur.

Lees conflict with the Independent Mo.2 0.204 BUTCE 1.680 Less conflict with Columbia

12.050 acres

EXPENDITURE OF FIVE HUNDRED DOLLERS PER GLAIM. I centify that the value of the labor and improvements "pos these claims, placed thereon by the claiments or their granters, aggregates not less than \$500.00 per claim and that said improvements consist of:

Pale Alto Lode

Miscovery shaft No.1, 4 x 6 x 68 ft. deep, timbomed, is M. Seo Set V. 308 ft. irom Cor. No.4. Value VISSO.up Sagtt No.2, 4 x 8 x 200 ft. deap, timbered, with A frame on the mirisee, him H. SIO 15' 2. 595 It. 17'om John wast. At 50 ft. level a dilita a x 6 x 5) it. to the deet.

## FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employ	yed by addmaden				
United States Deputy Mineral Surveyor, to assist	in running, measuring, and marking the lines				
corners and boundaries described in the foregoing					
	Told Mining Co."				
known as the Salo Celto and	a Sunsk"-lodes				
and showing the respective capacities in which they acted.					
	L. Houng				
	L. M. Sorring, Chainman.				
	, Chainman.				
	, Axman.				
	Fiagman.				
FINAL OATHS (	OF ASSISTANTS.				
3 of Al Yours	9				
	anly swear that we assisted 4.73.				
Mader, United States Deput	y Mineral Surveyor, in marking the corners and				
surveying the boundaries of the mining claim of	du las uto				
Gold Mining Co.	1700 - 00 4				
	, known as the als all				
and "Senol" lo	Leo , represented				
in the foregoing field notes as having been survey	ved by said deputy mineral surveyor and under				
his direction; and that said survey has been in	all respects, to the best of our knowledge and				
belief, faithfully and correctly executed, and the					
according to law and the instructions furnished	ed by the United States Surveyor-General for				
arizona	1 111				
	Chainman.				
	, Chainman,				
	, Axman .				
	, Flagman.				
	orn to by the above-named persons before me				
this	day of May 1905				
	Julph M. Fither				

## FINAL OATH OF U.S. DEPUTY MINERAL SURVEYOR

I, U. S. Deputy Mineral
Surveyor, do solemnly swear that, in pursuance of instructions received from the United
States Surveyor General for ariyona , dated
april 26 05, , I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General faithfully and correctles executed the survey of the Mining
Claim of Palo alto, Mining Co.
Palo Alto "and "Sunol", known as the
situate in Bin Bun Mining District
Javahai County arroug in Section
30 Township No 13 N Range No 18 4.5. A. 974 unsu
situate in 3 ig 3 mg Mining District,  Javapai County, Arguna, in Section  30., Township No. /3 N, Range No. / E, J.S.A. 974 mgm  and designated as Survey No. 2064, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or grantors
are as therein fully stated, and that the character, extent, location and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
Cold Madson  1'. S. Deputy Mineral Surveyor.
Subscribed and sworn to by the said A. B. Mader  U. S. Deputy Mineral Surveyor, before me Emma Church  this 4th
day of May 1905 . Emma Church
Emma Church Notavy Public. My commission experies Sept 1/ 1905.
My commission expires
Select 11 1905.

## Affidavit of Five Hundred Dollars Improvements.

We, L. H. Young and Quyene Covern
of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the
mining district, Gavapai County, Arizona Territory, for which The Valo
ha made application for survey prior to application for patent under the provisions of the Act of Congress approved May 10, 1872; and that the labor done and improvements made thereon by the applicant and
in said mine.  **Exclaim, perclaim, and further that we are not personally interested **  **Exclaim, and further that we are not personally interested **  **Exclaim, and further that we are not personally interested **  **Exclaim, and further that we are not personally interested **  **Exclaim, and further that we are not personally interested **  **Exclaim, and further that we are not personally interested **  **Exclaim, and further that we are not personally interested **  **Exclaim, and further that we are not personally interested **  **Exclaim, and further that we are not personally interested **  **Exclaim, and further that we are not personally interested **  **Exclaim, and further that we are not personally interested **  **Exclaim, and further that we are not personally interested **  **Exclaim, and further that we are not personally interested **  **Exclaim, and further that we are not personally interested **  **Exclaim, and further that we are not personally interested **  **Exclaim, and further that we are not personally interested **  **Exclaim, and further that we are not personally interested **  **Exclaim, and further that we are not personally interested **  **Exclaim, and further that we are not personally interested **  **Exclaim, and further that we are not personally interested **  **Exclaim, and further that we are not personally interested **  **Exclaim, and further that we are not personally interested **  **Exclaim, and further that we are not personally interested **  **Exclaim, and further that we are not personally interested **  **Exclaim, and further that we are not personally interested **  **Exclaim, and further that we are not personally interested **  **Exclaim, and further that we are not personally interested **  **Exclaim, and further that we are not personally interested **  **Exclaim, and further that we are not personally interested **  **Exclaim, and further that we are not personally interested **  **Exclaim, and further that we are not personally interested **  **Excl
TERRITORY OF ARIZONA, COUNTY OF SS:
Sworn to and subscribed before me this day  of the subscribed before me this day  (And the subscribed before me this day
Commission Frieddet, 8. 1904 hothig Gallie

#### NOTICE OF LOCATION.

KNOW ALL MEN BY THESE PRESENTS: That we the undersigned, have this day located 1500 feet of this vein or lode, bearing plecious metals, with all dips, spans a gles and variations, with surface ground 300 feet on each side of vein, with all mineral deposits contained therein, and all timber and after thereon or appurement thereto, according to the provisions of the United States Mining Laws.

The exterior boundaries are as follows: Commencing at this monument and notice, and running 500 feet in an easterly direction to monument at K. E. corner; thence in a southerly direction parallel with the ledge 1500 feet to monument at S. E. corner; thence at right angles across the ledge in a mesterly direction 500 feet to monument at S. W. corner; thence parallel with the lode in a northerly direction 1500 feet to nonument at N. T. corner; thence at right angles across the ledge in an easterly direction 300 feet to place of beginning.

This claim is in Big Bug Mining District, Yavapai County, Arizona, and may be more generally described as situated, second northerly extension of the Little Jessie Mining Claim and north easterly from the Dividen-Fatanted wine in Titungs: & Joins Indipendence No 1 Patented claim on south Vest correr and shall be known as the Sunol Mining Claim.

Dated on the ground this 25th day of hovember, 1891.

J. J. L. Veleytire

A. Tallanda

derve Lipton.

Incorded at request of J. J. L. Valentine Jan. 22, A. D. Table at Ittel c'elcek a. m. in Pook 33 of Mines, paper 176, Leords of Yavapai County, Arigona.

(D.S.) Charles T. Alers, County Recorder.

By F. A. Pritle Jr. Deputy.

1

TALO ALTO.

#### NOTICE OF LOCATION.

KNOW ALL MAN BY THESE PRESENTS:

That we the undersigned have this day located 1500 feet of this voin or lode, bearing precious metals with all dips, spurs, argles and variations, with surface ground 500 feet on each side of vein, with all mineral deposits contained therein, and all timber and water thereon or appurtenant thereto, according to the provisions of the United States Mining Laws.

The exterior boundaries are as follows:

Commencing at this monument and notice, and running 300 feet in an easterly direction to monument at S. E. corner; thence in a northerly direction parallel with the ledge 1500 feet to monument of h. E. corner; thence at right angles across the ledge in a westerly direction 300 feet to nonument at N. W. corner; thence parallel with the lode in a southerly direction 1500 feet to monument at S. W. corner; thence at right angles across the ledge in an easterly direction 300 feet to place of beginning.

This claim is in Fig Bug Mining District, Yavapai Courty, Arisona and may be more generally described as situated as the first northerly extension of what is known as the little Jessie Mining Claim and east of Independence to I mining claim Potented and on Ticopredge Gulch and shall be known as the Palo Alto Mining Claim.

Unied on the ground this ?" day of Koverher 10-1.

J. J. L. Valentine

H. A. Parker.

Witness

dwne--Tinton.

Peschded at request of J. J. L. Valentine Jan. 22, A. P. 1891, at 11:55 of lock a. H., in Book 35 of Mones, pages 371. Pecchde of Vovapai Courty. Arische.

Py P. A. Tritle Jr. Lepty. (1.F) Charles H. Akers, County Recorder.

TERRITORY OF AMIZONA,) 5%.

I. ROLARD HOSPPE, nounty Decorder in and for the County of Yavapai, in the Territory of Arizona, and mustodian of the records thereof, do hereby certify that I have a specied the above and foregoing with, and the same contains a full, true and correct copy of each of the following described notices of mining location, as the same appear from the original record, thereof in my said office, viz:-

The "SUMBL" mining claim, notice of location whereof is of record in Book 33 of Mines, page 370, records of Yavaiso Courty, Frigona;

The "PALO ALTO" mining claim, notice of Incation whereof is of record in Book 35 of Mines, page 371, said county records.

IN WIENESS WHYREOF, I have hereunto set my hand and actived my official seal, this 25th day of April, A. D. 1905.

AVAPA BERON

County Recorder.

# SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

## Department of the Interior,

Office of U.S. Surveyor-General,

Phoenix, Arizona.
Jun 21-, 190 5
I, U. S. Surveyor-General for the district of Arizona.
do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of Palo Alto Gold Mining Co.
, known as the
Palo Alto and Sunol.
situate in Big Bug Mining District,
Yavapai County, Arizona
in Section 3.0 , Township No. 13 N. , Range No. 1-E. unsurveyed
, designated as Survey No. 2064
executed by
Surveyor, April 27th to 28th 1905. , 190, under my instructions dated
April 26th 1905. , 190., have been critically examined and the necessary cor-
rections and explanations made, and the said Field Notes and Return, and the Survey they describe,
are hereby approved. A true copy of the copy of the location certificate filed by the applicant for
survey is included in the field notes.
U. S. Surveyor-General forArizona.

7360b5m3-03

