7/10/05-

(4—683.)

# Mineral Survey No. 2081

Lot No
Sila
Land District.
FIELD NOTES
of the survey of the mining claim of Hoval A. Smeth
KNOWN AS THE
Section affer ox, Township 23 S, Range 24 E. 3 2 ABTA  Surveyed under instructions dated hay 29, 1905
by Franklin W. S. Deputy Mineral Surveyor
Claim located See to cation holice1  Survey commenced June 17 . 1905
Survey commenced fune 18 1905
Post Office address of Claureant Bushes, Coopies Country anyong

Texas V

Fury y No. 2081, John Lode, signated in the Warren Fining Fistrict, Cochise County, Territory of Arisona, owned by Felia Williams and Hoval A. Mith.

APRIDAVIT OF \$501. IMPROVENCINES.

I hereby certify that the value of the labor and improvements on this claim placed thereon by claimants or their grantor is not less than \$00 Per each location the sort and original reprovements were placed on the claim before the latest of September, 1905, and prior to the editation of the period of problemation of the publication or the period of problematic are as follows:

- NO.1 Discovery shaft 4x6x10 ft bra from M H d S. 9° 46' H. x00 ft, value, \$1.00.00
- To.2 Shaft 4x6:10 ft br Arch Jor. No.3 John lode S. 61°
  20' H. 166 tt.. Value, 100.60
- No.3 Shart 7x8:10 it bus from Cor.No.3 0. 76° 50'E 250 ft., Value, 100.00
- No.4 Shark 4m619 ft bre from Cor.No.5 S 21° 40° W. 277 rt., value, 90.30
- No.5 Shart 5x7x11 ft ors from Jor.No.5, S. 75° W. 64 att.

  White,

Total inordvena ts,

\$500.00

Franklin Womit.

U S Deputy Lineral Surveyor

Dated at Risbee, Arizona, September 21, 1905.

## Affidavit of Five Hundred Dollars Improvements.

We A Presence	and The werent.
	aw, depose and say: That we are acquainted with the
mining	g claim, situate in
mining district, Oochuse County	Arizona Territory, for which
have made application for survey prior to application	n for patent under the provisions of the Act of Congress
approved May 10, 1872; and that the labor done ar	nd improvements made thereon by the applicant and
grantor exceed five hundred dollars in	n value, and further that we are not personally interested
in said mine.	F.C. Burney
TERRITORY OF ARIZONA,  COUNTY OF SS:	and the state of t
Sworn t	to and subscribed before me thisday
[SEAL.] of .	Corn & Smith
17171b400-3-05	15 y 3. 4.1127 A

# Certificate of U. S. Surveyor General

AS TO

Expenditures Reported after Return of Survey of Mining Claim.

I, U.S. Surveyor General	for the district of Arizona.
do hereby certify that Five Hu	ndred Dollars' worth of labor has been expended or
	or their grantors, upon the mining claim of
Della Williams an	d Hoval A. Smith,
known as the John	,
situate in Wa	rren mining district,
	County, Arizona.
	nip No;
that said improvements consist	of <sup>5</sup> shafts , value \$500.
	4
and t	that no portion of said labor or improvements has been
	aditures upon any other claim. A copy of the report of
Franklin W. Smith,	, U. S. Deputy Mineral Surveyor, dated
Sept. 21, 1905. ,1	8 , is hereto attached.
	Frank A. S.
	U. S. Surveyor General for Arizona.
	U. S. Surveyor General for
Office of U.S. Surveyor General,	
Phoenix, Arizona.	<del>,</del>
	, 18
(19190—9 000 ) 0 2—178	

Beginning t Cor.No.1, the SE cor identical with location and with Cor.No.3 Joseph lode, Survey No.2076, a pine post 4 dt long 4 ins sq set 1 ft in the ground ina mound of stones and scribed 1-2081 J L, whence a pine post of same dimensions and scribed 1-2081 B P brs.

N.11° 30'WE 25 ft and a second pine post of same dimensions and scribing brs. S. 57° 58' W. 25 ft., no bearing monuments available, and NW cor Sec 30 Tp 23 S 39'30'' 7150.'

R 25 E G & S R B & M brs. N. 75° 52' E. 7060.3 ft.,

Thence S. 57° 58' W

321.35 to original location for S E C

same bearing to the intersection of line 2-3 Bangor lode,
Survey No.1917, at S. 75° 19' E. 6.2 ft from Cor.No.2,

- Survey No.1917, at S. 75° 19' E. 6.2 ft from Cor.No.2, same being to Cor.No.2, the SW cor identical with location, a pine post 4 ft long 4ins sq set 1 ft in the ground in a mound of stones and scribed 2-2081 J L, whence a pine post of same dimensions and scribed B. P. 2-2081 brs N. 57° 58' E. 25 ft., and a second pine post of same dimensions and scribing brs. N. 9° 46' W. 25 ft no bearing monuments available,
- Indirect Line 1-2 Rangow Ledt, Cur. No. 1917 at 5. 59.48 W. 37.91. from Cor. No. 2

  1379.7 along the E side line of George lode, unsurveyed, to Cor.

  No. 3, the NW cor identical with location a pine post

  4 ft long 4 ins sq. set 1 ft in the ground in a mound of

  stones and scribed 3-2081 J L whence a pine post of same

  dimensions and scribed B. P. 3-2081 brs. N. 57° 58' E.

  25 ft and a second pine post of same dimensions and scribing

  brs. S. 9° 46' E. 25 ft no bearing monuments available,

  Cor. No. 3 is situated on line 1-2 Parker lode Survey

  No. 2082 S. 59° 56' W. 706.6 ft from Or. No. 1 parker lode,

  Thence N. 57° 58' E

321.35 to original location for NE C

same bearing to Cor.No.4 the NE cor identical with location, and situated on line 6-7 Cave Extention lode,

cuf

Survey No. 1781 are a pine post 4 ft long 4 ins sq set 1 ft in the ground in a mound of stones and scribed 4-2081 J L whence a pine post of same dimensions and sor bed B.P. 4-2081 brs S. 57° 58' W. 25 ft and a second pine post of same dimensions and scribing brs. S. 735° 51' E. 25 ft no bearing monuments available. oug loc. for M.E.Con bro N.57°58'E 45-ft. Cor. No.7 of Cave Extention lode, Survey No.1781 am. Note identical with Gor. No. 3 of original tention lede, and original loca 5.35 Tence 538 • 51 E. along line 9-3 Caue Estinsion Eur. 20. 1781. to the intersection of line 1-2 Parker lode, Survey No. 19.4 2082 at S. 59° 56' W. 141.6 ft From Cpr.No.1, 78.7 came be ring to Cor.No.5, identical with Cors.No. 4 and 6 respectively Joseph 1cdes, Survey No.2076and Gave Extention lode, Survey am a pine post 4 ft long 4 ins sq set 1 ft in the ground in a mound of

Thence S. 11° 30' E.

stones and scribed 5-2081 J L whence a apine post of

and a second pine post of samedimensions and scribing

same dimensions and scribed 5-2081 brs N. 35° 51'W.25 ft

1279.2 to Cor. No.1 the place of beginning.

available.

brs. S. 11° 30' E. 25 ft.,

Ledge.

The presumed course of the vein on this claim is from the S E C location N. 09° 46' W. 1379.7 ft.

AREA.

Total are: John lode,

18.150 ac

no bearing monuments

Less are in conflict with Bangor lode, Survey No.1917 0.005

Less area in conflict with Parker lode, Survey No.2082 0.125

**3.130** 

Net area John lode.

18.020 ac

#### IMPROVEMENTS

I hereby certify that the value of the labor and improvements on this chaim, placed thereon by claiment or his is less than soo. grantors, and that said improvements consist of:

Nol Discovery shaft 4x6x 10 ft brs. From N E C location
S. 9° 46' X. 300 ft b Value \$100.0

No.2 Shaft 4x6x10 ft brs from Cor.No.3, S. 60°

30'E.130 ft., Value 100.00

No.3 Open Cut  $4\frac{1}{2}$  6x18 ft brs from same point S. 14° 20' E. 283 ft, Value 100.00

Total improvements John lode,

\$300.

Note Complete affidavit of \$500 improvements will be firnished on this claim before the expiration of publication.

#### ADJOINING CLAIM.

Noth Parker lode, Survey No.2082, owned by applicant herein.

East Cave Extention lode, Survey No.1781 ...Jacob Pirrung et a lowners; Jospeh lode, Survey No.2076 owned by applicant herein;

South Last Chance lode, unsurveyed, B. F. Graham, owner. Sangor lode, Sur. 20.1917, J. W. Wallace, owner. West George lode, unsurveyed, owned by applicant herein

#### LOCATION.

This claim is located about 4 mi in a SE direction from the City of Bisbee, on unsurveyed lands in the War en Mining District, Cochise Caunty, Arizona, approximately in Tp 23 S R 24 \$ R 24 E G & S R B & M.

#### INSTRUMNET.

This survey was made with a C. L. Berger & Sons No.1 C transit . the courses were deflected from the true meridian, as determined by solar observation checked by an observation on Polaris. The distances were measured with a 300 ft steel tape. Magnetic variation 12° 30' E

Ou. S. Deputy Mineral Surveyor.

Bisbee, Arizona, Jones of 1905.

Any discrepancies between the corses and distances of this survey and those of the adjoining approved curveys are due to errors in the latter.

## FINAL OATHS FOR SURVEYS.

#### LIST OF NAMES.

A list of the names of the individuals employed b	Tranklin to Smit
United States Deputy Mineral Surveyor, to assist in	running, measuring, and marking the lines, corners, and
	e survey of the mining claim of
known as the John	
and showing the respective capacities in which they ac	
	DE Curry, Chainman.  Axman.
	, Flagman.
We, R. a. Zusen and D. E. Curry, do	OF ASSISTANTS.  o solemnly swear that we assisted For kle  of Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of.	
Hoval	A. S'mith
known as the	2
represented in the foregoing field notes as having been	surveyed by said deputy mineral surveyor and under his
direction; and that said survey has been in all respec	ts, to the best of our knowledge and belief, faithfully and
correctly executed, and the corner and boundary monu	uments established according to law and the instructions
furnished by the United States Surveyor-General for	aryona
	Will reseiver; Chainman.
	Deliny, Chainman.
	, Axman.
	Flagman.
Cubcoulted and arrows to be t	the above-named persons before me this 19 1
Ÿ	
day of	0 60 5
	Motary Public  In and for the County of Cochise, Territory of Arizond
	My Commission Expires March 21, 1868.

14224b5m8-04

## FINAL OATH OF U.S. DEPUTY MINERAL SURVEYOR

I, Franklin W. Sandly U. S. Deputy Mineral
Surveyor, do solemnly swear that, in pursuance of instructions received from the United
States Surveyor General for, dated
may 29, 1905, I have, in spict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of Hoval a. Smith, known as the
Hovel a. Smith, known as the
John,
situate in Warren Mining District,
County, Cryona in Section
and designated as Survey No. 2051, as represented
and designated as Survey No. 2057, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or Ly grantors
are as therein fully stated, and that the character, extent, location and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
100 10. 7.4 -1
U.S. Deputy Mineral Surveyor.
Subscribed and sworn to by the said Lanking W Swith
U. S. Deputy Mineral Surveyor before me
U. S. Deputy Miller Surveyor before the
day of 1905
day of fine, 140 s
Cora Smilk
My Commission North of Cockise, Territory of Arian

# Motice of Mining Location

#### LODE CLAIM

To All Whom It May Concern:
This Mining Claim, the name of which is the
Mining Claim, situate on lands belonging to the United States of America, and in which there
are valuable mineral deposits, was entered upon and located for the purposes of exploration and
purchase by Thos a Tate, George Williams, Parker L Woodman
(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")
the undersigned, on the 8th day of Feb 1902
The length of this claim is
and we claim 300 feet,
in a Croth direction and 12
feet in a South direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together
with 300 feet in width of the surface grounds, on each
side of the center of said claim. The general course of the lode deposit and premises is from the
The claim is situated and located in the Wanter Mining District, in
The claim is situated and located in the Mannes Mining District, in Lochise County, in the Territory of Arizona, about 2 miles
in a South East direction from Mineral Manual
no 2 and is bound on the north end by the Parker
and west by the George
The surface boundaries of the claim are marked upon the ground as follows: Beginning at
monunent
monuneit
at a point in a Anth direction 300 feet from
at a point in a Proth direction 300 feet from the discovery shaft (at which this notice is posted), being in the center of the
at a point in a Parth direction 300 feet from the discovery shaft (at which this notice is posted), being in the center of the end line of said claim; thence 300 feet to a mousement
at a point in a Proth direction 300 feet from the discovery shaft (at which this notice is posted), being in the center of the end line of said claim; thence 300 feet to a mountaint , being the Prothwest corner of said claim; thence
at a point in a Proth direction 300 feet from the discovery shaft (at which this notice is posted), being in the center of the end line of said claim; thence 300 feet to a monument  being the Prothwest corner of said claim; thence  feet to a monument, being at the
at a point in a Panth direction 300 feet from the discovery shaft (at which this notice is posted), being in the center of the end line of said claim; thence 300 feet to a mountaint  being the Posthwest corner of said claim; thence feet to a mountaint, being at the  Southwest corner of said claim; thence 301 feet
at a point in a Anoth direction 300 feet from the discovery shaft (at which this notice is posted), being in the center of the end line of said claim; thence 300 feet to a Monument  being the Prosthurest corner of said claim; thence feet to a monument, being at the Corner of said claim; thence 301 feet to a monument at the center of the Louth end of said claim;
at a point in a Proth direction 300 feet from the discovery shaft (at which this notice is posted), being in the center of the end line of said claim; thence 300 feet to a monument  being the Prothwest corner of said claim; thence feet to a monument, being at the  forthwest corner of said claim; thence 301 feet to a monument at the center of the South end of said claim; thence 300 feet to a monument, being at the
at a point in a Proth direction 300 feet from the discovery shaft (at which this notice is posted), being in the center of the end line of said claim; thence 300 feet to a mornion thence  being the Protherest corner of said claim; thence  feet to a mornion feet to a mornion the feet to a mornion the feet to a mornion the feet thence 300 feet to a mornion the feet thence 300 feet to a mornion the feet thence 300 feet to a mornion the feet feet to a mornion the feet feet to a mornion the feet for the fe
at a point in a Antho direction 300 feet from the discovery shaft (at which this notice is posted), being in the center of the end line of said claim; thence 300 feet to a monument  being the horthwest corner of said claim; thence  feet to a monument feet to a monument at the center of the footh end of said claim; thence 300 feet to a monument , being at the footheast corner of said claim; thence 500 feet to a monument at the lands fast corner of said claim;
at a point in a Proth direction 300 feet from the discovery shaft (at which this notice is posted), being in the center of the end line of said claim; thence 300 feet to a monument  being the Prothest corner of said claim; thence  feet to a monument feet to a monument at the center of the South end of said claim; thence 300 feet to a monument, being at the  Southeast corner of said claim; thence 500 feet to a monument at the Control of said claim; thence 300 feet to a monument feet to a monument at the  Southeast corner of said claim; thence 500 feet to a monument feet to the place of beginning.
at a point in a Antho direction 300 feet from the discovery shaft (at which this notice is posted), being in the center of the end line of said claim; thence 300 feet to a monument  being the horthwest corner of said claim; thence  feet to a monument feet to a monument at the center of the footh end of said claim; thence 300 feet to a monument , being at the footheast corner of said claim; thence 500 feet to a monument at the lands fast corner of said claim;
at a point in a Parth direction 300 feet from the discovery shaft (at which this notice is posted), being in the center of the end line of said claim; thence 300 feet to a monument
at a point in a Proth direction 300 feet from the discovery shaft (at which this notice is posted), being in the center of the end line of said claim; thence 300 feet to a mountaint  being the Prothusest corner of said claim; thence  feet to a mountaint at the center of the South end of said claim; thence 300 feet to a mountaint, being at the  Loutheast corner of said claim; thence 1500 feet to a mountaint at the Center of the South corner of said claim; thence 300 feet to a mountaint, being at the  Loutheast corner of said claim; thence 1500 feet to a mountaint at the Moth Cast corner of said claim; thence 300 feet to the place of beginning.  All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to
at a point in a Parith direction 300 feet from the discovery shaft (at which this notice is posted), being in the center of the end line of said claim; thence 300 feet to a mountaint  being the parithment corner of said claim; thence  feet to a mountaint hence 300 feet to a mountaint at the center of the South end of said claim; thence 300 feet to a mountaint, being at the  Southwest corner of said claim; thence 500 feet to a mountaint hence feet to a mountaint, being at the  Southwest corner of said claim; thence 500 feet to a mountaint hence feet to a mountaint, being at the  Southwest corner of said claim; thence feet to a mountaint, being at the  Southwest corner of said claim; thence feet to a mountaint hence feet to a mountaint hence feet to the place of beginning.  All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes on the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.  Dated and posted on the ground this 8 day of Feb. 1902
at a point in a Parth direction 300 feet from the discovery shaft (at which this notice is posted), being in the center of the end line of said claim; thence 300 feet to a more said claim; thence  being the parthurest corner of said claim; thence  corner of said claim; thence 300 feet to a more said claim; thence  standard at the center of the Sauth end of said claim; thence 300 feet to a manual to, being at the  standard to corner of said claim; thence 500 feet to a manual to corner of said claim; thence 300 feet to the place of beginning.  All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes on the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.  Dated and posted on the ground this day of Gella 1902  That a Clate.
at a point in a honth direction 300 feet from the discovery shaft (at which this notice is posted), being in the center of the end line of said claim; thence 300 feet to a manual to  being the honth corner of said claim; thence  being at the corner of said claim; thence 300 feet to a manual to at the center of the South end of said claim; thence 300 feet to a manual to, being at the  Southeast corner of said claim; thence 500 feet to a manual to the said claim; thence 300 feet to a manual to the said claim; thence 300 feet to the place of beginning.  All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.  Dated and posted on the ground this 5 day of Gels 1902  Those Q. Crate  Serge Williams
at a point in a honth direction 300 feet from the discovery shaft (at which this notice is posted), being in the center of the end line of said claim; thence 300 feet to a manual to  being the honth corner of said claim; thence  being at the corner of said claim; thence 300 feet to a manual to at the center of the South end of said claim; thence 300 feet to a manual to, being at the  Southeast corner of said claim; thence 500 feet to a manual to the said claim; thence 300 feet to a manual to the said claim; thence 300 feet to the place of beginning.  All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.  Dated and posted on the ground this 5 day of Gels 1902  Those Q. Crate  Serge Williams
at a point in a Pronth direction 300 feet from the discovery shaft (at which this notice is posted), being in the center of the end line of said claim; thence 300 feet to a monument  being the Pronthe of the Corner of said claim; thence  being at the  corner of said claim; thence 300 feet to a monument at the center of the South end of said claim; thence 300 feet to a monument being at the  corner of said claim; thence 1500 feet to a monument corner of said claim; thence 300 feet to a monument corner of said claim; thence 300 feet to the place of beginning.  All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.  Dated and posted on the ground this 5 day of Gels 1902  Thas Q. Tate  See 1900

Territory of Arizona, (

County of Cochise, (

Vitness my hand and seal of office this 23rd day of May, 1905.

County Recorder.


## U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

## Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

		ix, Arizona.
		July 25", 1905
I, U. S. Surveyor-G		istrict of Arizona.
do hereby certify that th	ne foregoing transcript of th	ne Field Notes, return and approval of the survey
of the mining claim of	Hoval A. Smith,	L
known as the	John	
situate in	Warren	
Mining District,	Cochice	County, Arizona.
		Range No. 24 E. unsurveyed, and
designated as Survey N	o. 2081 , ha	s been correctly copied from the originals on file in
this office; that said Fi	eld Notes furnish such an a	accurate description of said mining claim as will, if
incorporated into a pate	ent, serve fully to identify th	ne premises, and that such reference is made therein
	less than	perpetuate and fix the locus thereof.  ars' worth of labor has been expended or improve-
ments made upon said reconsist of, at time	nining claim by claimant. It of Survey, 2	or his grantors, and that said improvements shafts and I cut, total
	/	·
and that no portion of a	said labor or improvements	has been included in the estimate of expenditures
I further certify the	at the plat thereof, filed in t	the U.S. Land Office at Tucson,
		onformity with the foregoing Field Notes.
	( Si	gned) Frank S. Ingalls,
	United States Surveyor	arizona.

7361b5m3-03



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of tance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

## Motice of Location

LODE CLAIM	
E.	
*	
.T. 8	
ated	190
Filed and Rec	orded at request of
Filed and Rec	orded at request of
Filed and Rec	
ook	
ook	
ook	
ookages	A. D. 190
ook	
ookages	A. D. 190
ookages	County Recorder

TERRITORY OF ARIZONA,

# SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

## Department of the Interior,


Office of U. S. Surveyor-General,

Pnoenix, Arizona.
I, U. S. Surveyor-General for the district of Arizona.
do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of Hoval A. Smith,
, known as the
J ohn
situate inMining District,
Cochise County, Arizona.
in Section approx. , Township No. 23 S. , Range No. 24 E. unsurvoye
designated as Survey No. 2081
executed by Franklin W. Smith, U.S. Deputy Mineral
Surveyor, June 17 to 18 1905. , under my instructions dated
May 29 1905. , 190, have been critically examined and the necessary cor-
rections and explanations made, and the said Field Notes and Return, and the Survey they describe,
are hereby approved. A true copy of the copy of the location certificate filed by the applicant for
survey is included in the field notes.
Frank Dongalls
U. S. Surveyor-General for Arizona.

12779b5m4-04

# SURVEY NO.

14



NET AREA JOHN

18.020A.

IMPROVEMENTS S 60° 30'E 170' S 4x 6x18' 3 14° 20' E 283' & 4½x 6'x 18'