

MS

0

2

0

8

6

JUN 29 1905

copied by amt
7/10/05

(4-683.)

Mineral Survey No. 2086

Lot No. _____

Gila Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Novel A Smith

KNOWN AS THE

Link and Gap Extension
~~Situate in~~ Warren Mining District,

Cochise County, Arizona

Section approx, Township 23 S, Range 24 E ~~44 S 23 E 24~~
unsurveyed

Surveyed under instructions dated May 31, 1905

by Franklin W Smith
U. S. Deputy Mineral Surveyor

Claim located see notices, 1

Survey commenced June 12th, 1905

Survey completed June 13th, 1905

U. S. G. 100
Past office address of claimant
Bisbee, Cochise County Arizona

Trees ✓
Ledges ✓
Areas ✓
Dips ✓

et al
Link, lode, Survey No. 2086,
situated in Warren Mining District, Cochise County, Arizona,
Hoyal A. Smith, owner.

AFFIDAVIT OF \$500 IMPROVEMENTS.

I hereby certify that the value of the labor and
(on this group) thereon by the claimant or his grantor in
improvements placed upon each location of this survey

is not less than \$500 and that said improvements were placed on the
group before the first day of September 1905 and prior to the expiration of the
period of publication of the application for patent and said improvements
consist of. LINK.

No.1	Discovery shaft 4x6x10 ft brs from Cor.No.4 S. 37° 35' W. 345 ft., Value	\$100.00
No.2	Shaft 4x6x10 ft brs. from Cor.No.4 S.37°35'W.335 ft. Value	100.00
No.3	Shaft 5x6x10 ft brs from same point S. 38° 47' W. 348 ft., Value	100.00
No.4	Shaft 5x6x10 ft brs from same point S. 40° 58' W 765 ft., Value	100.00
No.5	Shaft 4x6x10 ft brs from Cor.No.4 S 36° 15' W. 640 ft., Value	100.00
No.6	Discovery shaft 4x6x12 ft brs from S E C N. 44° 10' E 50 ft., on ledge, Value	120.00
	Total Improvements on Link lode,	\$620.00

GAP EXTENSION

No.1	Discovery shaft 4x6x10 ft brs from E E C N. 41° 40' W. 598 ft., Value,	\$100.00
No.2	Shaft 5x7x11 ft. brs from W E C S. 41° 40' E. 533 ft., Value	110.00
No.3	Shaft 5x7x11 ft brs from W E C S. 41° 40' E. 511 ft., Value,	110.00
No.4	Shaft 4x6x10 ft brs from W E C S. 41° 40' E 381 ft Value,	100.00
No.5	Shaft 4x6x10 ft brs from the " E C location S. 41° 40' E. 10 ft., Value,	100.00
	Total Improvements Gap Extension lode,	520.00
	Total Improvements on Group	\$1140.00

Franklin W Smith

U. S. Deputy Mineral Surveyor.

Dated at Bisbee, Arizona,
September 21, 1905.

Affidavit of Five Hundred Dollars Improvements.

We, A. J. Ziesemer and F. C. Devine

of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the

Link and Star Attention mining claim, situate in Barrow

mining district, Yochise County, Arizona Territory, for which

Local District

has made application for survey prior to application for patent under the provisions of the Act of Congress

approved May 10, 1872; and that the labor done and improvements made thereon by the applicant... and

Link grantor... exceed five hundred dollars in value, and further that we are not personally interested

for each location

in said mine.

A. J. Ziesemer

F. C. Devine

TERRITORY OF ARIZONA,
COUNTY OF Yochise } ss:

Sworn to and subscribed before me this 21st day

[SEAL.]

of September, 1905

Cooper Elliott

NOTARY PUBLIC
Territory of Ariz

(4-691.)

Certificate of U. S. Surveyor General

AS TO

EXPENDITURES REPORTED AFTER RETURN OF SURVEY OF MINING CLAIM.

I, U. S. Surveyor General for the district of Arizona.,
do hereby certify that Five Hundred Dollars' worth of labor has been expended or
improvements made by claimant or his grantors, upon the mining claim of
Howal A. Smith,

known as the Link Gap Extention,
situate in Warren mining district,
Cochise County, Arizona.

in Section _____, Township No. _____, Range No. _____;
that said improvements consist of on the Link, 6 shafts, value at \$630.
Gap Extention, 5 shafts, value at \$520.

_____, and that no portion of said labor or improvements has been
included in the estimate of expenditures upon any other claim. A copy of the report of
Franklin W. Smith, U. S. Deputy Mineral Surveyor, dated
Sept. 21, 1905., 18 _____, is hereto attached.



U. S. Surveyor General for Arizona.

Office of U. S. Surveyor General,
Phoenix, Arizona.

_____, 1 _____

Feet

Lin k
Survey No. 2086

1

Beginning at Cor.No.1 the NE cor identical with location a pine post 4 ft long 4ins sq set 1 ft in the ground in a mound of stones and scribed 1-2086 L L, whence a pinepost of same dimensions and scribed B. P. 1-2086 brs N. $41^{\circ} 15' W$. 25 ft., and a second pine post of same dimensions and scribing brs. S. $44^{\circ} 10' W$ 25 ft n bearing monuments available, and NW cor Sec 30 Tp 22 S R 25 E G & S R B & M brs. S. $85^{\circ} 05' 30'' E$. 8214.0 ft.

Thence S. $44^{\circ} 10' W$.

1200.0 to Cor.No.2 the SE cor., identical with location with ~~the SW cor~~ ^{Cor. No. 3} of McKinley lode, ~~unsurveyed~~ ^{Surv. No. 2042}, and with Cor.No 5 Gap Extension lode of this survey, a pine post 4 ft long 4 ins sq set 1 ft in the ground in a mound of stones and scribed 2-2086 L L, whence a pine post of same dimensions and scribed B. P. 2-5-2086 brs N. $41^{\circ} 15' W$. 25 ft and a second pine post of same dimensions and scribing brs. S. $42^{\circ} 46' E$. 25 ft ~~no~~ bearing monuments available,

Thence N. $41^{\circ} 15' W$

150.2 to original location for S E C

300.4 same bearing to Cor.No.3, the SW cor, identical with location with Cor.No.4 Gap Extension lode of this survey and situated on line 2-3 Keno lode, Survey No.1872, a pine post 4 ft long 4 ins sq set 1 ft in the ground in a mound of stones and scribed 3-2086 L L whence a pine ^{post} of same dimensions and scribed B.P. 3-4-2086 brs N. $44^{\circ} 10' E$ 25 ft and a second pine post of same dimensions and scribing brs. S. $41^{\circ} 15' E$. 25 ft., no bearing monuments available,

Thence N. $44^{\circ} 10' E$.

1200.0 along the SE side line of Keno lode, Survey No.1872 to Cor.No.4 the NW cor identical with Cor.No.3 Keno lode, Survey No.1872, with ~~the NW cor~~ ^{Cor. No. 4} of McKinly lode, ~~unsurveyed~~ ^{Surv. No. 2042} and with ~~x cor~~ ^{No. 4} of May lode ~~unsurveyed~~ ^{Survey No 2083}, and with location, a pine post 4ft long 4 ins sq set 1 ft in the ground in a mound of stones and scribed 4-2086 L L

whence a pine post of same dimensions and scribed
 B. P. 4-2086 brs. S. 44°10' W. 25 ft and a second pine
 post of same dimensions and scribing brs. S. 41° 15' E.
 25 ft no bearing monuments available, and Cor.No. ³ Mc
 Kinley lode brs S. 30° 25' W. 1259.9 ft.,

Thence S. 41° 15' E

150.2 to original location for N E C,
 300.4 same bearing to Cor.No. 1 the place of beginning.

Ledge.

The presumed course of the vein on this claim is
 from the S E C location N. 44°10' E. 1200 ft.

GAP EXTENSION.

Beginning at Cor.No. 1, the NE cor identical with
 location and at the point of intersection of ~~the SW end~~
¹⁻³ line of McKinley lode ^{Surv. No. 2042} ~~unsurveyed~~, with the NW side line
 of Parker lode, unsurveyed, a pine post 4 ft long 4 ins
 sq set 1 ft in the ground in a mound of stones and scribed
 1-2086 ^{G.E.L.} ~~G.P.L.~~, whence a pine post of same dimensions and
 scribed B. P. 1-2086 brs. N. 42° 46' W. 25 ft and a
 second pine post of same dimensions and scribed G E L 1-
 2086 brs S. 42° 46' E. 25 ft., no bearing monuments avail-
 able, and NW cor Sec 30 Tp 23 S R 25 E G & S R B & M
 brs. N. 85° 59' 30" E. 8629.84 ft..

Thence S. 44° 10' W

13.9 to original location for E E C
 23.9 same bearing to Cor.No. 2, the SE cor identical with
 location and situated on the N End line Rhine lode, Survey
^{and on W. End line Parker lode (unsurveyed)}
 No. 1872, a pine post 4 ft long 4 ins sq set 1 ft in the
 ground in a mound of stones and scribed 2-2086 G E L,
 whence a pine post of same dimensions and scribed B P.
 2-2086 brs. N. 44° 10' E. 5ft and a second pine post of same
 dimensions and scribed brs. N. 41° 40' W. 25 ft., no bear-
 ing monuments available.

Thence N. 41° 40' W.

6.4 to Cor.No.³~~5~~, Cor.No.4 and the NW cors respectively of McKinly^e and Rhine lodes, Survey No.1872 and ~~the NW cor of Parker lode~~ unsurveyed from which point Cor.No.1 of this survey brs. N. 59° 20' E. 24.3 ft.,

606.4 same bearing to Cor No.4 and 3 respectively of McKinley and Dubuque lodes, Survey No1872,

906.8 same bearing along line 3-4 Dubuque lode, Survey No.1872 to Cor.No.3, the SW cor identical with location and with Cor.No.2 Keno lode, Survey No.1872, a pine post 4 ft long 4 ins sq set 1 ft in the ground in a mound of stones and scribed 3-2086 K E L whence a pine post of same dimensions and scribed B P 3-2086 brs N. 44° 10' E. 5 ft and a second pine post of same dimensions and scribing brs. S. 41° 40' E. 25 ft , nobearing monuments available,

Thence N. 44° 10' E.

10.0 to original location for W E C,
 15.0
 150 same bearing to Cor.No.4 the NW cor identical with location situated on line 2-3 Keno lode, Survey No.1872, and identical with Cor.No.3, Link lode of this survey, a pine post etc and scribed 4-2086 G E L,

Thence S. 41 ° 15' E.

300.4 to Cor.No.5, identical with Cor.No.2 Link lode of this survey and with ~~the SW cor~~^{No.3} of McKinley lode ~~unsurveyed~~^{Surv. No. 2042} a pine post etc and scribed 5-2086 G E L,

Thence S. 42° 46' E.

605.6 along ~~the S end~~²⁻³ line McKinley lode ~~unsurveyed~~^{Surv. No. 2042} to Cor No.1 the place of beginning.

Ledge.

The presumed course of the vein on this claim is from the E E C location N. 41° 40' W. 906.8 ft.,

AREA.

Total area Link lode,	8.249 ✓
Less area in conflict with McKinley lode unsurveyed, Surv. No. 2042	4.124 ✓
Net area Link lode,	4.125 ac
Total area Gap Extention	0.348 ✓
Less area in conflict with Parker lode unsurveyed,	0.002 ✓
Net area of Group	0.346 ✓
	4,471 ac ✓

IMPROVEMENTS.

I certify that the value of the labor and improvements on these claims placed thereon ~~by~~ the claimant or his grantors are as follows:

LINK.

No.1	Discovery shaft 4x6x10 ft. brs from Cor.No.4, S. 37° 35' W. 845 ft., Value	\$100.00
No.2	Shaft 4x6x10 ft brs from Cor.No.4, S. 37° 35' W 835 ft., Value	100.00
No.3	Shaft 5x6x10 ft brs from same point S 38° 47' W 848 ft., Value	100.00
No.4	Shaft 5x6x10 ft brs from same point S.40°58' W. 765 ft., Value \$	100.00
No.5	Shaft 4x6x10 ft brs from CorNo.4, S. 36° 15' W 840 ft., Value	100.00
No.6	Discovery shaft 4x6x12 ft. brs from Cor.No.2, J.E.C. <i>N.44°10' E. 50 ft. on ledge</i> N. 43° 03' W. 135ft. , Value	<u>120.00</u>
	Total improvements Link lode,	\$620.00

GAP EXTENTION.

No.1	Discovery shaft 4x6x10 ft brs from E E Clocation N. 41° 40' W. 598 ft. Value	<u>\$100.00</u>
	Total improvements on group	\$720.00

Complete affidavit of \$500 improvements will be filed before the expiration of publication.

ADJOINING CLAIMS.


NW	<i>Surv No. 2083</i> May lode, unsurveyed , Jacob Pirrung, owner; McKinley lode <i>Surv. No 2042.</i> unsurveyed B F. Graham owner;
SE.	<i>Surv. No. 2042</i> McKinley lode, same owner. Parker lode, unsurveyed H.A. Smith owner;
SW.	Rhine lode, Survey No.1872, McKinley and Dubuque lodes, M J Cunningham, et al owners. <i>Surv. 1872</i>
NW	Keno lode, Survey No.1872, same owner.

LOCATION.

These claims are located about 4 mi in a SE direction from the City of Bisbee in Warren Mining District Cochise County, Arizona. approximately in Tp 23 S R 24 E B & S R B & M, unsurveyed.

INSTRUMENT

This survey was made with a C. L. Berger & Sons No 1 C transit the courses were deflected from the true meridian as determined by a solar observation checked by an observation on Polaris; the distances were measured with a 300 ft steel tape. Magnetic variation $12^{\circ} 30' E$.


U. S. Deputy Mineral Surveyor.

Dated at Bisbee, Arizona,

June 14 ¹⁹⁰⁵
~~1950.~~

Note Any discrepancies between the courses and distances of this survey and those of the conflicting approved surveys are due to errors in the latter.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Franklin W. Smith
 United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines
 corners and boundaries described in the foregoing field notes of the survey of the mining claim
 of Howe A. Smith.
 known as the Link and Gap Extension
 and showing the respective capacities in which they acted.

R. A. Ziesemer, Chairman.
D. E. Curry, Chairman.
 _____, Axman.
 _____, Flagman.

FINAL OATHS OF ASSISTANTS.

We, R. A. Ziesemer
 and D. E. Curry, do solemnly swear that we assisted Franklin
W. Smith, United States Deputy Mineral Surveyor, in marking the corners and
 surveying the boundaries of the mining claim of

Howe A. Smith.
 _____, known as the

Link and Gap Extension, represented
 in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under
 his direction; and that said survey has been in all respects, to the best of our knowledge and
 belief, faithfully and correctly executed, and the corner and boundary monuments established
 according to law and the instructions furnished by the United States Surveyor-General for
Arizona.

R. A. Ziesemer, Chairman.
D. E. Curry, Chairman.
 _____, Axman .
 _____, Flagman.

Subscribed and sworn to by the above-named persons before me
 this 14th day of June, 1905

Howe A. Smith

NOTARY PUBLIC
 In and for the County of Cochise, Territory of Arizona,
 My Commission Expires March 21, 1908.

(4-686.)

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, Franklin W. Smith, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated May 31st 1905, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Novel A. Smith, known as the Link and Gap Extension, situate in Warren Mining District, Cochise County, Arizona, in Section approx, Township No. 23S, Range No. 24 E, Unsurveyed and designated as Survey No. 2086, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Franklin W. Smith
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said Franklin W. Smith
U. S. Deputy Mineral Surveyor, before me Cora E. Smith
this 14th
day of June, 1905

Cora E. Smith

Notice of Mining Location

LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the Link Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by J. A. Sherwood

(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

the undersigned, on the 30th day of August 1904

The length of this claim is 1500 feet, and I claim 1450 feet, in a Northerly direction and 50 feet in a Southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 160 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the

North to the South

The claim is situated and located in the Warren Mining District, in Cochise County, in the Territory of Arizona, about 3 1/2 Miles in a South Easterly direction from the town of Bisbee

Bounded North by No. 1 claim
East " Grass Valley claim
South " Dubuque "
West " New "

The surface boundaries of the claim are marked upon the ground as follows: Beginning at

Monument
 at a point in a Southerly direction 50 feet from the discovery shaft (at which this notice is posted), being in the center of the South end line of said claim; thence 160 feet to a Monument, being the S. W. corner of said claim; thence 1500 feet to a Monument, being at the N. W. corner of said claim; thence 2 1/2 feet to a Monument at the center of the North end of said claim; thence 2 1/2 feet to a Monument, being at the N. E. corner of said claim; thence 1500 feet to a Monument at the S. E. corner of said claim; thence 160 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this 30th day of August 1904

Witness, J. T. Toland,

Locator J. A. Sherwood

Filed and recorded at request of J. A. Sherwood, Oct 24th
A. D. 1904 at 9 a. m. Book 32, Page 88, Record of Mines.

TERRITORY OF ARIZONA,
 County of..... } ss.

I,....., County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at..... o'clock,..... M., on this..... day of..... 190... and duly recorded in Book No..... of..... Records of..... County, Arizona, at pages.....
 WITNESS my hand and official seal the day and year first above written.

County Recorder.

Notice of Location

LODE CLAIM

Dated..... 190.....

Filed and Recorded at request of.....

A. D. 190.....

at..... M.


Book.....

Pages.....

County Recorder.

By.....

Deputy Recorder.



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

Territory of Arizona, (
 County of Cochise. (ss.
 (

I, Frank Hare, County Recorder in and for said County, hereby certify that I have compared the foregoing copy with the original Location Notice of the Link Mining ~~XXXXX~~ Claim, filed and recorded in my office on the 24th day of Oct. 1904, in Book 326 at page 88, Record of Mines, and that the same is a full, true and correct copy of such original and of the whole thereof.

Witness my hand and seal of office this 23rd day of May, 1905.

Frank Hare
 County Recorder.

Notice of Mining Location

LODE CLAIM

To All Whom It May Concern:

This Mining Claim, the name of which is the Gap Extension Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Geo. C. Clark & M. J. Cunningham

(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")

the undersigned, on the Eighth day of January 1904

The length of this claim is 1500 feet,

and We claim 600 feet,

in a S Easterly direction and 900

feet in a N Westerly direction from

the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together

with 10 feet in width of the surface grounds, on each

side of the center of said claim. The general course of the lode deposit and premises is from the

N. West to the S. East

The claim is situated and located in the Warren Mining District, in

Cochise County, in the Territory of Arizona, about 3 1/2

in a S Easterly direction from Bisbee & is Bounded

on the North By Green Valley & Parker Claims

" " South To Phen. McKinley & Dubique "

" " East " Copper Consolidated "

" " West " New Extension "

The surface boundaries of the claim are marked upon the ground as follows: Beginning at

A Mound of Stones

at a point in a S Easterly direction 600 feet from

the discovery shaft (at which this notice is posted), being in the center of the East

end line of said claim; thence 5 feet to a Mound

of Stones, being the N. East corner of said claim; thence

1500 feet to a Mound of stones, being at the

N. West corner of said claim; thence 10 feet

to a Mound of Stones at the center of the West end of said claim;

thence 10 feet to a Mound of Stones, being at the

S West corner of said claim; thence 1500

feet to a Mound of Stones at the S East corner of said claim;

thence 5 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes on the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

Dated and posted on the ground this Eighth day of January 1904

Geo. C. Clark

M. J. Cunningham

Filed and recorded at request of Geo. C. Clark, Jan. 11th A.D. 1904 at 9 a.m. Book 30, page 13, Record of Mines

Territory of Arizona, (
County of Cochise. (ss.
(

I, Frank Hare, County Recorder in and for said County, hereby certify that I have compared the foregoing copy with the original Location Notice of the Gap Elevation Mining Claim, filed and recorded in my office on the 11th day of July 1904 in Book 30 at page 13, Record of Mines, and that the same is a full, true and correct copy of such original and of the whole thereof.

Witness my hand and seal of office this 26th day of May, 1905.


County Recorder.

4-688.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.

July 13", 1905.

I, U. S. Surveyor-General for the district of Arizona, do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of Hoval A. Smith,

known as the Link and Gap Extention, situate in Warren

Mining District, Cochise County, Arizona.

in Section approx., Township No. 23 S., Range No. 24 E. unsurveyed., and

designated as Survey No. 2086, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or his grantors, and that said improvements consist of 6 shafts, total value \$620.00 and that less than \$500.00 has been expended upon or for the benefit of the Gap Extention lode, and that said improvements consist of at time of survey, one shaft, value \$100.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Tucson, Arizona, is correct and in conformity with the foregoing Field Notes.

(Signed) Frank S. Ingalls,

United States Surveyor-General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona.

July 13", 1905

I, U. S. Surveyor-General for the district of Arizona.

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of Hoval A. Smith,

known as the

Link and Gap Extention

situate in Warren Mining District, Cochise County, Arizona.

in Section approx., Township No. 23 S., Range No. 24 E. unsurveyed, designated as Survey No. 2086

executed by Franklin W. Smith, U. S. Deputy Mineral Surveyor, June 12th to 13th 1905.

1905, under my instructions dated May 31, 1905, have been critically examined and the necessary corrections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. A true copy of the copy of the location certificate filed by the applicant.. for survey is included in the field notes.

Frank S. Ingalls

U. S. Surveyor-General for Arizona.

SURVEY NO. 2086

SCALE 200 FT 1 IN



Lutzgerding

TOTAL AREA LINK	8.249
AREA IN CONFLICT WITH MCKINLEY	7.124
NET AREA OF LINK	1.125
TOTAL AREA GAP EXTENSION	0.348
AREA IN CONFLICT WITH PARKER	0.002
NET AREA GAP EXTENSION	0.346

