JUL 1- 1905

(4-683.)

Mineral Survey No. 2092

	Lot No.	
19.000111111111111111111111111111111111	<i></i>	Gila Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF La Frortuna Muning Company KNOWN AS THE uma County, lly our Section Chauseyed Township 105 Range 20 Wi unsur Surveyed under instructions dated June 5th, 1905, illiam H & blood, U. S. Deputy Mineral Surveyor. Survey commenced June 13th Survey completed..... adol

P. J. Robertson Atty. Juma - Auz

- Beginning at cor. No. I, identical with Cor. No. I, of location, a schist stone I8x8x6 inches set I2 inches in ground, with mound of stone 3ft. base, 3ft. high alongside, chiseled 2092 AI. from which U.S.L.M.No.2092 bears S.43°18'W.1029.82ft. Cor. No.2, New Years lode, this survey, bears S.70°21' W. 899.5 ft.No other bearings available.
- to west end, of lode line, a schist stone 20X6X4 inches 250.7
- set I4 inches in ground, with mound of stone 3ft. base and 3ft. high, alongside, chiseled 2092 W.E.C. 2093 A. 350. ORoad from Blaisdell to mine bears S.30°E. & N.35°W. to Cor. No. 2, from which Cor. No. 2. of location bears N.I6° 59'W. 65 ft., a schist stone 20XIOX9 inches set I2 inches in ground with mound of stone 3ft.high 3ft. base, alongside, chiseled 2092 A 2. No bearings available.
- Thence N.72° I5' E. 1369.06 to Cor. No. 3, a schist stone I8XIOX6 inches set 12 inches in ground with mound of stone 3ft. base and 3ft. high alongside, chiseled 2092 A.3. from which Cor.No. 4, of location bears N.16° 59' W. 65. ft. No bearings available.
- Thence S. I6°59' E. to top of ridge east and west, and east end centre of lode, a schist stone I8x6x6 set I2 inches in ground with mound of stone 3ft. base and 3ft. high alongside, 227.8 chiseled 2092 E.E.C. A.
 - to Cor. No. 4. identical with Cor. No.5 of location, a schist stone I8X6X5 inches set I2 inches in ground 527.3 with mound of stone 4 ft. base and 4 ft. high, alongside, chiseled 2092 A. 4. No bearings available.
 - Thence S.72°48' W. to Cor. No. 5. a schist stone 20x8x8 inches set I2 inches in ground, with mound of stone 3 ft. base, 3 ft. high, alongside, chiseled 2092 Ap. 5. No bearings available.
 - Thence S.70° 21' W. 400.0 Road from Blaisdell to mine pears S.30° E. and N30° W. 506.0 to Cor. No. I the place of beginning.

Variation at all corners I4° IO' East.

New Years Lode. Beginning at Cor. No. I, identical with Cor. No. 2, of location, a pine post 4 ft.long and 4 inches square set 2 ft.in ground, with mound of stone, scribed 2092 N.Y.No. I, from which U.S.L.M.No.2092 bears N.67°51'W. 168.72 feet. No other bearings available.

Thence N.30°07'W. 298.16 to west end centre of lode, a pine post 4 ft.long and 4 inches square, set 2ft. in ground, with mound of stone, scribed 2092.W.E.C.N.Y.

591.26 to Cor. No.2, identical with Cor.No.3.of location, a pine post 4 ft. long 4 inches square, set 2 ft.in ground with mound of stone, scribed 2092 N.Y.Ho. 2 No bearings available.

Thence N70°21'E. 899.50 to Cor. No. I.Alta Lode this survey.
1005.50 Road from Blaisdell to mine bears S.30° E.and N.30° W.
1405.50 to Cor.No.3. identical with Cor.No.4. of location and Cor. No. 5. Alta Lode, this survey, a schist stone 20x8x8 inches set I2 inches in ground with mound of stone 3ft.base, 3ft. high alongside, chiseled 2092 N.Y.3 Feet. New Years Lode. contind. A.5 No bearings available.

Thence S.30°07'E.

305.0 to east and centre of lode, a pine post, 4 ft. long 4 inches square, set 2 ft.in ground, with mound of stone scribed 2092 E.E.C.N.Y.

603.0 to Cor. No. 4. identical with Cor.No.I of location, a pine post 4 ft. long, 4 inches square, set 2 ft. in ground with mound of stone, scribed 2092 N.Y.No.4. No bearings available.

Thence S.70°49' W. 1407.7 to Cor. No.I. the place of begginning.

Variation at all corners I4°10' East.

Christmas Gift Lode.

Beginning at Cor. No. I. identical with Cor. No.2, of location, and Cor. No. 3. New Years Lode and Cor. No. 5 Alta Lode, this survey, a schist stone 20x8x8 inches set I2 inches in ground, with mound of stone 3 ft. base and 3 ft. high, along side, chiseled 2092 C.C. I N.Y.3 A.5 from which U.S.L.M.No.2092 bears S.52°08'W.1498.15ft. Ho other bearings available.

Thence N72°48'E.

863.53 to Cor. No.4, Alta Lode, this survey. 1471.5 to Cor. No.2, identical with Cor. No.3, of location, a schist stone I8x8X5 inches set I2 inches in ground with mound of stone 3ft.base and 3ft.high alongside, chiseled 2092 C.G.2. No bearings available.

Thence S.30°07' E.

306.78 to east end centre of lode, a schist stone, I6XI2X5ins. set IO inches in ground, with mound of stone 3ft.base

3ft.high, alongside, chiseled 2092 E.E.C.C.C. 610.28 to Cor.No.3.identical with Cor.No.4.of location, a pine post 4ft. Long, 4fhches square, set 2ft. in ground, with mound of stone scribed 2092 C.G. No.3 No bearings available.

Thence S.73°05' W.

I473.08 to Cor. No. 4, identical with Cor. No. I of location and No. 4. of New Years Lode, this survey, a pine post 4ft. long, 4fnches square, set 2ft. in ground, with mound of stone scribed 2092. W.G. No. 4, N. Y. No. 4. No bearings available.

Thence N.30°07'W.
298.0 to west end centre of lode, identical with aast end centre of New Years Lode, this survey, a pine post 47... long, 4 inches square, set aft. in ground with mound of stone, scribed 2092.W.E.C.C.G.E.E.C.H.Y.

603.0 to Cor. No. I the place of begtinning.

Variation at all corners I4° IO'East.

3

SURVEY 2092. Half Moon Lode.

	SURVEY 2092. Half Moon Lode.
Feet	The state of the s
I407.	Thence N.70°49'E. to Cor.No.2.identical with the Cor.of location and with Cor.No.4.New Years Lode and Cor.No.4.Christmas Gift Lode, this survey, a pine post 4ft.long 4inches square, set2ft.in ground with mound of stone, scribed 2092 H.M.No.2 N.Y.No.4 C.G.No.4.No other bearings available.
297.75	square set 2ft.in ground, with mound of stone scribed 2092 E.E.C.H.M.
595.5	to Cor.No.3.identical with S.W.Cor.or location, a pine post 4ft.long, 4inches square, set 2ft.in ground with mound of stone, scribed 2092. H.M.No.3 No bearings available.
I407.4	Thence S.70°46'W. to Cor.No.4.from which the S.W.Cor.of location bears S.70°46'W. 8.5ft. a granite stone 20x18x8inches, set I2inches in ground, with mound of stone 3ft.base and 3ft.high, chiseled 2092.H.M.4. No bearings available.
304.5 596.8	Thence N.30°07'W. to west end centre of lode a pine post, 4ft, long 4ins. square set 2ft.in ground, with mound of stone scribed 2092 W.E.C.H.M. to Cor.No.I.the place of beginning.
	Variation at all corners I4° IO: East.
	La Fortuna Lode.
	Beginning at Cor.No.I identical with Cor.No.2, Half Moon Lode, Cor.No.4, New Years Lode and Cor.No.4Christmas Cift Lode, a pine post 4ft.long 4ins.square set 2ft.in ground with mound of stone, scribed 2092. FNo.I H.M.No.2 N.Y.Ho.4 C.G.No.4, from which U.S.L.N.2092, bears 5.75°V. I537.82tt No other bearings available.
I473.0	Thence N.73°05'E. to Cor.No.2, identical with Cor.No.3. Christmas Gift Lode this survey, a pine post 4ft.long 4ins. square set 2ft.in ground with mound of stone scribed 2092.F.Ho.2 C.G.No.3. No bearings available.
307.3	Thence S.30°07'E. to east end centre of lode, a schist stone 24x16x6ins. set 14ins.in ground with mound of stone 3ft.base and
607.0	3ft.high alongside, chiseled 2092.E.E.C.F. to Cor.No.3.a pine post 4ft.long 4ins.square, set 2ft. in ground with mound of stone, scribed 2092.FNo.3. No bearings available.
I475.78	Thence S.73°31'W. to Cor.No.4.identical with Cor.Ho.3, Half Moon Lode, this survey, a pine post, 4ft.long 4ins. square set 2ft.in ground with mond of stone, scribed 2092.F.No.4. H.H.No.3. No bearings available.
297.75	Thence N.30°07'W. to west end centre of lode, identical with east end

centre of Half Moon Lode, this survey, a pine post, 4ft.long 4ins.square, set 2ft.in ground with mound of stone, scribed 2092.W.E.C.F.andE.E.C.H.M. to Cor.Ho.I.the place of beginning.

All corners identical with corners of location. Variation at all corners I4°10'East.

Arizona Lode.

Beginning at Cor.No.I, identical with Cor.No.4, of Half Moon Lode, this survey, a granite stone 20XI8X8 inches set I2ins.in ground with mound of stone 3ft. base and 3ft.high, alongside, chiseled 2092.AI.H.M. 4. A Cor.of location bears \$.70°46'W. 8.3ft.U.S.L.M. No.2092.bears N.38°06'W. 738.Oft.

No other bearings available.

Thence N.70°46'E.

I407.4 to Cor.No.2, identical with a corner of location and identical with Cor.No.3. Half Moon and Cor.No.4. La Fortuna lodes, this survey, a pine post 4ft. long 4ins. square set 2ft.in ground with mound of stone, scribed 2092ANo.2 H.M.No.3.F.No.4

Thence S.30°07'E.

297.75 to east end centre of lode a pine post 4ft.long
4inchea square, set 2ft.in ground, with mound of stone
scribed E.E.C.A.

595.5 to dor. No. 3, identical with Cor. of location, a pine post 4ft. long 4ins, square set 2ft. in ground with mound of stone, scribed 2092. A. No. 3
No bearings available.

Thence S.73°03'W.

I4I9.4 to cor.No.4.identical with a Cor.of location, a pine post 4ft.long 4ins.square, set 2ft.in ground with mound of stone, scribed 2092.A.4.No bearings available.

Thence N.30°07'W.

300.0 to west end centre of lode, a pine post 4ft.long 4ins. square, set 2ft.in ground with mound of stone, scribed 2092.W.E.C.A.

538.0 toCor.No.I, the place of beginning.

Variation at all corners I4°I0'East.

Oregon Lode.

Beginning at dor.No.I, identical with a Cor.of location and with Cors.No.2.of Arizona Lode, No.3.of Half Moon and No.4, La Fortuna Lodes, this survey, U.S.L.M.No.2092 bears N.86°I5'W. I788.05ft.

No other bearings available.

Thence N.73°31'E.

1475.75 to Cor.No.2, identical with a corner of location and with Cor.No.3, La Fortuna Lode, this survey, a pine post 4ft.long 4ins.square set 2ft.in ground with mound of stone, scribed 2092.0.No.I F.No.3.

No bearings available.

to east end centre of lode, a schist stone 20X12X5ins.
set I2ins.in ground with mound of stone 3ft.base and
3ft.high alongside, chiseled 2092.E.E.C.O.
to Cor.No.3, from which a Cor.of location, bears H.75°33'E
13.4ft. a schist stone 20X8X8inches set I2ins.in

SURVEY 2092. Oregon Lode.contd.

ground with mound of stone 3ft base and 3ft. high Feet. alongside, chiseled 2092. 0.3. No bearings available.

Thence S.73°33'.W. to Cor. No. 4, identical with the corner of location and I476.00 Cor.No.3, Arizona Lode, this survey, a pine post 4ft. / long 4ins. square, set 2ft. in ground with mound of stone scribed 2092 ONo.4 A.No.3. No bearings available.

scribed 2092 ONo.4 A.No.5.

Thence N.30°07'W.

to west end ee ntre of lode, identical with east end centre of Arizona Lode, this survey, a pine post 4ft.long 4ins. square, set 2ft. in ground with mound of stone, scribed 2092 W.E.C.O. E.E.C.A. 297.75

to Cor. No.I. the place of beginning. 595.50 Variation at all corners I4°IO' East.

ADJOINING CLAIMS.

The King of Kings lode joins the Arizona on the south and Gold of Ophir lode andKing of Kings lode joins the Oregon on the south these claims were located by Henry Blume and are unsurveyed.

The Aleman joins the La Fortuna on the east and the Gringo joins the Oregon on the east. These claims were located by Fred Martin et.al.and are unsurveyed.

Lode locations claimed by Wm. Graham joins the Arizona and Half Moon on the west. Hame unknown and are unsurveyed. No other known claims adjoining.

Acres.

LODE LINES.

- Alta Lode. The presumed course of lode line is N.65°19'5 396.6ft. and S.72°40'W.978.ft. from discovery tunnel.
- New Years Lode. The presumed course of lode line is \$.70°52'W. IIO.ft.and.H.70°58'E.IS97.9ft.from discovery shaft.
- Christmas Gift Lode. The pfesumed course of lode line is S.72°52'W.48Ift.and N.72°52'E.989.9ft. from discovery shaft.
- Half Moon Lode. The presumed course of lode line is N.70°IO'E.395.Oft.and S.71°31'V.1022,4 ft. from discovery shaft.
- La Fortuna Lode. The presumed course of lode line is S.73°27'W. 460 ft. and N.73°27'E. IOIS.3 ft.fron discovery cut.
- Arizona Lode. The presumed course of lode line is N.73°08'E. 550. ft. and f.73°08". 869.9 ft.from discovery cut.
- Oregon Lode. The presumed course of lode line is \$.73°37'W. 235. ft. and H.73°37'E. I24I.5 ft.from discovery cut.

LOCATION.

This claim is located on unsurveyed public lands in Yuma County, Arizona. Approximately in the southeastern part of Tp. IO S. R. 20 W. G.&S.R.B.&M. in La Fortuna mining district

8

I hereby certify that the value of the labor and improvements upon the claims embraced in this survey, placed thereon by elaimant of its granetrs, is not less than \$200 for each location embraced in survey, and that said improvements consist of:

and partly stone, laid in cement, the S.W. Cor. of which bears from East End Contro N.83°30.W.395.0ft.

Value - - $\frac{\$1500.0}{\$1000}$ Total value of improvements - - - - - $\frac{\$2100.0}{\$2100.0}$

New Years Lode. Discovery shaft No.I 6ft by 4ft. by 18ft. deep, in rock, which bears from West End Centre M.70°58'E. IIO.0ft Value - - \$100.0A shaft No.2 6ft. by 6ft by 10ft. deep, in rock, which bears from West End Centre N.24°E. 40 ft. Value - - - \$100.0

A shaft No.3 6 ft.by 4 ft.by IO ft.deep, in rock which which bears from West End Centre N34°E. 280. Tt.

Value - - - \$100.0 A tunnel No.4.4 ft. wide and 6 ft. high, the mouth of which bears from Cor. No. 4 N.83°W. 490.0 ft. Course of tunnel N.64°W. 50. ft. in rock.

Value $-\frac{$400.0}{-$700.0}$ Total value of improvements $-\frac{$400.0}{-$700.0}$

Christmas Gift Lode. Discovery shaft No.I 6 ft. by 4 ft by IO ft. deep, in rock, which bears from West End Centre N.72°52'E. 48I ft.

Value - - -\$100.0A tunnel No. 2. 4 ft. wide and 62ft. high, the mouth of which bears from West End Centre N.64°10'.E. 584. ft. Course of tunnel N.75°E. 80. ft. thence N.62°E. I30.ft. At 55 ft. on course of N.62°E. is a shaft 8 ft. by 6 ft. by 100 ft. deep, on incline of 45° and course \$28°E. Value of tunnel and shaft-\$3500.0 Total value of improvements - - - - - - 93600.0

Half Hoon Lode. Discovery shaft No.I. 4 ft.by 6 t. by 30 ft. deep in rock, and earth, which bears from East End Centre S.70° 10'W. 395 ft. Value - - - 300.00

A shaft No.2. 6 ft.by 4 ft.by//oft. deen, in rock which bears from Cor. No. 4 N.25°30'E. 254 ft. - -Value - - - //00.00

A shaft No. 3, 6 ft. by 4 ft. by 40ft. deep, in rock, which bears from Cor. No. 4 N.1°40'W. 290. ft. with drift 4 ft. wide by 6 ft. high at 40ft. the course of which is S.62°45'E. I30. ft. and connects with shaft Ho. 2

Value of shaft and drift 1500.00 Total value of improvements - - - - - - \$2900.00

La Fortuna Lode. Discovery cut No. I 50 ft. long, 20 ft. wide and IO ft. deep, in rock, course N.73°30'E. which bears from West End Centre N.73°27'E. 460. ft. Value - - \$1000.00

An incline shart No. 2 that bears from Cor. No. I S.53°45'E. 497. ft. /2 ft. by 6 ft. and is 350 ft deep, in rock. Incline 60° Course N34°35'E. at the bottom of which are drifts 4 ft. wide and 6 ft. high, one of which bears S.13°E. 85 ft. thence S.33°30'E. 75 ft. thence S.86°45'E. I62. ft. thence N88°E. 600. ft.

Acres.

LODE LINES.

- Alta Lode. The presumed course of lode line is N.63°19' and S.72°40'W.978. Tt. from discovery tunnel.
- Hew Years Lode. The presumed course of lode line is \$.70°52'W. IIO.ft.and N.70°58'E.I897.9ft.from discovery shaft.
- Christmas Gift Lode. The pfesumed course of lode line is \$.72°52'W.48Ift.and N.72°52'E.989.9ft. from discovery shaft.
- Half Moon Lode. The presumed course of lode line is N.70°IO'E.395.0ft.and S.71°31'W.1022.4 ft. from discovery shaft.
- La Fortuna Lode. The presumed course of lode line is S.73°27'W. 460 ft. and N.73°27'E. IOI5.3 ft.fron discovery cut.
- Arizona Lode. The presumed course of lode line is N.73°08'E. 550. ft. and S.73°08". 869.9 ft.from discovery cut.
- Oregon Lode. The presumed course of lode line is 5.73°37'W. 235. ft. and H.73°37'E. I24I.5 ft.from discovery cut.

LOCATION.

This claim is located on unsurveyed public lands in Yuma County, Arizona. Approximately in the southeastern part of Tp. 10 S. R. 20 W. G.&S.R.B.&M. in La Fortuna mining district

Alta Lode. Discovery tunnel No. I 4ft wide and 6 ft. high the mouth of which bears from East End Centre S.63°19'W. 396.6ft. Course of tunnel N.73°E. 23. ft. thence N.48°E. 23.ft. with 19.ft.of approach. Value of tunnel and approach - - \$ 500.0

"A shaft No. 2 6ft.by; 4ft. by IOft.deep, in rock which bears from East End Centre S.64°45'W.380.ft.

Value - - - \$ 100.0

A Reservoir No.3 50.ft N.and S.by 25ft. E.and W. and Isft. deep, partly excavated out of solid rock and partly stone, laid in cement, the S.W. Cor. of which bears from East End Contre N.83°30.W.395.0ft.

Value - - \$1500.0

New Years Lode. Discovery shaft No.I 6ft by 4ft. by 12ft. deep, in rock, which bears from West End Centre H.70°52'E. IIO.Oft Value - - \$100.0A shaft No.2 6ft. by 6ft by 10ft. deep, in rock, which bears from West End Centre N.24°E. 40 ft.

Value - - - \$100.0 A shaft No.3 6 ft.by 4 ft.by IO ft.deep, in rock which which bears from West End Centre N34°E. 280. ft.

Value - - - \$100.0 A tunnel No.4.4 ft. wide and 6 ft. high, the mouth of which bears from Cor. No. 4 N.83°W. 490.0 ft. Course of tunnel N.64°W. 50. ft. in rock.

Total value of improvements - - -

Christmas Gift Lode. Discovery shaft No.I 6 ft.by 4 ft by IO ft. deen, in rock, which bears from West End Centre N.72°52'E. 481 ft.

Value - - -\$100.0value - - -\$100.0

A tunnel No. 2. 4 ft. wide and 6½ft. high, the mouth of which bears from West End Centre N.64°10'.E. 584. ft. Course of tunnel N.75°E. 80. ft. thence N.62°E. I30.ft. At 55 ft. on course of N.62°E. is a shaft 8 ft. by 6 ft. by 100 ft. deep,on incline of 45° and course \$28°E. Value of tunnel and shaft-\$3500.0 Total value of improvements - - - - - \$3600.0

Half Moon Lode. Discovery shaft No.I.4 ft.by 6 t. by 3 oft. deep in rock, and earth, which bears from East End Centre S.70°10'V. 395 ft.

Value - - - 300.00 A shaft No.2. 6 ft.by 4 ft.by//oft. deen, in rock which bears from Cor. No. 4 N.25°30'E. 254 ft. - -Value - - - //00.00

A shaft No. 3,6 ft.by 4 ft. by 40ft. deep, in rock, which bears from Cor. No. 4 N.I°40'W. 290. ft. with drift 4 ft. wide by 6 ft. high at 40ft. the course of which is S.62°45'E. I30. ft. and connects with shaft Ho. 2

Value of shaft and drift 1500.00 Total value of improvements - - - - - - 52900.00

La Fortuna Lode. Discovery cut No. I 50 ft. long, 20 ft. wide and IO ft. deep, in rock, course N.73°30'E. which bears from West End Centre N.73°27'E. 460. ft. Value - - \$1000.00

An incline shart No. 2 that bears from Cor. No. I s.53°45'£. 497. ft. /2 ft. by 6 ft. and is 350 ft deep, in rock. Incline 60° course N34°35'E. at the bottom of which are drifts 4 ft. wide and 6 ft. high, one of which bears S.13°E. 85 ft. thence S.35°30'E. 75 ft. thence S.86°45'E. I62. ft. thence N88°E. 600. ft.

10

La Fortuna continued-Total length of drift 922. t. Also a drift from bottom of shaft that muns N.5°I5'.W.240 ft. An incline shaft No. 3. that bears from Gor. No. I S.77°40'E. 700. ft. and is I2 ft.by 6 ft. by I000.ft deep, in rock; incline 58°. Course - - - \$20000.00S.54°30'E. Valuo- - -Total value of improvements -\$37870.00 Arizona Lode. Discovery cut Ho I which bears from East End Centre S.73°08'W. 550 ft and is Discovery cut No I which bears 4 ft. wide and I2 ft.long and I0 ft. face and bears N.70°46'E. Value - - - - - - bears N.70°46'E. I00.00 roa A tunnel the approach to which bears from West . End Centre N.8°25'E. I29. ft.51 ft.of approach and 3I ft.of tunnel.Course N.5°W. Value - - - -300.00 An incline shaft No.37 which bears from West End Centre N.36°40'E. I80.ft.and is 4 ft.by 6ft. by 20ft.in rock on incline of 60° thence on incline of 80° for 40 ft. Course of incline S. Value - - -600.00 Total value of improvements - - -3 I000.00 Oregon Lode. Discovery cut No. I Gft. hy 4ft. by 20ft. deep, in rock which bears from West. End Centre N.73°30'E. 235.ft.and is 4 ft. wide I4 ft.long and II ft. face. Course of cut 8.73°30'W. Value - - - - - - - - - - - - - - - - - - 100.00

**A tunnel the mouth of which bears from West End

Centre N.65°30'E. 520. rt. Abli mins \$.28°w.

23 ft. N.62°W. 9 ft. and \$.28°W. I8 ft. Value - - - - - - -

INSTRUMENT.

This survey was made with a Stackpole and Bros. Transit No.1269 The course was deflected from the true meridan as determined by direct observation checked by an observation on Polaris.

The measurements were made with a 100 ft. and a 300 ft. steel tape.

On the morning of June 16th.1905 at 1.30 A.M.L.H.T.

I set transit over point and observe Polaris, following it to its eastern elongation. I set point on this line and at daylight turn an angle of 1°25'30" tipe for true meridan. By transit line with angles, I connect this line with Cor.No.I La Fortuna Lode, and check solar observation, which I find to be correct.

There being no U.S.L.H. or Corner of Government survey within 2 miles of claim I locate U.S.L.M. on a hill about 80 ft. above the rest of the ground in the near vicinity. A schist stone 36XI6XI0 inches set I8 inches in ground, chiseled U.S.L.H.2092, the exact point being marked by a + chiseled in top. A mound of stone 6 ft. base and 5 ft.high built alongside .A schist stone 12XI2 inch face in bottom of mound chiseled U.S.L.M.2092 A rock the exposed face of which is 4 ft. X6 ft.on which is chiseled a + 6 inches high and U.S.L.M.2092.B.R., bears N.23°06'W.I8.I ft. Picacho in California bears N.33°06'W. The centre one of the three high peaks that are known as the guide to Fortuna, bears S.69°08'E. about 5 miles distant.

U.S.L.M.No. 2092 is located on unsurveyed Government land in approximately the southeastern part of Tp. IOS. R.20W.G.&S.R. B.&M. Yuma County Arizona. I know of no other U.S.L.M. within I5 miles.

FINAL OATHS FOR SURVEYS.

LIST	OF NAMES.	
	red by William HEd	les
A list of the names of the individuals employ	ed by A. A. C.	
United States Deputy Mineral Surveyor, to assist		/
boundaries described in the foregoing field notes o	f the survey of the mining claim of.	Forluna
Mining Company		
	7. 44 - 01	-1 6
known as the Oregon Olla, New J	Jean, La Horluna, Chris	tues ty
and showing the respective capacities in which the	ey acted.	our 1
	albert C. Byrnes.	Chainman
	Robert Margatte	Chathman.
	Moves Maggette,	Chainman.
	00	Axman.
		rı
		r tagman.
FINAL ÓATH	S OF ASSISTANTS.	
We, albert C. Byru		
We, word - 10 mg m	01	
and Tobert Maggette	, do solemnly swear that we assisted	lliem
H-Elliott United States De	eputy Mineral Surveyor, in marking the corners	and surveying
the boundaries of the mining claim of Inc. L	^	
the boundaries of the mining claim of LICE.	ra gionna i donne	supremy.
known as the Ovegou Jallie, New Yea	La fortuna Carolina	weigh.
	Half moon of all Cariyona	
represented in the foregoing field notes as having	been sprveyed by said deputy mineral/surveyo	r and under his
direction; and that said survey has been in all re-	espects, to the best of our knowledge and belie	f, faithfully and
correctly executed, and the corner and boundary	monuments established according to law and	the instructions
furnished by the United States Surveyor-General	for Prisona.	
Infinished by the United States Surveyor General		
*	albert Claymes	Chainman.
	Wobort May gette	Chainman.
	ad	
	·,	Axman.
		Flagman.
Subscribed and sworn t	o by the above-named persons before me this	30th
À	100.4	
day of Jun	67 6 82 +	
	Trank Dexion	
•	not sel Oser	blie
9189b5m8-03		i and the second

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, William H- Elliot , U. S. Deputy Mineral
Surveyor, do solemnly swear that, in pursuance of instructions received from the United
States Surveyor General for Onizous, dated
June 5th 1905, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of Loa Frontina Mining Courtains
known as the
Oregon, Olla, New Years, La Fortuna Calindana Fiff; situate in La Fortuna Mining District,
situate in La Fortuna Mining District,
County, Organia in Section County, Township No. 106 Range No. 20 W. Francisco
Township No. 100, Range No. 20 W. 455 A. Born.
and designated as Survey No. 2022, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or dat grantors
are as therein fully stated, and that the character, extent, location and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
William H. Elles H.
U.S. Deputy Mineral Surveyor.
Subscribed and sworn to by the said Millians W. Ellian.
U. S. Deputy Mineral Surveyor, before me Frank Baster
a Notary Public of Yeuna Eo. a. T. this 30th
day of June 1905.
() lo so alto
Julaux Derica
Notary Fullec
My commission eskires July 10" 1907,
my constitution of the

Affidavit of Five Hundred Dollars Improvements.

We, John M. Speece	and Jasker Parvin
of lawful age, being first duly sworn according t	o law, depose and say: That we are acquainted with the
1/2 29 1/02 1/2 1	ning claim, situate in Loc Frontina
mining district, Cou	inty, Arizona Territory, for which the Loa Forling Min
Company, by Poles F. A der	atty.
ha. made application for survey prior to applica	tion for patent under the provisions of the Act of Congress
approved May 10, 1872; and that the labor done	and improvements made thereon by the applicant. and
grantor 3 exceed five hundred dollar	for each claim are in value, and further that we are not personally interested
in said mine.	John In Speesel
	Gasper Parvin
TERRITORY OF ARIZONA,	
COUNTY OF June	
Sworr	n to and subscribed before me this 30 to day
[SEAL.]	f. June 1905
2	Frank Baseter
117865400-2-04	notary Public
My commission o.	Rpires 6) ules 10"1907.
\mathcal{O}	

ADDITIONAL AND AMENDED LOCATION CERTIFICATE.

KNOW ALL MEN BY THESE PRESENTS, That the La Fortuna Mining Company, by F.J. Martin its superintendent the undersigned has this 31st, day of August 1904. amended located, and claimed and by these presents does amend, locate, and claim by right of the original discovery of this amended and additional location certificate in compliance with the Mining Acts of Congress Approved May, 10th, 1872. and all subsequent Acts and with local customs, laws, and regulations, I500 linear feet and hrizontal measurment on the Alta lode, vein ledge or deposit along the vein thereof, with all its dips, angles, and variations, as allowed by law together with 300 feet on each side of the middle of the said vein at the surface, so far as can be determined from presents developments, and all lodes, veins, ledges, or deposits, and surface ground within the lines of said claim 300 feet running N. 73° E.and 600 feet running S.73° W.thence 600 feet running S.70° W.from center of discovery shaft, said discovery shaft being located on said lode vein, ledge, or deposit, and within the lines of said claim, in La Fortuna, Mininig District, County of Yuma, Territory of Arizona described by metes and bounds as follows, to-wit:

Beginning at Corner No.1, the S.W. Corner, and on line 3-4 New Years lode thence N.17° E. 600 feet to Corner No.2, thence N.70° E. 600 feet to Corner No.3, thence N.73° E. 900 feet to Corner No.4, thence S.17° W. 600 feet to Corner No.5, thence S.73° W. 900 feet to Corner No.6, indentical with Corner No.2, Christmas Gift, lode and Corner No.4, New Years lode, thence S.70° W. 600 feet to Corner to place of beginning variation of Needle 14° E.

This being the same lode originally located on the Ist. day of January, I895. and recorded on the I9th, day of February I895. in book G of Mines page 392, in the office of the Recorder of Yuma County, Arizona,

This futher and additional amended certificate of location is made without waiver of any previously acquired rights, but for the purpose

of correcting antw errors in the original location, description or record, and of taking in and acquiring all forfeited or abandoned overlapping ground, and in taking in any part of any overlapping claim which has been abandoned,

The Fortuna Mining Company,

By F.J. Martin,

Supertindendent,

Recorded at request of F.J.Martin Sept. 6th, at 9A.M. 1904.

C.P.Cronin

County Recorder,

TERRITORY OF ARIZONA)
ss.
County of Yuma,)

I, J.M.Polhamus, County Recorder, in and for the County of Yuma Territory of Arizona, do hereby certify that the foregoing is a true full and correct copy of the Additional and Amended Location Certificate, as filed for record in my office on the 6t., day of Sept.A.D. 1904. and as appears of record in Book "S" of Mines, Page 10, et, eq, records of Yuma County, aforesaid.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my seal of office this 29th, day of May. 1905.



County Recorder, Yuma, County,

ADDITIONAL AND AMENDED LOCATIONCErtificate.

Know all men by these presents, That the La Fortuna Mining Company, by F.J. Martin its superintendend the undersigned has this 31st. day of August 1904. amended located, and claimed, and by this these presents does amend locate and claim, by right of the original discovery, of the additional and amended location certificate of location in compliance with the Mining acts of Congress approved May 10th. 1872. and all subsequent acts and with local customs laws, and regulations, I500 linear feet, and horizontal measurment on the Christmas. Gift lode vein ledge or deposit along the vein thereof. with all its dips angles, and variations, as allowed by law, together with 300 feet on each side of the middle of the said vein at the surface so far as can be determine from present developments, an dall lodes veins ledges, or deposits, and surface ground within the lines of said claim 500 feet running S.73° W.and 1000 feet running N.73° E.from center of discovery shaft said discovery shaft being located on said vein ledge or deposit and within the lines of said claim in La Fortuna Mining District County of Yuma and Territory of Arizona, described by metes and bounds as follows to-wit: Beginning at Cor. No. I, the S. W. Cor. indentical with a Cor. of La Fortuna Half Moon and New Yearslode thence N.30° W. 509.7 feet to Cor. No. 2, indentical, with Cor. No. 4, of New Years lode thence N. 730 E. I500 feet to Cor. No.3, thence S.30° W 609.7 feet to Cor. No.4, indentical with Cor. of Fortuna lode thence S.73° W. 1500 feet to Cor. No.I, the place of beginning variations of Needle I4° E. This being the same location lode originally located December 25th

1894. and recorded January 16th, 1895. in Book "G" of Mines page 359

in the office of the Recorder of Yuma County, Arizona.

This futher and additional amended certificate of location is made without waiver of any previously acquired rights but for the purpose of correcting any errors in the original location description or record and of taking in and acquiring all forfeited or abandoned overlapping ground and in taking in any part of any overlapping claim which has been abandoned.

La Fortuna Mining Company.

by F.J.Martin,

Superintendent.

Recorded at request of F.J. Martin, Sept. 6th, 1904. at 9A.M.

C.P. Cronin

County Recorder,

Territory of Arizona) ss. County of Yuma,)

I, J.M.Polhamur County Recorder in and for the County of Yuma
Territory of Arizona do hereby certify that the foregoing is a
true , full and correct copy of the additional and amended location
certificate as filed for record in my office on the 6th, day of Sept.
A,D. 1904. at 9A.M. and appears of record in Book "S" of Mines Page
14 et, seq, records of Yuma County aforesaid.

IN WITNESS WHEREOF: I have hereunto set my hand and affixed my seal of office this 29th, day of May, A.D. 1905.

ounty Recorder, Yuma County,



LOCATION NOTICE.

Dated on the Ground, this 22 day of December, 1894.
Witnesses Laurent Albert,

C. W. Thomas,

Peter Farrell,

W. H. Halbert,

Recorded at the request of C. W. Thomas at 2;00 o'clock, P. M., January 16th, 1905.

M. L. Pool,
County Recorder.

TERRITORY OF ARIZONA,)

County of Yuma,)

I, J. M. Polhamus, County Recorder in and for the County of Yuma, Territory of Arizona do hereby certify that the foregoing is a true full and correct copy of Location Notice of the Half Moon Mining Claim as filed for record in my office on the 16th day of January, A. D., 1905, and as appears of record in Book "G" of Mines, Page 358 et seq., records of Yuma County aforesaid.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed

my seal of office this 24th day of

May, A. D., 1905.

County Recorder, Yuma County,

Deputy Recorder.

* Work

ADDITIONAL AND AMENDED LOCATION CERTIFICATE.

Territory of Arizona)
)ss.
County of Yuma,)

KNOW ALL MEN BYDTHESE PRESENTS. That the La Fortuna Mining Company by F.J. Martin, its, superintendent the undersigned, has this 31st. day of August, 1904. amended, located, and claimed, and by these presents does amend, locate, and claim, by right of the original discovery of this additional and amended location certificate, in compliance with the Mining acts of Congress approved May, 10th, 1872, and all subsequent acts, and with local customs, laws and regulations, I500 linear feet and horizontal measurment on the New Years lode, vein, ledge, or deposit along the veinthereof, with all its dips angles, and variations as allowed, by law, together with 300 feet on each side of the middle of said vein, at the surface, so far as can be determined from presents developments, and all veins, lodes, ledges, or deposits and surface ground withinthe linesof said claim 250 feet running S.70° W. and I250 running N.70° E. from center of discovery shaft, said discovery shaft being located on sid lode, vein, ledge, or deposit and within the lines of said claim, in La Fortuna, Mining District, Courty of Yuma, and Territory of Arizona, described by metes and bounds as follows, towit: Beginning at Cor. No. I, the S. E. Cor. indentical with a Cor. of La Fortuna, Half Moon, and ChristmasGift lode, thence S.70° W. I500 feet to Cor. No.2, indemtical with a Cor. of Half Moon, lode, thence N.30°W. 609 feet to Cor. No.3, thence N.70° E. I500 feet to Cor. No.4, thence S.30° E.609.7feet to Cor. Ho. I, the place of beginning, variations of Needle I4º E.

This being the **same** lode originally located on the Ist. day of January 1895. and recorded on the 19th, day of February 1895.in Book"G" of Mines ,page 390, in the office of the Recorder of Yuma County Arizona,

This futher and additional amended certificate of location is made without waiver of any previously acquired rights but for the purpose of correcting any errors in the original location, description or record and acquiring all for feited or abandoned overlapping ground and in taking in any part of any overlapping claim which has been abandoned.

La Fortuna Mining Company,
by F.J. Martin,
Supertindendent,

Recorded at request of F.J. Martin, Sept. 6th, 1904. at 9A.M.

C. P. Cronin

TERRITORY OF ARIZONA,)
)ss.
County of Yuma,)

County Recorder,

I, J.M.Polhamus, County Recorder in and for the County of Yum a Territory of Arizona, do hereby certifyithat the foregoing is a true full and correct copy of the additional and amended Location certificate, as filed for record in my office on the 6th, day off Sept.A.D' 1904. at 9A.M. and as appears of record in Book "S" of Mines Page I2 et, seq, records of Yuma County aforesaid,

IN WITNESS WHEREOF: I have hereunto set my hand and affixed my seal of office this 29th, day of May, A.D. 1905.



ounty Recorder, Yuma County,

Location Notice.

Notice is hereby given that the undersigned, having complied with the requirements of Chapter 32, Title 67, of the Mining Laws of the United States, and the local laws and regulations, have this day located and claim 1500 feet in length along the course of this lead, lode or vein of mineral bearing quartz and 300 feet along each side of the center of said lead, lode or vein, situated in the unknown Mining District, County of Yuma, Arizona Ter. and more particularly described as follows: Commencing at this monument of stones, being the center of the easterly end of claim and on which this notice is posted; thence 300 feet to a monument of stones; thence 1500 feet to a monument of stones; thence 300 feet to a monument of stones, being the the center of the westerly end of claim; thence 300 feet to a monument of stones; thence 1500 feet to a monument of stones; thence 300 feet to place of beginning. This claim runs parallel with and adjoins the La Fortuna southerly and situated in the Gila City or Las Cuvetas range of mountains, 15 miles S. E. of Blaisdell Station on the S. P. R. and shall be known as the Arizona Gold Mine.

Located this 10 day of Jan. 1895.

Peter Farrell,
W. H. Halbert,
C. W. Thomas,
Laurant Albert,

Recorded at the request of C. W. Thomas at 2:00 o'clock, P. M., Jan 16th, 1895.

M. L. Pool,
County Recorder.

TERRITORY OF ARIZONA,))ss.
County of Yuma,)

I, J. M. Polhamus, County Recorder in and for the County of Yuma, Territory of Arizona do hereby certify that the foregoing is a true, full and correct copy of the Location Notice of the Arizona Gold Mine as filed for record in my office on the 16th day of January, A. D., 1895, and as appears of record in Book "G" of Mines, Page 356, et seq., records of Yuma County aforesaid.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my seal of office this 24th day of May,

A. D., 1905.

County Recorder, Yuma County,

Deputy Recorder.

LOCATION NOTICE. QUARTZ CLAIM.

The undersigned citizens of the United States having complied with the U. S. Mining Laws hereby claim abd locate 1500 linear feet along the course of this mineral bearing ledge, lead or vein and 300 feet on each side of center of vein together with all dips, spurs and angles and better described as fol. to-wit:

Commencing at this monument, thence Northerly 300 feet; thence Easterly 1500 feet; thence Southerly 600 feet; thence Westerly 1500 feet; thence Northerly 300 feet to place of beginning. This claim is situated in a spur of the San Alvino Mountains, Gila Range, about 16 miles Southerly from Blaisdell Station,

S. P. R. and adjoins the Fortuna Mining Claim on the South and the Arizona on east in Yuma County, A. T. and shall be known as the "Oregon" Mining Claim.

Located this 23rd day of May, 1895

Locators. (Max Cohn $\frac{1}{2}$) (Chas Gallagher $\frac{1}{2}$)

Recorded at request of Max Cohn at 20 mins. past 1 o'clock, P. M. Dec. 7th, 1895.

M. L. Pcol,
County Recorder.

TERRITORY OF ARIZONA,)

County of Yuma,)

I, J. M. Polhamus, County Recorder in and for the County of Yuma, Territory of Arizona, do hereby certify that the foregoing is a true, full and correct copy of the Location Notice of the Oregon Mining Claim as filed for record in my office on the 7th day of December, A. D., 1895 and as appears of record in Book "H" of Mines, Page 13, records of Yuma County aforesaid.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my seal of office this 24th day of May,

A. D., 1905.

County Recorder, Yuma County.

nolloy

Deputy

LOCATION NOTICE.

Notice is hereby given that the undersigned, having complied with the requirements of Chapter 32, Title 67, of the Mining Laws of the United States, and the local laws and regulations, have this day located and claim 1500 feet in length along the course of this lead, lode or vein of mineral bearing quartz, and 300 feet along each side of the center of said lead, lode or vein, situated in the ----Mining District, County of Yuma, Arizona Ter. and more particularly described as follows: Commencing at this monument of stones, being the center of the westerly end of claim and on which this notice is posted; thence 300 feet to a monument of stones; thence 1500 feet to a monument of stones; thence 300 feet to a monument of stones; thence 300 feet to a monument of stones, being the center of the easterly end of claim; thence 300 feet to a monument of stones; thence 1500 feet to a monument of stones; thence 300 feet to place of beginning. This claim is situated about 15 miles Southeast of Blaisdell Station (which is on the S. P. R. R.) and in the Gila City or Las Cuvetas range of mts. and shall be known as the La Fortuna Mine.

Located this 22 day of December, 1894.

C. W. Thomas,Laurent Albert,W. H. Halbert,

Recorded at the request of C. W. Thomas, at 2 o'clock, P. M., Jan. 16th, 1895.

M. L. Pool,
County Recorder.

TERRITORY OF ARIZONA,)
County of Yuma,)

I, J. M. Polhamus, County Recorder in and for the County of Yuma, Territory of Arizona, do hereby certify that the foregoing is a true full and correct copy of Location Notice of the La Fortuna Mina as filed for record in this office on the 16th day of January, A. D., 1895 and as appears of record in Book "G" of Mines, Page 357 et seq., records of Yuma County aforesaid.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my seal of office this 23rd day of May,

A. D. 1905.

per

Deputy Recorder

Recorder,

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,


	Phoe	nix, Arizona.
		July 31", 1905
I, U. S. Surveyo	r-General for the di	strict of Arizona.
do hereby certify that	t the foregoing transcript or	f the Field Notes, return and approval of the survey
of the mining claim	of La Fortuna	Mining Company.
known as the Oreg Half Moon situate in	on, Alta, New Yea and Arizona	rs, La Fortuna, Christmas Gift, La Fortuna.
		County, Arizona.
in Section	, Township No10	S., Range No. 20 W. unsurveyed, and
designated as Survey	No. 2092,	has been correctly copied from the originals on file in
this office; that said	Field Notes furnish such a	an accurate description of said mining claim as will, if
incorporated into a p	atent, serve fully to identify	y the premises, and that such reference is made therein
to natural objects or	permanent monuments as v	will perpetuate and fix the locus thereof.
ments made upon said	d mining claim by claiman	ollars' worth of labor has been expended or improve- torits grantors, and that said improvements
drifts, and	hafts, 5 cuts reservoir, to	tal value 48770.00
and that no portion o upon any other claim.		nts has been included in the estimate of expenditures
I further certify t	that the plat thereof, filed i	n the U.S. Land Office at Tucson, Arizona.
	is correct and in	conformity with the foregoing Field Notes.
	(Signed) Frank S. Ingalls,
7361b5m3-03	United States Sur	veyor-General for Arizona.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

<u> Phoeni</u>	x, Arizona.
•	July 31", 1905
I, U. S. Surveyor-General for the distri	ict of Arizona.
do hereby certify that the foregoing transcript of the	e Field Notes, return and approval of the survey
of the mining claim of La Fortuna Mini	ing Company.
known as the Oregon, Alta, New Years Half Moon and Arizona. situate in	s, La Fortuna, Christmas Gift, La Fortuna.
Mining District, Yuma	County, Arisona.
in Section, Township No. 10 S.	
designated as Survey No. 2092 , has	
this office; that said Field Notes furnish such an ac	ecurate description of said mining claim as will, if
incorporated into a patent, serve fully to identify the	premises, and that such reference is made therein
to natural objects or permanent monuments as will	perpetuate and fix the locus thereof.
And I further certify that five hundred dollar ments made upon said mining claims by claimant of consist of 12 Shafts, 5 Cuts, 5 drifts and 1 reservoir, to	rs' worth of labor has been expended or improve- r. its grantors, and that said improvements tunnels, 1292 ft of Value 48770.00
and that no portion of said labor or improvements appear any other claim.	has been included in the estimate of expenditures
I further certify that the plat thereof, filed in the	ne U.S. Land Office at Tucson, Arizona.
is correct and in con	aformity with the foregoing Field Notes.
	and Angull
United States Surveyor	-General for Arizona.



LOCATED IN APPROXIMATELY

THE S.E. PART OF T. 10 S.R. 20 W

G. & S.R. B&M.

U. S. L.M. 2092

Stage of Shigh Peaks

Large