as find by one

(4-683.)

Mineral Survey No. 2096

Lot No.	
Land District.	
FIELD NOTES	
of the survey of the mining claim of G.J. M. Calley et al J. M. O' Commerciation	
Chincahud Tiving stone Tate Organistion "Terrib	le"
Chincahud Tivingstone Tate Arguisition "Territor and Suagui Grande," Harry Mining District, County, Augusta	20
Section Opprox, Township 23 S., Range 346 Janes St., 1905 Surveyed under instructions dated June 5th, 1905 by Franklin 31. S., with	
U. S. Deputy Mineral Surveyor	•
Survey completed 1905	~ ·
st Office address of Claumants agent:	
Birthe Color Con .	

Leis. So be corrected,

Beginning at Cor.No.1, the SE cor identical with location with Cor.No.2Foxy Grandpa lode, Survey No.2074, and Cors No 3 and 4 respectively of Terrible and Late Acquisition lodes of this survey, a pine post 4 ft long 4 ins sq set 1 ft in the ground in a mound of stones and scribed 1-2069 C L, whence a pine post of same dimensions and scribed B.P. 1-3-4-2096 brs. S. 13° 10' W. 50 ft and a second pine pot of same dimensions and scribing brs. N. 13° 11' E. 25 ft., no bearing monuments available, and NW cor sec 30 Tp 23 S R 25 E G & S R B & M brs.

S. 56° 1' 30" E. 8387,8 ft.,

Thence N. 69° 02' W.

299.4 to original location for S E C,

same bearing to Cor.No.2, the SW cor identical with location, with Cor.No.3 Late Acquisition lode of this survey and with Cors.No.5 and 3 respectively of Lone Jack lode, Survey No. 2072 and Columbia lode, Survey No. 1795,

A pine post 4 ft long 4 ins sq set 1 ft in the ground in a mound of stones and scribed 2-2000 C L whence a pine post of same dimensions and scribed B. P. 2-3-2096 brs. S. 13° 10' W. 50 ft and a second pine post of same dimensions and scribing brs. N. 13° 10' E. 50 ft., no bearing monuments available.

Thence N. 13 to 1.

- 1021.4 to Cors.No.2 and 3 respectively of Columbia and Rabbit lodes, survey No.1795,
- 1499.2 same bearing to Cor.No.3, identical with location and with Cor.No.2 Wash lode, Survey No.2095, a

 A pine post 4 ft long 4 ins sq set 1 ft in the ground in a mound of stones and scribed 3-2096 C L, whence a pine post of same dimensions and scribed B. P. 3-2096

 brs. S. 13° 10' W. 50 ft and a second pine post of same dimensions and scribing brs. S. 69° 02' E. 50 ft., no bearing monuments available.

NOTE: Cor No.3 Rabbit lode survey No.1795 is situated on line 2-3 Chiricahua lode and Cor.No.4 Rabbit lode is situated on line 2-3 Wash lode, Survey No.2095, so that the E E C Rabbit lode lies to the W of line 2-3 Chiricahua lode.

There is then a nominal fraction bounded by the Rabbit, Chiricahua and Wash lodes.

Thence S. 69° 02' E.

- 298.9 to original location for NE C
- same bearing to Cor.No.4, the NE cor., identical with loation situated on line 2-1 Wash lode, Survey No.2095 and identical with Cor.No.3Foxy Grandpa lode, Survey No.2074,

A pine post 4 ft long 4 ins sq set 1 ft in the ground in a mound of s tones and scribed 4-2096 C L whence a pine post of same dimensions and scribed B. P. 4-2096 brs. N. 69° 02' W. 50 ft and a second pine post of same dimensions and scribing brs. S. 13° 11' W. 50 ft, no bearing monuments available.

Thence S. 13° 11' W.

1499.2 to Cor. No 1 the place of beginning.

Ledge.

The presumed course of the vein on this claim is from the S E C location N. 13° 11' B E. 1499.2 ft.,

TERRIBLE.

Beginning at Cor.No.1, the SE cor in entical with with location and Cor.No.2 Independence lode, Survey No. 2073, A pine post 4 ft long 4 ins sq set 1 ft in the ground in a mound of stones and scribed B.1-2096 T L., whence a pine post of same dimensions and scribed B. P. 1-2096 brs. N. 69° 02' W. 50fg and a second pine post of same dimensions and scribing brs. N. 13° 10' E.50 ft no bearing monuments available, and NW cor Sec 30 Tp 23 S R 25 E G & S R B & M brs S. 65° 55' E. 7380.0 ft.,

Thence N. 69° 02' W.

300.0 along the N side line of Suaqui Grande lode of this survey to original location for S E C.

same bearing to Cor.No.2, the SW cor identical with location and with Cor.No.1 Late Acquisition lode of this survey,

A pine post etc scribed 2-2096 T L.,

Thence N. 13° 10' E.

1500.0 to Cor.No.3, identical with Cors. No 4,1 and 2 respectively of Late Acquisition and Chiricahua lodes of this survey, and Foxy Grandpa lode, Survey No.2074, this being the NW cor identical with location, a pine post etc scribed 3-2096 T L.,

Thence S. 69° 02' E.

300.0 to original location for NE C,

cation and with Cors.No.1, 2 and 3 respectively of Foxy Grandpa lode, Survey No.2074, Compromise and Independence lodes, Survey No. 2073

A pine post 4 ft long 4 ins sq set 1 ft in the groundin a mound of stones and scribed 4-2096 T L whence a pine post of same dimensions and scribed B. P. 4-2096 brs.

N. 69° 02' W. 50 ft and a second pine post of same dimensions and scribing brs. S. 13° 10' W. 50 ft., no bearing monuments available,

Thence S. 13° 10' W.

1500.0 to Cor. No.1 the place of beginning.

Ledge.

The presumed course of the vein on this claim is from the BEC location N. 13° 10' E 1500 ft,

Begining at Cor.Nol the SE cor identical with location a pine post 4 ft long 4 ins sq set 1 ft in the ground in a mound of stones and scribed 1-2096 S G L whence a pine post of same dimensions and scribed B.P. 1-2096 brs N. 13° 10' E. 50 ft., and a second pine post of same dimensions and scribing brs, N. 69° 02' W. 50 ft., no bearing monuments availabble, and NW cor Sec 30 Tp 23 S R 25 E G & S R B & M brs S. 70° 39' 30" E. 6990.25 ft.,

Thence N. 69° 02' W.

- 254.53 to the intersection of line 4-3 No.6 lode, Survey No. 2048 at S. 52° 13' W. 258.27 ft from Cor.No.4, which point of intersection is identical with Cor.No.1 Oversight lode, Survey No.2088,
- same bearing to Cor.No.2 the SW cor identical with location, being the point of intersection of line 1-4 Oversight lode Survey No.2088, with line 1-4 Livingtone of this survey a pine post 4 ft long 4 ins sq set 1 ft in the ground in a mound or stones and scribed 2-2096 S G L whence a pine post of same dimensions and scribed B. P. 2-2096 brs. S. 69° 02' E. 50 ft and a second pine post of same dimensions and scribing brs. N. 18° 10' E 50 ft, no bearing monuments available,

Thence N. 13° 10' E.

302.8 to original location for W E C,

same bearing to Cor. No.3 the NW cor identical with location with Cor.No.2 Late Acquisition lode of this survey and situated on lie 1-4 Livingstone lode of this survey,

A pine post 4 ft long 4 ins sq set 1 ft in the ground on a mound of stones and scribed 3-2096 SG L whence a pine post of same dimensions and scribed B. P. 2-3-2096 brs.

S. 13° 10' W. 50 ft and a second pine post of same di-

mens and scribing brs. N. 13° 10' E.50 ft., no bearing monuments availabbe.

Thence S. 69° 02' E.

- 598.8 to Cors. No.1 and 2 respectively of Lage Acquisition and Terrible lodes of this survey,
- same bearing to Cors. Not and 2 respectively of Terrible and Independence lodes, of this survey and Survey No. 2073 respectively.
- same bearing to Cor.No.4 the NE cor identical with 10-cation and with Cor.No.3 Mendota lode, Survey No.2073, and situated on line 1-2 Independence lode of the same purvey,

A pine post 4 ft long 4 ins sq set 1 ft in the ground in a mound of stones and scribed 4-2096 S G. L, whence a pine post of same dimensions and scribed B.P. 4-2096 brs N. 69° 02' W. 50 ft and a second pine post of same dimensions and scribing brs. S. 13° 10' W. 50 ft no bearings monuments available

Thence S. 13° 10' W.

- 302.8 to original location for E E C.
- same bearing to Cor.No.2 Mendota lode, being the point of intersection of line 4-1 No.6 lode, Survey No.2048 S. 48° 15' E. 101.86 ft from Cor.No.4,
- 605.6 same bearing to Cor. No.1 the place of beginning.

Ledge.

The presumed course of the vein on this claim is from the WEClocation S. 69° 02' E. 1500 ft.

Thence N. 69° 02' W.

300.0 along the N side line of Suaqui Grande lode of this survey to original location for S E C,

600.0 same bearing to Cor.No.2, the SW cor identical with location and with Cor.No.1 Late Acquisition lode of this survey,

A pine post etc scribed 2-2096 T L.,

Thence N. 13° 10' E.

1500.0 to Cor.No.3, identical with Cors. No 4,1 and 2 respectively of Late Acquisition and Chiricahua lodes of this survey, and Foxy Grandpa lode, Survey No.2074, this being the NW cor identical with location, a pine post etc scribed 3-2096 T L.,

Thence S. 69° 02' E.

300.0 to original location for NE C,

cation and with Cors.No.1, 2 and 3 respectively of Foxy
Grandpa lode, Survey No.2074, Compromise and Independence
lodes, Survey No. 2073

A pine post 4 ft long 4 ins sq set 1 ft in the groundin a mound of stones and scribed 4-2096 T L whence a pine post of same dimensions and scribed B. P. 4-2096 brs.

N. 69° 02' W. 50 ft and a second pine post of same dimensions and scribing brs. S. 13° 10' W. 50 ft., no bearing monuments available,

Thence S. 13° 10' W.

1500.0 to Cor. No.1 the place of beginning.

Ledge.

The presumed course of the vein on this claim is from the SEC location N. 13° 10' E 1500 ft,

5

mens and scribing brs. N. 13° 10' E.50 ft., no bearing monuments availabbe.

Thence S. 69° 02' E.

- 598.8 to Cors. No.1 and 2 respectively of Lage Acquisition and Terrible lodes of this survey,
- 1198.8 same bearing to Cors. Nol and 2 respectively of Terrible and Independence lodes, of this survey and Survey No. 2073 respectively,
- 1498.1 same bearing to Cor.No.4 the NE cor identical with 10cation and with Cor.No.3 Mendota lode, Survey No.2073, and
 situated on line 1-2 Independence lode of the same
 purvey,

A pine post 4 ft long 4 ins sq set 1 ft in the ground in a mound of stones and scribed 4-2096 S G. L, whence a pine post of same dimensions and scribed B.P. 4-2096 brs N. 69° 02' W. 50 ft and a second pine post of same dimensions and scribing brs. S. 13° 10' W. 50 ft no bearing monuments available

Thence S. 13° 10' W.

- 302.8 to original location for E E C.
- 419.2/ same bearing to Cor.No.2 Mendota lode, being the point of intersection of line 4-1 No.6 lode, Survey No.2048 S.
 48° 15' E. 101.86 ft from Cor.No.4,
- 605.6 same bearing to Cor. No.1 the place of beginning.

Ledge.

The presumed course of the vein on this claim is from /49%//
the W E C location S. 69° 02' E. 1500-ft.

Beginning at Cor.No.1 the SE cor., identical with location, a pine post 4 ft long 4 ins sq set 1 ft in the ground in a mound of stones and scribed 1-2096 L L whence a pine post of same dimensions and scribed B.P.brs N. 13° 10' E. 50 ft, and a second pine post of same dimensions and scribing brs. N. 69° 02' W. 50 ft., no bearing monuments abailable, and NW cor Sec 30 Tp 23 S R 25 E G & S R B & M brs S. 70° 28' E. 8486.46 ft.,

Thence N.69° 02' W.

- at S. 41° 16' E. 51.4 ft., from Cor.No.4, from which point of intersection Cor.No.4 Oversight lode, Survey No.2088 brs. N. 52° 13' E. 16.2 ft.,
- Survey No.2043 common with line 2-1 No.10 lode Survey No. 2044 at S. 52° 15' W. 28.0 ft from Cor.No.4,

 Or No.4 No.9 lode is identical with Cor.No.1 No.10 lode,
- 299.5 same bearing to original lo ation to S E G,
- same bearing to CorNo.2, the SW cor identical with location

A pine post 4 ft long 4 ins sq set 1 ft in the ground in a mound of stones and scribed 2-2096 L L whence a pine post of same dimensions and scribed B. P. 2-2096 brs N. 13° 09' E. 50 ft and a second pine post of same dimensions and scribing brs. S. 63° 02' E. 50 ft., no bearing monuments available,

Thence N. 13° 09' E.

- 282.2 to the intersection of line 1-4 N10 lode, Survey No.2044 at N. 41° IS' K. 548.7 ft from Cor.No.1,
- 463. 28 same bearing to the intersection of line 2-3 Early Morning lode at S. 50° 8' W. 2.54 ft from Cor.No.3,
- same bearing to the intersection of line 3-4 Early Morning lode, Survey No. 1860 at N. 41° 31' W. 1.87 ft from Cor. No.3,

Feet

Beginning at Cor.Nol the SE cor identical with location a pine post 4 ft long 4 ins sq set 1 ft in the ground in a mound of stones and scribed 1-2096 S G L whence a pine post of same dimensions and scribed B.P.
1-2096 brs N. 13° 10' E. 50 ft., and a second pine post of same dimensions and scribing brs,
N. 69° 02' W. 50 ft., no bearing monuments availabble, and NW cor Sec 30 Tp 23 S R 25 E G & S R B & M brs
S. 70° 39' 30" E. 6990.25 ft.,

Thence N. 69° 02' W.

- 254.53 to the intersection of line 4-3 No.6 lode, Survey No. 2048 at S. 52° 13' W. 258.27 ft from Cor.No.4, which point of intersection is identical with Cor.No.1 Oversight lode, Survey No.2088.
- same bearing to Cor.No.2 the SW cor identical with location, being the point of intersection of line 1-4 Oversight lode Survey No.2088, with line 1-4 Livingtone of this survey a pine post 4 ft long 4 ins sq set 1 ft in the ground in a mound of stones and scribed 2-2096 S G L whence a pine post of same dimensions and scribed B. P. 2-2096 brs. S. 69° 02' E. 50 ft and a second pine post of same dimensions and scribing brs. N. 13° 10' E 50 ft, no bearing monuments available,

Thence N. 13° 10' E.

- 302.8 to original location for W E C,
- same bearing to Cor. No.3 the NW cor identical with location with Cor.No.2 Late Acquisition lode of this survey and situated on lie 1-4 Livingstone lode of this survey,

 A pine post 4 ft long 4 ins sq set 1 ft in the ground on a mound of stones and scribed 3-2096 FS G L whence a pine post of same dimensions and scribed B. P. 2-3-2096 brs.

 S. 13° 10' W. 50 ft and a second pine post of same di-

Thence N. 69° 02' W.

- 300.0 along the N side line of Suaqui Grande lode of this survey to original location for S E C,
- 600.0 same bearing to Cor.No.2, the SW cor identical with location and with Cor.No.1 Late Acquisition lode of this survey,

A pine post etc scribed 2-2096 T L.,

Thence N. 13° 10' E.

1500.0 to Cor.No.3, identical with Cors. No 4,1 and 2 respectively of Late Acquisition and Chiricahua lodes of this survey, and Foxy Grandpa lode, Survey No.2074, this being the NW cor identical with location, a pine post etc scribed 3-2096 T L.,

Thence S. 69° 02' E.

- 300.0 to original location for NE C,
- 600.0 same bearing to Cor.No.4 the NE cor identical with 10-cation and with Cors.No.1, 2 and 3 respectively of Foxy Grandpa lode, Survey No.2074, Compromise and Independence lodes, Survey No. 2073

A pine post 4 ft long 4 ins sq set 1 ft in the groundin a mound of stones and scribed 4-2096 T L whence a pine post of same dimensions and scribed B. P. 4-2096 brs.

N. 69° 02' W. 50 ft and a second pine post of same dimensions and scribing brs. S. 13° 10' W. 50 ft., no bearing monuments available,

Thence S. 13° 10' W.

1500.0 to Cor. No.1 the place of beginning.

Ledge.

The presumed course of the vein on this claim is from the SEC location N. 13° 10' E 1500 ft,

- 1016.6 same bearing to the intersection of line 1-2 Lone Jack lode survey No.2072, at S. 69° 09' W. 717.0 ft from Cor.No.1 Lome Jack lode,
- same bearing to Cor.No.3 the NW cor., identical with location, a pine post 4 ft long 4 in s sq set 1 ft in the ground in a mound of stones and scribed 3-2096 L L whence a pine post of same dimensions and scribed B.P. 3-2096 brs. S. 13° 09' W. 50 ft and a second pine post of same dimensions and scribing brs. S. 69 °02' E. 50 ft., no bearing monuments available,

Thence S. 69° 02' E.

300 to original location for N E C,

cation and with Cor.No.4, the NE cor, identical with location and with Cor.No.1 Lone Jack lode, Survey No.2072 and situated on line 2-3 Late Acquisition lode of this survey, and cor no me fame fack lade. But no Grant for the ground in a mound of stones and scribed 4-2096 L L whence a pine post of same dimensions and scribed B. 2. 4-2096 brs. N. 69° 02' W. 50 ft and a second pine post of same dimensions and scribed pine post of same dimensions and scribed brs. S. 13° 10' W. 25 ft., no bearing monuments available.

Thence S. 13° 10' W.

- 879.6 to Corss No. 2 and 3 respectively of Late Acquisition and Suaqui Grande lode, of this surey
- same bearing to Cor.No.2 Suaqui Grande lode of this survey, from which from to Cor. No. I Quesque fode for 76902 W. 96.6 ft. 1499.2 smae bearing to Cor.No.1 of this survey.

Ledge.

The presumed course of the vein on this claim is from the S E C location N. 13° 09' E. 1499.2 ft.

Beginning at Cor.No.1 the SEcor identical with location and with Cor.No.2 Terrible lode of this survey

A pine post 4 ft long 4 ins sq sset 1 ft in the ground in a mound ofstones and scribed 1-2096 L A L whence a pine post of same dimensions and scribed B. P. 1-2-2098 brs N. 69° 02' W. 50 ft., and a second pine post of same dimensions and scribing brs. S. 69° 02' E. 50 ft., no bearing monuments available, and NW cor Sec. 30 To 23 S. 7979.1

R 25 E G & S R B & M brs. S. 66° 09' E. 79-1 ft.,

Thence N. 69° 02' W.

299.4 to original location for S E C

same bearing to Cor.No.2 thw SW cor identical with location and with Cor.No.3 Suaqui Grand lode of this survey;

A Pine post etc scribed 2-2096 L A L.

Thence N. 13° 10' E.

750.0 along line 1-4 Livingstone lode of this survey to original location for W side center,

879.6 same bearing to Cors No.4 and I respectively of Livingstone lode of this survey and Lone Jack lode Survey No.2072

same bearing to CorNo.3 the NW cor., identical with location with cors No.5 and 3 respectively of Lone Jack lode
Survey No.2072 and Columbia lode, Survey No.8095, and with
Cor No.2 Chiricahua lode of this survey,

A pine post etc scribed 3-2096 L. A.L.

Thence S. 69° 02' E.

299.4 to original location for N E C,

same bearing to Cor.No.4, the NE cor identical with location and with Cors.No.3, 2 and 1 respectively of Terrible lode of this survey, Foxy Grandpa lode, Survey No.2074 and Chiricahua lode of this survey, A pine post atc scribed 4-2096 L A L,

Thence S. 13° 10' W.

to original location for E side Center, same bearing to Cor.No.1 the place of beginning.

750.0

1500.0

develop the ore deposits of this district is to follow the example in set by the Copper Queen Cons. Mining Co. the Calumet & Arizona Mining Co., the Lake Superior & Pittsburg Mining Co., and other proven mines of the camp namely, to seek a favorable central location for a main shaft, sink and develop the ground in depth with lateral drifts supplemented by raises and winzes. Shaft No.5 of the Late Acquisition lode of this survey was sunk for the following reasons: It is situated on a low limestone ridge about the center of the group, it is the only location on the lime stone to which a suitable road for transporation of supplies can be constructed without considerable expense. The limestone at this point shows fracturing and recementathon, that is, disturbances have taken place which have loosened up the country and thus presumably made it more hospitable to the introduction of ore. Inasmuch as every foot obtained in depth is an approach to the level at which drifts may be run toward the edges of the group, in reasonable hope of encountering ore bodies, the shaft must justly be considered as tending to develop the entire group.

Chiricahua.

No.1 Discovery shaft 4x6x10 ft. brs from Cor.No.1 N. 41° W. 36. \$100.00

No.2 Shaft 4x6x10 ft. brs from same point N. 50° W.

396 ft., Value, 100.00

No.3 Shaft 4x6x10 ft brs from same point N. 68°Ey

70 ft.. Value 100.00

No.4 Shaft 4x6x10 ft. brs from same point N. 1° 00' E.

420 ft., Value, 100.00

An undivided one-fifth interst in Shaf t No.5

Late Acquisition lode of this survey 200.00

Total improvements on Chiricahua lode

\$600.00

	Terrible.	
No.1	Discovery shaft 4x6x10 ft. brs from Cor.No.2,	
	N. 26° E./346 ft., Value \$100.00	
No.2	Shaft 4x6x10 ft. brs. N. 18° E. 326 ft., Value 100	
	from same point	
No.3	Open Cut 6x10x20 ft brs fromsame point N. 47°	
	E. 898.6 ft., Value 100.00	
	An undivided one-fifth interest in shaft No.5	
•	Late Acquisition lode of this survey, 200.00	
	Total improvements on Terrible lode,	\$500.00
	Suaqui Grande.	
No.1	Discovery shaft 4x6x10 ft. brs from Gor. Het YY.E.C. S. 69°02' E. 50 ft Late Acquisition lode of this survey 8.79° 75.W	
Nc.2	Shaft 4x6x10 ft. brs from same point S. 19° E.	
	70 ft., Value 100.00	
No.3	Shaft 4x6x10 ft brs from same point S. 29° 30'W.	
	129.1 ft., Value 100.00	
	An undivided one-fifth interest in shaft No.5	
	Late Acquisition lode of this survey, 200.00	
	Total improvements Suaqui Grande lode,	\$5∞.00
	Livingstone.	
No.l	Discovery shaft 4x6x10 ft. brs from Ger. How N.E.C.	
	S. 13° 09' W. 415 Scuth 50° W. 480 ft., Value \$100.00	
No.2	Shaft 4x6x10 ft brs from some point S. 47° W.	
	521 ft, Value, 100.00	
No.3	Shaft 4x6x10 ft brs from same point S. 45° W.	
	526 ft., Value 100.00	
	An undivided one-firth interest in shaft No.5	
	Late Acquisition lode of his survey 200.00	
1.	Total improvements Livingstone lode,	\$ 500.00
		T.

		Late Acquisition.	
No	.1	Discovery shaft 4x6x10 ft. brs from Gor. No. 4 N. E.C. S. 13' 10' YY. 400 ft. S.51°40' W. 460° ft Value \$100.00	
No	`2	Shaft 4x6x10 ft. brs from same point S.30°	
		W. 224.4 ft., Value 100.00	
No	3.3	Shaft 4x6x10 ft brs from Cor.No.3 S. 57°	
		E. 186 ft., Value 100.00	
No.	. 4	Shaft 4x6x10 ft.brs from some point S. 12°	
		E. 116 ft., Value 100.00	
No.	.5	Shaft 4x6x100 ft. brs from Cor.No.4 S.61°	
		30'W. 4055 ft., Value 1000	
	is is	1/5 interest of which is allottted to this lode 200.00	
		Total improvements Late Acquisition lode	\$600
		Total improvements on group	\$2700.00

Survey No.2095. ADJOINING CLAIMS.

East Foxy Grandpa lode, Survey No. 2074, R. Hazel et al owners; Compromise. Mentota and Independence lodes, Survey No. 2073, Fred Colman, owner;

South No. 6 lode, Survey No. 2048, H. A. Smith, owner.

Oversight lode, Survey No. 2088, A.T. Sdwle, owner;

No. 9 lode, Survey No. 2043, No. 10 lode, Survey No. 2044

H. A. Smith owner.

West. Saturday lode, unsurveyed, Jos.F.Chisholm &t al owners;
Lone Jack lode, Survey No.2072, J. D. Snodderly owner.

Golumbia and Rabbit lodes, survey No.1795, Saginaw Dev.Co
owner. Early Monning Serrito 1860 facob Cerrung owner.

LODATION.

This group is located about 3 mi in a SE direction from the City of Bisbee on unsurveyed lands in the Warren Mining District, CochiseCounty, Territory of Arizona; approximately in tp 23 S R 24 E G & S R B & M.

INSTRUMENT.

This survey was made with a C. L Berger & Sons No.1 C transit; the courses were deflected from the true meridian as determined by a Solar observation, checked by an observation on Polaris; the distanceswere measured with a 300 foot steel tape. Magnetic variation 12° 30' E.

U. S. Deputy Mineral Surveyor.

Dated at Bisbee, Arizona,

June 12 th 1905

Note. Any discrepancies between the courses and distances

of this survey and those of the adjoining approved surveys are due to exprors in the latter, Rabbit and Columbia lodes, Survey No. 1795.

FINAL OATHS FOR SURVEYS.

LIST OF	NAMES.
A list of the names of the individuals employed by -	Trankein M. Smith
United States Deputy Mineral Surveyor, to assist in ru	
boundaries described in the foregoing field notes of the su	rvey of the mining claim of
The lake, et al.	M. O Janell, ally
KHOWH WS THE	one late arguestron Serible
and showing the respective capacities in which they acted	andel.
-	S.a. Zieserner Chainman.
	199
	Chainman, Chainman.
	Axman.
	, Flagman.
FINAL OATHS O	F ASSISTANTS
Pos	r Addid l'Alvi d.
We, J.C. giolesmen.	7
and L. C. Cury, do so	olemnly swear that we assisted Lanklin
W. Smith, United States Deputy M	ineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of	re bake et an J. m.
	fline of the
Cometing, Known	Levible and Sugai Gran
known as the ate acquisition	levible and Duagui Fran
represented in the foregoing field notes as having been su	rveyed by said deputy mineral surveyor and under his
direction; and that said survey has been in all respects,	to the best of our knowledge and belief, faithfully and
correctly executed, and the corner and boundary monume	
furnished by the United States Surveyor-General for	guzona
	A. Tracero, Chainman.
	Chainman.
	, Axman.
	Flagman.
Subscribed and sworn to by the	above-named persons before me this 12
day of	, 190
	0 - ES-S
	In and for the County of Cochies, T. vittory at
14924b5m8.04	My Commission Expans Absolute in

14224b5m8-04

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I. Tranklin H. Smith, U. S. Deputy Mineral
Surveyor, do solemnly swear that, in pursuance of instructions received from the United
States Surveyor General for, dated
fune 5th 1905, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Survey or General, faithfully and correctly executed the survey of the Mining
Claim of J. M. Cabe, et al J. M. Claimer all
Knowd as the Chipcahua Singstones
Late Acquestion, Terrible 18 Surgey Grandes
situate in Mining District,
County August in Section
appeared Township No 238. Range No 24 6. 918 18 18 29
appear, Township No. 235, Range No. 246 State Streets and designated as Survey No. 2096, as represented in the foregoing field notes which accurately show the houndaries of said wining claim.
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimants or their grantors
are as therein fully stated, and that the character, extent, location and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
Franklin 10 Til
U.S. Deputy Mineral Surveyor.
Subscribed and sworn to by the said Janken Wanish
U. S. Deputy Mineral Surveyor, before me
this 12 1th
day of June 1905
NOTARY PUBLIC
My Commission Expires March 21, 1968.
e 5-154

Affidavit of Five Hundred Dollars Improvements.

We,	a. Zusen	wand 16	Eury
		to law, depose and say: The same of the the sa	That we are acquainted with the
mining district,	Cochise co	unty, Arizona Territory, for	which
	J. Johns	Cake tal	mas Connect
ha we made application	_	ation for patent under the	provisions of the Act of Congress
approved May 10, 1872	; and that the labor don	e and improvements made	the benefit of this g
their grantor.	5- exceed five hundred doll	for each located ars in value, and further that	t we are not personally interested
in said mine.		Not Trace	nuer-
		200	um
			Ø.
COUNTY OF		SN:	
	Swor	n to and subscribed before	me this 12 th day
[SEAL.]	(s June	, 190
117951400 2 04		<u> </u>	ra ESmith
11786b400-2-04	*	ra fact tol the Cons	TARY DUBLIC sty of Cockies, Territory of Arizona, selon Expires March 21, 1908.

situated in the Warren Mining District, Cochise County, Territory of Arizona, G. J. M. Cochi, Hoval A. Smith agent.

IMPROVEMENTS.

ments on this ground placed thereon by the claimant or his grantors on or for the beneift of each claim of this group is not less than \$500 and that said improvements were placed on each claim before the 18th day of September 1905, and prior to the expiration of the period of publication of the application for patent, and that said improvements consist of:

Note.

Shaft No.5 4x6x100 ft brg. from Cor.No.4 Late Acquisition lode of this survey S. 61° 31' W. 403.5ft., Value \$1000.00, a 1/5 interest in which has been allotted to each of the claims of this survey. The surface comprising practically all of this survey is Glance Conglomrate of Cretaceous age, It is a non-ore bearing horizon which obscures the carponiferous lime, in which practically all of the ore deposits of the district occur. successful way to explore and develop the ore deposits of this district is to follow the example of the Copper Queen Consolidated Mining Co., and the Calumet & Arizona Mining Company, and the Lake Superior and Pittsburg Mining co. and other proven mines of the camp, namely to seek a central favorable location for a main shaft; sink and develop the ground in depth with lateral drifts supplements by raises and winzes Shaft No 5 of the Late Acquisition lode of this survey was sunk for the following reasons: It is situated in the low limestone ridge about the center of the group. It is the only location of the limestone to which a suitable wagon road for transportation of supplies can be constructed without considerable expense. The limestone at this point shows fracturing nd recementation, that is, disturbances have taken place

•	which have loosened up the country and thus presumably	
	made it more hospitable to the induction of ore, Inasmuch	1
	as every foot obtained in depth is an approach to the leve	31
	at which drifts may be run toward the edges of the group	
- 07	with reasonable hope of encountering ore bidies, the share	ft
	must justly be considered as tending to develop the entir	ce
	group.	
	CHIRICAHUA.	
No.1	Discovery shaft 4x6x10 ft brs from Cor.No.1 N. 41° W.	
	360 ft Value, \$100.00	
No.2	Shaft 4x6x10 ft bis from same point N. 50° W. 396	
	ft., Value, 100.00	
No.3	Shaft 4x6x10 ft brs from Cor.No.2 N. 68° E.70 ft	
	Value 100.00	
No .4	Shaft 4x6x10 ft brs from same point N.1°00'E.	• *
	420 ft., Value, 100.00	
No.5	Shaft 4x6x10 ft bre from S E C location N.	
	13° 10' E. 20% ft., Value, 100.00	- 73
	An undivided one-fifth interest inShaft No.5	
	Late Acquistion lode of this survey 200.00	
	Total improvements Chiricahua lode,	700.00
	TERRIBLE.	
No.1	Discovery shaft 4x6x10 ft brs from Cor.No.2 N. 26° E.	
-7.4	1340 ft., Value,	
No.2	Shaft 4x6x10 ft brs from Cor.No.2 N. 18° E. 326	
7 ;	ft Value, 100.00	
No .3	Open Cut 6 x 10x20 ft brs fromsame point N. 47°	
*120	E. X98.6 ft., Value, 100.00	
No.4	Shaft 4x6x10 ft brs from E C location N. 13° 10' E.	
	250 ft., Value, 100.00	
No.5	Shaft 4x6x10 ft brs from N E C location S. 13° 16' W.	
-u1.3	175 ft., Value,	
71	An undivided one-fifth interest in shaft No.5	

200.00

\$700.00

Late Acquisition lodeof this survey

Total improvements Terrible lode,

		SUAQUI GRANDE.	
	No.1	Discovery shaft 4x6x10 ft brs from W E C location	
		S. 69° 02' E. 50 ft., Value	
	No .2	Shaft 4x6x10 ft brs from Cor.No.1 Late Acquisition	
		lode of this survey S. 19° E. 70 ft., Value 100.00	
	No.3	Shaft, 4x6x10, ft brs. from same poin S. 29° 30' W	
	0.70	129.1 ft., Value, 100.00	
	No.4	Shaft 4x6x10 ft brs from W E C location S. 69° 02' E.	
	7.	265 ft , Value, 100.00	
	No .5	Shaft 4x6x10 ft brs from E E C location N. 69° 02' W.	
	e9,10	231 ft., Value, 100.00	
		An undivided one-fifth interest in Shaft No.5 Late Ac-	
		quisition lode of this survey 200.00	
		Total improvements Suaqui Grande lode,	\$700.00
	77.25	LIVINGSTONE.	
7		LIVINGSTONE. Biscovery shaft 4x6x10 ft brs from N E C location S.	
		Biscovery shaft 4x6x10 ft brs from N E C location S.	
	No.2	Discovery shaft 4x6x10 ft brs from N E C location S. 13° 9' W. 415 ft., Value, \$100.00	
	No.1 ,	Discovery shaft 4x6x10 ft brs from N E C location S. 13° 9' W. 415 ft., Value, \$100.00 Shaft 4x6x10 ft brs from Cor.No.4 S 47° W.	
	No.2 No.3	#100.00 Biscovery shaft 4x6x10 ft brs from N E C location S. 13° 9' W. 415 ft., Value, \$100.00 Shaft 4x6x10 ft brs from Cor.No.4 S 47° W. 521 ft., Value 100.00	
	No.2	Biscovery shaft 4x6x10 ft brs from N E C location S. 13° 9' W. 415 ft., Value, \$100.00 Shaft 4x6x10 ft brs from Cor.No.4 S 47° W. 521 ft., Value 100.00 Shaft 4x6x10 ft brs from same point S. 45° W. 526 ft., Value, 100.00 Shaft 4x6x10 ft brs from E C location N. 13°	
	No.2 No.3 No.4	Discovery shaft 4x6x10 ft brs from N E C location S. 13° 9' W. 415 ft., Value, \$100.00 Shaft 4x6x10 ft brs from Cor.No.4 S 47° W. 521 ft., Value 100.00 Shaft 4x6x10 ft brs from same point S. 45° W. 526 ft., Value, 100.00 Shaft 4x6x10 ft brs from E C location N. 13° 9' E. 215 ft., Value, 100.00	
	No.2 No.3	Discovery shaft 4x6x10 ft brs from N E C location S. 13° 9' W. 415 ft., Value, \$100.00 Shaft 4x6x10 ft brs from Cor.No.4 S 47° W. 521 ft., Value 100.00 Shaft 4x6x10 ft brs from same point S. 45° W. 526 ft., Value, 100.00 Shaft 4x6x10 ft brs from S E C location N. 13° 9' E. 215 ft., Value, 100.00 Shaft 4x6x10 ft brs from N E C location . S13°9'W	
	No.2 No.3 No.4	### Discovery shaft 4x6x10 ft brs from N E C location S. 13° 9' W. 415 ft., Value, \$100.00 Shaft 4x6x10 ft brs from Cor.No.4 S 47° W. 521 ft., Value 100.00 Shaft 4x6x10 ft brs from same point S. 45° W. 526 ft., Value, 100.00 Shaft 4x6x10 ft brs from S E C location N. 13° 9' E. 215 ft., Value, 100.00 Shaft 4x6x10 ft brs from N E C location . S13°9'W 300 ft., Value, 100.00	
	No.2 No.3 No.4	Discovery shaft 4x6x10 ft brs from N E C location S. 13° 9' W. 415 ft., Value, \$100.00 Shaft 4x6x10 ft brs from Cor.No.4 S 47° W. 521 ft., Value 100.00 Shaft 4x6x10 ft brs from same point S. 45° W. 526 ft., Value, 100.00 Shaft 4x6x10 ft brs from S E C location N. 13° 9' E. 215 ft., Value, 100.00 Shaft 4x6x10 ft brs from N E C location . S13°9'W. 300 ft., Value, 100.00 An un initiated one-fifth interest in shaft No.5	
	No.2 No.3 No.4	Discovery shaft 4x6x10 ft brs from N E C location S. 13° 9' W. 415 ft., Value, \$100.00 Shaft 4x6x10 ft brs from Cor.No.4 S 47° W. 521 ft., Value 100.00 Shaft 4x6x10 ft brs from same point S. 45° W. 526 ft., Value, 100.00 Shaft 4x6x10 ft brs from S E C location N. 13° 9' E. 215 ft., Value, 100.00 Shaft 4x6x10 ft brs ffom N E C location . S13°9'W 300 ft., Value, 100.00 An un initiated one-fifth interest in shaft No.5 Late Acquisition lode of this survey 200.00	
	No.2 No.3 No.4	Discovery shaft 4x6x10 ft brs from N E C location S. 13° 9' W. 415 ft., Value, \$100.00 Shaft 4x6x10 ft brs from Cor.No.4 S 47° W. 521 ft., Value 100.00 Shaft 4x6x10 ft brs from same point S. 45° W. 526 ft., Value, 100.00 Shaft 4x6x10 ft brs from S E C location N. 13° 9' E. 215 ft., Value, 100.00 Shaft 4x6x10 ft brs from N E C location . S13°9'W 300 ft., Value, 100.00 An un indicated one-fifth interest in shaft No.5 Late Acquisition lode of this survey 200.00	700.00 0

		HATE ACQUISITION.	
	No.1	Discovery shaft 4x6x10 ft brs from N E C location	
	J. 3.	S 13° 10' W. 400 ft., Value, 30 . 1 100 .00 \$100.00	
	No.2	Shaft 4x6x10 ft brs from Cor.No.4 S 30° W. 224.4 ft	
	4.	value, 1 or .0 out . The war wind to chol 100.00	
	No.3	Shaft 4x6x10 ft brs from Cor.No.3 S. 579 E. 186 ft	
		Value, .a. 7a. 100.00	
	No.4	Shaft 4x6x10 ft brs fromsame point S. 12 E.	
	11. 9.		
	No.5	Shaft 4x6x10 ft brs from S E C location N.	
	,	13° 10' E. 222 ft., Value, 100.00	
	No.6	Shaft 4x6x100 ft brs from Cor.No.4 S. 61° 30' W.	
	≟ € 5.	403.5 ft., Value, \$1000.00	
		One-fifth interest of which is allotted to this	
		lode,200.00	
		Total improvements Late Acquisition lode,	700.00
-	ę	Total improvements on group	
		. * 7% 11 0.00, 101 MK/1, / 147 *	
		7	
	ī	Maublin W Swith	
		U.S. Deputy Mineral Surveyor.	
		Dated at Bisbee, Arizona,	
	a company	September 18,1905.	
	•		

eafor matauminis the son a maded

Affidavit of Five Hundred Dollars Improvements.

	$\mathbf{x} = \mathbf{x} + $
	We, M. G. Tiesmur and D. J. Dewerek
	of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the "Late acquisition" "Chiricalma" "Denieble"
	hate acquisition "Chiricahua" Terreble"
Jua	qui Gause "Livingstone" mining claim, situate in Parcu.
U	
	mining district, County, Arizona Territory, for which
	I J. M. Cale et al Trade of Since
	ha made application for survey prior to application for patent under the provisions of the Act of Congress
	approved May 10, 1872; and that the labor done and improvements made thereon by the applicant and
	find mon or for each location.
	grantor exceed five hundred dollars in value, and further that we are not personally interested
	1
	in said mine.
	in said mine.
	FC Devereny
	- To the content of t
	TERRITORY OF ARIZONA,
	SS:
	County of ochice
	Sworn to and subscribed before me thisday
	[SEAL.] of Settlember, 1905
	, 100, 100
	Coro E Sin (th
	17171b400-3-05
	In and for the County Coches, Theory of Arizona,
	My Commission Expires March 21, 1908.

Certificate of U. S. Surveyor General

AS TO


	EXPENDITURES	REPORTED	AFTER	RETURN	OF	SURVEY	OF	MINING	CLAI
--	--------------	----------	-------	--------	----	--------	----	--------	------

I, U.S. Surveyor General for the district of Arizona.
do hereby certify that Five Hundred Dollars' worth of labor has been expended or
improvements made by claimant or their grantors, upon the mining claim o
G. J. McCabe et al.
known as the Late Acquisition, Terrible, Chiricanua, Suaqui Grand Livingstone. situate in Warren mining district
Cochise County, Arisona.
in Section , Township No. , Range No.
that said improvements consist of on the Chiricanua lode, 5 scafts, volat \$500. (credit \$200. Late Acquisition): Terrible lode, 4 st
l cut, value 8500. (credit 8800. Late Acquisition): Sunqui
Grande lode, 5 shafts, value 8500. (eredit 8300. hate Aegui
ition): Livingstone lode, 5 chafts, value 6500 (credit 650)
Late Acquisition): Late Acquisition lode, 6 analts value
700.
, and that no portion of said labor or improvements has been
included in the estimate of expenditures upon any other claim. A copy of the report of
sent. 18, 1905. , 18 , is hereto attached.
,
Frank A Sigalle
U. S. Surveyor General for Arizonal
Office of U. S. Surveyor General,
Phoenix, Arizona.
<u> </u>

Motice of Mining Location

quarty LODE CLAIM

To All Whom It May Concern:
This Mining Claim, the name of which is the Chiricahua
Mining Claim, situate on lands belonging to the United States of America, and in which there
are valuable mineral deposits, was entered upon and located for the purposes of exploration and
purchase by a V. Lenis, & J. Mulbake, W. L. Andderly F. M.
Johnson. (Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")
the undersigned, on the 10th day of December 1901
The length of this claim is Fiften Shouthed feet,
and we claim Minty feet,
in a Southerly direction and 1410
feet in a Northerly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together
with 300 feet in width of the surface grounds, on each
side of the center of said claim. The general course of the lode deposit and premises is from the
The claim is situated and located in the Manen Mining District, in
Cochise County, in the Territory of Arizona, about 2/2 miles
in a Southeasterly direction from Bisher, it adjoins
the Late adquisition on the north
V
The surface boundaries of the claim are marked upon the ground as follows: Beginning at
a monument of stones running to a post
at a point in a Southerly direction Minty feet from
at a point in a Southerly direction Printy feet from the discovery shaft (at which this notice is posted), being in the center of the Southerly end line of said claim; thence 300 feet to a footh
the discovery shaft (at which this notice is posted), being in the center of the Southerly
end line of said claim; thence 300 feet to a foot thence corner of said claim; thence being the South states corner of said claim; thence feet to a more of said claim; thence feet to a more of said claim; thence feet to a more of said claim; thence
end line of said claim; thence 300 feet to a faculty corner of said claim; thence being the Southwesterly corner of said claim; thence feet to a more of said claim; thence hother weeks the corner of said claim; thence 300 feet
end line of said claim; thence 300 feet to a facility corner of said claim; thence being the Southwesterly corner of said claim; thence
end line of said claim; thence 300 feet to a faculty corner of said claim; thence being the Southwesterly corner of said claim; thence feet to a more of said claim; thence hother weeks the corner of said claim; thence 300 feet
the discovery shaft (at which this notice is posted), being in the center of the Southerly end line of said claim; thence 300 feet to a factor corner of said claim; thence being the Southerstelly corner of said claim; thence feet to a more of said claim; thence 300 feet to a more afstones being the center of the hortherly end of said claim;
end line of said claim; thence 300 feet to a factor of said claim; thence being the Southwesterly corner of said claim; thence feet to a more of said claim; thence hother corner of said claim; thence to a more for the being at the center of the bothers, being at the to a more feet to a more
the discovery shaft (at which this notice is posted), being in the center of the Southerly end line of said claim; thence 300 feet to a footh said claim; thence being the Southerly corner of said claim; thence 300 feet to a more fortines being the center of the hortherly end of said claim; thence 300 feet to a more of states, being at the southeasterly corner of said claim; thence 500 feet to a more fortines at the southeasterly corner of said claim; thence 500 feet to a foot at the southeasterly corner of said claim; thence 300 feet to the place of beginning.
end line of said claim; thence 300 feet to a factor of the Southerds, being the Southerds corner of said claim; thence seet to a more of said claim; thence feet to a more of the Southerds, being at the corner of said claim; thence southerds end of said claim; thence southerds end of said claim; thence southerds feet to a more of the Southerds end of said claim; thence southerds feet to a more of said claim; thence southerds at the southerds corner of said claim; thence southerds feet to a the southerds corner of said claim; thence southerds corner of said claim; thence southerds corner of said claim; thence southerds corner of said claim;
the discovery shaft (at which this notice is posted), being in the center of the Southern's end line of said claim; thence 300 feet to a factorial claim; thence
the discovery shaft (at which this notice is posted), being in the center of the Southern end line of said claim; thence
end line of said claim; thence 300 feet to a most corner of said claim; thence being the Southwest corner of said claim; thence south the corner of said claim; thence south t
end line of said claim; thence 300 feet to a factor of the Southern's corner of said claim; thence being the Southern's corner of said claim; thence southern's corner of said claim; thence feet to a more of the Rothern's end of said claim; thence southern's end of said claim; thence 300 feet to a more of said claim; thence 300 feet to a more of said claim; thence 300 feet to a more of said claim; thence southern's corner of said claim; thence southern's corner of said claim; thence 300 feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes on the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to colling the Laws of the Territory of Arizona," approved March 16, 1901. Dated and posted on the ground this 10 the day of December 1901.
end line of said claim; thence 300 feet to a more of said claim; thence feet to a feet to a more of said claim; thence feet to a feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes on the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to the United States, and of the Territory of Arizona," approved March 16, 1901. Dated and posted on the ground this Island day of December 1901. Of Lewis for More of the General College.
end line of said claim; thence 300 feet to a factor of the Southern's corner of said claim; thence being the Southern's corner of said claim; thence southern's corner of said claim; thence feet to a more of the Rothern's end of said claim; thence southern's end of said claim; thence 300 feet to a more of said claim; thence 300 feet to a more of said claim; thence 300 feet to a more of said claim; thence southern's corner of said claim; thence southern's corner of said claim; thence 300 feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes on the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to colling the Laws of the Territory of Arizona," approved March 16, 1901. Dated and posted on the ground this 10 the day of December 1901.



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of tance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

Motice of Location

LODE	CLAIM
Dated	190
Filed and Recorde	
	A. D. 190
at	
Book	
Pages	
	County Recorder.
By	

was filed for record at.

Territory of Arizona, (ss.

I, Frank Hare, County Recorder in and for said County, hereby certify that I have compared the foregoing copy with the original Location Notice of the Character Mining Claim, filed and recorded in my office on the 11th day of Coccasion and in Book 19, at page 48th Record of Mines, and that the same is a full, true and correct copy of such original and of the whole thereof.


Witness my hand and seal of office this 23rd day of May, 1905.

County Recorder.

Motice of Mining Location

Quartz YCODEX CLAIM

To All Tubom It May Co		Livinest	one
This Mining Claim, the na			
Mining Claim, situate on lands are valuable mineral deposits, w			
purchase by			
purchase by			
Locator must insert either "a citizen of the U			tizen of the United States.")
the undersigned, on the 10t			
The length of this claim is			
and We claim			
in a Northerl	У	direction and	1050
feet in	a Southerly		direction from
the center of the discovery shaft	, at which this notice is po	osted, lengthwise of	the claim, together
with300	feet in v	width of the surfac	ce grounds, on each
side of the center of said claim.	The general course of th	e lode deposit and	premises is from the
North	to the	South	
The claim is situated and	located in the Warr	en	Mining District, in
Cochise			The state of the s
in a Southeasterly	direction from	Bisbee, It ad	joins the Late
Acquisition on the wes			
a monument of stones a			*
at a point in anorthe	rly direction	450	feet from
the discovery shaft (at which th	is notice is posted), being i	in the center of the	northerly
end line of said claim; thence			
, be	ing the north easter	ly corner of	said claim: thence
1500			
Southeasterly $oldsymbol{c}$			
to a post	at the center of	the Southerly	and of said alaim:
hence 300			
South Westerly			
eet to a post			
			corner of said claim;
hence3(1()	feet to the place	of beginning.	
All done under the provision	ons of Chapter Six, of Titl	e XXXII, of the	Revised Statutes or
The United States, and of an Codify and Revise Sevise and Codify the Laws of a	Act of the General Assen the Territory of Arizona,"	ably of Arizona, e approved March 1	ntitled "An Act to 6, 1901,
Dated and posted on the g			
	A.V.	Lewis	
	Gada .	modape, Snodderly	
	R.M.	Johnson.	
Filed and recorded at			D. 1901 at 11
A. M. Book 19, page 48	b. Record of Mine	5.	



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its discenter end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural chief or permanent monument as object, or permanent monument, as will identify the claim.

Motice of Location

LODE CLAIM

LODE GEATH	
	-
	100
	-
Dated190	
774 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Filed and Recorded at request of	
4 D 100	
	•
ıt	
Book	
Da	
Pages	
County Recorder.	
Ву	
Deputy Recorder.	•
p, Mesorder.	

The E. H. McNeil Co., Printers, Phoenix, Arizona

Territory of Arizona, ((ss. County of Cochise. (

I, Frank Hare, County Recorder in and for said County, hereby certify that I have compared the foregoing copy with the original Location Notice of the Livingstone Mining Claim, filed and recorded in my office on the 11th day of December, 1901, in Book 19 at page 485, Record of Mines, and that the same is a full, true and correct copy of such original and of the whole thereof.


Witness my hand and seal of office this 26th day of May, 1905.

County ecocder

Motice of Mining Location

LODE CLAIM

To All Whom It May Concern:	
This Mining Claim, the name of which is the	e Late acquisition
Mining Claim, situate on lands belonging to the	United States of America, and in which there
are valuable mineral deposits, was entered upon a	and located for the purposes of exploration and
purchase by at W. Lewis & J. Muse	Bake W. L. Smodderly 9 F.
purchase by Estate and I	
(Locator must insert either "a citizen of the United States," or, "who ha	
the undersigned, on the 29 day of De	center 190/897
	O.O. feet,
and voc claim 400	
in a Mortherly feet in a South	direction from
	4
the center of the discovery shaft, at which this no	
with 305	feet in width of the surface grounds, on each
side of the center of said claim. The general cour	rse of the lode deposit and premises is from the
north to t	he South
SATE OF CONTROL OF THE PROPERTY OF THE PROPERT	Warren Mining District, in
2 2	ritory of Arizona, about 2 miles
in a Easterly direction	1
hundred frods Dubacke	1 ranch
	e sunning to mon of
at a point in a Motherly di	
the discovery shaft (at which this notice is posted	
end line of said claim; thence	feet to a fort
, being the N	Lesterly corner of said claim; thence
750 feet to a	Most , being at the
continued the	m; thence 750 feet
to a post friend at the	Westerly comer end of said claim;
//	to a being at the
center of the Southerly end corner of said of	to a, being at the
feet to a foot being at the	corner of said claim;
thence 750 feet to	the place of beginning, N. Easterly corner of
thence 750 feet to a de line of said claim theme 150 feet To a All done under the provisions of Chapter Size	x, of Title XXXII, of the Revised Statutes of
the United States, and of an Act of the Gener	
Revise and Codify the Laws of the Territory of A	Arizona," approved March 16, 1901.
	day of December 1897
he above location is now placed out	TOU
	a V. Lewis
ied claim which was sent by mail	& I melbabe,
Recorder of Cochice County, on Murch 1898, which it has been discovered	
1010, which it has veen decention	(W J. Smoothelister
ver was placed in record.	W. L. Swedderly F. M. Johnson



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument giving its diagram is to discovere and monument giving its diagram is discovered and di center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

Motice of Location LODE CLAIM

Dated	190
Filed and Re	ecorded at request of
The and Re	corded at request or
	1 D 700
	A. D. 190
at	M.
	4
Dook	
DOOK	
Pages	
•••••••••••	
	County Recorder.
By	
	Deputy Recorder.

Filed and recorded at request of & J. Mcbabe, Nov. 24, 1902 at 11:30 a. M. Book 22, page 294, Record of mines

Territory of Arisons, (ss. County of Cochise.

I, Frank Hare, County Recorder in and for said County, hereby certify that I have compared the foregoing copy with the original Location Notice of the Late acquisition. Hining Claim, filed and recorded in my office on the 24 day of <u>November 1902</u>, in Book 22, at page 294 Record of Hines, and that the same is a full, true and correct copy of such original and of the whole thereof.


Witness my hand and seal of office this 23rd day of May, 1905.

County Recorder.

Motice of Mining Location

quarty LODE CLAIM

This Mining Clain	Day Concern	(of anilla	
This Mining Clain	a, the name of	which is the	1000000	
Mining Claim, situate o				
are valuable mineral de	posits, was ent	ered upon and 100	VL Si	dderly F
fohnson Locator must insert either "a cit				a citizen of the United Sta
the undersigned, on the				
and we claim	/*			
in a morthu				
1350		_/		
the center of the discover	ery shaft, at wh	hich this notice is	posted, lengthwise	of the claim, toge
with 3.	80	feet i r	width of the sur	face grounds, on
side of the center of sai				
			nen	
Cochise				32347 22 22
in a Southeas				
2	/		//	
the Late a	idquisile	in ont	re east	
	0.			
Then runs	. / .			1
at a point in a Ro	rtherly	direction.	150	feet fi
the discovery shaft (at				/ /
end line of said claim;		1	, 1	
		,	tesly corner	
	//	//	T	_
Southwesterly				
to a mon off			1 1	
thence 300	1		un of store	
Southeasterly	1	Contract Con	hence 150	
feet to a mon log				corner of said cla
thence 300			아름다 (국)	
All done under the	provisions of C	Chapter Six; of Ti	tle XXXII, of the	Revised Statutes
the United States, and ording and Corlify			embly of Arizona,	
				16. 1901.
2004	aws of the Teri	ritory of Arizona,	" approved March	A
Dated and posted of	aws of the Teri	ritory of Arizona,	" approved March	A
	aws of the Teri	ritory of Arizona, this / th	"approved March day of Dece Lewis Mulbake	A
2004	aws of the Teri	ritory of Arizona, this 18th G-A M-L	"approved March day of Dece Lewis Mulabe Snodderly	A
	aws of the Terr	ritory of Arizona, this 10 th W. L. F. M.	"approved March day of Dece Lewis Mulabe Sundderly	naber 190
200	aws of the Teri	ritory of Arizona,	" approved March	A



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In descripclaim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

Motice of Location

LODE CLAIM
Dated190
Filed and Recorded at request of
A. D. 190
at M.
Book
Pages
County Recorder.
By

TERRITORY OF ARIZONA,

certify

Territory of Arizona, (ss. County of Cochise. (

I, Frank Hare, County Recorder in and for said County, hereby certify that I have compared the foregoing copy with the original Location Notice of the <u>Certifle</u> Mining Claim, filed and recorded in my office on the <u>IIII</u> day of <u>December</u> 1901, in Book 19, at page 483 Record of Mines, and that the same is a full, true and correct copy of such original and of the whole thereof.

Witness my hand and seal of office this 23rd day of May, 1905.


Vaux Mari

AMENDED

Motice of Mining Location

32

To Still Tythou it Chan Concern:	
To All Whom it May Concern: This Mining Claim, the name of which is the Suagur Stands and in which there	
Mining Claim situate on lands belonging to the United States of America, and in which there	
are valuable mineral deposits, was entered upon and located for the purposes of exploration and	
purchase by a. V. Lewis, G. M. M. Clabe, W. L. Snodderly,	
F. M. Johnson, Citizens of the United States," or, "who has declared his intention to become a citizen of the United States.")	
the undersigned, on the 19 day of May 1905	
The length of this claim is 1500 feet,	
and MC claim feet,	
in a Mesterry direction and 1450	
feet in an lasterly direction from	
the center of the discovery shaft, at which this notice is posted, langthwise of the claim, together	
with 300 feet in width of the surface grounds, on each	
side of the center of said claim. The general course of the lode deposit and premises is from the	
The claim is situated and located in the Manuer Mining District, in	
loches County, in the Territory of Arizona, about 2 miles	
in a southeasterly, direction from "U. S. M. M. # of + is	
bounded W. by Livingston n. by Late acquisition,	
Terrible + Independence, E. by Mendota S.	
by Oversight.	
The surface boundaries of the claim are marked upon the ground as follows: Beginning at	
monument	1
——————————————————————————————————————	
at a point in a Wellerly direction 5 feet from	
the discovery shaft (at which this notice is posted), being in the center of the	
end line of said claim; thence MUTMINLY 300 feet to a MOIT	
being the N. N. corner of said claim; thence	
lattly 1500 feet to a post , being at the	
corner of said claim; thence Doubletly 300 feet	
to a host at the center of the end of said claim;	
thence southerly 300 feet to a fort, being at the	
corner of said claim; thence MEALERLY 1500	1
feet to a at the long corner of said claim;	
All done under the previsions of Chapter Six, of Title XXXII, of the Revised Statutes of	
the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to	
Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.	
This is an Amended Location Notice of the Duaqui Grande Mining Claim, Jocated by a. V. Lewis, y. J. M. Cabe, W. L. Snuddon	P
ef. M. Johnson on the 10 day of	y,
190 , and recorded in Book	U
page 482 in the office of the County Recorder of the aforesaid County of Cochuse	
to which reference is hereby made, and this amended Location Notice is made and posted to	
to which reference is hereby made, and this amended Location Notice is made and posted to correct errors in the description in the said original Location Notice. and to take in addition Dated and posted on the ground this	alg.
	8
a. V. dervis t! M. Johnson	
y. J. M. Cabe W. L. Snodderly.	
led and recorded at request of E. W. armstrong May 23/190 = 9 a.m. Book 34 Record of Mines page /33	5
Ne. 109.—AMENDED NOTICE OF LOCATION OF LODE CLAIM.—The H. H. NcNeil Company's Red Line Blanks, Phœnix, Arizona.	



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

Mended Hotice of Location.

LODE CLAIM

LODE CEAIM.
Dated190
Filed and recorded at the request of
at M
Book
Page
County Recorder.
By Deputy Recorder,

ounty Recorder

1

Territory of Arizona, (

County of Cochise. (ss.

I, Frank Hare, County Recorder in and for said County, hereby certify that I have compared the foregoing copy with the Amended Location Notice of the Suagai Snaude Mining Claim, filed and recorded in my office on the 23 day of May 1905, in Book 34, at page 133, Record of Mines, and that the same is a full, true and correct copy of such original and of the whole thereof.

Witness my hand and seal of office this 23rd day of May, 1905.

County Recorder

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoenix, Arizona.
	July 22", 190 5
I, U. S. Surveyor-G	eneral for the district of Arizona.
do hereby certify that th	ne foregoing transcript of the Field Notes, return and approval of the survey
of the mining claim of	G. J. McCabe et al,
AND	icalua, Livingstone, Late Acquisition, Terrible Grande, Warren
Mining District,	Cochise County, Arizona.
in Section approx.	, Township No. 23 S, Range No. 24 E. unsurreyed and
designated as Survey N	o. 2096, has been correctly copied from the originals on file in
this office; that said Fi	eld Notes furnish such an accurate description of said mining claim as will, if
incorporated into a pate	ent, serve fully to identify the premises, and that such reference is made therein
to natural objects or pe	rmanent monuments as will perpetuate and fix the locus thereof.
And I further cert	ify that five hundred dollars' worth of labor has been expended or improve-
ments made upon said consist of 178/	white claims of their grantors, and that said improvements afts and cut, total value 2700.00
,	
and that no portion of	said labor or improvements has been included in the estimate of expenditures
upon any other claim.	
I further certify the	at the plat thereof, filed in the U.S. Land Office at Tucson,
Arizona.	is correct and in conformity with the foregoing Field Notes.
	(Signed) Frank S. Ingalls,
7361b5m3-03	United States Surveyor-General for ATIZONA.

SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

	Phoenix, Arizona.
	July 22, 190.5
I, U. S. Surveyor-General for	the district of Arizona.
do hereby certify that the foregoing	and hereto attached Field Notes and Return of the Survey of the
	ube et al,
	, known as the
Chiricahua, Livingstone,	Late Acquisition, Terrible and Suaqui Grando
situate inwarı	?⊕n
Cochise	County, Arizona.
in Section approx, To	ownship No23.S.,, Range No24.E.,unsurueyed
, designated as S	Survey No. 2096
•	Smith. U. S. Deputy Mineral
Surveyor, June 10th - 11t	h 1905., under my instructions dated
June 5th 1905.	, 190, have been critically examined and the necessary cor-
rections and explanations made, and	d the said Field Notes and Return, and the Survey they describe,
are hereby approved. A true copy	of the copy of the location certificate filed by the applicant for
survey is included in the field notes	h.
	U. S. Surveyor-General for Arizona.
19770b5m4_04	U. S. Surveyor-General for Arizona.

12779b5m4-04

