Capit by and 8/2/15

(4-683.)

Mineral Survey No. 2189

Lot No.

Land District.

## FIELD NOTES

Section 13 Township 12 M. Range 2 W. ansurveyed

Surveyed under instructions dated June 12 1905.

Claim located Au orbono 1

Survey completed June 28 1905.

Hundon & Trovice animays Tresents 45.

1 se V tois V

#### PALMETTO LODE.

Beginning at Gor. No. 1. Feet.

> Identical with Cor. of the Location.

A Granite stone 9 x 8 x 18" set 11" in the ground to bed rock chiseled 1 P 2109, and raised a mon. of stone 2 1/2 Ft. ase by 3 Ft High along side, whence,

The U. S. Mineral Mon. No. 1 Hassayampa Mining District, bears N. 3 26 W. 4348.2 ft.

An Oak tree 10" in Diam, bears S. 59° 5° W.5.3ft. scribed B T 1 P 2109.

An Oak tree 22" in diam. bears S. 28° 30' W. 8.7 ft.scribed B. T l P 2109.

Thence S. 31 58' W.

24.88 Intersect line 4-1 of Storm Gloud lode survey No 38, at a point N. 54-20' W. 290 ft. from cor. No. 1.

gross head of Cash Gulch, 2 ft. wide coarse N.W. bears S.E.

Cor. No. 2 of the Betsy Ann Lode of this sur-49.76 " TESTELLE al bi ...

Up steep brushy hill.

578.86 To cor. No. 2.

5 11

Identical with cor. of the location, and with cor. No. 3 of the Betsy Ann lode of this Survey.

A Granite stone 7 x 16 x 28" set 12" in the ground, and chiseled 2 P 2109, and raised a mon. of stones 2 1/2 ft. base and 3 ft. high along-side.

An Oak tree 16" in Diam. Bears S. 64°-4' W. 23.5 ft. scribed B T 2 P 2109.

An Oak tree 8" in diam. bears N. 37 -14 W. 16.5 ft. scribed B T 2 P 2109.

Thence S. 49 - 28 E.

300 To the S. C. E.

Learners at 11 to min m Identical with the location.

A slate stone 3 x 7 x 30" set 12" in the ground chiseled S C R P 2109, and raised a mon. of stone 2 1/2

#### PALITETTO LODE.

Peet.

ft. base by 3 ft. high along side.

A Pine tree 26" in Diam. bears S. 83 W. 15.5 ft scribed B T. S C E 2109.P 25 A

No other bearings available.

600

To cor. No. 3.

The core of the location beags S. 14 -8 W. 135 It., a mon. of stone, 1/2 ft. base by 2 ft. high.

A green schist stone 6 x 7 x 17" set 10" in the ground to bed rock chiseled 3 P 2109, and raised a mon. of stone 2 1/2 ft. base by 3 ft. high along side.

A Pine tree 12" in diam. bears N. 62 - 16' H. 17.5 ft. scribed B T 3 P 2109.

Thence N. 31-15' E.

Down gradual hill.

cross gulch diagonally 2 ft. wide coarse N. 34 430 E. bears S. 30° W.

580

To cor. No. 4. Identical with cor. of the location, and with cor. No. 3 of the Trapezoid lode Survey No. 2110.

> A granite stone 6 m 12 m 24 " chiseled 4 P 2109. Thence N. 49 - 28' W.

300

To the N.C.E .

Identical with the location and with cor. No. 4 of the Trapezoid lode Survey No. 2110, and with Gor. No. 1 of the Storm Cloud lode Survey. No. 38.

A schist stone 5 x 14 x 15" set 8" in the ground to bed rock and chiseled N.C.E. 2109.

592.66 To the place of beginning.

.00 g 5 g 7 g 70 'mag .c'. The variation at all the corners is 13 - 45 . D.

This claim is located in the Hassa ampa Mining District, Yavapai County, Arizona, on unsurveyed land, in what would approximately be, if surveyed Sec.13 T.12 N. R. 2 W. G. & S. R. M.

## SURVEY NO. 2109.

Feet.

#### ADJOINING CLAIRS

on the M. the Storm Gloud Lode Survey No. 38, and the Trapezoid lode Nurvey No. 2110. On the E. an unknown claim, claimant not known. On the S. the January Lode, unsurveyed, claimant not known. On the west-the Betsy Ann Lode of this Survey.

LEDGE.

and the state of t

metto claim is from the N.C.E. S. 31 - 15' W. 580 ft.

to the S.C.E. and is traceable by croppings.

. Talk A supplied to the A supplied .

Area ---- 7.836

# BETSY ANN LODE.

. Beginning at cor. No. 1 4

Identical with cor. of the location.

On line 1-2 of the Abite lode Sur. No. 1660.

Fred W. Williams claimant.

A Granite stone 10 x 12x15" set 6" in the ground to bed rock chiseled 1 B A 2109, and raised a mon. of a stone 2 1/2 ft. base by 3 ft. high along side, whence,

hears N. 3-7 E. 4003.8 It.

An Oak tree 7" in diam. bears N. 24 - 55 P. 34.8 ft. scribed B Wl B A 2109.

. No bearings available.

A - we down the man of the area of the area A

### Thence, Son 49 - 284 E.

To cor. No. 2 of the Abbie Lode Survey No. 1660,
and Cor. 4 of the Storm Cloud lode Survey No. 38.

To the N.C. E.

Peet.

Identical with the location.

In the center of gash mulch 5 ft. wide coarse N

Mon. of stones 2 1/2 ft. base by 3 ft. high.

No bearings available. W Lis mon his 5.32°45'W 178-06 ft. -Up Gulch.

592.66

To cor. No. 2.

Identical with cor. of the location.

A granite stone 5 x 12 x 18" set 12" in the ground chiseled 2 B A 2109.

- A Spruce tree 15" in diam. bears N. 15 Dec. 28.
E. 21 ft. scribed B T 2 B A 2109.

No other bearings available:

Thence S. 31 - 58' W.

529.1 **\$**29.1

To cor. No. 3.

Identical with cor. of the location, and with cor. no. 2 of the Palmetto lode of this Survey.

A STATE OF THE STA

A granite stone chiseled 3 B A 2109.

Thence N. 49°-28' V.

115.27

Intersect line 4-1 of the Devernon lode Survey Math Ross, Climant,
No. 45, at a point S. 46-30 V. 304.19 ft. from cor.

T No. 1. " For "Incl tolk and an and and

300 . 1

To the S. C.F.

Identical with the location.

A Mon. of stone 2 1/2 ft. base by 3 ft. high.

No bearings available.

Down gradual slope.

600

To cor. No. A. ALLT TO SEE . 33 C. MC

Identical with cor of the location.

A granite stone 9 x 15 x 22" set 10" in the ground to bedrock chiseled 4 B A 2109, and raised a

. Mon. of stone 2 1/2 ft. base by 3 ft. high along side.

A spruce tree 30" in diam. bears N. 16 - LO: W. 29.5 ft. scribed B T 4 B A 2109.

Feet.

No other bearings available.

Thence N. 32 -45 E.

Down steep hill:

3/0 To the W. Side Man.

Identical with the location. A mon. of store 1/2 ft. base by 2 ft. high.

365.34 Intersect line 2 of the De Vernon lode at a

W 568.87

point %. 43 - 30 1 K. 3.33 ft. from cor. No. 2.

477 The A. Cross dash Gulch 5 ft. wide. coarse N. 55 W. bears

in the fact to the district expression of the section is

District, Yavapai County, Arizona on unsurveyed land, in what would approximately be, if surveyed, Sec. 13
T. 12 N. R. 2. W. G & S. R. M.

#### ADJOINING CLAIMS.

the Storm Cloud lode Survey No. 38, on the E. the Palmetto lode of this survey; on the S. The January lode unsurveyed, and the DeVernon lode Lot No. 45; on the W. The Dunlap lode unsurveyed, W. J. Kearney claimant.

#### LEDGE.

The course and height of the ledge on the Betsy.

Ann lode is from the discovery mon. S. 32-45' W. 350ft.

I to the S.C.E. and from the discovery mon. N. 32-45' E.

de la certa de la compania del compania del compania de la compania del la compania de la compania della compania della compania de la compania della compania della compania della compan

Less De Vernon conflict 1 34999

Net area 3.163 acres.

The discrepancy in the distance of the N.C. End mon's from the Dis. Mon. as monumented on the ground and as called for in the location notice is due to error in the latter.

#### EXPENDITURE OF FIVE HUNDRED DOLLARS PER CLAIM.

I certify that the value of the la-bor and improvements upon these claims, placed thereon by the claim and or his grantors, aggregates not less than Five Hundred Dollars per claim, and that said improvements BETSY AND LODE.

consist of: Biscovery cut No. 1, 4 At. wide by 12 ft.

lang by 8 ft. face with a tunnel bearing S., 4 x 6 x

12ft long. The center of the mouth of the cut bears S/2-35' W. 218 ft. from the N. C. H. Value \$200.00.

Credit to the Betsy Ann lode; Three Hundred Dollar in value of the Discovery Shaft of the Palmetto Lode, because the latter shaft is intended in depth by means of a cross cut to develop a ledge on the Betsy Ann Value \$300.00

#### PALMETTO LODE.

. .

Discovery shaft No. 1,5 x 7 x 35 ft. deep timbered, bears N. 31 - 15' E. 27 ft. from the S.C.E. credit to the Betsy Ann. lode \$300.00 of the value of this shaft as stated before.

Net Value \$50.00

Shaft No. 2,6 x 15 x 7 ft. deep, bears N. 60 - 9'

Es 81 ft. from the S.C.E.

Value \$200.00

Shaft No. 3,6 x 8 x 6 ft. deep bears S. 33 - 6 W.

175 ft. from the N.C.E. Walue \$ 70.00

Gut No. 4,4 ft. wide by 22 ft. long by 11 ft.

deep bearing N. 10 E. the S. end of Cut bears N.

49-28 W. 150 ft. from Cor. No. 3 Value \$350.00

Out No. 5, 5 ft. wide by 46 ft. long by 7 ft. high at the face bearing N. 50° E. 16 ft. to the mouth and S. 50° W. 30Sft. to the face from a point in the cut which bears S. 49°- 28' E. 6 ft. from the N.C.E.

This Survey was made with a Gurley light mountain transit with a Solar attachment. The courses were deflected from the Meridian as determined by Solar observations. The distances were easured with a 200 ft. Steel tape.

or in the Location motios is the to error in the Latt.

All the corners of this survey are identical with the corners of the Palmetto and Betsey Ann lodes as surveyed under instructions No. 1660 dated April 15th, 1902.

The discrepancy between the lines of the Storm Cloud and De Vernon lodes as called for in these notes and as shown in the original survey and notes is due to error in the latter.

ass.mader\_

U. S. Dep. Min. Surveyor.

### FINAL OATHS FOR SURVEYS.

LIST OF NAMES. a. S. Mader A list of the names of the individuals employed by United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of Mrs. abbie Williams and showing the respective capacities in which they acted. Hilario Fierro OATHS OF ASSISTANTS. United States Deputy Mineral Surveyor, in marking the corners and surveying represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for ..

Subscribed and sworn to by the above-named persons before me this

## FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, a.B. Waker , U. S. Deputy Mineral
Surveyor, do solemnly swear that, in pursuance of instructions received from the United
States Surveyor General for Arizona dated
States Surveyor General for Arizona, dated  June 12 4, 1905, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of Mrs. abbie Williams
Palmetto and Betsey and lodes
situate in Harrantalita Mining District
Yarapai County arizona in Section
situate in Harring County, Arizona, in Section, Township No, Range No,
and designated as Survey No. 2109, as represented
·
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or grantors
are as therein fully stated, and that the character, extent, location and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
aszmader
U. S. Deputy Mineral Surveyor.
Subscribed and sworn to by the said and Surveyor, before me Sulanday for Surveyor, before me Sulanday of July, 1906.
Subscribed and sworn to by the said
U. S. Deputy Mineral Surveyor, before most state of the s
a Motary Subtre this June of Jours
day of 1906,
Paro Ordand and
Watany Julia
My Commission expires Sept. 28- 1908

## Affidavit of Five Hundred Dollars Improvements.

We, Joseph W. Hobbs of lawful age, being first duly sworn according to law	
Palmetto and Betsy and mining of	aim, situate in Hassayampa
Palmetto and Betsyllin mining el mining district, Javapai County, A Abbie Williams	Arizona Territory, for which
Abbie Williams	
ha.S made application for survey prior to application f	or patent under the provisions of the Act of Congress
approved May 10, 1872; and that the labor done and	improvements made thereon by the applicant and
her grantor S exceeds five hundred dollars in v	relain
in said mine.	Loseph. Wietfold
TERRITORY OF ARIZONA,	
County of Javafrai \{ ss:  Sworn to an	nd subscribed before me thisday
[SEAL.] of	July 190.5 av 3 Maler - Motory Public
11786b400-2-04 My Commission Expires June 30th, 1909	Motary Public

BETSEY AND.

NOTICE OF LOUATION.

7 = 6 #

Know all men by these presents:
That I the undersigned have this day located 600 feet of this lode, bearing precious retals, with all dips, spurs, angles and variations, with surface ground 300 feet on each side of vein, with all mineral deposits contained therein, and all timber and water thereon or according to the provisions of the United States Mining Laws.

The exterior boundaries are as follows:

commencing at a monument of stone on west boundary line. distant 300 feet in a Westerly direction from Discovery monagent; thence in a Northerly direction parallel with the leage 300 feet to morement at N. W. corner; thence in an Pasterly direction at right angles across the ledge 300 feet to monwent at N. M. corner; thence in a contherly direction parallel with the ledge 300 feet to monument at S. T. corner; thence at right angles across the ledge in a westerly direction 600 feet to a nonwent at S. W. corner: thrude in a Northerly direction parallel with the ledge 300 feet to nonu-

ment on West boundary and place of beginning.

This claim is in Hassayane Hining District, Yavanci County, Arizona, and may be more cenerally described as situated about one mile in a Southerly direction from the Senator Mill will a cuit 1000 feet West from Flints Mill, and Joins the Storm Cloud ware of the South end, and shall be known as the Fetner in Almand in a

Dited on the ground this 19 day of arms. 1395.

Apple Littens,

Recorded at request of F. W. Williams, June 200 4. 1. 1205. et 2:13 o'clock P. M., in Book 40 of Hines, pages 451-7. Feecond. of Yavanai County. Arisons.

By 1. O. Archibald. Deputy.

T. A. Tritle, (Seal) Courty Peccycles.

TERRITORY OF ARIZONA,)

38.

jounty of Yayamai,

I, RODAID MODERF, county Resorder in and for the dounty of Yavapai, Territory of Arizona, and custodian of the resords of said office, do horely certify that I have compared the above and foregoing with, and the same is a full, the rest copy of the Notice of location of the "BETCEY ANN" Mining Claim, as the same appears from the records of my said of here. Book 43 of Mines, pages C56-257, records of Yavapai wounty, Appears

IN WITHER THE IN . I have hereunto set my hand and addis-

Roland Mosher

#### NOTICE OF LOCATION.

Thor all now by these presents:
Then I the undersigned have this day located ten hundred (1999) linear feet of this vein or lode, bearing precious metals, with all dips, spure, angles and variations, with surface ground Tires Hundred (300) feet on each side of the centre of vein, with all nineral deposits contained therein, and all timber growing within the limits of said claim, and all water and water privileges thereon or appurtegant thereto, under and according to the provisions of the Mining Laws of the United States, under which it is bocated.

This claim convences at this monument and notice placed upon the ledge, and runs ten Fundred (1000) feet in a Hortherly direction along the ledge.

The exterior boundaries are as Collots, vin:-Hundred (300) feet in an easterly direction to remunent at A. P. corner of claim; thence in a northerly direction parallel with the ledge on Fundred (1000) feet to norment at H. E. corner of claim; thence in a westerly direction at right angles across the longe clar Fundred (300) feet to monument at N. W. corner of claim; thence par-allel vir. the lode in a southerly direction ten Bundred (1000) feet to monument at S. W. corner of claim; thence at right to less markets the ledge in an easterly direction Three Hundred (300) that to month-

ment upon the ledge and place of beginning.
This ledge may be more generally described as nitruited about one rile in a Southerly direction from the Pridge Wessing the Passayanga at the mouth of Maple Gulch, and about from first westerly direction from Flints Mill on Jersey Cultur. This Potice and monument is placed on or near north line of Iron Pod Fine claim to south line of Storm Cloud mine.

Passayampa Mining District Yavapai County Aricona Cerritory, and shall be known as the Palmetto Mining Claur.

Dated on the ground, this Eighteenth -13th- day of May 1835.

Abbie Williams.

Recorded at request of Mrs. F. W. Williams June 30th A. W. 1365, at 3 o'clock P. H. in Book 31 of Mining Records, pages 230 & 321. Records of Vavapai County. Arizona.

William Wilkerson, Sounty Peconder.

THERITORY OF ARIZONA,)

1 85.

County of Yavapai.

I, ROLAND HOSPET, Courty Recorder in and for the County of Yavapai, in the Territory of Arizona, and suppodiar of the records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the Notice of Location of the "PARKETTO" Mining Stain, as the same appears from the records of my said office in Book 31 of Mines, pages 220-221, records of Yavarai County, Arizona.

IN WITNESS WHERMOF, I have hereunto set my hand and arrised my official seal, this 3th day of June, A. D. 1905.

## U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

## Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.
ang 24 , 1905
, 1905.
I, U. S. Surveyor-General for the district of Arizona.
do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey
of the mining claim of Mrs. Abbie Williams,
known as the Palmetto and Betsey Ann,
situate in Hassayampa
Mining District, Yavapai County, Arizona.
in Section 13 , Township No. 12 N. , Range No. 2 W. unsurveyed , and
designated as Survey No. 2109, has been correctly copied from the originals on file in
this office; that said Field Notes furnish such an accurate description of said mining claim as will, if
incorporated into a patent, serve fully to identify the premises, and that such reference is made therein
to natural objects or permanent monuments as will perpetuate and fix the locus thereof.
And I further certify that five hundred dollars' worth of labor has been expended or improve-
ments made upon said mining claims by claimant or her grantors, and that said improvements
consist of, 3 shafts, 3 cuts and 1 turnel, total
value \$1470.00
and that no portion of said labor or improvements has been included in the estimate of expenditures
• Company of the comp
upon any other claim.
I further certify that the plat thereof, filed in the U.S. Land Office at Prescott, Arizona
is correct and in conformity with the foregoing Field Notes.
( Signed) Frank S. Ingalls,
United States Surveyor-General for Arizona.

## SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

## Department of the Interior,

Office of U. S. Surveyor-General,

	Phoenix, Arizona.
	, 1905
I, U. S. Surveyor-General for	the district of Arizona.
do hereby certify that the foregoing as	nd hereto attached Field Notes and Return of the Survey of the
Mining Claim of Mrs.	Abbie Williams,
*****	
	known as the
<u></u>	Palmetto and Betsey Ann,
situate in Hassayampa	Mining District,
Yavapai	County, Arizona.
in Section13, Tow	nship No. 12 N., Range No. 2 W. unsurveyed
, designated as Sur	rvey No. 2109
executed by A. B. Mader,	, U. S. Deputy Mineral
Surveyor, June 27th-28tl	1 1905. , under my instructions dated
June 12th 1905.	, 190, have been critically examined and the necessary cor-
rections and explanations made, and	the said Field Notes and Return, and the Survey they describe,
are hereby approved. A true copy of	f the copy of the location certificate filed by the applicant for
survey is included in the field notes.	
	U. S. Surveyor-General for Arizona.
1000	U. S. Surveyor-General for Arizona.

12779b5m4-04

