

MS -

0

2

1

1

9

JUL 31 1905
1

*As found by amt
8/11/05*

(4-683.)

Mineral Survey No. 2119 "A & B"

Lot No.

Prescott Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

B. E. SAUNDERS

KNOWN AS THE

Kane Lode and Kane Millsite.

Warm Springs Mining District,

Cocconino County, Arizona Territory

On unsurveyed land, Township 36, N., Range 3, E. (approximate)
Of the Gila and Salt River Meridian.

Surveyed under instructions dated June 20th, 1905.

by John V. Beckon,
U. S. Deputy Mineral Surveyor.

Claim located February 13th, 1904. 1

Survey commenced July 1st, 1905. 1

Survey completed July 2nd, 1905. 1

o 6-180

Address of claimants Attorneys;

Hawkins & Ross.

Phoenix Arizona.

*Ties ✓
Ledge ✓
Loc ✓
Area No Area Shuts
No end centres*

Survey No. 2119 "A" and "B".

Feet.

KANE LODGE.

Beginning at Corner No. 1,
 Identical with a corner of the Location,
 a cedar post 4 ft. long, 4 inches square, set 18
 inches in the ground, and mound of stone, scribed
 "1--2119 A", whence,
 a cedar tree 18 inches in diameter bears
 N. 75° W., 65 ft., blazed and scribed "1--2119 A". ,
 B.T.
 The U. S. Location Monument No. 4 bears S. 15° E.
 218 ft.

Thence N. 19°33' W.

1080
1500

Kane canyon, course Southeasterly,
 Corner No. 2,
 Identical with a corner of the location,
 a pine post 4 ft. long, 4 inches square, set 18
 inches in the ground and mound of stone, scribed
 "2--2119 A";
 No bearing objects available.
 The discovery bears S. 46°20' W. 328.7ft.

Thence S. 73°30' W.

200
431

Kane canyon, course Southeasterly,
 Corner No. 3,
 set a cedar post 4 ft. long, 4 inches square,
 18 inches in the ground and mound of stone,
 scribed "3--2119 A," whence
 a corner of the location bears S. 73°30' W. 65 ft.
 No bearing objects available.

Thence S. 19°35' E.

1500

Corner No. 4,
 Identical with corner of the Location,
 a cedar post 4 ft. long, 4 inches square, set
 18 inches in the ground and mound of stone
 scribed "4--2119 A."

431

No bearing objects available. *Thence N. 73°30' E*
 To corner No. 1, the place of beginning.
 From the discovery the lode line runs N. 19°35' W.
 150 ft., and S. 19°35' E. 1350 ft.

All location corners of this lode were found
 standing in place. *Except end center monuments.*

Variation at all corners of this location
 is 15° E.

AREA.

Total and net area of lode claim, 14.821 acres. ✓

Survey No. 2119 "B".

Feet.

KANE MILLSITE.

Beginning at corner No. 1,
 Identical with corner of Location, a
 cedar post 4 ft. long, 4 inches square, set
 18 inches in the ground and mound of stone,
 scribed "1--2119 B", whence,
 Corner No. 1, Sur. No. 2119 "A", Kane Lode, bears
 N. 69°40' W. 6403 ft.
 The U. S. Location Monument No. 4 bears N. 71°17' W.
 6279.5 ft.
 No bearing objects available.

Thence S. 56° E.

200 Kane canyon, course Southeasterly,
 350 Corner No. 2,
 Identical with a corner of the Location,
 a cedar post 4 ft. long, 4 inches square, set
 18 inches in the ground and mound of stone,
 scribed "2--2119 B."
 No bearing objects available.

Thence S. 34° W.

620 Corner No. 3,
 Identical with a corner of the Location,
 a pine post 4 ft. long, 4 inches square, set
 18 inches in the ground and mound of stone,
 scribed "3--2119 B."
 No bearing objects available.

Thence N. 56° W.

350 Corner No. 4,
 Identical with a corner of the location,
 a cedar post 4 ft. long, 4 inches square, set
 18 inches in the ground and mound of stone,
 scribed "4--2119 B."
 No bearing objects available.

Thence N. 34° E.

610 Kane canyon, course Southeasterly.
 620 To corner No. 1, the place of beginning.

All location corners were found standing in place.

Variations at all corners of this location, 15° E.

AREA.

Total and net area of MILLSITE, 4.982 acres. ✓

LOCATION.

This claim is located on unsurveyed land.
 It would be approximately in Tp. 36 N., R. 3 E., of
 the Gila and Salt River Meridian if the present
 surveys were extended. *there are no known adjoining claims.*

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify, that the value of the labor and improve-
 ments upon this claim, placed thereon by the claimant
 and his grantors, is not less than Five Hundred Dol-
 lars, and that said improvements consist of:

1st.

A tunnel 3-1/2 ft. by 6 ft., in solid rock, the
 mouth of which bears N. 35°35' W. 690 ft. from cor-
 ner No. 1 of Kane Lode, and runs S. 85° W. 30 ft.
 to face.

Value, \$200.00

4

Survey No. 2119 "A" and "B".

2nd.

A tunnel 3-1/2 ft. by 6 ft. in solid rock. the mouth of which bears N. 50°20' W. 450 ft. from corner No. 1 of Kane Lode, and runs N. 88°30' W. 72 ft., to face.

Value, \$550.00

3rd.

A tunnel 3-1/2 ft. by 6 ft. in solid rock, the mouth of which bears N. 57°10' W. 406 ft. from corner No. 1 of Kane Lode, and runs West 17 ft. to face.

Value, \$100.00

4th.

A tunnel 3-1/2 by 6 ft. in solid rock, the mouth of which bears S. 16° W. 430 ft. from corner No. 1. of Kane Millsite, and runs S. 56 ° W. 50 ft. to face.

Value, \$400.00

INSTRUMENT.

This survey was made with a Gurley Mountain transit.

The courses were deflected from the true meridian as determined by direct solar observations.

The distances were measured with 50 ft., and 500 ft. steel tapes.

United States Location Monument No, 4.

I established the United States Location Monument No, 4 in connection with Survey No, 2119 "A & B" Kane Lode and Kane Millsite, Warm Springs Mining District, Coconino County Arizona Territory, on July 1st, 1905.

United States Location Monument No, 4 is upon unsurveyed lands of the United States, and is more than 2 miles from the nearest corner of the public surveys.

It is in Kane Canyon about one mile Northwest-erly from its mouth, on the East side of the Buckskin Mountain, on a prominent point at the forks of said canyon, where it can be seen from all directions.

I set a hewed pine post 8 ft, long, 6 inches square, 3 ft, in the ground, in mound of stone 5 ft, base and 3 ft, high, scribed "U.S.L.M.No, 4", whence a pine tree 6 inches in diameter, bears S. 85° W. 43 ft, and a pine tree 6 in, diameter bears N. 73° 30' W. 26.8 ft, each blazed and scribed " B.T. U.S.L.M. No, 4"
 U. S. Location Monument No, 3 bears N. 44° E. about 14 miles distant.
 Latitude 36° 33' N.

John J. Beckon
 U. S. Deputy Mineral Surveyor.

~~July 1st 1905~~
~~June 20-1905~~

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by John J. Beckow
United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field notes of the survey of the mining claim of.....

B. F. Saunders
known as the Kane lode and Kane Millsite

and showing the respective capacities in which they acted.

Chas. Dimmick, Chairman.
....., Chairman.
H. B. Young, Axman.
....., Flagman.

FINAL OATHS OF ASSISTANTS.

We, Chas. Dimmick
and H. B. Young do solemnly swear that we assisted John J. Beckow
Beckow, United States Deputy Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of B. F. Saunders

known as the Kane lode and Kane Millsite
represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and
correctly executed, and the corner and boundary monuments established according to law and the instructions
furnished by the United States Surveyor-General for Arizona Terr

....., Chairman.
Chas. Dimmick, Chairman.
H. B. Young, Axman.
....., Flagman.

Subscribed and sworn to by the above-named persons before me this 21st
day of July, 1907.

John F. Brown
Notary Public

(4-686.)

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, John T. Breckon, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona Territory, dated June 20th, 1905, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of B. F. Saunders, known as the Kane Lode and Kane Millsite, situate in Warm Springs Mining District, Coconino County, Arizona Territory in ~~Section~~ approximate Township No. 36, N. Range No. 3, E unsurveyed. and designated as Survey No. 2119 "A & B", as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

John T. Breckon
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said John T. Breckon
U. S. Deputy Mineral Surveyor, before me a Notary Public
this 26th
day of July 1905.

Robert Howard
Notary Public

My Com. Expires, Mar. 18, 1906

Affidavit of Five Hundred Dollars Improvements.

We, Chas. Dimmick and H. B. Young

of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the Kams Lodge & Kams Millsite mining claim, situate in Warm Springs

mining district, Cocorino County, Arizona Territory, for which

B. F. Vasender

has made application for survey prior to application for patent under the provisions of the Act of Congress approved May 10, 1872; and that the labor done and improvements made thereon by the applicant... and

his grantor do exceed five hundred dollars in value, and further that we are not personally interested

in said mine.

Chas. Dimmick

H. B. Young

State of Utah

~~TERRITORY OF ARIZONA,~~

COUNTY OF Kane } ss:

Sworn to and subscribed before me this 21st day

[SEAL.]

of July, 1904

John F. Brown

Notary Public

NOTICE OF LOCATION!

NOTICE IS HEREBY GIVEN, That the undersigned, having complied with the requirements of SECTION 2324 of the REVISED STATUTES of the United States, and the Local Laws, Customs and Regulations of this District, has located Fifteen hundred feet in length by 600 feet in width, on this, the Kane Lode, Vein or Deposit, bearing Gold, Silver, Copper, Lead and other valuable minerals, situated in Kane Canon about one and one half miles from its mouth

in the Warren Spring Mining District, Cochise County, State of Territory of Arizona the location being described and marked on the ground as follows, to-wit:

Beginning 150 feet North of this Location (Discovery) Monument, at the North end center monument, and running thence Westwardly 300 feet to N. W. corner monument No. 1; thence Southerly 1500 feet to S. W. corner monument No. 2; thence eastwardly 300 feet to South end center monument; thence Eastwardly 300 feet to E. E. corner monument No 3; thence Northwardly 1500 feet to N. E. corner monument No 4; thence Westwardly 300 feet to place of beginning; including all Dips, Spurs, Angles and Variations From the discovery the lode here runs northwardly 150 ft. and southwardly 1350 ft.

The above described Mining Claim shall be known as the

Kane lode

Located this 13th day of February 1904

NOTE.

* The small type on blank lines is merely a guide for the locator and is no part of this notice.

† DIAGRAM OF CLAIM—The location (discovery point) and corner monuments should be designated on the accompanying diagram to make the Record of claim more perfect.

A mining claim must not exceed 1500 feet in length along the vein or lode, by 600 feet in width, 300 feet on each side of center of vein at surface.

No location of a mining claim can be made until the discovery of the vein or lode within the limits of the ground claimed.


The claim must be distinctly marked on the ground, so its boundaries can be readily traced.

A severe penalty is provided by law for removing or defacing the stakes or monuments of a mining claim.

Claims located on Sunday or holidays are legal.

All valuable mineral deposits in lands of the Government are locatable by citizens of the United States only, and those who have declared their intentions to become such.

This location notice must be filed for Record with the County Recorder of the county in which the claim is located.



NAMES OF LOCATORS:

B. F. Saunders

Notice of Location

Noane Manning claim

By
D. F. Saunders

July 13 1904

RECORDED AT REQUEST OF

D. F. Saunders

March 1st 1904

at 9 o'clock A.M.

in B. 5

Page 359

Records of Columbia County, Alaska.

M. H. Hobbs

County Recorder.

By _____ Deputy.

-:Kane Millsite:-

To all whom these presents may concern:

Know Ye; That I, B. F. Saunders, do hereby declare and publish as a legal notice to all the world, that I have a valid right to the occupation possession and enjoyment of all and singular that tract or parcel of land not exceeding five acres, situate, lying and being in the County of Coconino, Territory of Arizona, bounded and described as follows; Beginning at Corner No.1, thence running South 34°W. 619.4 ft. to corner No. 2, thence S.56°E. 350 ft., to corner No.3, thence North 34° E, 619.4 ft., to corner No. 4, thence north 56°W, 350 ft. to corner No. 1 the place of beginning. Containing an area of five acres, and shall be known as " Kane Millsite"; together with all and singular the heraditaments and appurtenances thereto belonging or in any wise appertaining.

This Millsite is located in Kane Canyon about one mile from the mouth of said canyon in warm springs Mining District.

Located the 13th day of February, 1904.

B.F.Saunders.

Recorded at the request of

B.F.Saunders


March 1st, A.D. 1904 at 9 o'clock A. M.

H.C.Hibben, County Recorder

Territory of Arizona)-ss
County of Coconino)

I, H. C. Hibben, County Recorder in and for the County of Coconino and custodian of the records of said office, do hereby certify that the above is a full, true and correct copy of the Kane Millsite location, as the same appears of record in book 1 of Millsites and Water Rights, at page 440, records of Coconino County, Arizona,

In Witness whereof I have hereunto set my hand and affixed my official seal this 31st day of March, 1905.



County Recorder, Coconino County, Arizona.



4-688.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,
OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.

Aug 30", 1905.

I, U. S. Surveyor-General for the district of Arizona.
do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey
of the mining claim of B. E. Saunders,
known as the Kane lode and Kane Millsite,
situate in Warm Springs,
Mining District, Coconino County, Arizona.
in Section APPROX., Township No. 36 N., Range No. 3 E. unsurveyed, and
designated as Survey No. 2119 A & B, has been correctly copied from the originals on file in
this office; that said Field Notes furnish such an accurate description of said mining claim as will, if
incorporated into a patent, serve fully to identify the premises, and that such reference is made therein
to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improve-
ments made upon said mining claim by claimant or his grantors, and that said improvements
consist of 3 tunnels, total value \$50.00

and that no portion of said labor or improvements has been included in the estimate of expenditures
upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Prescott,
Arizona, is correct and in conformity with the foregoing Field Notes.

(Signed) Frank S. Ingalls,

United States Surveyor-General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD
NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

.....Phoenix, Arizona.....

.....*Aug 30*"....., 1905.

I, U. S. Surveyor-General for.....the district of Arizona.....

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of.....R. F. Saunders,.....

....., known as the
.....Kane lode and Kane Millsite.....

situate in.....Wana Springs,.....Mining District,
.....Coconino.....County,.....Arizona.....

in Section.....approx....., Township No. 36 N....., Range No. 3 E.....unsurveyed
....., designated as Survey No. 2119 A & B.....

executed by.....John T. Breckon....., U. S. Deputy Mineral
Surveyor,.....July 1st -2nd 1905....., 190....., under my instructions dated
.....June 20th 1905....., 190....., have been critically examined and the necessary cor-
rections and explanations made, and the said Field Notes and Return, and the Survey they describe,
are hereby approved. A true copy of the copy of the location certificate filed by the applicant.. for
survey is included in the field notes.

Frank S. Ingalls

U. S. Surveyor-General for ..Arizona.....

Large
maps