(4-683.)

Mineral Survey No. 2/27

Lot No.

Land District.

FIELD NOTES

RNOWN AS THE

Chigonal Ho 2" "Augona Ho 3" "Augonal Hoy"

Warren Mining District,

Cochise County, Augonal

Section Approx. Township 23 & Range 246 His Hospital

Surveyed under instructions dated also strong Mineral Surveyor

Claim located Section Chigais 10 th 1905

Survey commenced Cargais 10 th 1905

Survey completed Cargais 10 th 1905

Claimants address County Cargara

hedges V areas V

Thence N. 13° 6' E.

- 416.6 to the intersection of line 1-9 Porphyry Lode Survey No. 1909 at N. 60° 32' E. 503.4 ft.. from Cor. No. 1, and the intersection of line 2-3 Philadelphia lode, Survey No. 1909 at S. 60° 32' W. 9.3 ft from Cor. No. 3,
- 437.5 same bearing to the intersection of line 3-4 Philadepphia lode Survey No.1909 at N. 12° 1' W. 16.1 ft from Gor.No 3 and the intersection of line 1-4 Porland lode. Survey No.1909 at N. 12° 1' W. 16.1 ft from Cor No.1,
- 1371.1 same bearing along line 2-3 P. J. Johohnson Jur lode,
 Survey Mc1959 to Cor.No.2, the NW cor identical with location and at the point of intersection of line 1-8
 Oregon lode, Survey No.2018 with line 2-3 P.J.Johohnson
 Jur lode, Survey No.1959 at N. 80° 32' E.46%.9 ft from
 Ocr No.1 Oregon lode, a pine post 4 ft long4 ins sq set
 1 ft in the ground in a mound of stores and scribed.
 2-2127 A.No.4 L whence a pine post 0 same dimersions and
 scribed B.P.2-2127 brs S. 13° 6' W. 25 ft and a second
 pine post of same dimensions and scribing brs. N. 60° 32'E
 25 ft.,

Thence N. 60° 32' E.

211.6 to the intersection of line 2-3 Portland lde, Survey No 1909 at N. 12° 1' W. 736.9 ft from Cor.No.2, and the intersection of line 1-5 Milwaukee lde, Survey No.1909 at N. 12° 1' W 773.7 ft from Cor.No.1,

- 300.0 same bearing to original location for N E C.,
- section of line 1-2 Arizona No.3 lode of this survey with line 1-8 Oregon lode, Survey No.2018, a pine post 4 ft long 4 ins sq set 1 ft in the ground in a mound of stones and scribed 3-2127 A No.4 L, whence a pine post of same dimensions and scribed B.P.3-2127 brs S 60° 32' W. 25 ft and a second pine post of same dimensions and scribingbrs S. 3° 51' W. 25 ft, and original location for NE cor brs N. 60° 32' E. 470 ft..

Thence S. 3° 51' W

- 65.5 along line 2-1 Arizona No.3 lode of this survey to Cors
 No 1 and 2 respectively of Arizona No.3 lode of this survey
 and Collins lode, Survey No.2009
- 485.8 same bearing along line 2-1 collins lode. Survey No.2009 to the intersection of line 1-5 Milwaukee lode, Survey No. 1909 at N 12° 1' W. 348.2 ft from Cor.No.1 and the intersection of line 2-3 Portland lode, Survey No.1909 at N 12° 1' W. 311.4 ft from Cor.No.2,
- 784.2 same bearing to Cor.No.4, identical with Cor.No.1 collins Icde, Survey No.2009 a pine post 4 ft long 4ins sq set 1 ft in the ground in a mund of stones and scribed 4-2127 A Ho.4 4 whence a pine post of same dimensions and scribed B.P.4-2127 brs N. 3° 51' E. 50 ft and a second pine post of same dimensionsand scribing brs S. 51° 56' E. 50 ft..

Thence S. 51° 56' E.

- 51.2 to the intersection of line 1-2 Portland lode, Survey No. 1909 at N. 60° 32' E. 575.8 ft from CorNo.1, and the intersection of line 1-9 Porphyrylode, Survey No.1909 at N. 60° 32' E. 10985 ft from Cor.No.1,
- 237.6 same bearing to Cor.No.5, situate on line 1-4 colling/
 lode survey No.2009 and identical with the NW cor of
 Lone Star Fraction unsurveyed, a pine post 4 ft long 4
 4 ins sq set 1 ft in the ground ina mound or stones and

mensions and scribed B.P.5-2127 brs N.51° 56' W 25 ft and a second pine post of same dimensions and scribing brs S. 18° 6' W. 25 ft.,

Thence S 13° 6' W.

- 88.6 to the intersection of line 2-3 Angel Lode, Survey No.

 1119 at S. 77° 59' E. 343.6 ft from Cor. No.3 which

 point of intersection is identical with the SW cor of Hone

 Star Fraction unsurveyed.
- same bearing to Cor.No.6 the SE cor identical with 10attor a pine post 4 ft long 4 ins sq set 1 ft in the ground in a mound of stones and scribed 6-2127 A No.4 L whence a pine post of same dimensions and scribed E. P. 6-2127 brs. S. 60° 32' W. 50 ft and a second pine post of same dimensions and scribing brs. N. 13° 6' E. 50 ft Thence S. 60° 32' W.
- 407.3 to original location for S E C.,
- 814.2 same bearing to Cor.No.7identical with Cor.No.2 Parphyry lode, Survey No.1909 and situated on line 3-4 Angel lode Survey No.1119 S. 34° 57' W. 688.0 ft from Cor.No.3, a pine post 4 ft long4 ins sq set 1 ft in the ground in a mound of stones and scribed 7-2127 A No.4 L,
 - .3 along line 2-1 Porphyry lode, Survey Mo.1909 to Cor.Mo.1 the place of beginning.

Thence N. 65° 18' W.

Ledge.

The presumed course of the vein on this claim is from N E C location S7°27'W.802.8 ft., theree S.13°6'W 500 ft.,

Beginning at dor.No.1 the SW cor identical with location and with dor.No.2 Collins lode, Survey H..2009 a pine post 4 ft long 4 ins sqset 1 ftin the ground in a mound of stones and scribed 1-2127 A No.3 L whence a pine post of same dimensions and scribed B. P. 1-2127 brs N. 3° 51' E. 50 ft and a second pine post of same dimensions

and scribing brs S. 52° 8'E.50 ft and U S M M No.4 Warren mining district brs S. 32° 34'W.2629.8 ft.,

Thence N. 3° 51' E.

- 65.5 to the intersection of line 1-8 Oregon Lode, Survey No.2018 at S 60° 32' W. 176.2 ft from Cor.No.8 which pointof intersection is identical with Cor.No.3 Arizona No.4 Lode of thissurvey.
- 361.9 same becaing to original location for NW E C
- 370.0 same bearing to Cor.No.2 the NW cor a pine post 4 ft long 4 ins squet 1 dt in the ground in a mound of stones and scribed 2-2127 A No.3 L whence a pine post of same dimensions and scribed B.P.2-2127 brs S 3° 51' W. 50 ft., and a second pine post of same dimensions and scribing brs. N. 72° 36' E. 50 ft., and original location for NW cor brs. N. 3° 51' E. 360 ft..

Thence N. 72° 36' E.

- V34.1 to the intersection of line 2-3 Milwaukee lode, Survey

 No.1909 at N. 16° 43' W. 660.5 ft from Cor.No.2, and

 the intersection of line 1-6 Madison lode, Survey To 1009

 at T. 10° 43' W. 660.5 ft from Cor.No.1, and the point of intersection of 2-3 Milwaukee lode, (Common with line

 1-6 Madison lode) with line 8-7 Oregon lode Survey No.2018

 brs S. 16° 43' E. ≤3./ ft.,
- same bearing to Cor.No.3 identical with a cor of Iron Cap
 lode unsurveyed and situate on line 8-7 Oregon lode, Survey No.2018 N.32° 40' E. 384.6 ft from Cor.No.8 and N.

 32° 40' E 82.7 ft from the point of intersection
 line 1-6 Nadison lode, Survey No.1909 (which line is common
 with line 2-3 Milwaukee lode of the same survey) with line
 8-7 Oregon lode, Survey No.2018 a pine post 4 ft long 4
 ins sq set 1 ft in the ground in a mound of stores smad
 scribed 3-2127 A No.3 L whence a pine post or same dimen
 sions and scribd B. P. 3-2127 brs S. 72° 36' W. 50 ft and
 a second pinepost or same dimensions and scribing brs
 S. 52° 8' E. 50 ft.,

Thence S. 52° 8' E.

- 6/6./ ft to the intersection of line 1-2 Arizona No.2 lode of this survey at N. 4° 82' W. 403.5 ft from CD.No.1,
- 1063.9 same bearing to the intersection of line 3-4 Madison Lode,

 Survey Mol909 at N. 16° 43' W. 680. Vft from Cor.No.3,

 and the intersection of line 1-5 Oakland lode, Survey No.1909

 at N. 16° 43' W. 680. Vft from Cor.No.1
- 1092.4 ftsame bearing to Cor.No.4 the NE cor identical with

 location a pine post 4 ft log 4 ins sq set 1 ft in the
 ground in a mound of stones and scribed 4-2127 A No.3 L
 whence a pine post of same dimensions and scribed B. P.

 4-2127 brs N. 52° 8' W. 50 ft and a second pine post of
 same dimensions and scribing brs. S. 3° 51' W. 50 ft.,

 Thence S. 3° 51' W.
 - 47.0 to the intersection of line 1-5 Ouklan lode, Marvey No. 1909
 10. N. 16° 43' W. 6/3.0 ft from Cor.No.1 and the intersection of line 3-4 Madison lode, Survey No 1909 at N. 16° 43' W. 6/3.0 ft from Cor.No.3
 - 361.9 same bearing to original location for SE E C
 - 394.4 same bearing to the intersection of line 1-4 Arizona No.2
 - 699.2 same bearing to the intersection of line 2-1 Madison lode, Surver To.1909 at S. 43° 42' 30" E. 992.1 ft from Cor.No.1, and the intersection of line 6-7 Chicago lode, Survey No.190 9 at S. 43° 42' 30'E. 992.1 ft from Cor.No.7,
 - 723.8 name bearing to Cor.No.5, the SE cor identical with location with dor.No.3 collins lode, Survey No.2009, and situate on line 2-1 Miller lode, Survey No.2008, a pine post 4 ft long into aq set 1 ft in the ground in a mound of stones and scribed 5-2127 A No.3 L, whence a pine post of same dimensions and scribed B.P. 5-2127 brs N. 3° 51' E 50 ft and a second pine post of same dimensions and scribing brs.N. 52° 8' W. 50 ft!,

Thence N. 52° 8' W

- 994.6 along line 3-2 collins lode, Survey No.2009 to the intersection of line 1-7 Chicago lode, Survey No.1909 at.

 S. 27° 40' W. 165.8 ft from Cor.No.7 and the intersection of line 2-1 Milwaukee lode, Survey No.1909 at S. 37° 40' W. 165.8 ft from Cor.No.2,
- 1493.7 same bearing to Cor. No. 1 theplace of beginning.

Ledge.

The presumed course of the vein on this claim is from the SE E C location N. 52° 8'W. 1493.7 ft.

Beginning at Cor.No.1 the SW cor identical with location a pine post 4 ft long 4 ins sq set 1 ft in the ground in a mound of stones and scribed 1-2127 A 2 L whence a pine post of same dimensions and scribed B. P.1-2127 brs S.48° 21' H. 50 ft and a second pine post of same dimensions and scribing brs N. 4° 22' W. 50 ft., and U S M M No. 4 Warren Mining District brs S. 50° 15' W. 2989.3 ft

Thence N. 4° 22' W.

- 403.5 to the intersection of line 3-4 Arizona No.3 lode of this survey at N. 52° 8' W. 476.3 ft from Cor.No.4,
- 432 same bearing to original location for NW E Centre
- 646.3 same bearing to theintersection of line 5-6 Madison Lode
 Survey No.1909 at N. 43° 36' 30" W. 447.15 ft from Gor.No.5
 and the intersection of line 1-4 Waldo lodeSurvey No.1909
 at N. 43° 36' 30" W. 447.15 ft from Cor.No.1.
 - Note Cor No.4 Madison lode Survey No.1909 brs S. 59° 50' E.
 7.8 ft from Cor.No 5. Madison Lode
 - tion agine post 4 ft long 4 ins sq set 1 ft in the ground in a mound of stones and scribed 2-2127 A No.2 :L whence a pime post of same dimensions an scribed B. P. 3-2127 prs.

 S. 4° 22' E. 50 ft and a second pine post of same dimensions and scribing brs. S. 48° 21'EV 50 ft.,

There S. 48° 21' E.

- 470.7 to the intersection of line 1-2 Waldo lode, Survey No.1909 at N. 6° 42' E. 229.6 ft from Cor.No.1 and the intersection of line 1-4 Bisbee lode, Survey No 1909 at N. 6° 42' E. 229.6 ft from Cor.No.1.
- 1500.0 same bearing along the S side line of Guld. Rode transveyed to dor.No.3 the NE cor identical with location, a pine post 4 ft long 4 ins sq set 1 ft in the ground in a mound of stames and scribed 3-2127 A No.2 L, where a pine post of same dimensions and scribed B. P. 3-2127 brs N. 48° 21' U. 50 and a second pine post of same dimensions and scribing brs.S. 4° 22' E. 50 ft.,

Thebe h. 40 on H.

- 6.9 to the intersection of line 1-2 Bisbee lode, Survey No.1909 at S. 59° 50' E. 921.2 ft from or. No.1 and the intersection of line 4-5 Oakland lode, Survey No.1909 at S. 59° 50' E. 913.4 ft from Cor. No.5,
 - 431.9 same bearing along line 2-1 Aricona lode, Survey Fo. 2017 to original location for SEE C..
- 735.3 same bearing to the intersection of line 1-2 Oakland lode Survey No.1909 at S. 59° 50' E. 685.3 ft from Cor.No.1, and the intersection of line 3-2 St. Louis lode, Survey No.1909 at S. 59° 50' E. 685.3 ft from Cor.No.2,
- 863.9 samebearing to Cor.No.4, the SE cor identical with location and with Gor.No.1 Arizona lode, Survey No.2017, a pine post 4 ft long 4 ins sq set 1 ft in the ground in a mound of stones and scribed 4-2127 A No.2 L, whence a pine post of same dimensions and scribed B. P. 4-2127 brs N. 48° 21' W. 50 ft and a secold pine post of same dimensions and scribing brs. N. 4° 22' W. 50 ft.,

Thence N. 48° 21 W.

532.2 along line 3-2 Miller lode, Survey No.2008 to the intersection of line 3-2 St. Louis lode, Survey No.1909 at S. 59° 50' H. 236.7 It from Cor.No.2, and the intersection of line 1-2

Feet

Oakland .lode Survey No.1909 at S. 59° 50' H. 830.7 / hom. Cor.No.1,

- 840.7 same bearing to the intersection of line 1-5 Oakland lode,
 Survey No.1909 at N. 16° 43' W. 89.6 ft from Cor.Ho.L.

 and intersection of line 3-4 Madison lode, Survey No.1909
 at. N. 16° 43' W. 89.6 ft from Cor.No.3,
- of this survey at S. 3° 51' W. 394.4 ft from Cor.No.4, Thich point of intersection is iden tical with Cor.No.2 Miller lode Survey No.2008
- 1500.0 sme bearing to dow.No.1 the place of beginning.

Ledge.

The presumed sturme of the rain on this about the four the Wall Blocation S. 48° 21' E. 1500 ft.

AREAS.

Toal area Arizona No.4

Less area in conflict with Angel lode,

Survey No.1119,

Net area Arizona No.4 lode,

9.308 ac

Note The following conflicting areas are not deducted from the total area of the Arkona No.4 lode,

Total and net area of conflict with Philadelphia lode,

Survey No.1909 .002 ac.,

Total and net area of conflict with Portland lode, Survey No.1909 6.520 ac

Jotal and net of conflict with Milwaukee lode, Survey No. 1309

Less area in conflict with Angel lode, Survey No.119 3.148

Netwarea conflict with Porphyry lode 2

2.139

Arizona No.3, Total area, 19.222 ac. Less area in conflict with Arizona No.2 lode of this survey 3.160 Less area in cuflict with Oregon lode Survey No. 2018 1.526 4.686

Net area Arizona No. 3 lode, 14.536

There S. 48° 21' E.

- 470.7 to the intersection of line 1-2 Waldo lode, Survey No.1909 at N. 6° 42' E. 229.6 ft from Cor.No.1 and the intersection of line 1-4 Bisbee lode, Survey No 1909 at N. 6° 42' E. 229.6 ft from Cor.No.1.
- 1500.0 same bearing along the S side line of Guld. Acce Therrepression do dor.No.3 the NE cor identical with location, a pine post 4 ft long 4 ins sq set 1 ft in the ground in a mound of stones and scribed 3-2127 A No.2 L, where a pine post of same dimensions and scribed B. P. 3-2127 brs N. 48° 21' U. 50 and a second pine post of same dimensions and scribing brs.S. 4° 22' E. 50 ft.,

Thebe o. 40 oct T.

- 6.9 to the intersection of line 1-2 Bisbee lode, Survey No.1909 at S. 59° 50' E. 921.2 ft from or. No.1 and the intersection of line 4-5 Oakland lode, Survey No.1909 at S. 59° 50' E. 913.4 ft from Cor. No.5.
- 431.9 same bearing along line 2-1 Arigona lode, Survey No. 2017 to original location for SEE C.,
- 735.3 same bearing to the intersection of line 1-2 Oakland lode Survey No.1909 at S. 59° 50' E. 685.3 ft from Cor.No.I., and the intersection of line 3-2 St. Louis lode, Survey No.1909 At S. 59° 50' E. 685.3 ft from Cor.No.2,
- 863.9 samebearing to Cor.No.4, the SE cor identical with location and with Cor.No.1 Arizona lode, Survey No.2017, a pine post 4 ft long 4 ins sq set 1 ft in the ground in a mound of stones and scribed 4-2127 A No.2 L, whence a pine post of same dimensions and scribed B. P. 4-2127 brs N. 48° 21' W. 50 ft and a secold pine post of same dimensions an scribing brs. M. 4° 22' W. 50 ft.,

Thence N. 48° 21 ° W.

532.2 along line 3-2 Miller lode, Survey No.2008 to the intersection of line 3-2 St. Louis lode, Survey No.1909 at S. 59° 50' H. 236.7 It from Cor.No.2, and the intersection of line 1-2

10.845 V

The following conflicting areas are not deducted from the Note Arisona No.3 lode, Total and net area of conflict with Chicago lode, Survey No 2.099ac Total area in conflict with Milwaukee lode, Survey No.1909 5.328 Le ss area in conflict Oregon lode, Survey No 2018 1 Net area in conflict witht Milwaukee 1dde Survey No No .1909 3.840 ac Total area in conflict with Madison lode. 11.785 / Survey No.1909 Adas area in constict with Overon tode Sharrey No. Rold. .038 V Less area in conflict with Arizona No.2 lode of this survey 3146 V with Madison lode, Net area in conflict 8.601 ac Area in conflict with Oakland lode Survey No. 1909. 1013 ac is embraced in the conflict with the Arisona Vo.2 lode which conflict was deducted from the total area of Arizona No. 3 lode. Total area Arizona No.2, and net area 20.659 ac. Note The following conflicting areas are not excluded from the

total area of the Arizona No.2 1cde: Total and net area conflict with Waldo Lode, Survey Hola09 1.723

Total and net area conflict with Bisbee lode, Survey No. 1909 2.283 V Total and net area in conflict

Area in conflict with Oaklan lode, Survey No. 1009

Total and net area in conflictwith St. Louis lode, Survey No 1909 0.546 ~

Total and net area co flict with Madison lode, Survey No

1909 5.264

The area in conflict with Arizon No.3 lode, 3.160 ac. embracing 3,146 ac. of the Madison lode, and 1.013 ac. of the Oakland lode is claimed by this survey

Improvements.

I hereby certify that the value of the labor and improvements on this group placed thereon by the claim for their grantors areas follows:

- N_{6} | Arizona No 4 Discovery shalt 4x6x10 ft brs from N E C loc tion S. 7° 27' W. 6 5 ft Value \$100
- γολ Shaft 4x6x10 ft brs from S E C location N. 13°
 06'E.450 ft., Value, 100.00

Total improvements Arkona No.4 Lode, 8.0.05

Arizona No.3 Discovery shaft 4x6x10 ft brs from NW E C

location S. 52° 8' E. 285 ft., Value 100.00

Arizona No.2 Discovery shaft 4x6x10 ft brs from SE E C

location N. 48° 21' W. 35 ft Value, 100.00

Note Complete affidavit of \$500 improvements for each loation hereof will be furnished before the expiration of the period of publication.

ADJOININGCLAIMS.

Noth Oregon lote, Survey No.2018, C.M.Hengkel et al owners;

Eron Gap lode, unsurveyed, J. B. Broaddus et al owners

Gulch lode unsurveyed, C.T.Winwood et al owners

Gulch lode Survey No.2017 C M Henkel et al owners;

South Millerlode, Survey No.2008 Jno.M.Johnen et al owners

Gollins lode, Survey No.2009, E.D.Collins et al owners;

Angel lode Survey No.1119 Calumet & Arizona Min Go.owner

et al

West P.J.Johohnson Jur lode Survey No.1959 Feter Johnson owner

Note The applicants herein do not recognize the Philadelylia,

Porphyry, Portland, Milwaukee, Chicago, Madison, Waldo, Risbee

Oakland and St.Louis lodes, of Survey No.1909 claimed by

the Copper King of Arizona a corporation.

LOCATION.

This group is loated about 1 mi in an easterly direction from the City of Bisbee in Warren Mining District Cochise County Arizona approximately in Tp 23 S R 24 E G & S R B & M unsurveyed.

INSTRUMENT.

This survey was made with a J. E.Berger & Sons No. 1 d transit the courses were delfected from the true meridian as determined by solar observation checked by an observation on Polaris, the disances were measured with a 300 ft steel tape; magnetic variation 12° 30' H.

H. S.Deputy Eineral Surveyor.

Daded at Bisbee, Arizona

21 At august

1905

Note

Any discrepancies between the courses and distances of the mineral monument ties of this survey and those of the adjoining or conflicting approved surveys are due to errors in the latter

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.
A list of the names of the individuals employed by anklin Wouth
United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field notes of the survey of the mining claim of M. Henkee. known as the Augina No V. Augong No 3. Augong No 4.
known as the Origina No V. arigona No 3. Arizona No 4
and showing the respective capacities in which they acted. A Biesemet Chainman. The Menereus Chainman.
Axman.
, Flagman,
We. Seemed and Control of Assistants. We. Jesemed and Control of Assistants and Surveyor, do solemnly swear that we assisted Franklin Montrol of Assistant we assisted Franklin of Assistant we assist the corners and surveying the boundaries of the mining claim of Assistant we assist the Assistant we assist the first of Assistant we assist the corners and surveying the boundaries of the mining claim of Assistant we assist the Assistant we assist the first of Assistant w
known as the Augona No V. Augong Ho 3, Chigona Ho 4
represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and
furnished by the United States Surveyor-General for furnished by the U
Flagman.
Subscribed and sworn to by the above-named persons before me this.
day of Gugust, 190 ct

9189b5m8-03

In and for the County of Countries, Territory of Arlana,
My Commission Expires March 21, 1908.

FINAL OATH OF U.S. DEPUTY MINERAL SURVEYOR

I, In the Month, U. S. Deputy Mineral
Surveyor, do solemnly swear that, in pursuance of instructions received from the United
States Surveyor General for, dated,
July 5 - 190 Thave, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
6, M Henkel , known as the
and Mark Gring Mass Gring No4
Augena Nor Augena No 3, Augena No 4, situate in Warren Mining District,
Cochine County Quesa in Section
situate in Marken Mining District, Cochief County, Guzona in Section Approx, Township No. 732, Range No. 246 Frank Mining District, and designated as Survey No. 7177 , as represented
and designated as Survey No. 2127
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimants or their grantors
are as therein fully stated, and that the character, extent, location and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
<i>A</i>
Manklin Mund
U.S. Deputy Mineral Surveyor.
Subscribed and sworn to by the said Lanklin M. Smith
U. S. Deputy Mineral Surveyor, before me Coral Smith
this 21 Rt
day of lugust. 1905.
0 3-154

In and for the County of Cochise, Territory of Leisona,
My Commission Expires March 21, 1908;

LODE CLAIM

To All Whom At May Concern:
This Mining Claim, the name of which is the angusia has 2
Mining Claim, situate on lands belonging to the United States of America, and in which there
are valuable mineral deposits, was entered upon and located for the purposes of exploration and
purchase by 6 M. Henkel, and R. a. Bretherton, citizens
(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")
the undersigned, on the 20th day of January 1905
The length of this claim is Tifteen Mundrell feet,
and we claim fifteen feet,
in a Southeasterly direction and Fourteen hundre
and eighty five feet in a morthugesterly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together
with Three hundred feet in width of the surface grounds, on each
side of the center of said claim. The general course of the lode deposit and premises is from the
side of the center of said claim. The general course of the lode deposit and premises is from the
The claim is situated and located in the Marsen Mining District, in
A - //
Cochise County, in the Territory of Arizona, about Seven hundred feet
in a westerly direction from Southwest corner of Class
tus Mine, Survey 1910
The surface boundaries of the claim are marked upon the ground as follows: Beginning at
a pine post
at a point in a easterly direction litteen feet from
at a point in a easterly direction fifteen feet from the discovery shaft (at which this notice is posted), being in the center of the east
the discovery shaft (at which this notice is posted), being in the center of the east
the discovery shaft (at which this notice is posted), being in the center of the east
end line of said claim; thence worth 350 feet to a pine post
end line of said claim; thence with 350 feet to a pine post , being the northeast corner of said claim; thence mosthwest 1500 feet to a fair fort, being at the
end line of said claim; thence with 350 feet to a pine foot morthwest 500 feet to a pine foot morthwest corner of said claim; thence morthwest corner of said claim; thence morthwest corner of said claim; thence south 350 feet
the discovery shaft (at which this notice is posted), being in the center of the east end line of said claim; thence with 350 feet to a kine fort feet to a kine fort corner of said claim; thence withwest 1500 feet to a faire fort heing at the morthwest corner of said claim; thence south 350 feet to a faire fort at the center of the west end of said claim;
the discovery shaft (at which this notice is posted), being in the center of the east end line of said claim; thence with 350 feet to a kine foot with thence with soil feet to a fair foot being at the morthwest 500 feet to a fair foot good feet to a fair foot end of said claim; thence south 350 feet to a fair foot end of said claim; thence south 350 feet to a fair foot good feet good feet to a fair foot good feet
end line of said claim; thence worth 350 feet to a possed claim; thence south as the corner of said claim; thence south as the corner of said claim; thence south as the corner of said claim; thence to a faire foot at the center of the west end of said claim; thence south 350 feet to a faire foot at the center of the west end of said claim; thence south 350 feet to a faire foot, being at the southwest corner of said claim; thence south 350 feet to a faire foot, being at the southwest corner of said claim; thence southeast 1500
the discovery shaft (at which this notice is posted), being in the center of the east end line of said claim; thence worth 350 feet to a pine foot
the discovery shaft (at which this notice is posted), being in the center of the east end line of said claim; thence worth 350 feet to a fine foot when the northwest corner of said claim; thence south 350 feet to a fine foot at the center of the west end of said claim; thence south 350 feet to a fine foot the west heing at the southwest corner of said claim; thence south 350 feet to a fine foot the southeast corner of said claim; thence southeast corner of said claim; thence south 350 feet to the place of beginning.
the discovery shaft (at which this notice is posted), being in the center of the east end line of said claim; thence worth 350 feet to a form forth post, being at the worthwest 1500 feet to a form forthwest, being at the worthwest corner of said claim; thence south 350 feet to a form forthwest, being at the worthwest at the center of the west end of said claim; thence south 350 feet to a form forthwest, being at the southwest corner of said claim; thence southeast 1500 feet to a form forthwest at the southeast corner of said claim; thence southeast southeast southeast at the southeast corner of said claim; thence worth 350 feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes on
end line of said claim; thence with 350 feet to a fine foot the corner of said claim; thence heart corner of said claim; thence heart feet to a fine foot feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to
end line of said claim; thence worth 350 feet to a feet to a fine feet to a feet feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes on the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.
the discovery shaft (at which this notice is posted), being in the center of the least end line of said claim; thence worth 350 feet to a four fact point the notification of said claim; thence worthwest soon feet to a fact feet feet feet feet to a fact feet feet feet feet feet to a fact feet feet feet feet feet feet feet fe
the discovery shaft (at which this notice is posted), being in the center of the least end line of said claim; thence worth 350 feet to a four fact point the notification of said claim; thence worthwest soon feet to a fact feet feet feet feet to a fact feet feet feet feet feet to a fact feet feet feet feet feet feet feet fe
the discovery shaft (at which this notice is posted), being in the center of the east end line of said claim; thence with 350 feet to a pence foot peing the montheast corner of said claim; thence south 350 feet to a facility to a facility foot at the center of the west end of said claim; thence south 350 feet to a facility feet to a facility feet to a facility foot feet to a facility feet to a facility foot feet foot feet foot foot feet foot foo
the discovery shaft (at which this notice is posted), being in the center of the east end line of said claim; thence being the restlessed corner of said claim; thence being the restlessed, being at the sattlewest to a first post, being at the corner of said claim; thence south 350 feet to a first post, being at the sattlewest corner of said claim; thence south 350 feet to a first post, being at the southwest corner of said claim; thence southeast sold feet to a first post at the southeast corner of said claim; thence south 350 feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes on the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901. Dated and posted on the ground this 20th day of farmary 1907. Mitnesses This claim is on aboutdoned ground the Comments of the Content of th
the discovery shaft (at which this notice is posted), being in the center of the Rast end line of said claim; thence heing the rotherast corner of said claim; thence heing the rotherast corner of said claim; thence are the rotherast corner of said claim; thence are the rotherast corner of said claim; thence south 350 feet to a faire foot at the center of the arest end of said claim; thence south 350 feet to a faire foot heing at the southwest corner of said claim; thence southeast south south at the southeast corner of said claim; thence south 350 feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes on the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901. Dated and posted on the ground this 20th day of farmary 1905. Mitnesses A. Dretherton Witnesses A. Dretherton Midney contained in the Bakland. W. Louis, Midney, Bishe and Waldo
end line of said claim; thence north 350 feet to a pince foot of the east of the end line of said claim; thence north 350 feet to a pince foot feet to a pince foot of said claim; thence northwest food feet to a pince foot of said claim; thence northwest corner of said claim; thence south 350 feet to a pince foot of said claim; thence south 350 feet to a pince foot feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901. Dated and posted on the ground this 20 the day of farmary 1907. Witnesses The claim is on standard formed formed formerly contained in the Sakland. A. A. Dretherton.
the discovery shaft (at which this notice is posted), being in the center of the Rast end line of said claim; thence heing the rotherast corner of said claim; thence heing the rotherast corner of said claim; thence are the rotherast corner of said claim; thence are the rotherast corner of said claim; thence south 350 feet to a faire foot at the center of the arest end of said claim; thence south 350 feet to a faire foot heing at the southwest corner of said claim; thence southeast south south at the southeast corner of said claim; thence south 350 feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes on the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901. Dated and posted on the ground this 20th day of farmary 1905. Mitnesses A. Dretherton Witnesses A. Dretherton Midney contained in the Bakland. W. Louis, Midney, Bishe and Waldo

Territory of Arizona, (ss. County of cochise.

I, Frank Hare, County Recorder in and for said County, hereby certify that I have compared the foregoing copy with the original Location Notice of the <u>Angunta has 2</u> Mining Claim, filed and recorded in my office on the <u>21st</u> day of <u>Thursy</u>, <u>1905</u>, in Book <u>32</u>, at page <u>554</u>, Record of Mines, and that the same is a full, true and correct copy of such original and of the whole thereof.

Witness my hand and seal of office this 30th, XMMX.day of June, 1905.

County Recorder.

Motice of Mining Location

LODE CLAIM

To All Whom It May Concern:
This Mining Claim, the name of which is the Origina has 3
Mining Claim, situate on lands belonging to the United States of America, and in which there
are valuable mineral deposits, was entered upon and located for the purposes of exploration and
purchase by R. a. Bretherton and C. M. Herskel, both citizens
(Lightor must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")
the undersigned, on the Ith day of Cebruary 1905
The length of this claim is 1500 feet,
and we claim 300 feet,
in a northwesterly direction and 1200
feet in a southeasterly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together
with 300 feet in width of the surface grounds, on each
side of the center of said claim. The general course of the lode deposit and premises is from the
0V52°08'W to the
The claim is situated and located in the Marsen Mining District, in
in an easterly direction direction from the city of Bisher and is
bounded in the south by the Collins Loce, Sur. no. 2009.
This is a relocation of abandoned ground formerly embaced in
the Chicago, Milumikee, Madison and Oakland Lotter, Sur Mo. 190
The surface boundaries of the claim are marked upon the ground as follows: Beginning at
a pine post
at a point in a northwesterly direction 300 feet from
the discovery shaft (at which this notice is posted), being in the center of the mathing at
the discovery shaft (at which this notice is posted), being in the center of the mathing at
end line of said claim; thence wortherly 362.7 feet to a fine feet to learn thence for the said claim; thence height southwest corner of said claim; thence
end line of said claim; thence wortherly 362.7 feet to a fine fort
end line of said claim; thence northerly 362.7 feet to a pine post gent thence southers to a pine post corner of said claim; thence southers to a pine post peing at the southers to a pine post peing at the southers to corner of said claim; thence southers to corner of said claim; thence southers 362.7 feet
end line of said claim; thence northerly 362.7 feet to a pine post being the southwest corner of said claim; thence southeast 500 feet to a pine post to a pine post to a pine post at the center of the east end of said claim; thence southerly 362.7 feet to a pine post at the center of the east end of said claim; thence southerly 362.7 feet thence southerly 362.7 feet to a pine post thence southerly 362.7 feet thence southerly 362.7 feet to a pine post thence southerly 362.7 feet to a pine post the southerly 362.7 feet
end line of said claim; thence northerly 362.7 feet to a pine post being the southwest corner of said claim; thence southeast 500 feet to a pine post to a pine post to a pine post at the center of the east end of said claim; thence southerly 362.7 feet to a pine post at the center of the east end of said claim; thence southerly 362.7 feet thence southerly 362.7 feet to a pine post thence southerly 362.7 feet thence southerly 362.7 feet to a pine post thence southerly 362.7 feet to a pine post the southerly 362.7 feet
end line of said claim; thence wortherly 362.7 feet to a pine post of the southern thence southers to a pine post of the corner of said claim; thence southers 362.7 feet to a pine post of the corner of the corner of the corner of said claim;
end line of said claim; thence wortherly 362.7 feet to a pine post of the month west corner of said claim; thence southeast soon feet to a pine post end of said claim; thence southerly 362.7 feet to a pine post end of said claim; thence southerly 362.7 feet to a pine post to being at the southeast southerly 362.7 feet to a pine post to being at the southeast corner of said claim; thence southeast being at the southeast corner of said claim; thence southeast sout
end line of said claim; thence northerly 362. Therefore to a faire feet to a faire feet to a feine feet to a feet to
end line of said claim; thence northerly 362.7 feet to a faire foot being the strothwest corner of said claim; thence southeast 500 feet to a faire foot to a faire foot at the center of the east end of said claim; thence southeast southerly 362.7 feet to a faire foot at the center of the east end of said claim; thence southeast southerly 362.7 feet to a faire foot feet to a faire foot at the southeast corner of said claim; thence motherly 362.7 feet to the place of beginning.
the discovery shaft (at which this notice is posted), being in the center of the mathical end line of said claim; thence motherly 362. The feet to a few foot point, being the feet to a few foot point, being at the southeast corner of said claim; thence southerly 362. The feet to a few foot at the center of the last end of said claim; thence southerly 362. The feet to a few foot point, being at the southeast corner of said claim; thence southeast
the discovery shaft (at which this notice is posted), being in the center of the motherest end line of said claim; thence motherest 362.7 feet to a faire foot point, being at the motherest corner of said claim; thence southerest is at the center of the east end of said claim; thence southerest at the center of the east end of said claim; thence southerest 362.7 feet to a faire foot peing at the southeast corner of said claim; thence southerest southerest foot the southeast corner of said claim; thence motherest foot at the southerest corner of said claim; thence motherest 362.7 feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes on the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to
the discovery shaft (at which this notice is posted), being in the center of the mathical end line of said claim; thence motherly 362. The feet to a few foot point, being the motherest corner of said claim; thence southers 362. The feet to a few foot point at the center of the last end of said claim; thence southers 362. The feet to a few foot point, being at the southeast corner of said claim; thence southers 362. The feet to a few foot point at the southeast corner of said claim; thence southers 500 feet to a few foot at the southeast corner of said claim; thence mothers 362. The feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes on the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.
the discovery shaft (at which this notice is posted), being in the center of the mathwest end line of said claim; thence motherly 362.7 feet to a prince post , being the motherest corner of said claim; thence southeast 500 feet to a prince post to a prince post at the center of the east end of said claim; thence southeast south feet to a prince post to a prince post at the center of the east being at the southeast corner of said claim; thence motherest south feet to a prince post at the southwest south feet to a prince post feet to a
end line of said claim; thence northerly 362.7 feet to a prince first thence southerst to a prince first at the center of the east to end of said claim; thence southerst thence southerst thence southerst the southerst thence southerst the southerst thence southerst the place of said claim; thence southerst to a prince first the southerst the s

Territory of Arizone, (ss. County of Counts. (

Therefore, County Recorder in and for said county, hereby certify that I have compared the foregoing copy with the original Location hotice of the Caymalas 3 Haning Clair, filed and recorded in my office on the 21st day of Change: 1905. In Book 32, at page 555, Record of Mines, and that the same is a full, true and correct copy of such original and of the whole thereof.

Witness my hand and seal of office this John day of Jame, 1908.

James Begorder

Motice of Mining Location

LODE CLAIM

To All Whom It May Concern:	
This Mining Claim, the name of which is the Cingon In 4	
Mining Claim, situate on lands belonging to the United States of America, and in which	
are valuable mineral deposits, was entered upon and located for the purposes of explorati	- 1
purchase by R. a. Brethester and lo M. Herkel, lo	
(Locator past insert either a citizen of the United States," or, "who has declared his intention to become a citizen of the United	l States.")
the undersigned, on the Ith day of February 1905	
The length of this claim is 1370	feet,
and we claim 70	feet,
in a northerly direction and 1300	
feet in a southerly direction	on from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, to	ogethe r
with 300 feet in width of the surface grounds,	on each
side of the center of said claim. The general course of the lode deposit and premises is fi	rom the
north to the south to the	
The claim is situated and located in the Wanen Mining Dist	. 1
County, in the Territory of Arizona, about and	
in an easterly direction from the leity of Biobee	
is bounded on the west by the of Johohonson fu	
no. 1959, This location embraces a portion of the about	doned
uning claims known as the Philadelphia, Porphyry, Portlan	dand
Nililaukee Locles, Luv. No. 1909. The surface boundaries of the claim are marked upon the ground as follows: Begin	nning at
and the state of t	and at
a pine post.	
a pine post.	
at a point in a southerly direction 70 fe	eet from
at a point in a southerly direction 70 fe the discovery shaft (at which this notice is posted), being in the center of the south	eet from
at a point in a southerly direction 70 fe	et from
at a point in a southerly direction 70 fe the discovery shaft (at which this notice is posted), being in the center of the south end line of said claim; thence southeasterly 407, 3 feet to a force for , being the southeast corner of said claim;	thence
at a point in a southerly direction 70 fe the discovery shaft (at which this notice is posted), being in the center of the south end line of said claim; thence southeasterly 407, 3 feet to a since for	thence
at a point in a southerly direction 70 fe the discovery shaft (at which this notice is posted), being in the center of the morth end line of said claim; thence mortheasterly 407, 3 feet to a spine for , being the mortheast corner of said claim; southerly 1370 feet to a spine post , being southeast corner of said claim; thence southwesterly 407	thence g at the
at a point in a southerly direction 70 fee the discovery shaft (at which this notice is posted), being in the center of the south end line of said claim; thence northeasterly 40.7.3 feet to a source for heing the northeast corner of said claim; southerly 13.70 feet to a southerly 13.70 feet to a southerly 13.70 feet to a southerly 13.70 corner of said claim; thence southwesterly 40.7 to a southerly forth at the center of the south end of said	thence g at the 3. feet d claim;
at a point in a southerly direction 70 fe the discovery shaft (at which this notice is posted), being in the center of the morth end line of said claim; thence mortheasterly 407, 3 feet to a spine for , being the mortheast corner of said claim; southerly 1370 feet to a spine fort, being Southeast corner of said claim; thence southwesterly 407	thence g at the d claim; g at the
at a point in a southerly direction 70 fe the discovery shaft (at which this notice is posted), being in the center of the souther end line of said claim; thence northeasterly 407, 3 feet to a faire for being the northeast corner of said claim; southerst corner of said claim; thence southwesterly 407, to a faire fort at the center of the south end of said thence southwest corner of said claim; thence southwesterly 407, southwest corner of said claim; thence southwesterly 407, southwest corner of said claim; thence southers, being	thence g at the d claim; g at the
at a point in a southerly direction 70 fe the discovery shaft (at which this notice is posted), being in the center of the restlete end line of said claim; thence northeastury 40.7.3 feet to a said claim; being the northeast corner of said claim; southerly 13.70 feet to a said post being southeast corner of said claim; thence southwesterly 40; to a said sport at the center of the south end of said thence southwesterly 40.7.3 feet to a said sport, being	thence g at the d claim; g at the
at a point in a southerly direction 70 fe the discovery shaft (at which this notice is posted), being in the center of the north end line of said claim; thence northeasterly 40.7.3 feet to a sine for , being the northeast corner of said claim; southers 37.0 feet to a sine fort, being southeast corner of said claim; thence southwesterly 40.7 to a sine fort at the center of the south end of said thence southwesterly 40.7.3 feet to a sine fort, being southwest corner of said claim; thence northerly 37. feet to a spine southwest corner of said claim; thence northerly 37.	thence g at the d claim; g at the
at a point in a southerly direction TO fee the discovery shaft (at which this notice is posted), being in the center of the worth and line of said claim; thence northeasterly 407, 3 feet to a faire for southerst corner of said claim; southerst corner of said claim; thence southerst post at the center of the southerst end of said thence southwesterly 407, 3 feet to a faire fact, being southwest corner of said claim; thence southwesterly 407, 3 feet to a faire fact, being southwest corner of said claim; thence northerly 137, feet to a faire fact corner of said thence southwest corner of said claim; thence northerly 137, feet to a faire fact corner of said thence northerst corner of said thence n	tutes on
at a point in a southerly direction 70 feethe discovery shaft (at which this notice is posted), being in the center of the southern feed line of said claim; thence northeasting 40.7.3 feet to a force for the southern feet to a force for the south feet to a force for the southern feet to a force for the south feet feet to a force for the south feet feet to a force for the southern feet feet to a feet to a force for the southern feet feet to a feet to a feet for at the southern feet feet to a feet former of said thence southern feet for the feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised State the United States, and of an Act of the General Assembly of Arizona, entitled "An Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.	tutes on Act to
at a point in a southerly direction 70 fee the discovery shaft (at which this notice is posted), being in the center of the southern formulation of said claim; thence northeasting 40.7.3 feet to a southern formulation of said claim; being southerst corner of said claim; thence southerst formulation for the center of the south cond of said thence southeresting 40.7.3 feet to a southerst formulation formulation for the corner of said claim; thence southerest formulation for said claim; thence southerst former of said the southerst former of said claim; the so	tutes on Act to
at a point in a southerly direction. To fee the discovery shaft (at which this notice is posted), being in the center of the southern feed line of said claim; thence northernty 40.7.3 feet to a found for the southernty of said claim; being southernty 13.70 feet to a found for the corner of said claim; thence southernty 40.7.3 feet to a found for the control of said claim; thence southernty 40.7.3 feet to a found for the corner of said claim; thence southernty 40.7.3 feet to a found for the south southernty 40.7.3 feet to a found for the south southernty 40.7.3 feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised State the United States, and of an Act of the General Assembly of Arizona, entitled "An Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.	thence of claim; at the claim; at the claim; at the claim; at the claim;
at a point in a southerly direction. 70 fee the discovery shaft (at which this notice is posted), being in the center of the mostly end line of said claim; thence northeasterly 40.7.3 feet to a fame for heing the mostly 13.70 feet to a fame foot heing the southeast corner of said claim; thence southeast to a fame foot at the center of the southers end of said thence southers to corner of said claim; thence southers for heing southers to corner of said claim; thence southers for heing southers to corner of said claim; thence southers for heing southers to corner of said claim; thence southers for heing southers to corner of said claim; thence southers for heing southers to corner of said claim; thence southers for heing southers to a fame for the southers to corner of said the southers to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised State the United States, and of an Act of the General Assembly of Arizona, entitled "An Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901. Dated and posted on the ground this 7th day of Sebusny	thence of claim; at the claim; at the claim; at the claim; at the claim;
at a point in a southerly direction 70 fe the discovery shaft (at which this notice is posted), being in the center of the walk end line of said claim; thence wortheasterly 407, 3 feet to a fame for , being the martine corner of said claim; southeast corner of said claim; thence southwesterly 407 to a fame fort at the center of the south end of said thence southwesterly 407, 3 feet to a fame fort, being southwest corner of said claim; thence mortherly 37 feet to a fame fort at the martinest corner of said thence mortheasterly 407, 3 feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised State the United States, and of an Act of the General Assembly of Arizona, entitled "An Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901. Dated and posted on the ground this 7th day of Telemany	thence g at the d claim; tutes or Act to

Territory of Arizona, (ss. County of Cochise.

I, Frank Hare, County Recorder in and for said County, hereby certify that I have compared the foregoing copy with the original Location Notice of the Angenta hay Mining Claim, filed and recorded in my office on the 2/st day of Telmany, 1905, in Dook 32, at page 556, Record of Mines, and that the same is a full, true and correct copy of such original and of the whole thereof.

Witness my hand and seal of offire this 30th day of June, 1905.

County Recorder.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Pnoer	nix,	ariz	ona	
		Oct.	12,	1905.	, 190
I, U. S. Surveyor-Gen	eral for Arizo	ona			
do hereby certify that the			Notes	s, return and approval o	f the survey
of the mining claim of	R.A. Brether	rton	and	g.M. Henkel	
known as the Arizo	ona No.2, Arison	ıa No	<u>.3</u> ,	Arizona No.4.	
situate in	Warre	en			•••••••
Mining District,	Cosnise		-Count	y, Arizona	
in Section Approx.	, Township No. 23 S	•	Range	e No 24 E. (unsurv	eyed), and
designated as Survey No.	3137 , ha	s been o	correct	ly copied from the origin	nals on file in
this office; that said Field	Notes furnish such an a	accurate	descri	ption of said mining cla	aim as will, if
incorporated into a patent	, serve fully to identify th	ne prem	ises, an	d that such reference is	made therein
0	that five hundred dolls	ars' woi	th of	labor has been expended	
ments made upon said mir					
	, , , , , , , , , , , , , , , , , , , ,				
)
***************************************					/
				1	
and that no portion of said	l labor or improvements	has bee	en incl	uded in the estimate of	${ m expend}itures$
	the plat thereof, filed in t	he U. S	. Land	Office at There	eix
4 70 7 7 0 70 0	is correct and in co				3.5
		(Sig	ned)	Frank S. Ingal	ls
	United States Survey	or-Gener	ral for .	Arizona.	

SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

-	Phoenix, Arizona
	Oct. 12, 1905., 190
I, U. S. Surveyor-General forArizona	
do hereby certify that the foregoing and hereto attached	Field Notes and Return of the Survey of the
Mining Claim of R.A. Bretherton and C.	M. Honkol
	, known as the
Arizona No.2, Arizona No.3	Arizona No.4.
situate in Warren	Mining District,
Cochise County,	Arizona
in Section Approx., Township No. 23 S.	Range No.24 E. (unsurveyed)
, designated as Survey No	2127
executed by Franklin W. Smith	, U. S. Deputy Mineral
Surveyor, Aug. 10th to Aug. 15th	, 190.5, under my instructions dated
July 5th , 1905, have be	een critically examined and the necessary cor-
rections and explanations made, and the said Field Not	es and Return, and the Survey they describe,
are hereby approved. A true copy of the copy of the l	ocation certificate filed by the applicant S for
survey is included in the field notes.	
·	La inzalle
U. S. S.	Surveyor-General for Arizona.

12779b5m4-04

owned by R. A. Bretherton et al and mituated in Warr n
mining Fistrict, Cochise County, Arizona.
Afridavit of \$500 improvements.
[hereby certify that the value of the labor and
im rovements on this group placed thereon by the claimants
or their grantors is not less than \$500 for each location
thereof and that said improvements consist of:

ARIZONA NO. 4

- No.1 Discovery shaft 4x6x10 it brafron N E G location 8.7° 27' W. 65 ft Value, 100.00
- Mc.2 Shaft 4x6x10 ft bro from S R C F. 13° 6' R. 450 ft
 Value 100.00
- No.3 Open Gut 5x10x12 ft bra from Gor.No.3 S. 45° 5%' ". 250 ft
 Value
- No.4 Open Gut 5x10x20 ft bre from Cor.No.3, 2.30° 45' "

 454 ft vith tunnel 4x6x16 ft at face brs 8.47°

 30' ". Value, 200.00

Tot41

500.00

ARISONA NO 3

- No.1 Discovery shaft 4x6x10 ft brs from NW F E C location

 S. 52° 8' W. 285 ft Value, 100.00
- No. 2 Open Gut 5xl0x12 ft bre from Gor.No.4 N. 67° 28' W.
 682 ft ith tunnel 4x6x30 ft at face bfg N. 82°
 10' W. Value,
 400.00

Total

500.00

ARIZONA NO.2

- NC.1 Piscovery shaft 4x6x10 ft bre from SEE C location
 N 48° 21' ". 35 ft Value, 100.00
- No. 2 Open Gut 4 x7 x26 ft brs from Gor No.3 S. 3° E. 286 ft with tunnel 4x6x27 ft at face brg N. 45° ". Value 400.00

Total

500.00

Total improvements on group

\$1500.00

H. S. Deputy Mineral Surveyor

BisbéeArizona, Dec 11-1905

Affidavit of Five Hundred Dollars Improvements.

We, J. P. Saucen	and I. J. Balmfarth
of lawful age, being first duly sworn accord	ing to law, depose and say: That we are acquainted with the
Anzona not	mining claim, situate in Warren
Cart	County, Arizona Territory, for which
mining district,	County, Arizona Territory, for which
17.61.00	etherton et al
ha.L.f. made application for survey prior to ap	oplication for patent under the provisions of the Act of Congress
	done and improvements made thereon by the applicant. S. and
thul grantor & exceed five hundred	for e ach location hereof dollars in value, and further that we are not personally interested
in said mine.	Al Bahnforth
TERRITORY OF ARIZONA,	\{\ ss:
COUNTY OF Cochres]
·	th
	Sworn to and subscribed before me thisday
[SEAL.]	of Desember, 1905
	Cara Elmido
17171b400-3-05	n and for the County of Covidisc, Territory of Arizona, My Commission Expires March 21, 1908

Certificate of U. S. Surveyor General

AS TO

EXPENDITURES REPORTED AFTER RETURN OF SURVEY OF MINING CLAIM.

·
I, U.S. Surveyor General for <u>Dist. of Arizona</u> ,
do hereby certify that Five Hundred Dollars' worth of labor has been expended or
improvements made by claimant or their grantors, upon the mining claims of
R. A. Bretherton et al
known as the Arizona No. 4, Arizona No. 3 and Arizona No. 2
situate in mining district,
Pinal County, Arizona
in Section , Township No. , Range No. ;
that said improvements consist of 4 shafts, 3 cuts and 3 tunnels
total value \$1500.00
and that no portion of said labor as immediate 1 1
, and that no portion of said labor or improvements has been
included in the estimate of expenditures upon any other claim. A copy of the report of
Franklin W. Smith , U. S. Deputy Mineral Surveyor, dated
Dec. 11,1905 , 18 , is hereto attached.
(Signid) Grank S. Ingalls
U. S. Surveyor General for Arizona
Office of U. S. Surveyor General,
Phoenix, Arizona
Dec. 15,1905