

MS

0

2

1

3

0

AUG. 2- 1905
AUG. 9- 1905

(4-683.)

Mineral Survey No. 2130

Lot No. _____

Gila Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Johann A. Gutzers

KNOWN AS THE

Red Crow
Tombstone

Mining District.

Cochise County, Arizona

Section 25, Township 2S, Range R1E unswmp

Surveyed under instructions dated July 7, 1905

by Robert A. Rockefeller
U. S. Deputy Mineral Surveyor

Claim located July 14, 1899

Survey commenced July 29, 1905

Survey completed July 29, 1905

9-6-100

Address of claimant
Gleson Ariz

See location
Lodge ✓
vic ✓
area ✓

Beginning at Cor. No. 1, identical with N.E. Cor. of location;

Set A pine post 4 ins. sq. $3\frac{1}{2}$ ft. long 8 ins. in ground to bed-rock, in mound of stone, scribed N.E.C.-R.C. 1-2130

Whence

1. Cor. Secs. 25-30-31-36 Tps. 20 S., Rs. 21 and 22 E. brs. S. $42^{\circ}33'E$. 1595.5 ft.
2. A cross (x) and B. R. 1-2130 chiseled on diorite rock exposing 36x24x14 ins. above ground brs. N. $15^{\circ}12'E$. 29.4 ft.
3. A cross (x) and B.R. 1-2130 chiseled on diorite rock exposing 30x20x5 ins. above ground brs. N. $56^{\circ}53'W$. 42.1 ft.
4. U.S.G.S. monument on Ajax Peak brs. N. $19^{\circ}45'E$. about 4 miles.

Thence S. $32^{\circ}30'W$.

1500. To Cor. No. 2,

Set a pine post 4 ins. sq. $3\frac{1}{2}$ ft. long 18 ins in the ground in mound of stone, scribed S.E.C.-R.C. 2-2130

Whence

1. Loc. mnt. brs. S. $3^{\circ}31'E$. 123.7 ft.
2. A cross (x) and B.T. 2-2130 scribed on a blaze on a mesquit tree 6 ins. diam. brs. S. $61^{\circ}17'W$. 40.9 ft.
3. A cross(x) and B.T. 2-2130 scribed on a blaze on a mesquit stump 4ft. high 18 ins diam. brs. N. $50^{\circ}26'E$. 62.2 ft.

Thence N. $53^{\circ}07'W$.

35.0 Brush fence running S.S.W. and N. N. E.

300.7 S. Center End, identical with locabion,

Set a pine post 4 ins sq. $3\frac{1}{2}$ ft. long, set on crumbling bed-rock, in mound of stone, scribed S.C.E.-R.C. 2130.

557.0 Brush fence brs. N.N.W. and S.S.E.

585.0 Center of gulch 30 ft. wide, course North.

- 601.4 To COR. NO. 3, Set stake on W. edge of wash, not suitable for permanent corner, hence at
- 543.4 I set a pine post 4 ins sq. $3\frac{1}{2}$ ft. long 18 ins. in the ground, in mound of stone, scribed W.C.S.W.C.-R.C. 3-2130.
- From true corner,
1. Loc. Mnt. brs. N.53°07'W. 34.3 ft.
 2. A cross (x) and B.R.3-2130 chiseled on porphyry bed-rock brs. S.34°20'W. 20.7 ft.
 3. A cross (x) and B. T. 3-2130 scribed on a blaze on a mesquit tree 6 ins. diam. brs. S.53°02'E. 43.0 ft.
- Thence N.32°30'E.
30. Gulch 30 ft. wide, course North.
43. Brush fence brs ~~N~~^SW. and ~~E~~^S.
350. Brush fence brs. W. and E.
400. Center of gulch 50 ft. wide, course West.
1050. Center of gulch 40 ft. wide, course S.W.
1500. To Cor. No. 4, identical with location,
- Set a pine post 4 ins sq. $3\frac{1}{2}$ ft. long 8 ins in the ~~##~~ ground to bed-rock, in mound of stone, scribed N.W.C.-R.C. 4-2130
- Whence
1. A cross (x) and B.R. 4-2130 chiseled on face of diorite rock exposing 14x10x12 ins. brs. S.56°00'W. 17.9ft.
 2. A cross (x) and B.R. 4-2130 chiseled on face of diorite rock exposing 18x14x10 ins. brs. S.70°20'E. 18.6 ft.
- Thence S.53°07'E.
263. Center of gulch 25ft. wide course S.W.
- 300.7 N.Center End, identical with location,
- Set a pine post 4 ins. sq. $3\frac{1}{2}$ ft. long 18 ins in ground in mound of stone, scribed N.C.E.-R.C.2130
- 601.4 To Cor. No. 1, the place of beginning.

Variation at all corners 13°E.

Area 20.649 Acres. ✓

Location.

This claim is located in Tombstone Mining District Cochise County, Ariz. in what will be when surveyed Sec. 25 of Tp. 20 S. R. 21 E. G. & S. R. Meridian.

The course of the lode is S. 32°30'W. 331.ft. from discovery to S. Center End Mt. and N.32°30'E. presumably to the N. Center End. 1169.ft (Unsurveyed)

Adjoining claims are; on the south the Black Crow A owned by this claimant.

Expenditure of \$500.

I certify that the value of the labor and improvements upon this claim placed thereon by the claimant and her grantors is as follows, and consist of:

1. Discovery cut, the center of which bears from S. Center End N.32°30'E. 351 ft., course of cut S.S.E. 14 ft. and N.N.W. 40 ft., average width 4 ft., depth irregular, excavation of rock 900 cu. ft.

Value \$ 325.00

2. A shaft which bears from Cor. No. 3 S.72°E. 247ft., 6x5 ft. 10 ft. deep

Value \$ 100.00

Other Improvements.

1. A house the S.W. corner of which brs. from the S. Center End N.38°E. 347 ft. House 12x20 ft' Course of long side N.N.E.

2. A tent house the S.Center end of which brs. from S. Center End of claim N.84°30'E. 210 ft. Tent occupied and claimed by Tomas Valencia.


Instrument.

This survey was made with a Berger and Sons transit (No. 3331). The courses were deflected from the true meridian as determined by direct solar observations. The distances

were measured with 50ft. and 500 ft. steel tapes.

Tombstone, Ariz.

July 31, 1905.

A handwritten signature in cursive script, reading "John A. Bonfueace". The signature is written in dark ink and is positioned above the typed name.

U. S. Dep. Min. Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by John A. Rockefeller
United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field notes of the survey of the mining claim of.....

Johanne A Gatzert
known as the Rad crew

and showing the respective capacities in which they acted.

James M Platt, Chairman.
Frank C Williams, Chairman.

....., Arman.

....., Flagman.

FINAL OATHS OF ASSISTANTS.

We, James M Platt

and Frank C Williams do solemnly swear that we assisted John A Rockefeller

United States Deputy Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of Johanne A Gatzert

known as the Rad crew

represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and
correctly executed, and the corner and boundary monuments established according to law and the instructions
furnished by the United States Surveyor-General for Arizona

James M. Platt, Chairman.

Frank C Williams, Chairman.

....., Arman.

....., Flagman.

Subscribed and sworn to by the above-named persons before me this 1st

day of Aug, 1905.

John A Rockefeller
Notary Public
My Com. expires Mar 14 1907

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, John A. Rockfellow, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated July 7 1905, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Johann A. Gatzert, known as the Rad Crow, situate in Tombstone Mining District, Cochise County, Ariz., in Section 25, Township No. 20S, Range No. R1E unsurveyed and designated as Survey No. 2130, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or her grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

John A. Rockfellow
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said John A. Rockfellow
U. S. Deputy Mineral Surveyor, before me Frank W. Woodbury, a
Notary Public in and for Cochise Co. Arizona this 1st
day of August 1905,

Frank W. Woodbury
Notary Public

My Com. ex. April 12-1909.

Notice of Mining Location,
Quartz Claim.

To All Whom It May Concern:

This Mining Claim, the name of which is the Rad Crow Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Chas. A. Gaetjins the undersigned, on the 14th day of July 1899.

The length of this claim is 1500 feet, and I claim 300 feet in a South westerly direction and 1200 feet in a _____ direction from the center of the discovery/shaft, at which this notice is posted lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North Easterly to the South Westerly.

The claim is situated and located in the Tombstone Mining District, in Cochise County, in the Territory of Arizona, about 2 miles in a Northerly direction from Charleston, about 6 miles in Easterly Dri. from Fairbank.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at ___ at a point in a South Westerly direction 200 feet from the discovery shaft)at which this notice is posted), being in the center of the Southeasterly end line of said claim: thence 300 feet to a monument, being the W. east corner of said claim thence 750 feet to a monument at the center of the Northerly side line of said claim: thence 750 feet to a monument being at the North-erly corner of said claim: thence 300 feet to a monument at the center of the North east end of said claim; thence 300 feet to a monument, being at the Southeasterly corner of said claim: thence 750 feet to a monument being at the center of the Southerly side line of said claim: thence 750 feet to a monument at the Southeasterly corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII; of the revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines", approved March 20, 1895.

Dated and posted on the ground this 14th day of July 1899.

Leon Chamberlain,

Chas. A. Geatjens,

Witness.

Filed and recorded at the request of C.A. Geatjens Aug. 29th at 3
P. M. A.D. 1899.

Book 17, page 85, Records of Mines.

Territory of Arizona, (
County of Cochise. (ss. (

I, Frank Hare, County Recorder in and for said County, hereby certify that I have compared the foregoing copy with the original Location Notice of the Rad Crow Mining Claim, filed and recorded in my office on the 29th day of August 1899, in Book 17, at page 85, Record of Mines, and that the same is a full, true and correct copy of such original and of the wholethereof.

Witness my hand and seal of office this 18th day of April, 1905.


County Recorder.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.

Sept. 7, 1905

I, U. S. Surveyor-General for the district of Arizona.

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of Johanne A. Geatjens,

known as the Rad Crow,

situate in Tombstone,

Mining District, Cochise County, Arizona.

in Section 25, Township No. 20 S., Range No. 21 E. unsurveyed, and designated as Survey No. 2130, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that ^{less than} five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or ^{her} grantors, and that said improvements consist of, *at time of survey, 1 cut and 1 shaft,*

Total value \$425.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Tucson, Arizona, is correct and in conformity with the foregoing Field Notes.

(signed) Frank S. Ingalls,

United States Surveyor-General for Arizona.

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona.

Sept 7, 1905

I, U. S. Surveyor-General for the district of Arizona.

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of Johanne A. Geatjens,

known as the Rad Crow,

situate in Tombstone, Mining District, Cochise County, Arizona.

in Section 35, Township No. 20 S., Range No. 21 E. unsurveyed, designated as Survey No. 2130

executed by John A. Rockfellow, U. S. Deputy Mineral Surveyor, July 29, 1905.

July 7, 1905, have been critically examined and the necessary corrections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. A true copy of the copy of the location certificate filed by the applicant for survey is included in the field notes.

Frank S. ...

U. S. Surveyor-General for Arizona.

Survey No. 2130.

Since filing the notes of Survey No. 2130, Rad. Crow Lode, the following work has been added, viz: a shaft which bears from Cor. No. 3, S 65° 45' E, 246 ft. Shaft 6 X 5 ft. 10 ft. deep.

Value..... .. \$100.00

Tombstone, Arizona, Sept. 16, 1905.

John A. Rockwell
U. S. DEp. Min. Surveyor.

Subscribed and sworn to before me, this 16th day of September, 1905.

Geo. M. Miller

CLERK DISTRICT COURT.

Affidavit of Five Hundred Dollars Improvements.

We, Henry Gutzers and James M Platt

of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the

Rad Brown mining claim, situate in Tombstone

mining district, Cochise County, Arizona Territory, for which Mrs

Johanne Gutzers

has made application for survey prior to application for patent under the provisions of the Act of Congress

approved May 10, 1872; and that the labor done and improvements made thereon by the applicant and

her grantor exceed five hundred dollars in value, and further that we are not personally interested

in said mine.

Henry Gutzers
James M. Platt

TERRITORY OF ARIZONA,

COUNTY OF Cochise } SS:

Sworn to and subscribed before me this 17 day

[SEAL.]

of August 5, 1905
and 4th day of September 1905

John A. Rockefeller
Notary Public

11786b400-2-04

NOT COMMISSIONED UNTIL MARCH 14 1905

(4-691.)

Certificate of U. S. Surveyor General

AS TO


EXPENDITURES REPORTED AFTER RETURN OF SURVEY OF MINING CLAIM.

I, U. S. Surveyor General for.....Dist. of Arizona.....,
do hereby certify that Five Hundred Dollars' worth of labor has been expended or
improvements made by claimant or her.....grantors, upon the mining claim of
.....Johanne Gaitjens.....

known as the.....Rad Crow.....,
situate in.....Tombstone..... mining district,
.....Cochise..... County, Arizona.....

in Section....., Township No., Range No.;
that said improvements consist of.....1 cut and 1 shaft, reported at
time of survey, valued at \$425.00, and one shaft reported after
survey, valued at \$100.00, making a total expenditure of \$525.
upon the Rad Crow claim.....

....., and that no portion of said labor or improvements has been
included in the estimate of expenditures upon any other claim. A copy of the report of
.....John A. Rockefeller....., U. S. Deputy Mineral Surveyor, dated
.....Sept. 16, 1905....., 18 .., is hereto attached.


U. S. Surveyor General for.....Arizona.....

Office of U. S. Surveyor General,

.....Phoenix, Arizona.....,

.....Sept. 19, 1905....., 1 ..