Mineral Survey No. 2136

| Lot No. | |
|---------|----------------|
| | |
| | |
| | |
| Sila | Land District. |
| , | |

FIELD NOTES

| OF THE SURVEY OF THE MINING CLAIM OF | |
|--|--|
| Isaac Jacobson | |
| Januar Jacobs | |
| | |
| 2 | |
| KNOWN AS THE | |
| Joed Nuggett | |
| | |
| Manen Mining District, | |
| County, Quigana | |
| | |
| Section 18817 Township 23 A , Range 25 C. | |
| of the state of th | |
| Surveyed under instructions dated July 36 th, 190% | |
| by Lankein It Smith | |
| U. S. Deputy Mineral Surveyor | |
| | |
| Claim located see notice . 1 | |
| a later than the second second | |
| Survey commenced to the survey | |
| Survey commenced aug 1th 1900 Survey completed aug 9th 1900 | |
| | |
| P Affice address of Claimant. | |
| Jost Mig augona | |
| Post Office address of Claimant. Bishee, bothise bounty augona | |
| | |

Tie V Louge V Die V Beginning at Gor. No. 1 the SE cor identical with location a pine post 4 ft long 4 ins sqset lftin the ground in a mound of stones and scribed 1-2136 G N L, whence a pine post of same dimensions and scribed B. P. 1-2136 brs. N. 25° 41' E. 50 ft and asecond pine post of same dimensions and scribing brs. N. 64° 19' W. 50 ft, and Gor. No. 1 Easter Sunday lode, Survey No. 1705 brs S. 26° 28' W. 119.5 ft., and SE cor of NE \(\frac{1}{4}\)Sec 18 Tp 28 S R 25 E G & S R B & M brs. S. 54° 42' 30" W. 838.5 ft.,

- location for S. Side centre

 759.4 vi. the intersection of the East line of NE & Sec 18 To Same hearing North

 87 8 k 85 E at 813.6 ft from SE cor and 1886.4 ft from

 the NE cor.
- 1500.0 same bearing to Cor.No.2, the SW cor identical with Location a pine post 4 ft long 4 ins sq set 1 ft in the ground in a mound of stones and scribed 2-2130 G N L whence a pine post of same dimensions and scribed E. P. 2-2136 brs. S. 64° 19' E. 50 ft., and a second pine post of same dimensions and scribing brs. N. 25° 41' E. 50 ft. Thence N. 25° 41' E.
 - 300.0 to original location for W B C.,
 - cation a pine post 4ft long 4 ins sq set 1 ft in the ground in a mound of stones and scribed 3-2136 G N L whence a pine post of same dimensions and scribed B. P. 3-2136 brs. S. 25° 41'W#.50 ft., and a second pine post of same dimensions and scribing brs. S. 64° 19' N. 50 ft.

Thence S. 64° 19' E

to intersection with East line of NE & Sec 18 Tp South 23 S R 25 E at 1479.4 ft from SE cor and 1160.6 ft from NE cor.,

7500 Same bearing to original location for M. Aid, Centre.
1500.0 same bearing to Jor. No.4, the NE cor identical with
location a pine post 4 ft long 4 ins sq set 1 ft in the
ground in a mound of stones andscribed 4-2136 B N L
Thence a pine post of same dimensions and scribed B. P
4-2136 brs. N. 64° 19' W. 50 ft and a second pine post
or same dimensions and scribing brs. S. 25° 41' W. 50 ft
Thence S. 25° 41' W.

- 300.0 to original location to E E C.,
- 600.0 | samebearing to Gor.No.1 the place of beginning.

Ledge

The presumed course of the vein on this claim is from the E E C location N. 64° 19' W. 1500 ft.

Total and net area Gold Nuggett lode, / 20.661 ac.

I hereby certify that the value of the labor and inprovement on this claim placed thereon by claimant of
h is grantors in not less than \$500, as follows:

No.1 Disocvery shaft 5x6x12 ft brs from E-E C N. 64° 19'Y

530 ft on ledge, Value

Course X 15°W centre of mouth of which

No.3 Tunnel 5x7x26 ft brs from Cor No.2 S 82°50'F4050 ft

No.3 Tunnel 5x7x26 ft brs from Cor No.2 S 82°50 Th Cat Pt 260.00

No.3 Cut 4x6x10 ft brs from Cor.No.2 S. 71° E. 580 ft., Value, 20.00

No.4 Shaft 4x6x# ft brs from Cor.No.2 S. 81° E. 430 ft.
Value, 40.00

No.5 Shaft 4x6x10 ft brs from Cor.No.2 S.78° E 100.00

No.6 Shaft 4x6x10 ft brs from Cor.No.2 N.35°E.120 ft.,

Value 100.00 \$640.00

ADJOINING CLAIMS.

North Evening Star, Esperanza, Gold Hill No.1, Gold Hill No.2, unsurveyed, various owners;

East Pearl, unsurveyed, L C. Shattuck et al owners;

South (wich, wnsurveyed, Will and G odrich et al owners.

West Morning Glory unsurveyed, ownd by applicant herein.
LOCATION.

This survey is located in the NE % Sec 18 and NW/4 for 230. R256. Grant Brown
Sec 17 about 6 mi in an Easterly direction from the City of Bisbee, on Surveyed lands in Warren Mining District, Cochise County.

INSTRUMENT:

This survey was made with a C. L. Berger & Son Fo.1 C transit; the courses were deflected from the true meridian as determined by a solar observation, checked by an observation on Polaris. The distances were measured by a 300 ft steel tape. Magnetic variation 12° 30' H.

U. S. Deputy Fine In Surveyor.

Paled at Bisbee, Arizona,

August 10th 1905.

FINAL OATHS FOR SURVEYS.

| LIST OF NAMES. |
|--|
| A list of the names of the individuals employed bethan flin I Smith |
| United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines |
| corners and boundaries described in the foregoing field notes of the survey of the mining claim |
| of |
| ofknown as the Joed Higgell |
| and showing the respective capacities in which they acted. Staule , Chainman. Peter Charles , Chainman. Axmar |
| Fiagman. |
| FINAL OATHS OF ASSISTANTS. We define the definition of the description of the descriptio |
| surveying the boundaries of the mining claim of |
| Isaac Jacobson |
| |
| , known as the , represented , represented |
| in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under |
| his direction; and that said survey has been in all respects, to the best of our knowledge and |
| belief, faithfully and correctly executed, and the corner and boundary monuments established |
| according to law and the instructions furnished by the United States Surveyor-General for |
| Hete Chiaco, Chainman. Arman. Flagman. |
| Subscribed and sworn to by the above-named persons before me |
| Subscribed and sworn to by the above-named persons before me this day of the day of the sworn to be the above-named persons before me |

FINAL OATH OF U.S. DEPUTY MINERAL SURVEYOR

| 7 | 311 8 |
|--|--|
| I, Srankley | Wellington, U. S. Deputy Mineral |
| | in pursuance of instructions received from the United |
| States Surveyor General for | Clizana, dated |
| July 76th | 190 I have, in strict conformity to the laws of the |
| United States, the official regulation | ons and instructions thereunder, and the instructions |
| of said Surveyor General, faithfu | lly and correctly executed the survey of the Mining |
| Claim of | Jacobson |
| | known as the |
| Gold Hugg | |
| situate in | Marien Mining District, |
| Cochise | County, Quagang, in Section |
| /gr/], Township No. 2 | 3. Range No. 25 & John Bonn |
| and designated as Survey No | 7136 , as represented |
| | accurately show the boundaries of said mining claim |
| | nts on the ground, and described in the attached copy |
| | was received by me from the Surveyor General with |
| | corners of said survey have been established and per- |
| | the law, official regulations and instructions there- |
| | y swear that the foregoing are the true and original |
| | ny report therein, and that the Abor expended and |
| N. | ning claim by claimant or grantors |
| A207 | |
| | hat the character, extent, location and itemized value |
| • | particularity and full detail, and that no portion of |
| - | dited to this claim has been included in the estimate |
| of expenditures upon any other cl | aim. |
| | |
| | |
| | Tranklin Wint |
| | U.S. Deputy Mineral Surveyor. |
| | 9 |
| Subscribed and sworn to by | the said translein Want |
| U.S. Deputy Mineral Sur | veyor, before me Cona Smith |
| | this 10 th |
| day of lingu | 1905. |
| | |
| | Coralmitto |
| | |
| | ************************************** |

Affidavit of Five Hundred Dollars Improvements.

| We. I Staub | ev and Peter Chiado |
|---|---|
| of lawful age, being first duly sworn accordi | ing to law, depose and say: That we are acquainted with the |
| Gold Ninggett | mining claim, situate in Warren |
| | County, Arizona Territory, for which |
| | Jacobson ~ |
| | |
| ha made application for survey prior to ap | pplication for patent under the provisions of the Act of Congress |
| approved May 10, 1872; and that the labor | done and improvements made thereon by the applicant and |
| his grantor exceed five hundred of | dollars in value, and further that we are not personally interested |
| in said mine. | Stanber |
| | (Heter Chade |
| | |
| TERRITORY OF ARIZONA, COUNTY OF Ochise | \\ ss: |
| 000.11 02 |) |
| | Community to and subscribed before must be 10 th |
| | Sworn to and subscribed before me this day |
| [SEAL.] | Sworn to and subscribed before me this day |
| | |

Notice of Mining Location.

QUARTZ CLAIM.

| This mining claim, the name of which is the Sol | ed Nuget |
|--|--|
| lining Claim, situate on lands belonging to the United States of | of America, and in which there are valuable mineral |
| eposits, was entered upon and located for the purpose of expl | |
| Homes Therest of the | Joseph of Bush |
| 1 to a little | () M |
| Josh de lousty grisos | |
| the undersigned, on the 19 day of Augus | st 1899 |
| The length of this claim is 1500 | fleen hundred feet, |
| and claim To Soven h | medical and fuffig tect |
| na Eusterfa | direction and 750 seven |
| unitred for flifting feet in a West | |
| he center of the discovery shaft, at which this notice | |
| 300 three hundred feet in width of th | |
| laim. The general course of the lode deposit and premises is | from the Easterly |
| o the Mesterly | 1 |
| The claim is situated and located in the Mane | Mining District, in |
| Cochese County, in the Territory of Arizona, | |
| n a Constant, direction from | 4 1 1 |
| | ile from Henry Jorrests tion |
| a Southerly desection. The surface boundaries of the claim are marked upon the gr | 1 |
| | the ridge classes and |
| adjoining said Fridge clas | - |
| at a point in a Meslerly direction | |
| he discovery shaft (at which this notice is posted), being in the | he center of the Masterly |
| and line of said claim; thence Southarly 300 | |
| of Stones, being the Souls | h Was lerly corner of said claim; thence |
| Casterly 750 tect to a Me | |
| the Southerly side line of said claim: then | 2 61 |
| ect to a Inouchment of Stone being at the So | |
| claim; thence Northerly 3 to feet to a 2 | |
| nt the center of the Easterly end of said claim; | |
| feet to a Monument of stone, being at the | |
| corner of said claim; thence Westerly 750 | |
| of slowe being at the center of the | |
| thence Westerby 750 feet to a | |
| the North Washerorner of said claim; thence | outherly 300 |
| feet to the place of beginning. | |
| All done under the provisions of Chapter Six of Title XXX | |
| an Act of the General Assembly of Arizona, entitled "An Act of Dated and posted on the ground this!? | |
| | was or the first that |
| roungs | W. L. VI |
| | All and have a series of the s |
| Thelness Frank Reynolds Cospoth Barnedius | Henry Tarley rosare |

An Act Concerning Mines.

Be it Enacted by the Legislative Assembly of the Territory of Arizona:

SECTION I. Every notice of location of a mining claim shall contain: First, the name of the claim located; second, the name of the locator; third, the date of location; fourth, the number of feet in length of said claim and the number of feet claimed on each side of the center of the discovery shaft, lengthwise of the claim in fifth, the general course of the lode deposit or premises located; sixth, the locality of the claim with reference to some natural object, or permanent mining locations have not always to the location of which shall not contain: First, the name of the lode or premises; second, the name of the locator or locators; third, the date of location of which shall not contain: First, the name of the lode or premises; second, the name of the locator or locators; third, the date of location; fourth, the number of feet in length of said claim and the number of feet claimed on each side of the center of the discovery shaft, lengthwise of the claim; fifth, the general course of the lode or premises, as near as may be; sixth, the locality of the claim with reference to some natural object, or permanent monument, as will identify the claim, shall be void.

SECTION 3. Before filing such location certificate with the Country Recorder of the proper Country, the discovery shall locate his claim by: First, sinking a discovery shaft upon the premises so claimed, to a depth of all least ten feet from the lowest part of the rim of such shaft at the serface and deeper if necessary, until there is shown by such work a lode deposit of mineral in place; second, by posting at the point of discovery, on the surface, a plain sign or notice substantially conforming to the location certificate; third, by marking such claim or premises on the ground so that its boundries can be readily traced.

SECTION 4. Such surface boundries shall be marked by Eight substantial Posts projecting at least Three Feet Above the Surface of the Ground, or by substantial Stone Monuments at least Three Feet High, to wit: One at each corner of


Notary Public.

SECTION 10. Such affidavit when so recorded shall be prima facie evidence of the performance of such labor or the making of such improvements, and said original affidavit after it has been recorded, or a certified copy of record of same, shall be received as evidence accordingly by all the Coarts of this Territory.

SECTION 11. The relocation of forfeited or abandoned lode claims shall only be made by sinking a new discovery shaft and fixing new boundaries in the same manner and to same extent as is required in making a new location; or the relocator may sink the original discovery shalf ten feet deeper than it was at dare of commencement of such relocation, and shall erect new or make the old monuments the same as originally required. In either case a new location monument shall be erected, and the location certificate shall state if the whole or any part of the new location is located as abandoned property.

SECTION 12. This Act shall take effect and be in force from and after July 1st. 1895.

SECTION 13. All Acts and parts of Acts in conflict with this Act are hereby repealed.



The above diagram is to give the locator a general idea of plan of location under the new law. Your discovery shaft can be in the center of staim or any distance from from either end you desire. In the diagram we have placed it 500 feet from one end and 1000 feet from the other. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

| TERRITORY | OF ARIZONA, | Ss. | | | | | |
|----------------------|-------------------|---------------------------------------|-----------------|--------------|-----------------|--------------------|----------------|
| County of | | 5 55. | | | | | |
| | | | ····· | | .County Reco | order in and for t | he County an ! |
| Territory aforesaid, | do hereby certify | that the within i | nstrument w | as filed for | record at | o'clock | M., o:1 |
| this | | lay of | | 1 | , and duly | recorded in Book | : No |
| of | | Records of | | | County, Ari | zona, at pages | |
| | WITNES | S my hand and o | fficial seal th | e day and y | ear first above | written. | |
| | | · · · · · · · · · · · · · · · · · · · | | | | | |
| A comment of the se | | The second of the second | | indiani. | - Liliania | County | Recorden : |
| * Carray | 1 1 1 1 | 0 | 7 | : 2 | M. | | |

| in the | | (1100 my man | d and official sea | · · · · · · · · · · · · · · · · · · · | ~ = \ \ \ | | | Recorder |
|-------------------------------------|------------|----------------------|----------------------------------|---------------------------------------|---------------|----------------------------------|----------------------------|---------------------|
| Mactice of Mocation. AUARTZ CLAIM. | Gaed maget | DATED. GLUG 1 9 1699 | Filed and recorded at request of | J 1612, 1. 1849. | at / 500 . M. | Book Nr. C. C. C. C. J. U. Pages | auf Ma U. County Recorder. | By Deputy Recorder. |

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

| | Phoenix, | | | |
|---|---------------------------------|---|--|--|
| | | Sept. 14th, 1905 | | |
| I, U. S. Surveyor-Gene | eral for Arizona | l. | | |
| do hereby certify that the f | oregoing transcript of the F | ield Notes, return and approval of the survey | | |
| | | bson | | |
| | | <u>t</u> | | |
| situate in | Warren | | | |
| Mining District, | Cochise | County, Arizona | | |
| in Section 18 & 17, | Township No. 23 S. | Range No. 25 E. surveyed, and | | |
| designated as Survey No | 2136 , has be | en correctly copied from the originals on file in | | |
| this office; that said Field | Notes furnish such an accur | rate description of said mining claim as will, if | | |
| incorporated into a patent, | serve fully to identify the pr | remises, and that such reference is made therein | | |
| to natural objects or perma | nent monuments as will per | petuate and fix the locus thereof. | | |
| And I further certify | that five hundred dollars' | worth of labor has been expended or improve- | | |
| ments made upon said min | ing claim by claimant or | his grantors, and that said improvements | | |
| consist of 4 shap | lts, 1 cut and 1 | tunnel, lotal | | |
| value 164 | 0.00 | tunnel, Total | | |
| | | | | |
| *************************************** | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| and that no portion of said | labor or improvements has | been included in the estimate of expenditures | | |
| upon any other claim. | | | | |
| I further certify that the | ne plat thereof, filed in the T | J. S. Land Office at Tucson | | |
| Arizona | is correct and in confor | mity with the foregoing Field Notes. | | |
| | (- <u>Sig</u> n€ | ed) Frank S. Ingalls | | |
| | II ' 1 % - 6 | manutan Arizona | | |

7361b5m3-03


SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

| | P! | ioenix, arizona | |
|-------------------------------|-----------------------------------|--|-----|
| | | Sept. 14 , 190. | 5 |
| I, U. S. Surveyor-Gene | ral forArizona | | |
| do hereby certify that the f | oregoing and hereto attached Fie | eld Notes and Return of the Survey of the | ıe |
| Mining Claim of | Isaac Jacobson | | |
| | | , known as th | |
| | | | |
| situate in | Warren | Mining Distric | et, |
| Cochi | se County, | Arizona | |
| in Section _18 & 17 | , Township No. 23 S. | , Range No. 25 E. | |
| , designa | ted as Survey No. 2156 | | |
| executed byFre | anklin W. Smith | , U. S. Deputy Miner | al |
| Surveyor, Aug. 1st | to Aug. 9th | , 190.5., under my instructions date | ed |
| July 26th | , 1905, have been | critically examined and the necessary co. | r- |
| rections and explanations n | nade, and the said Field Notes a | nd Return, and the Survey they describ | e, |
| are hereby approved. A tr | rue copy of the copy of the locar | tion certificate filed by the applicant fo | or |
| survey is included in the fie | | #1 P | |
| | Fram | 1 A Sugarle | |
| | U. S. Surv | eyor-General for Arizona. | |

SURVEY NO. 2136 SCALE 300 FT-11N



NO.1 DISCOVERY SHAFT 5 X 6 X 12 Brs from E.E.C. N 64° 13' W 530'
NO.2 TUNNEL 5 X 7 X 26 Brs. from Cor No.2 588° 30' E 1050'
NO.3 CUT 4 X 6 X 10 " " " \$ 71° E 520'
NO.4 SHAFT 4 X 6 X 10 " " " \$ 81° E 450'
NO.5 SHAFT 4 X 6 X 10 " " " " \$ 78° E 330'
NO.6 SHAFT 4 X 6 X 10 " " " N 35° E 120'