

M
S
-

0
2
1
3
8

(4-683.)

Mineral Survey No. 2138

Lot No. _____

Prescott Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Yavapai Development Co.

Ernest A. Haggott, Supt.

Copper Age, Pickaway, Lookout, Sylvia P., Ildia, Virgo, Grey Rock,
Midway Fraction, Quail & Palo Verde, Number Two and Number Three.

Lower Turkey Creek & Black Canon Mining District,

Yavapai County, Arizona
Section ^{10 N.}, Township ^{11 N.}, Range ^{1 E. (thirur.)}

Surveyed under instructions dated July 27, 1905.

by Charles H. Richards
U. S. Deputy Mineral Surveyor

Claim located See location notices 1

Survey commenced July 30 1905

Survey completed August 10 1 "

o 6-109

Address of applicant,

Ernest A. Haggott, Supt.,

Yavapai Development Co.,

Turkey, Arizona.

Tiers
Ledges
Sides
Areas

COPPER AGE LODE

:-:-:-:-:-:-:-:-:-:-:-:-

Beginning at Cor. No. 1. identical with loc. mon. and with Cor. No. 4. of the Pickaway Lode, this survey, a slate rock $8 \times 10 \times 24$ ", chiselled, C-A-1-2138 & P-4-2138, set in ground 12", alongside a post 4 ft. long 4" sq. in a mon. of stones $2 \frac{1}{2} \times 2$ ft., whence,

U.S.L.M. No. 1913 bears S $65^{\circ} 02'$ W---3654.87 ft.

An X on slate rock in place bears S $100^{\circ} 5'$ E---90 ft.

Var. 14° E.

Thence S $84^{\circ} 31'$ E.

300 ft. To So. end cen. loc. mon.

350 ft. To road running N. & So.

600 ft. To Cor. No. 2. identical with loc. mon. and with Cor. No. 3. of the Pickaway lode, this survey, a slate rock $9 \times 10 \times 24$ ", set in ground 12", alongside a post 4 ft. long 4" sq. in a mon. of stones $2 \frac{1}{2} \times 2$ ft., chiselled C.A.2-2138 & P-3-2138, whence,

An X on slate in place, marked B.R.S.A.2.2138, bears, S $77^{\circ} E$ --85 ft.

Group of six tent houses bears N $42^{\circ} W$ --325 ft.

Var. 14° E.

Thence N $5^{\circ} 29'$ E.

780 ft. To road running E & W.

1500 ft. To Cor. No. 3. identical with loc. mon. and with Cor. No. 2. of the Midway Fraction lode, this survey, a malapais rock $6 \times 12 \times 20$ ", chiselled C-A-3-2138 & M.F-2-2138, set in ground 10" alongside a post 4 ft long 4" sq. in a mon. of stones $2 \frac{1}{2} \times 2$ ft,

No local bearings available.

Var. 14° E.

Thence N $84^{\circ} 31'$ W.

300 ft. To No. end cen. loc. mon.

598.91 ft. To the intersection of line 4-1 of the Midway Fraction this survey, at a point N $3^{\circ} 59' E$, 55.09 ft. from Cor. No. 1. of the Midway Fraction.

600 ft. To Cor. No. 4. identical with loc. mon. XXXXX A slate rock $6 \times 10 \times 24$ " chiselled C-A-4-2138, set in ground 12", alongside a post 4 ft. long 4" sq. in a mon. of stones $2 \frac{1}{2} \times 2$ ft.

No local bearings available.

Var. 14° E.

Thence S $50^{\circ} 29'$ W.

30 ft. To gulch bearing N.E & S.W.

1500 ft. To place of beginning.

PICKAWAY LODE.

Beginning at Cor. No. 1. identical with loc. mon. a slate rock $10 \times 10 \times 24$ " chiselled P-1-2138, set in ground 14" along side a post 4 ft. long 4" sq. in a mon. of stones $2 \frac{1}{2} \times 2$ ft, whence,

U.S.L.M. No. 1913 bears S $89^{\circ} 6' W$ --3170.23 ft.

No local bearings available.

Var. 14° E.

Thence S $84^{\circ} 31'$ E.

234.35 ft. To the intersection of line 2-3 of the Ildia lode this survey at a point S $6^{\circ} 47' W$ --728.97 ft. from Cor. No. 3. of the Ildia, also the intersection of line 4-1 of the Virgo

707.17 ft.

lode this survey, at a point $S\ 6^{\circ}47'W$ - 28.8 ft. from Cor. No. 4. of the Virgo.

300. ft. To S. end center loc.mon.

600. ft. to cor. No. 2.

A slate rock 12 x 14 x 30", chiselled P. 2-2138, set in ground 14" alongside a post 4 ft. long & 4 in. square, in a mound of stones 2 1/2 x 2 ft., whence,

An x on slate in place bears S85°30'E - 40.5 ft.

Var. 14° E.

Thence N5°29'E,

641.2 ft. To Cor. No. 1 of the No. 2 lode, this survey.

705.16 ft. " intersection of line 3-4 of the Virgo lode, this survey at a point $S\ 34013'E$ - 349.65 ft. from Cor. No. 4 of the Virgo lode, this survey.

805. ft. to Cor. No. 1 of the lookout lode, this survey.

1500. ft. To Cor. No. 3, identical with loc.mon. and with Cor. No. 2 Copper Age lode, this survey.

A slate rock 8 x 10 x 24" chiselled P. 3-2138 & A. 2-2138, set in ground 12" alongside a post 4 ft. long & 4" sq. in a mound of stones 2.5 x 2 ft., whence,

An x on slate in place bears S77° E - 85. ft.

Var. 14° E.

Thence N84° 31' W,

250. ft. to road running N. & S.

500. ft. " N. end centre loc.mon.

600. ft. " Cor. No. 4, identical with loc.mon. and with Cor. No. 1 of the Copper Age lode, this survey.

A slate rock 8 x 10 x 24" chiselled P. 4-2138 & C. A. 1-2138, set in ground 1 ft., alongside a post 4 ft. long by 4" sq. in a mound of rocks 2.5 x 2 ft., whence,

An x on a slate rock marked B. R. P. 4-2138 bears S10° 5'E - 90 ft.

Var. 14° E.

Thence S5° 29' W,

100. ft. To gulch running E. & W.

767.4 ft. " Cor. 2 of the Sylvia P lode, this survey

769.91 ft. to the intersection of line 3-4 of the Ildia lode, this survey, at a point $N\ 84^{\circ} 13'W$ - 349.08 ft. from Cor. No. 3 of the Ildia.

1500. ft. To Cor. No. 1, the place of beginning.

"LOOKOUT" Lode.

Beginning at Cor. No. 1, identical with loc.mon. and with Cor. No. 4, of the Number Two lode, this survey.

A slate rock 10 x 12 x 22", chiselled L. 1-2138 & N. T. 2-2138, set in the ground 10" alongside a post 4 ft. long & 4" sq. in a mn. of stones 2.5 x 2 ft., whence,

U. S. Loc. mon. No. 1913 bears S78° 20' W - 3925.14 ft.
No local bearings available.

Var. 14° E.

Thence S84° 31' E,

300 ft. To S. end cen. loc.mon.

594. ft. " Cor. No. 2, identical with loc.mon. and with Cor. No. 3 of the Number Two lode of this survey.

A diorite rock 10 x 15 x 30", chiselled L. 2-2138 & N. T. 3-2138, set in the ground 15" alongside a post 4 ft. long & 4" sq., in a mn. of stones 2.5 x 2 ft., whence,

An x on a black slate rock in place bears N88° 30' E - 113. ft.

Var. 14° E.

- 4
- Thence N $50^{\circ} 29' E$,
 1500 ft. To Cor. No. 3, identical with loc. mon. 30
 A malapai rock 8 x 8 x 12" chiselled L. 3.-2138, set in ground 10" alongside a post 4ft. long & 4" sq. in a mon. of stones 2.5 x 2ft., whence,
 No local bearings available.
- Var. $14^{\circ} E$.
 Thence N $84^{\circ} 31' W$,
- 294 ft. To N. end cen. loc. mon.
 594 ft. " Cor. No. 4, identical with loc. mon. and on line 2-3 of Copper Age lode, this survey, at a point bearing S $55^{\circ} 29' W$ - 695 ft. from Cor. No. 3 of Copper Age.
 A slate rock 6 x 12 x 20" chiseled L. 4-2138, set in ground 10" alongside a post 4ft. long & 4" sq., in a mon. of stones 2.5 x 2ft.
 No local bearings available.
- Var. $14^{\circ} E$.
 Thence S $55^{\circ} 29' W$,
- 25 ft. To road running E. & W.
 805 ft. " Cors. 2 & 3 Copper Age and Pickaway lodes this survey.
 1500 ft. To Cor. No. 1, place of beginning.
 :-----P-----:-----:-----:-----:-----:
 " SYLVIA P" Lode.
 :-----:-----:-----:
 Beginning at Cor. No. 1, identical with loc. mon. and with Cor. No. 3, Quail and Palo Verde lode of this survey.
 A slate rock 8 x 10 x 24" chiselled S. P. 1-2138 & Q. P. 3-2138, set in ground 12" alongside a post 4ft. long & 4" sq., in a mon. of rocks 2.5 x 2ft., whence,
 U.S. Loc. mon. No. 1913 bears S $720, 26' W$ - 2771.83 ft.
 An x on slate rock in place marked B.R.S.P. 1-2138
 bears N $47^{\circ} W$ - 58.5 ft.
- Var. $14^{\circ} E$.
 Thence S $84^{\circ} 31' E$,
- 275 ft. To gulch bearing N. & S.
 300 ft. To S. end cen. loc. mon.
 600 ft. To Cor. No. 2, identical with loc. mon. and on line 4-1 of the Pickaway lode of this survey, at a point N $50^{\circ} 29' E$ 432.6 ft. from Cor. No. 1 of the Pickaway.
 A slate rock 10 x 10 x 22", chiselled S. P. 2-2138, set in ground 12" alongside a post 4ft. long & 4" sq., in a mon. of stones 2.5 x 2ft.
 No local bearings available.
- Var. $14^{\circ} E$.
 Thence N $50^{\circ} 29' E$,
- 667.4 ft. To gulch running E. & W.
 767.4 ft. To Cors 1 & 4 Copper Age and Pickaway lodes, this survey.
 1461. ft. To Cor. No. 3, identical with loc. mon. and on line 4-1 of the Copper Age lode, this survey, at a point N $50^{\circ} 29' E$ 693.6 ft. from Cor. No. 1 of the Copper Age.
 A granite rock 10 x 14 x 24", chiselled S. P. 3-2138, set in ground 12" alongside a post 4ft. long, 4" sq., in a mon. of stones 2.5 x 2ft.
 No local bearings available.
- Var. $14^{\circ} E$.
 Thence N $84^{\circ} 31' W$.
- 300 ft. To N. end cen. loc. mon., in gulch running N. & S.
 564 ft. To witness Cor., the true Cor. being in gulch N $84^{\circ} 31' W$ - 36 ft. from witness Cor.

Cor. a slate rock 10 x 12 x 29" set in ground 13", chiselled W.C.S.P. 4-2138, ~~Bear No 760~~ alongside a post 4ft. long & 4" sq., in a mon. of stones 2.5 x 2ft. whence,

An x on a slate rock in place chiselled B.R.W.C.S.P. 4-2138 bears N 760° W - 88.7 ft.

600.ft. To Cor. No.4 identical with loc.mon. in bottom of gulch.

Var. 140° E.

Thence S $50^{\circ} 29'W$,

961.ft. To Cor. No.4 of Quail and Palo Verde lode of this survey.

1461.ft. To Cor.No.1 the place of beginning.

"ILDIA" Lode.

Beginning at Cor. No.1 ,identical with loc mon.

A slate rock 9 x 10 x 29", chiselled I.l-2138, set in ground 12" alongside a post 4ft. long & 4" sq., in a mon.of rocks 2.5 x 2ft., whence,

U.S.Loc.mon. No.1913 bears N $760^{\circ} 50'W$ - 2793.43 ft.

An x on a slate rock in place, chiselled B.R.I.l-2138, bears N $690^{\circ} 15'E$ - 24. ft.

Var. 140° E.

Thence S $840^{\circ} 13'E$,

600.ft. To S. end cen. mon.

600.ft. To Cor. No.2, identical with loc.mon. and with Cor. No.1 of Virgo lode of this survey.

A granite rock 8 x 10 x 20" chiselled I.2-2138 & V.1-2138, set in ground 12" alongside a post 4ft. long & 4" sq. in a mound of stones 2.5 x 2ft., whence

An x on slate rock in place chiselled B.R.I.2-2138, bears N $770^{\circ} 50'W$ - 69. ft.

Var. 140° E.

Thence N $60^{\circ} 47'E$,

250.ft. To gulch running E.& W.

729.13ft. To intersection of line 1-2 of the Pickaway lode of this survey, at a point S $840^{\circ} 31'E$ - 234.35 ft. from Cor. No.1 of the Pickaway.

1436.3ft. To cor.No.4 of the Virgo lode of this survey.

1458.1ft. To Cor. No.3, identical with loc.mon.

A slate rock in road 10 x 10 x 26", chiselled I.3-2138, set in ground 1ft. alongside a post 4ft. long & 4" sq. in a mon. of stones 2.5 x 2ft.

No local bearings available .

Var. 140° E.

Thence N $840^{\circ} 13'W$,

250.92ft. To intersection of line 4-1 of the Pickaway lode of this survey, at a point N $50^{\circ} 29'E$ - 730.09 ft. from Cor. No.1 of the Pickaway.

300.ft. To N. end cen. loc.mon.

600.ft. To cor. No.4, identical with loc.mon.

A slate rock 14 x 12 x 30" chiselled I.4-2138, set in ground 14" alongside a post 4ft. long & 4" sq., in a mon. of rocks 2.5 x 2 ft., whence

An x on quartz in place marked B.R.I.4-2138, bears N $48^{\circ} 0' 30'W$ - 19. ft.

Var. 140° E.

~~Var. 14° E.~~Thence S $6^{\circ} 47' W$,

200. ft. To gulch running N.E. & S.W.

1283. ft. To gulch bearing E. & W.

1458. ft. To Cor. No. 1, the place of beginning.

"VIRGO" Lode.

Beginning at Cor. No. 1, identical with loc.mon.
and with Cor. No. 2 of the Ildia lode, this survey.

A granite rock 8 x 10 x 20" chiselled V.1-2138 &
I.2-2138, set in the ground 12" alongside a post 4ft. long
& 4"sq., in a mon. of stones 2.5 x 2ft., whence,

U.S. Loc.mon. No. 1913 bears N $78^{\circ} 8' W$ - 3389.34 ft.

An x on slate rock in place, chiselled B.R.V.1-
2138-bears N $77^{\circ} 30' W$ - 69. ft.

Var. 14° E.

Thence S $84^{\circ} 13' E$,

300. ft. To S. end loc.mon.

600. ft. To Cor. No. 2, identical with loc.mon. and with
Cor. No. 1 of the Number Three lode, this survey.

A granite rock 12 x 14 x 24" chiselled V.2.-2138 &
N.T.1-2138, set in ground 12" alongside a post 4ft. long
& 4"sq, in a mon. of stones 2.5 x 2ft.

No local bearings available.

Var. 14° E.

Thence N $6^{\circ} 47' E$,

120. ft. To gulch bearing E. & W.

700. ft. To gulch running E. & W.

1414.56ft. To intersection of line 1-2 of the Number Two lode
of this survey, at a point N $86^{\circ} 11' E$ - 253.19 ft. from Cor.
No. 1 of the Number Two lode.

1432.03ft. To Cor. No. 4 of the Number Three lode of this sur.

1436.5ft. To Cor. No. 3, identical with loc.mon. and

A slate rock 9 x 13 x 24", chiselled V.3.-2138,
set in ground 12" alongside a post 4ft. long & 4"sq, in
a mon. of stones 2.5 x 2 ft., whence,

An x on schist in place, marked B.R.V.3.-2138,
bears S $63^{\circ} 30' E$ - 59.8 ft.

Var. 14° E.

Thence N $84^{\circ} 13' W$,

250.55ft. To intersection of line 2-3 of the Pickaway lode of
this survey, at a point N $50^{\circ} 29' E$ - 705.16ft. from Cor.
No. 2 of the Pickaway.

300. ft. To N. end cen. loc.mon.

600. ft. To cor No. 4, identical with loc.mon. and on line
2-3 of the Ildia lode of this survey, at a point S $60^{\circ} 47' W$ -
21.8 ft. from Cor. No. 3 of the Ildia.

A slate rock 7 x 9 x 27" chiselled V.4-2138, set in
ground 13" alongside a post 4ft. long & 4"sq., in a mon. of
stones 2.5 x 2 ft.

No local bearings available.

Var. 14° E.

Thence S $60^{\circ} 47' W$,

707.17ft. To intersection of line 1-2 of the Pickaway lode,
this survey, at a point N $84^{\circ} 31' W$ - 254.35ft. from Cor.
No. 1 of the Pickaway lode. 365.65

1186.5ft. To gulch running E. & W.

1436.3ft. To Cor. No. 1, the place of beginning.

"NUMBER THREE" Lode.

:-----:

Beginning at Cor. No. 1, identical with loc. mon. and with Cor. No. 2 of the Virgo lode of this survey.

A granite rock 12 x 14 24" chiselled N.T.1-2138, & V, 2-2138, set in ground 12" alongside a post 4ft. long & 4" sq., in a mound of stones 2.5 x 2 ft. whence,

U.S. Loc. mon. No. 1913 bears N79° 3' W - 3986.48 ft.

Var. 14° E.

Thence S84° 13' E,

43.5 ft. To S. end cen. loc. mon.

87. ft To Cor. No. 2, identical with loc. mon.

A granite boulder 10 x 14 x 24", chiselled N.T.2-2138,

set in ground 12" alongside a post 4ft. long & 4" sq., in a mound of stones 2.5 x 2 ft. whence

An x on slate rock in place marked B.R.N.T.2-2138, bears East - 101. ft.

Var. 14° E.

Thence N7° 25' E,

120. ft. To gulch bearing E. & W.

700. ft. To gulch bearing E & W.

1432.4 ft. To Cor. No. 3, identical with loc. mon. and on line 1-2 of the Number Two lode of this survey, at a point

N86° 11' E - 357.91 ft. from Cor. No. 1 of the Number Two.

A quartz rock in place, chiselled N.T.3-2138,

Alongside a post 4ft. long & 4" sq., whence,

A slate rock in place marked B.R.N.T.3-2138, bears N39° 10' W - 39.2 ft.

Var. 14° E.

Thence N84° 13' W,

51.5 ft. To N. end cen. loc. mon.

102.94 ft. To Cor. No. 4, identical with loc. mon. and on line 2-3 of the Virgo lode of this survey, at a point S8° 47' W - 4.27 ft. from Cor. No. 3 of the Virgo.

A slate rock 8 x 16 x 23" chiselled N.T.4-2138, alongside a post 4ft. long & 4" sq., in a mound of stones 2.5 x 2 ft.,

No local bearings available.

Var. 14° E.

Thence S8° 47' W,

17.47 ft. To intersection of line 1-2 of the Number Two lode, this survey, at a point A253.19 ft. from Cor. No. 1 of Number Two. [N86° 11' E]

732.03 ft. To gulch bearing E & W.

1312.03 ft. To gulch running E & W.

1432.03 ft. To Cor. No. 1, place of beginning.

~~XXXXXXXXXX~~

:-----:

"NUMBER TWO" Lode.

:-----:

Beginning at Cor. No. 1, identical with loc. mon. and on line 2-3 of the Pickaway lode of this survey, at a point N50° 29' E 641.2 ft. from Cor. No. 2 of the Pickaway

A slate rock 10 x 10 x 24" chiselled N.T.1-2138, set in ground 12" alongside a post 4ft. long & 4" sq., in a mound of rocks 2.5 x 2 ft., whence,

U.S. Loc. mon. No. 1913 bears S80° 39' W - 3880.02 ft.

No local bearings available.

Var. 14° E.

253.19ft. Thence $N86^{\circ} 11'E$, to intersection of line 2-3 of the Virgo lode of this survey, at a point $S6^{\circ} 47'W - 21.74$ ft. from Cor. No. 3 of the Virgo. also intersect 4-1 of No. 3 lode, at S.L. 47' W, 17.47 ft. from Cor. no. 4.

557.91ft. To cor. No. 3 of Number Three lode of this survey,
601.92ft. To Cor. No. 2, identical with loc. mon.

A granite rock 8 x 12 x 26" chiselled N.T.2-2138, set in ground 13" alongside a post 4ft. long & 4" sq., in a mon of stones 2.5 x 2ft.

No local bearings at hand.

Var. $14^{\circ}E$.
Thence $N5^{\circ} 29'E$,

33.25ft. To end cen. loc. mon.

66.5 ft. To Cor. No. 3 identical with loc. mon. and with Cor. No. 2 of the Lookout lode of this survey.

A diorite rock 10 x 15 x 30" chiselled N.T.3-2138 & L.2-2138 set in ground 15" alongside a post 4ft. long & 4" sq., in a mound of stones 2.5 x 2ft., whence, An x on black slate in place marked B.R.N.T.3-2138, bears $N88^{\circ} 30'E - 113.$ ft.

Var. $14^{\circ}E$.
Thence $N84^{\circ} 31'W$,

594. ft. To Cor. No. 4, identical with loc. mon. and with Cor. No. 1 of the Lookout lode of this survey; and on line 2-3 of the Pickaway lode of this sur., at a point $S5^{\circ} 29'W - 695.$ ft. from Cor. No. 3 of the Pickaway.

A white slate rock 10 x 12 x 22" chiselled N.T.4-2138 & L.1-2138, set in ground 10" alongside a post 4ft. long & 4" sq., in a mound of stones 2.5 x 2ft.

No local bearings available.

Var. $14^{\circ}E$.
Thence $S5^{\circ} 29'W$,

82. ft. To W. end cen. loc. mon.

99.84ft. To intersection of line 3-4 of the Virgo lode of this survey, at a point $N84^{\circ} 13'W - 250.35$ ft. from Cor. No. 3 of the Virgo.

163.8ft. To Cor. No. 1, the place of beginning.

"GREY ROCK" Lode.

Beginning at Cor. No. 1, identical with loc. mon.

A black slate rock 12 x 16 x 29" chiselled G.R.1-2138, set in ground 15" alongside a post 4ft. long & 4" sq. in a mound of rocks 2.5 2ft., whence,

U.S. Loc. mon. No. 1913, bears $S56^{\circ} 42'W - 1756.87$ ft.

An x on slate in place marked B.R.G.R.1-2138, bears $S53^{\circ} 30'E - 23$ ft.

Var. $14^{\circ}E$.
Thence $N80^{\circ} 58'E$,

110. ft. To Turkey Creek, running N. & S.

300. ft. To S end cen. loc. mon.

488.97ft. To intersection of line 6-1 of the Quail And Palo Verde lode of this survey, at a point $N5^{\circ} 29'E - 57.05$ ft. from Cor. No. 1 of the Qail & Palo Verde.

600. ft. To Cor. No. 2 identical with loc. mon.

A brown slate rock 10 x 16 x 24" chiselled G.R.2-2138, set in ground 12" alongside a post 4ft. long & 4" sq. in a mon. of stones 2.5 x 2ft., whence,

An x on slate in place marked B.R.G.R.2-2138, bears $S70^{\circ} W - 15.6$ ft.

89-211.

Var. 14° E.
Thence N $90^{\circ} 2' S$.

428.8ft. To Cor. No.6 of the Quail & Palo Verde lode of this sur., in bed of creek bearing N.E. & S.W. at N $5^{\circ} 19' E$. 500 ft. from cor. no. Quail and Palo Verde

1485. ft. To gulch running N.W. & S.E.

1500. ft. To Cor. No.3, identical with loc. mon.

A granite rock 7 x 14 x 24" chiselled G.R.3-2138, set in ground 10" alongside a post 4ft. long & 4" sq., in a mound of rocks 2.5 x 2ft., whence,

An x on slate rock in place marked B.R.G.R.3-2138, ~~max~~ bears S $40^{\circ} W$ - 35. ft.

Var. 14° E.
Thence S $80^{\circ} 58' W$,

22. ft. To gulch bearing N.W. & S.E.

300. ft. To N. end cen. loc. mon.

600. ft. To Cor. No.4, identical with loc. mon.

A slate rock 10 x 12 x 25" chiselled G.R.4-2138, set in a mound of stones beside a post 4ft. long & 4" sq., in a mon. of stones 2.5 x 2ft., whence,

An x on slate in place marked B.R.4-2138 bears N $86^{\circ} 45' E$ - 17.9ft.

Var. 14° E.
Thence S $90^{\circ} 2' E$,

750. ft. To Turkey Creek, running E. & W.

1500. ft. To Cor. No.1, the place of beginning.

"MIDWAY FRACTION" Lode.

Beginning at Cor. No.1, identical with loc. mon.

A black malapai rock 6 x 10 x 24" chiselled M.F.1-2138, set in a mound of rocks alongside a post 4ft. long & 4" sq., in a mon. of stones 2.5 x 2ft., whence,

U.S. Loc. mon. No.1913 bears S $49^{\circ} 12' W$ - 4562.38 ft.

An x on white slate in place bears S $18^{\circ} E$ - 60.5 ft.

Var. 14° E.Thence S $89^{\circ} 47' E$,

28. ft. To gulch running N. & S.

300. ft. To S. end cen. loc. mon.

600. ft. To Cor. No.2, identical with loc. mon. and with Cor. No.3 of the Copper Age lode of this survey.

A malapai rock 6 x 12 x 20" chiselled M.F.2-2138 & C.A.3-2138, set in ground 10" alongside a post 4ft. long & 4" sq., in a mon. of stones 2.5 x 2ft.

No local bearings available.

Var. 14° E.Thence N $3^{\circ} 59' E$,

182.9ft. To Cor. No.3, identical with loc. mon. and with Cor.

No.2 of the Cobre lode, ~~max~~ survey No.1913

A slate rock 8 x 8 x 24", chiselled M.F.3-2138 & C.2-1913, set in ground, alongside a post 4ft. long & 4" sq., in a mound of stones 2.5 x 2ft., whence,

No local bearings at hand,

Var. 14° E.Thence N $89^{\circ} 47' W$,

300. ft. To N. end cen. loc. mon.

315. ft. To gulch bearing N.E. & S.W.

600. ft. To Cor. No.4, identical with loc. mon. and with cor. No.1 of the Cobre lode, survey No.1913.

A slate rock 6x 6x 24" chiselled M.F.4-2138 & C.1-1913, set in ground alongside a post 4ft. long & 4" sq.

in a mon. of rocks 2.5 x 2ft., whence,

An x on slate in place marked B.R.M.F.4-2138, bears N79°W - 24.7 ft.

Var. 14° E.

Thence S35°59'W,

127.81 N. 84°31'W. 598.91 ft. from Cor. No. 3, Copperage
182.9. ft To Cor. No. 1, the place of beginning.

"QUAIL AND PALO VERDE" Lode.

Beginning at Cor. No. 1, identical with loc. mon.

A brown slate rock 12 x 16 x 22" chiselled Q.P.1-2138, set in ground 12" alongside a post 4ft. long "4" sq. in a mon. of rocks 2.5 x 2ft., whence,

U.S. Loc. mon. No. 1913 bears S63° 10'W - 2180.77 ft.

An x on slate in place marked B.R.Q.P.1-2138 bears N21°E - 67. ft.

Var. 14° E.

Thence S33°43'E,

315. ft. To Cor. No. 2, xxxxxxxx xxxx XXXX.

A brown slate rock 6 x 10 x 24" chiselled Q.P.2-2138, set in a mound of stones alongside a post 4ft. long & 4" sq. in a mon. of rocks 2.5 x 2ft., whence,

An x on slate in place marked B.R.Q.P.2-2138, bears S1° 30'E - 12.3 ft.

Var. 14° E.

Thence S73° 31'E,

400. ft. To Cor. No. 3, identical with loc. mon., and with Cor. No. 1 of the Sylvia P lode of this survey, xx

A slate rock 10 x 12 x 24" chiselled Q.P.3-2138 & S.P.1-2138 set in ground 12" alongside a post 4ft. long & 4" sq. in a mound of stones 2.5 x 2ft., whence,

An x on slate rock in place marked B.R.Q.P.3-2138, bears N47°W - 58.5 ft.

Var. 14° E.

Thence N5° 29'E,

250. ft. to To E. end cen. loc. mon.

500 ft. To Cor. No. 4, identical with loc. mon. and on line 4-1 of the Sylvia P lode of thi s surv.

A grey slate rock 8 x 10 x 24" chiselled Q.P.4-2138 set in ground 12" alongside a post 4ft. long & 4" sq., in a mound of rocks 2.5 x 2ft.

No local bearings at hand.

Var. 14° E.

Thence N73° 31'W,

400. ft. To Cor. No. 5, xxxxxxxx xxxx XXXX.

A black slate rock 6 x 14 x 26" chiselled Q.P.5-2138 set in the ground 10" alongside a post 4ft. long & 4" sq., whence,

An x on slate in place marked B.R.Q.P.5-2138, bears N64° 30'E - 15ft.

Var. 14° E.

Thence N83° 43'W,

40. ft. To bed of creek running N. & S.

315. ft. To Cor. No. 6, in bed of creek bearing N.E. & S.W., and on line 2-3 of the Grey Rock lode of this survey, at a point N9° 2'W, - 428.8 ft. from Cor. No. 2 of the Grey Rock.

Witness Cor. bears S39°E - 54. ft.

Slate in place chiselled B.R.W.C.Q.P.6-2138, bears

N85° 45'E - 48. ft.

Witness Cor. slate in place marked W.C.Q.P.6-2138,

beside a post 4ft. long & 4" sq. in a mon. of stones 2.5 x 2ft.

Var. 14° E.

Thence S5° 29' W,

100. ft. To well 35ft deep with 27ft. drift at bottom, bearing West.

250. ft To W. end cen. loc. mon.

442.95 ft. To intersection of line 1-2 of the Grey Rock lode of this survey, at a point S80° 33' W 111.03ft. from Cor. No 2 of the Grey Rock.

500. ft. To Cor. No. 1, the place of beginning.

AREAS.

Copper Age -----	20.661 A
Pickaway -----	20.661 "
Lookout -----	20.454 "
Sylvia P -----	20.124 "
Ildia -----	20.081 A
Ildia in Conflict with Pickaway lode of this survey -----	4.063 "
Ildia, net area -----	16.018
Virgo -----	19.781
Virgo in conflict with Pickaway lode of this survey -----	5.800
Virgo net area -----	13.981
Number Three -----	3.122 "
Number Two -----	1.570
Number Two in conflict with Virgo lode of this survey -----	.246
Number Two in conflict with Number Three lode of this survey -----	.021
Number Two ,net area -----	1.303 "
Grey Rock -----	20.661 "
Midway Fraction -----	2.514
Midway Fraction in conflict with Copper Age lode of this survey -----	.579
Midway Fraction, net area -----	2.135 "
Quail And Palo Verde -----	8.122
Quail And Palo Verde, in conflict with Grey Rock lode of tis survey -----	.547
Quail And Palo Verde, net area -----	7.575 "
Total area -----	146.695 A

LOCATION OF CLAIM.

This claim is located, in approximately, Tp. 11, N-
R. 1, E-G. & S.R.B. & M. (unsurveyed), in the Black Canyon and
Lower Turkey Creek Mining Districts; Yavapai County,
Arizona; and is bounded on the North by the Cobre lode,
sur. No. 1913, the Quail claim and the Palo Verde claim
S.A. Parker claimant; on the East by the Palo Christi and
Rubiayat claims, S.A. Parker Claimant; on the South by the
Venus, Venus No. 3, Hussar, Hussar No. 3, Wm. Theising, claimant;
the West by U.S. public lands, and by the Necessity and
Quail claims, S.A. Parker claimant, and by the Villcarri
Wm Theising and John Riley claimants. & Vulcan No. 1

COURSES OF VEINS.

:-:-:-:-:-:-:-:-:-:-:-:-

Copper Age Vein extends from Discovery shaft No.1, N5° 29' E to N. end cen. - 1493 ft. and S5° 29' W - 7 ft. to S. end cen.

Pickaway Vein extends from discovery shaft No.1 N5° 29' E - 5 ft. to N.end cen. and S5° 29' W - 1495 ft. to S. end centre.

Lookout Vein extends N5° 29' E - 762 ft. to N.end cen. and S5° 29' W - 738 ft. to S.end cen.

Sylvia P vein extends from Discovery shaft No.1 N5° 29' E - 300 ft to N.end cen., and S5° 29' W - 1161 ft. to S. end cen.

Ildia vein extends from Discovery shaft No.1, S6° 47' W, 250. ft. to S.end cen. and N6° 47' E - 1208 ft. to N.end cen.

Virgo vein extends from Discovery shaft No.1, S6° 47' W - 675. ft to S.end cen. and N6° 47' E - 761. 3 ft. to N.end cen.

Number Three vein extends from cut No.1, N5° 29' E - N7° 4' E 632. 18 ft. to N.end cen. and S6° 47' W - 750. ft. to S.end cen.

Number Two vein extends from Discovery shaft No.1, S89° 51' E - 292 ft. to E.end cen. and N89° 51' W - 300 ft. to W.end cen.

Grey Rock vein extends from Discovery shaft No.1, S9° 2' E - 650. ft. to the S.end cen. and N9° 2' W - 850. ft. to N.end centre.

Midway Fraction vein extends from the discovery shaft N3° 59' E - 91. ft. to N.end cen. and S3° 59' W - 91. 9 ft. to S.end cen.

Quail And Palo Verde vein extends from Discovery shaft No.1 N8° 43' W - 315. ft. to W.end cen. and S7° 31' E - 400. ft to E.end cen.

:-:-:-:-:-:-:-:-:-:-:-:-:-:-:-:-

IMPROVEMENTS.

Copper Age.

Shaft No.1 bears N5° 29' E, 7 ft. from S.end cen.
4 x 6 x 90 ft. - - - - - Value \$1350.00

40. ft.of this shaft applies to the Midway Fraction as it is the intention of claimants to drift North.

Crosscut East 4 x 6 x 30 ft. Value 300.00
" " West 4 x 6 x 30 ft. " 200.00

Copper Age, other improvements.

6 tent houses - - - p - - - Value 300.00
1 office building - - - - - " 200.00

1 corral building - - - - - Value 100.00

Pickaway.

Shaft No.1 bears S5° 29' W - 5 ft. from N.end cen.
" 4 x 6 x 20 - - - - - Value 200.00

Drift N. at 30 ft. from surface - Value 50.00

Shaft No.2 6 x 8 x 600 - S5° 29' W - 405. ft. from N.end cen. - - - - - Value 18000.00

Crosscut East at 150 ft. level
" 4 x 6 x 65 - Value 650.00
" " 150 " " 4 x 6 x 10 " 100.00
" " 400 " " 4 x 6 x 40 " 400.00
" " 400 " " 4 x 6 x 30 " 300.00

50. ft. of shaft No.2 applies to Virgo. " 1500.00
50 " " " No.2 " " Ildia. " 1500.00

50 " " " No.2 " " Lookout " 1500.00
50 " " " No.2 " " Number Two. " 1500.00

50 " " " No.2 " " Number Three. " 1500.00

50 " of shaft No.2 " " Sylvia P.

Crosscut running West on 400. ft. level applies to the Quail And Palo Verde lode as it is the intention

to crosscut and drift to the above claims.

Shaft No.3 S5° 29'W - 655.ft. from N.end cen,	
" 4 x 8 x 10 - - - - - Value	\$100.00
Shaft No.4 S5° 29'W - 655.ft. from Cor.No.4,	
" 4 x 6 x 30 - - - - - Value	300.00

Other improvements.

1 hoist house 30 x 40 ft., containing machinery to the value of - - - - -	4000.00
1 blacksmith shop 14 x 16ft.-Value	150.00

Lookout.

Shaft No.1 bears N5° 29'E - 738.ft from S.end cen.	
4 x 6 x 10 - - - - - Value	100.00

Sylvia P.

Shaft No.1 bears S5° 29'W - 500.ft. from N.end cen'	
4 x 6 x 10 - - - - - Value	100.00

Ildia. Shaft No.1 bears N6° 47'E - 250.ft. from S.end cen.

4 x 6 x 10 - - - - - Value	100.00
----------------------------	--------

Virgo. Shaft No.1 bears N6° 47'E - 675.ft. from S.end cen.

4 x 6 x 10 - - - - - Value	100.00
----------------------------	--------

Number Three. Shaft No.1 bears N6° 47'E - 750.ft. from S.end cen.

4 x 6 x 11 - - - - - Value	75.00
----------------------------	-------

Number Two. Shaft No.1 bears S89° 21'E 300.ft. from W.end cen.

4 x 6 x 10 - - - - - Value	100.00
----------------------------	--------

Grey Rock. Shaft No.1 bears N9° 21'W - 650.ft. from S.end cen.

4 x 6 x 10 - - - - - Value	100.00
----------------------------	--------

Shaft No.2 bears N9° 48'W - 400.ft. from Cor.No.2,	
5 x 7 x 35 - - - - - Value	400.00

Crosscut West. 4 x 6 x 27 - - - - - Value 200.00

Other improvements. Mining machinery - - - - - Value 150.00

Midway Fraction. Shaft No.1 bears N3° 59'E - 91.9ft. from S.end cen.

4 x 6 x 10 - - - - - Value	100.00
----------------------------	--------

Quail And Palo Verde.

Shaft No.1 bears N73° 31'W - 400.ft. from E.end cen.	
4 x 6 x 10 - - - - - Value	100.00

Shaft No.2 bears N60° 10'W - 435.ft. from E.end cen.	
4 x 6 x 20 - - - - - Value	200.00

-INSTRUMENTS USED.

A Gurley Mountain Transit with solar attachment,
and steel chain 100.ft.long.

All courses determined by use of the solar.

Address of applicant-

Earnest A.Haggott,
Supt.Yavapai Development Co.

Turkey,
Arizona.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Chas. H. Richards

United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of Yavapai.....

..... Development Company Copper Age, Pickaway, Lookout, Sylvia P., Ildia, Virgo, Grey Rock, Midway Fraction, Quail & Palo Verde, No. 2, & No. 3. known as the

and showing the respective capacities in which they acted.

Joseph Groves , Chairman.

Ted. Theising , Chairman.

..... , Axman.

..... , Flagman.

FINAL OATHS OF ASSISTANTS.

We, Joseph Groves and Ted. Theising

and do solemnly swear that we assisted

..... Chas. H. Richards., United States Deputy Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of Yavapai Development Company

known as the See above

represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona

 , Chairman.

 , Chairman.

..... , Axman.

..... , Flagman.

Subscribed and sworn to by the above-named persons before me this 23

day of August , 1905.


May 16 1907

(4-686.)

 FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, Charles H. Richards, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated July 27 1905, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Yavapai Development Company Copper Age, Pickaway, Lookout, Sylvia P., Ildia, ..., known as the Largo, Grey Rock, Midway Fraction, Quail & Palo Verde, Number Two, and Number Three Canon & Lower Turkey Creek Mining District, situated in Yavapai County, in Section 11, Township No. 11, Range No. 1 E (unsurveyed), and designated as Survey No. 2138, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Charles H. Richards
U.S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said Charles H. Richards
U. S. Deputy Mineral Surveyor, before me L. P. Nellis
this 23 day of August 1905,

L. P. Nellis
My commission expires May 16 1907

• 3-164

Affidavit of Five Hundred Dollars Improvements.

We, Gideon B. Shull, and Jas. F. Trefethen

of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the Yavapai Development Company mining claim, situate in Black Canon & Turkey Creek Mining districts, Yavapai County, Arizona Territory, for which Ernest A. Haggott, Supt.


Yavapai Development Company

has made application for survey prior to application for patent under the provisions of the Act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon by the applicant^s and its grantor exceed Five Hundred ^{up to or for each claim} Dollars in value, and further that we are not personally interested in said mine.

Gideon B. Shull
Jas. F. Trefethen

TERRITORY OF ARIZONA,
County of Yavapai } ss:

Sworn to and subscribed before me, this 23



day of August, 1905

D. P. Bellis

6086b500-2-03

My commission expires May 16 1907

POOR QUALITY

The following pages are scanned at the best possible quality setting. The original pages are of poor quality and this is the best possible reproduction.

HUNTER, ETC.

NOTICE OF MINING LOCATION,
of the claim,

to all whom it may concern:

The subject claim, the part of which is the Number Two mining claim, situated on public domain in the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Charles H. Richards, the undersigned, on the 17th day of January 1904.

The length of this claim is six hundred one feet, and the claim runs hundred thirty-six feet to a westerly direction, and three hundred and 45 feet in a westerly direction from the center of the discovery shaft, at which this notice is posted, being the head of the claim, together with a distance of 100 feet in width of the surface ground, on each side of the center of said claim. The surface ground of the tract bought and promised is from the discovery to the head of the claim.

This claim is situated and located in the town of Jerome, in Yavapai County, State of Arizona, in the mountains of Butte.

The surface boundaries of the claim are marked with the posts of 10' x 4", beginning at a monument and 4" x 4" post set in the ground in a northerly direction two hundred 35 feet from the discovery shaft (at which this notice is posted), being in the center of the said claim; thence Party (undersigned) goes to a 4" x 4" post, being the intersection of said boundary and the westerly 30 feet to a 4" x 4" post, being at the junction corner of said claim; thence southerly 30 feet to a 4" x 4" post at the center of the west end of said claim; thence southerly 30 feet to a 4" x 4" post, being at the southwest corner of said claim; thence easterly 30 feet to a 4" x 4" post at the northeast corner of said claim; thence northerly 30 feet to the place of origin.

All that under the provisions of Chapter Six, of Title XXIX, of the Revised Statutes of the Unit of States, and of Law of the General Assembly of Oklahoma, entitled "An Act to Define Property for Lode Mining Claims", approved March 14, 1901.

Dated and sworn to the present day 23 day of September, 1904.

Charles H. Richards.

Witness, J. C. Farley,

Filed and recorded at request of J. C. Farley April 12 A. D. 1904 at 2:00 o'clock A. M., book 71 of mines, page 456, Records of Yavapai County, Arizona.

(Seal) J. C. Farley,

County Recorder.

By R. M. Miller,

Deputy Recorder.

HIGHWAY THREE.

NOTICE OF MINING CLAIM.
Land claim.

In all which it just appears:

This mining claim, the area of which is the surface three chains square, situated on Highway Three, about three miles westward, and in which there are valuable mineral deposits. The earliest upon the land for the purpose of exploration and surveys by Wagner & Richards the undersigned, on the 27 day of January 1894.

The length of this claim is fifteen hundred feet, and the claim extends from a point in a northerly direction, and seven hundred fifty feet in a southerly direction from the center of the northern street, at which this notice is posted, lengthwise of the claim, together with one-half foot in either the northern or southern end of each side of the center of said claim. The right corner of the lot is in the northerly line, the northerly to the southerly.

The claim is situated and located in the Black Diamond Mining District, in Yavapai County, in the Territory of Arizona, about one mile in a westerly direction from Temperance Butte.

The surface boundaries of the claim are, and remain on the ground as follows: running eastward from a point in a northwesterly direction 1500 feet from the discovery shaft (at which this notice is posted), being in the center of the north end line of said claim; thence due south 1500 feet to a 4" x 4" post, being the northeasterly corner of said claim; thence due south 1500 feet to a 4" x 4" post, being at the southerly corner of said claim; thence forty-three feet to a 4" x 4" post at the center of the south end of said claim; thence due north 1500 feet to a 4" x 4" post, being at the northeasterly corner of said claim; thence 1500 feet to a 4" x 4" post at the northerly end of said claim; thence 1500 feet to the place of beginning.

All the laws and provisions of Congress, as contained in Title 33 of the Revised Statutes of the United States, and in the Law of the General Assembly, of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona", approved June 14, 1891.

Isaac E. Wagner, posted on the ground this 27 day of January, 1894.

Isaac E. Wagner,

Witness Alfred Wagner.

Filed and recorded at Phoenix, on the 27th day of January, 1894, in A. S. Land Office, A. M., Book 71 of Mines, page 489, Records of Yavapai County, Arizona.

(Seal) R. E. Futler,

By R. E. Futler,

Deputy Recorder.

Deputy Recorder.

KIDNEY TRACTICK.

NOTICE OF MINING CLAIM,
Kidney Claim.

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the Kidney Tractick Mining Claim, situate on land belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by G. A. Parker and Charles H. Kidney, citizens of the U. S., the undersigned, on the 1st day of February, 1904.

The length of this claim is 164 feet, and the claim is 33 feet in a northerly direction, and 33 feet in a southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general scope of the tractick and premises is from the northerly to the southerly.

The claim is situated and located in the Black Canyon Mining District, in Yavapai County, in the Territory of Arizona, about 5 miles to the south eastly direction from Jerome.

The surface boundaries of the claim are marked up on the ground as follows: Beginning at a monument of stones at a point in a northerly direction 33 feet from the discovery shaft (in which this notice is posted), being in the center of the north end of the said claim; thence 33 southerly feet to a monument, being the N. East corner of said claim; thence southerly 33 feet to a monument, being the E. East corner of said claim; thence southerly 300 feet to a monument at the center of the south end of said claim, thence northerly 300 feet to a monument, being the S. East corner of said claim; thence northerly 164 feet to a monument at the N. East corner of said claim; thence northerly 300 feet to the place of beginning.

All in accordance with the laws of the State of Arizona, of the Federal Statutes of the United States, and of the Act of the General Assembly of Arizona, entitled "An Act to Define and Limit the Law of the Mining Laws of Arizona", approved March 3, 1903.

Dated and posted on the 1st day of February, 1904.

P. A. Parker,

Mrs. F. P. Reynolds,

Witnessed by P. A. Parker,
F. P. Reynolds.

Filed and recorded at Request of P. A. Parker April
25 A. D. 1904 at 9:00 o'clock A. M., Recd. #1 of Lines, page 503,
Records of Yavapai County, Arizona.

(Seal) P. A. Parker,
By P. A. Parker,
Deputy Recorder. County Recorder.

AMENDED LOCATION NOTICE.
of Lode Claim.

Know all men by these presents:

That The Yavapai Development Company of the County of Yavapai and Territory of Arizona do hereby make, post and file this amended location notice upon the Quail and Palo Verde lode claim, situate in the Black Canyon Mining District, County of Yavapai, Territory of Arizona.

The length of this claim, linear and horizontal measurement is 900 feet along the ledge, 350 feet running Easterly from the discovery shaft, and 550 feet running Westerly from the discovery shaft, together with surface ground 300 feet on the South side of the center of the ledge, and 300 feet on the North side of the ledge.

The boundaries are marked upon the ground as follows: Beginning at a point 500 ft. N. of the S. East cor. of the Quail claim of which this is a portion from which the discovery shaft bears S. W. about 350 feet and is also a portion of the Palo Verde claim thence Westerly nine hundred feet to corner No. 2 the N. W. corner of said lode; thence Southerly 600 feet to corner No. 3 the S. W. corner of said claim; thence Easterly 900 feet to corner No. 4 the S. E. corner of said claim, thence Northerly 500 to cor. No. 1 the place of beginning.

Monuments are also placed at the center of the end lines.

This amended location notice is made under the provisions of the Revised Statutes of the United States relating to Mineral Lands, and an Act of the General Assembly of Arizona, approved March 16th, 1901, without waiver of previous rights, to correct errors in the description of the said Quail and Palo Verde lode claims in the Location Notice of the same recorded in Book 71, Page 55-56 of "Records of Mines", in the office of the County Recorder of the aforesaid County of Yavapai Territory of Arizona, to which reference is hereby made.

Dated and posted on the ground this 14 day of July, 1905.

Ernest A. Haggott Supt.

Yav. Dev. Co.

Witness: Wilbur Merritt.

Recorded at request of E. A. Haggott, July 15th A. D. 1905, at 12:50 o'clock P. M., in Book 74 of Mines, pages _____, records of Yavapai County, Arizona.

(Seal) Roland Mosher,
By _____, Deputy. County Recorder.

TERRITORY OF ARIZONA,)
County of Yavapai.) ss.

I, ROLAND MOSHER, County Recorder in and for the County of Yavapai, in the Territory of Arizona, and custodian of the records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the Amended Location Notice of the "Quail and Palo Verde" mining claim, as the same appears from the original instrument recorded in my said office on the 15th day of July, A. D. 1905, at 12:50 o'clock p. m.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal, this 15th day of July, A. D. 1905.

Roland Mosher
County Recorder.

NOTICE OF CLAIM.

NOTICE OF MINING CLAIM.
hole Claim.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Grey Rock Mining Claim, situated on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and mining by R. Preston Jones, a citizen of the United States, the undersigned, on the 17th day of September, 1900.

The length of this claim is 1500 feet, and I claim 700 feet in a northerly direction, and 100 feet in a southerly direction from the center of the discovery place, at which this number is measured, leaving one-half mile together with three thousand feet unlocated of the surface ground, on each side of the center of said claim. The general course of the base deposit now prospected is from the northeast to the southwest.

The claim is situated and located in the Black Canyon Mining District, in Yavapai County, in the Territory of Arizona, about three miles in a northerly direction from Fort Verde station and at the eastern base of Tornillo Peak and embracing the head of Turkey Creek.

The corners or boundaries of this claim are marked upon the ground as follows: Beginning at a monument of stones at a point in a northerly direction 100 feet from the discovery place (at claim) this notice is posted, being in the center of the north end line of said claim; thence easterly 300 feet to a monument of stones, being the northeast corner of said claim; thence southerly 100 feet to a monument of stones, being at the southeast corner of said claim; thence westerly 300 feet to a monument of stones at the corner of the south end of said claim; thence westerly 300 feet to a monument of stones, being at the northwest corner of said claim; thence northerly 1500 feet to a monument of stones being the northeast corner of said claim; thence easterly 100 feet to the place of beginning.

All done under the provision of Chapter 22, of Title 22, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines", approved March 30th, 1903, and enacted March 31, 1903, and March 30th, 1903.

Dated and posted on the ground this 17th day of September, 1900.

R. Preston Jones

Notator,

Edward S. A. Parker,

Recorded at County of Y. Parker, Nov. 5, A. D. 1900, at Land Office P. O., In Book 69 of Mines, page 482, Records of Yavapai County, Arizona.

(Seal)

P. J. Parker,
County Notator.

By P. J. Parker,
Deputy Recorder.

MINE.

HOLDING OR HAVING LOCATION,
Claim #15181.

To all whom it may concern:

The mining claim, the name of which is the "Black Canyon Mining Claim", located in lands belonging to the United States of America, and in said there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by C. A. Parker, a citizen of the United States, the undersigned, on the 26th day of August, 1903.

The length of this claim is 11,000 feet feet, and claim 335 feet in a northerly direction and 1375 feet in a southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred (300) feet in width of the surface grounds on each side of the center of said vein. The general course of the lead deposit and premises is from the Northerly to the Southerly.

The claim is situated and located in the Black Canyon Mining District in Yavapai County, in the Territory of Arizona, about one mile in an easterly direction from Tomahawk Peak and in the south east corner of the Pickering mining claim.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones at a point in a Northerly direction 335 feet from the discovery shaft (at which this notice is posted), being in the center of the North end line of said claim; thence due South 335 feet to a monument of stones being the North east corner of said claim; thence Southerly 1500 feet to a monument of stones being at the South east corner of said claim; thence westerly 335 feet to a monument of stones at the center of the South end of said claim; thence Westerly 335 feet to a monument of stones being at the Southwest corner of said claim; thence Northerly 1500 feet to a monument of stones being the North west corner of said claim; thence Southerly 335 feet to the place of beginning.

All laws under the provisions of Chapter Six, of Title XXII, of the revised Statutes of the United States and of an Act of the General Assembly of Arizona, entitled "An Act concerning mines", approved March 3d, 1881, and enacted March 3d, 1892, shall govern 13th, 1903.

Dated and posted on the ground, this 26th day of August, 1903.

C. A. Parker, locator.

Received at request of C. A. Parker, Augt. 26, 1903, at 4 o'clock P.M., Jack #6 of Mine, you're 1d, Records of Yavapai County, Arizona.

(Seal) W. J. Parley,

By W. J. Baldwin,

Deputy Recorder.

Deputy Recorder.

INDIA.

HOTCHET MINEING LOCATION.
hole claim.

TO ALL THESE IT IS CERTIFIED:

This mining claim, the name of which is the India Mining Claim, situated on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by G. A. Parker, a citizen of the United States, the undersigned, on the 2nd day of July, 1902.

The length of this claim is fifteen hundred feet, and 7, eight thousand feet in a northerly direction and 350 feet in a southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred (300) feet in width of the surface grounds, on each side of the center of said vein. The general course of the ledge deposit and promises is from the Northerly to the southerly.

The claim is situated and located in the Black Canyon Mining District in the City of Marfa, in the Territory of Arizona, about one-half mile in an Easterly direction from Newland Ranch and on the West side of Turkey Creek and adjoining the Hickaway mining claim.

The various boundaries of the claim are platted upon the ground as follows: Beginning at a morsel of stones at a point in ~~North~~ ^{West} direction 1500 feet from the discovery shaft at which this notice is posted, thence to the corner of the North end 1500' of said claim; thence Northerly 300 feet to a morsel of stones being the North East corner of said claim; thence Southerly 1500' feet to a morsel of stones being at the South East corner of said claim; thence Westerly 300 feet to a morsel of stones at the corner of the South end of said claim; thence Westerly 300 feet to a morsel of stones being at the South West corner of said claim; thence Northerly 1500' feet to a morsel of stones being the Northwest corner of said claim; thence Easterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines", numbered March 20, 1895, and enacted March 1, 1900, and March 10th, 1902.

Dated and signed on the second day and date of July, 1902.

G. A. Parker - locator.

Recorded at request of G. A. Parker Sept. 30, A. D. 1902, at 4 o'clock P. M., block 66 of mines, page 53, records of Brewster County, Arizona.

(seal) G. A. Parker,

By F. H. Baldwin,

County Recorder.

Deputy Recorder.

SYNOPSIS

NOTICE OF MINING CLAIM,
Lode Vein.

To all whom it may concern;

This mining claim, the main or chief, in the town of Gold King, Arizona, on land belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by C. A. Parker, a citizen of the United States, the undersigned, on the 2nd day of July, 1903.

The length of said claim is fifteen hundred feet, and I claim three hundred feet in a northerly direction and twelve hundred feet in a westerly direction from the center of the discovery drift, at which this notice is posted, beginning at the claim, together with three hundred (300) feet in width of the surface ground, on each side of the center of said vein. The general course of the said deposit is parallel to the boundary to the northward.

The claim is situated and located in the High Canyon Mining District, in Yavapai County, in the Territory of Arizona, about one half mile in a northerly direction from Camp Verde, and lies on the west side of and follows the Copper Age Mining Claim.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a number of stones at a point in a northerly direction —————— feet from the discovery drift (at which this notice is posted), running to the center of the north end line of said claim; thence Eastwardly 300 feet to a number of stones being the northeast corner of said claim; thence southerly 1500 feet to a number of stones being at the southwest corner of said claim; thence westerly 300 feet to a number of stones at the center of the south end of said claim; thence westerly 300 feet to a number of stones being at the south west corner of said claim; thence northerly 3000 feet to a number of stones being the northeast corner of said claim; thence easterly 300 feet to the place of beginning.

All done under the provisions of Chapter six, of Title XIX, of the revised Statutes of the United States and of the Act of the General Assembly of Arizona, entitled "An Act Concerning Mines", approved March 3d, 1903, and in force March 3d, 1903, and March 13th, 1903.

Dated and posted on the ground this 2nd day of July, 1903.

C. A. Parker - Location.

Received at request of S. A. Parker, City of, A. D. 1903, at 4 o'clock P. M., Book 66 of Minns, page 31, Records of Yavapai County, Arizona.

(Seal) F. J. Thiel.

Deputy Recorder,

By W. H. Baldwin,

Deputy Recorder.

LOOK OUT.

NOTICE OF MINING LOCATION.
Lode Claim.

To all whom it may concern:

This mining claim, the name of which is the 1901 Out-lying Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered, located and staked out the 2nd day of July, 1901, by the signature of C. A. Parker, a citizen of the United States and born in 1870, on the 2nd day of July, 1901.

The length of said claim is fifteen hundred feet, one thousand five hundred feet in a North-westerly direction and 750 feet in a southerly direction from the center of the discovery shaft, at which this notice is posted, boundaries of the claim, respectively, being bounded 200 feet in width of the surface ground, on each side of the center of vein. The general course of the vein南北走向，由北向南延伸。

The claim is situated and located in the Black Canyon Mining District in Yavapai County, in the Territory of Arizona, about one-half mile to the Westerly direction from Mountain Peak and lies on the east side of and adjoins the Mountain and Pickaway Mining Claims.

The following boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones at a point in a southerly direction 100 feet above the discovery shaft (at which this notice is posted); thence in the center of the North end of said claim southerly 300 feet to a monument of stones being the North east corner of said claim; thence southerly 1500 feet to a monument of stones being at the South end corner of said claim; thence southerly 300 feet to a monument of stones at the center of the South end of said claim; thence southerly 300 feet to a monument of stones being at the Southwest end of said claim; thence southerly 300 feet to a monument of stones being the South west corner of said claim; thence southerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXIV, of the revised statutes of the United States and §2 of an Act of the General Assembly of Oregon, entitled "An Act Incorporating Miners", approved March 20, 1895, and amended April 11, 1899, and March 13th, 1901.

Dated and posted on the ground this 2nd day of July, 1901.

P. A. Parker, locator.

Received at request of P. A. Parker, Rept. No. A. D. 1900, at 4 o'clock p. m., in Book 33 of Limes, page 50, records of Yavapai County, Arizona.

(Seal) P. A. Parker,

BY F. J. Baldwin, County Recorder.

Deputy Recorder.

"PICKAWAY".

HORN'S OR LOCATION.

First all men by these presents

That we the undersigned, have this day located fifteen (15) feet of ledge of this vein or lead, bearing various metals, with all dips, sprays, angles and variations, with surface ground three hundred (300) feet on each side of the center of vein, with all mineral deposits contained therein, viz: all timber, stones, &c., to the limits of said claim, and all water and other privileges thereon or adjacent thereto, under and according to the provisions of the United States Mining Laws, under which it is located.

This claim commences at this monument and extends along upon the ledge, and runs fifteen (15) feet in a northerly direction along the ledge from thence.

The particular boundaries are as follows, viz:-

Beginning at a monument of stone at North West corner, distant three hundred (300) feet in a westerly direction from Discovery monument; thence in a southerly direction parallel with the ledge fifteen (15) feet to monument of stone at S. W. corner of claim; thence in a northerly direction at right angles across the ledge six hundred (600) feet to monument of stone at N. E. corner of claim; thence in a northerly direction parallel with the ledge fifteen hundred (1500) feet to monument of stone at N. W. corner of claim; thence at right angles across the ledge in a westerly direction six hundred (600) feet to monument at S. W. corner of claim; and place of beginning.

This ledge and is more generally described as situated about one mile in an easterly direction from the mill of Mr. Johnson, one half mile east of Lower Town and one mile in a westerly direction from Lower Station or Post Office in Lower Town, West Virginia, Mineral County, Virginia Territory, and shall be known as the Pickaway Mining Claim.

Given on the ground this thirty first day of July, 1890.

J. A. Peacock,

C. C. Ellington,

Recorded at recorder's office, Mineral County, West Virginia, on the 2nd day of August, 1890, in book 40 of Mineral County, page 13. Records of Mineral County, West Virginia.

(Seal) J. T. Johnson,
By C. C. Ellington,
Deputy.

County Recorder.

"COPPER AGE".

POTION OF LOCATION.

Know all men by these presents:

That we the undersigned, have this day located fifteen hundred (1500) linear feet of this vein or lode, bearing precious metals, with all dips, spurs, angles and variations, with a surface ground Three hundred (300) feet on each side of the center of vein, with all mineral deposits contained therein, and all timber growing within the limits of said claim, and all water and other privileges thereon or appurtenant thereto, under and according to the provisions of the United States Mining Laws, upon which it is located.

This claim commences at this moment and extends southward from the ledge, and runs 1500 feet in a Northerly direction from the discovery point.

The exterior boundaries are as follows: viz: beginning at a corner of stone at S. E. corner, dip and follow toward westward in a westerly direction from Discovery Point; thence in a Northerly direction parallel with the ledge 1500 feet to corner of stone at N. W. corner of claim; thence in a Eastward direction at right angles across the six hundred (600) feet to corner of stone at S. E. corner of claim; thence in a northward direction parallel with the ledge fifteen hundred (1500) feet to corner of stone at N. W. corner of claim; thence at right angles across the ledge in a westerly direction six hundred (300) feet to corner of stone at S. W. corner of claim; and place of beginning.

This ledge runs on and generally described as situated about one mile in an easterly direction from Cornishen's Ranch and about one-half mile east of Jumbo Creek and about three miles in a northerly direction from Cornish Station, in Lower Pinal or Verde Valley District, Yavapai County, Arizona Territory, and shall be known as the COPPER AGE mining claim.

Dated on the ground this 1st day of July 1893.

S. A. Walker.

T. M. Glasgow.

Recorded at request of S. A. Walker Oct. 27, A. D. 1893, at 9 o'clock A. M., in book 49 of mines, page 518, Yavapai County, Arizona.

(Signed) S. A. Walker,
Deputy.

(Signed) T. M. Johnson,
Mining Recorder.

TERRITORY OF ARIZONA,)
County of Yavapai.) US.

I, ROLAND MOSHER, County Recorder in
and for the County of Yavapai, in the Territory of Arizona, and
on behalf of the miners of said county, do hereby certify that
I have examined the above and foregoing with, and the same con-
tains a full, true and correct copy of the notice of location
of each of the following described claims in mine, as the
same appear from the original records of the notices of loca-
tion at the recorder's office, territory:

Copper Apparatus claim, notice of location filed as
of record in Book 40 of Mines, page 51, County of Yavapai
County, Arizona;

Pictorial mining claim, notice of location whereof
is of record in Book 49 of Mines, page 513, said records;
Book 624 Mining claim, notice of location whereof
is of record in Book 48 of Mines, page 50, said records;

Sylvia P mining claim, notice of location whereof
is of record in Book 48 of Mines, page 51, said records;

Tidie mining claim, notice of location whereof is
of record in Book 48 of Mines, page 52, said records;

Virgo mining claim, notice of location whereof is of
record in Book 48 of Mines, page 54, said records;

Grey Rock mining claim, notice of location whereof
is of record in Book 49 of Mines, page 43, said records;

Palo Verde mining claim, notice of location whereof
is of record in Book 71 of Mines, page 55, said records;

Quail mining claim, notice of location whereof is of
record in Book 71 of Mines, page 56, said records;

Shaver's mining claim, notice of location whereof
is of record in Book 71 of Mines, page 491, said records;

Widder Mine mining claim, notice of location whereof
is of record in Book 71 of Mines, page 492, said records;

Young Fraction mining claim, notice of location
whereof is of record in Book 71 of Mines, page 503, said records.

IN WITNESS WHEREOF, I have hereunto set my hand and
affixed my official seal, this 31st day of July, A. D. 1908.



Roland Mosher
County Recorder,

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona

Oct. 10, 1905.

190

I, U. S. Surveyor-General for Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of Yavapai Development Company

Copper Age, Pickaway, Lookout, Sylvia P. Ildia, Virgo, Grey Rock, known as the Midway Fraction, Quail & Palo Verde, Number Two and Number Three.

situate in Lower Turkey Creek & Black Canon

Mining District, Yavapai County, Arizona

in Section , Township No. 11 N., Range No. 1 E. (unsur), and

designated as Survey No. 2138, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the *locus* thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimants or its grantors, and that said improvements consist of 16 shafts with cross cuts, drifts, etc. Total value \$23,625.00 \$1500.00 of the value of shaft No. 2, on Pickaway lode if credited to each of the following claims, Lookout, Sylvia P. Ildia, Virgo, Number Three, Number Two, and \$400.00 of the value of shaft No. 1, on Copper Age is credited to Midway Fraction claim and \$300.00 of the value of cross cut in tunnel No. 2 Pickaway lode is credited to Quail and Palo Verde lode.

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

(Signed) Frank S. Ingalls

United States Surveyor-General for Arizona

4-687.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD
NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona

Oct. 10, 1905, 1905

I, U. S. Surveyor-General for Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of Yavapai Development Company

, known as the
Copper Age, Pickaway, Lookout, Sylvia P., Ildia, Virgo, Grey Rock, Midway Fraction, Quail & Palo Verde, Number two and Number Three.

situate in Lower Turkey Creek & Black Canon Mining District,

Yavapai County, Arizona

in Section, Township No. 11 N., Range No. 1 E. (unsur)
, designated as Survey No. 2138

executed by Chas. H. Richards, U. S. Deputy Mineral Surveyor, July 30 to August 10, 1905, under my instructions dated July 27, 1905, have been critically examined and the necessary corrections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. A true copy of the copy of the location certificate filed by the applicant for survey is included in the field notes.

Frank A. Lyall

U. S. Surveyor-General for Arizona.

