Mineral Survey No. 2142 A. & B.

Lot No.	
The state of the s	
Arizona. Land Distri	ct.
<u> </u>	
FIELD NOTES	
OF THE SURVEY OF THE MINING CLAIM OF	
Old Dominion Copper Mining and Smelting Cor	many,
KNOWN AS THE	
Globe Southwest lode and Mill-site	θ
GlobeMi	ning District,
Gila County, Arizona	
Section 3 & 24, Township 1 N. Range 15	E
Surveyed under instructions dated Aug. 9, 1905. , 1	
	·····,
U. S. Deputy I	Mineral Surveyor
Claim located See notices,	
Survey commenced Aug. 30, 1905.	2
Survey completed Sent. 1, 1905	·

William Herring, Atty in fact.

P. O. Address, Tucson, Arizona.

Original well with exception of last two stanks mixing. This copy was netd with letter from It me Herring. I abunary -, 1947. Lee Fr. 82, 159.

SURVEY NO. 2142 A.

GLOBE SOUTHWEST LODE.

Beginning at Cor. No. 1, the south east corner, a post 4 ins. X 4 ins. 4 ft. long, scribed 1-2142-A., set 2 ft. in concrete, which corner is coincident with the southwest corner, Cor. No. 3, of Survey No. 40 Globe Ledge, and the northwest corner of the Interloper lode, unsurveyed, both owned by the Old Dominion Copper Mining & Smelting Co., idnetical with the original location corner whence Cor. of Secs., 23,24,25 & 26, T. 1 N., R. 15 E., brs. S. 8° 43' W. 1373 ft. dist. Cor. No. 1, Globe Southwest Mill Site this survey brs. S. 11° 06' W. 1079.7 ft. dist. Dis. shaft brs. N. 49° 10' W. 359.3 ft. dist. 200 ft. Flue Stack brs. Cld Dominian Smelter, brs. S. 12° 01' W.

Thence N. 24° 15' W. Var. 12° 08' E.

- 300. To east End Center stake identical with original stake.

 A pine post 4 ins. X 4 ins. X 4 ft. long scribed E.E.C.
 2142-A. set 18 ins. in the ground and surrounded by a mound of stones.
- 406.9 Center of Old Dominion R. R. Track, course S. 16° 45' W.
- 436.8 East end of Concentrator building 102 X 104 ft.
- 505.8 Intersect Sec. line between Secs. 23 & 24, at a point 1818.2 ft. North from Cor. of Secs. 23, 24, 25 & 26, T. 1 N., R. 15 E.; 1/4 Sec. Cor. to North not in.
- 600. Cor. No. 2, identical with the original location cor. and coencident with the northwest corner, Cor. No. 2 of Survey No. 40 Globe Ledge, same owner, a pine post 4 X 4 ins. X 4 ft. long scribed 2-2142-A., set 2 ft. in concrete, whence northeast corner of concrete foundation of Concentrator building brs. S. 53° 41' E. 35.6 ft.

-0-

Thence S. 74° 33' W. Var. 12° 24' E.

60.7 Center Old Dominion R. R. Track, course S. 16° 45' W.

Feet.

- 300. Point on north side line, whence Portal Tunnel 55 ft. X 8 ft. wide brs. S. 5° 24' E. 189.7 ft. course tunnel S. 26° E.
- 427.9 A point on north side line, whence, Cors. No. 1 & 4
 Survey No. 1719-B., True Blue and Carrie Mill Sites,
 United Glob Mines Co. owners, brs. N. 16° W. 1.6 ft.
- 906. Center Old Dominion R. R. Track, course S. 11° E.
- 916.5 A point on side line, whence, Cor. No. 3, Sur. No. 1719-B Carrie Mill Site, brs. N. 16° W. 2.4 ft.
- 1254. Center Gila Valley, Globe & Northern R. R. Track, course S. 12° 30' E.
- 1329.2 Intersect East line Maurel Homestead Entry, whence Southeast Cor. of the N. W. 1/4 of the S. E. 1/4 of Sec. 23 designated as "Lot numbered 3" in said entry, brs. South 329.1 ft. dist.
- 1400. Center County Road, course S. 17° E.
- 1457. East bank Pinal Creek, 40 ft. wide, course S. 23° E.
- 1500.. Cor. No. 3, identical with original location corner, a trachyte post 12 X 15 ins. X 2 ft. long scribed 3-2142-A. set in soncrete block 3 X 3 X 5 ft. sunk 3 ft. in the ground on the west bank of the Pinal Creek, whence witness corner. a pine post 4 X 6 ins. X 5 ft. long, scribed W. C.-3-2142-A. set in a conglomerate bluff, brs S. 74° 33' W. 9 ft. dist.

-0-

Thence S. 24° 15' E. Var. 12° 30' E.

- 140. Pinal Creek, 40 ft. wide, course S. 4° E.
- 201.4 Intersect south line Maurel Homestead Entry, whence Southeast corner of the N. W. 1/4 of the S. E. 1/4 of sec. 23 brs. East 81.9 ft.
- west End Center, identical with original location monument, a stone post 9 X 12 ins. X 2 ft. long set in concrete foundation block 3 X 3 X 5 ft. which is sunk 3 ft. in bed of Pinal Creek, which post is chisoled W. E. C.-2142-A.

Fet. 425.

County Road, course S. 7° 15' E.

600.

cor. No. 4,

a stone post 5 X 8 ins. X 3 ft. long, set in concrete block 3 X 3 X 4-1/2 ft. sunk 3 ft. in Pinal wash, and chiseled 4-2142-A., whence blazed cottonwood tree, scribbed B.T.-4-2142-A., brs. N. 62° 58' E. 90.4 ft. dist. 200 ft. flue stack, brs. S. 51° 15' E.

-0-

Thence N. 74° 33' E. Var. 12° 28' E.

- 133. Center Gila Valley G. & N. R. R. track, course S.12° 30' E.
- 151.7 Center Old Dominion R. R. track, course S. 36° E.
- 221. Center Old Dominion R. R. track, course South.
- 1063. A point on south side line, whence Portal tunnel over 500 ft. long, with course N.77° 07' E. brs. N. 89° 15' W. 184.4 ft. dist. Southwest Cor. Barn brs. N. 28° 53' E. 170.9 ft. dist. Southeast Cor. Barn brs. N. 41° 32' E. 234.6 ft. dist.
- 1070. Center Old Dominion R. R. track, course. S. 5° E.
- 1087.7 Center Old Dominion R. R. track, course S. 17° 30' E.
- 1284.2 Intersect Sec. line between Secs. 23 & 24, T. 1 N., R.

 15 E., whence Cor. Secs. 23, 24,25 & 26 brs. south 1299.6

 ft. 1/4 Sec. Cor. on north side not in.
- 1328.5 Center Old Dominion R. R. track, course S. 25° E.
- 1346. Center Old Dominion R. R. track, course S. 49° E.
- 1478.6 Center Old Dominion R. R. track, course S. 29° E.
- 1485.1 Center Old Dominion R. R. track, course S. 40° E.
- 1500. Cor. No. 1 and place of beginning.

-0-

containing 20.418 acres.

----0----

SURVEY NO. 2142 B. GLOBE SOUTHWEST MILL SITE.

Beginning at Cor. No. 1, a pine post 4 X 4 ins. 4 ft. long set 2 ft. in concrete identical with original corner scribed 1-2142-B., which cor. is on the section line

Feet.

between Secs. 23 & 24, T. 1 N., R. 15 E., whence, Corloll No. 1, Survey No. 2142-A Globe Southwest lode, brs. N. 11 - 06' E. 1079.7 ft. dist.

-0-

Thence SUUTH.
Var. 12° 25' E.

297.5 Cor. No. 2, identical with original location cor. and coincident with Sec. Cor. 23, 24, 25 & 26, a pine post 4 % 4 ins. X 4 ft. long set on top of bed of concrete in which is placed an iron bolt 1 ins. diam whence, 200 ft. flue stack brs. N. 56° 49' W. 90.5 ft.: Cor. post is scribed 2-2142-B.

-0-

Thence East.
Var. 12° 30' E.

168.3 Cor. No. 3, identical with original corner, a pine post 4 X 4 ins. X 4 ft. long, set 2 ft. in the ground and surrounded by a mound of stones, scribed 3-2142-B., whence 200 ft. flue stack brs. N. 78° 32' W. 249 ft.

-0-

Thence N. 29° 30' W. Var. 12° 31' E.

341.8 Cor. No. 1 and place of beginning.

-0-

Containing .575 Acres.

Total Area Globe Southwest lode 20.418
Less conflict vs. Maurel
Homstead

Net area Globe Southwestern lode

Total area Globe Southwest Mill Site

Total and Net Area - - - - 20.387.

----0----

LOCATION.

This claim is located about one mile north of the Town of Globe, Gila County Arizona, part of the lode being in the S. E. 1 /4 of Sec. 23, and part in the S. W. 1/4 of Sec. 24: the Mill Site is in the S. W. 1/4 of Sec. 24: all in T. 1 N., R. 15 E., Gila & Salt River Base & Meridian, Golbe Mining District.

The presume' course of the ledge, is N. 74° 33' E. and 1500 ft. in length; I am informed by disenterested persons that the point of discovery was at the east end of the claim and that a shaft 50 ft. in depth was sunk on the vein at this point; this shaft is now filled up and under the dump of the Interloper shaft 40 ft. deep.

IMPROVEMENTS.

No. 1:Dis. shaft, 6 X 4 X 11 ft. is sunk, N. 49° 10' W.
359.3 ft. dist. from Cor. No. 1.

From a point on the north sidelline 300 ft. from Cor.No.2
No. 2:-

A tunnel brs. S. 5° 24' E. 189.7 ft. dist. 18 ft. is an open cut in rock and earth and 37 X 8 ft. wide in rock.

From a point on the side line 1063 fr. from Cor. No.4. No. 3:-

A tunnel brs. N. 89° 15' W. 184.4 ft. dist. this tunnel is all in rock; I measured it for 500 ft. but beyond that point it is caved in; it connects with the interloper shaft so is presumably over 900 ft. long.

I certify that the value of the labor of the mining improvements placed upon this claim by the claimants and its grantors is not less than Five Hundred (500) Dollars and that said improvements consist of the following:-

1 Open cut & tunnel in rock & earth 55 X 8 ft. \$330.00

1 tunnel in rock 500 X 5 ft. at 12.00 \$6000.00

1 shaft in rock, 4 X 6 X 11 ft. at. \$5.00 \$55.00

\$6385.00

INSTRUMENTS.

This survey was made with a Gurley Light Mountain Transit with Solar attachment and all courses were laid off from the true meridian as determined by solar observation all distances were measured with 100 and 300 ft. steel tapes

NOTE: -

The original location certificate reads as follows "Beginning at the southwest center of the end of the el Globe Claim &c---thence southwesterly 1500ft."; this description is incorrect as it would cover the ground occupied by the Globe Ledge lode, Survey No. 40; I have followed the monuments in making the survey, and presume the locators meant the Globe Ledge lode, instead of the Globe lode.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the i	dividuals employed by Geo. S. Andrus,
United States Deputy Mineral	Surveyor, to assist in running, measuring, and marking the lines, corners, and
boundaries described in the for	going field notes of the survey of the mining claim of
01	Dominion Copper Mining and Smetling Company,
known as the	Globe Southwest Lode and Mill-site,
and showing the respective cap	cities in which they acted.
	Thomas N. Donaldson, Chainman.
	Richardson Fleming, Chainman.
	, $Axman$.
	Flagman.
	
FIN	L OATHS OF ASSISTANTS.
We, Thomas N.	onaldson,
and Richardson Flemin	do solemnly swear that we assisted Geo. S. Andru
	United States Deputy Mineral Surveyor, in marking the corners and surveyin
	im of Old Dominion Copp⇔r Mining & Smelting Compa
	outhwest Lode and Mill-site,
known as the	atomics of hour and militarious
represented in the foregoing fie	l notes as having been surveyed by said deputy mineral surveyor and under hi
direction; and that said survey	has been in all respects, to the best of our knowledge and belief, faithfully and
correctly executed, and the corr	er and boundary monuments established according to law and the instruction
furnished by the United States	urveyor-General for Arizona Territory.
	Thomas N. Donaldson, Chainman.
	Richardson Fleming, Chainman.
	, Axman.
	, Flagman.
Subser	ped and sworn to by the above-named persons before me this 13
da	of September , 190 5
SEAL.	L. F. Eggers, Notary Public, Gila County, Territory of Arizona,
	1. ex. March 5th 1907

FINAL OATH OF U.S. DEPUTY MINERAL SURVEYOR

I, Geo. S. Andrus, , U. S. Deputy Mineral
Surveyor, do solemnly swear that, in pursuance of instructions received from the United
States Surveyor General for Arizona, dated
August 9, 1905, , I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of Old Dominion Copper Mining & Smelting Company,
, known as the
Globe Southwest Lode & Mill-site.
situate in Globe, Mining District,
Gila, County, Arizona, in Section
23 & 24 , Township No. 1 N. , Range No. 15 E.
and designated as Survey No. 2142 A & B. , as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per
petuated in strict accordance with the law, official regulations and instructions there
under; and I do further solemnly swear that the foregoing are the true and origina
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or its. grantors
are as therein fully stated, and that the character, extent, location and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
*
Cao C Andrug
Geo. S. Andrus, U: S. Deputy Mineral Surveyor.
Subscribed and arrows to be the said Geo. S. Andmis
Subscribed and sworn to by the said Geo. S. Andrus,
U.S. Deputy Mineral Surveyor, before me George J. Stoneman, Notary
Public Gila Co. Arizona, this Minth
day of November 1905.
George J. Stoneman,
SEAL. Notary Public, Gila Co, A:
My commission expires. July 29, 1907

Affidavit of Five Hundred Dollars Improvements.

We, H. V. Snell,	and N. A. Nelson,
Hill	g to law, depose and say: That we are acquainted with the mining claim, situate inGlobe
mining district, Gila	County, Arizona Territory, for which
Old Dominion Copper Mining &	Smelting Co.
haYGnade application for survey prior to app	lication for patent under the provisions of the Act of Congress
approved May 10, 1872; and that the labor d	one and improvements made thereon by the applicant and
its grantorS exceed five hundred de	ollars in value, and further that we are not personally interested
in said mine.	H. V. Snell,
	N. A. Nelson,
TERRITORY OF ARIZONA, COUNTY OF Gila, Sw	$\left. \begin{array}{c} ss : \\ \end{array} \right.$
[SEAL.]	of November 1905
SEAL My commission	Robert B. Hegardt, Notary Public, Gila Co.A.T. expires, Jan. 7, 1909

Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior,

Office of U.S. Surveyor General,

Phoenix, Arizona,
Lec. 14 " 1905. , 18 .
I, U. S. Surveyor General for the district of Arizona,
do hereby certify that the foregoing and hereto attached Field Notes and Return of the
Survey of the Mining Claim of Old Dominio Copper Mining & Smetling
Company
, known as the
Globe Southwest Lode and Mill-site.
situate in Globe, mining district,
Gila County, Arizona,
in Section 23 & 24. , Township No. 1 N. , Range No. 15 E.
, designated as Survey No. 2142 A & B.
executed by Geo. S. Andrus, U. S. Deputy Mineral
Surveyor, Aug. 30 to Sept.1, 1905. , 18 , under my instructions dated
Aug. 9, 1905. , 18 , have been critically examined and the
necessary corrections and explanations made, and the said Field Notes and Return, and
the Survey they describe, are hereby approved. Λ true copy of the location
certificate filed by the applicant for survey is included in the field notes.
(Signed) Frank S. Ingalls,
U.S. Surveyor General for Arizona.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,
Dec. 14", 1905
I, U. S. Surveyor-General for the district of Arizona,
do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey
of the mining claim of Old Dominion Copper Mining & Smelting Company,
known as the Globe Southwest Lode & Mill-site,
situate in
Mining District, Gila County,
in Section 23 & 24 , Township No. 1 N. , Range No. 15 E. , and
designated as Survey No.2142 A & B , has been correctly copied from the originals on file in
this office; that said Field Notes furnish such an accurate description of said mining claim as will, if
incorporated into a patent, serve fully to identify the premises, and that such reference is made therein
to natural objects or permanent monuments as will perpetuate and fix the locus thereof.
And I further certify that five hundred dollars' worth of labor has been expended or improve-
ments made upon said mining claim by claimant or <u>its</u> grantors, and that said improvements
consist of lopen cut, 2 tunnels, and one shaft total value,
36385.00
9
×
and that no portion of said labor or improvements has been included in the estimate of expenditures
upon any other claim.
I further certify that the plat thereof, filed in the U.S. Land Office atPhoenix, Arizona
is correct and in conformity with the foregoing Field Notes.
Fine A 1
CHMM & Argalle
United States Surveyor-General for Arizona.

7361b5m3-03

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.
alic. 14" 1905. 190
I, U. S. Surveyor-General forthe district of Arizona,
do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey
of the mining claim of Old Dominion Copper Mining & Smelting Compnay,
known as the Globe Southwest Lode & Mill-site.
situate in
Mining District, Gila County, Arizona,
in Section 23 & 24 , Township No. 1 N. , Range No. 15 E. , and
designated as Survey No. 2142 A & B, has been correctly copied from the originals on file in
this office; that said Field Notes furnish such an accurate description of said mining claim as will, if
incorporated into a patent, serve fully to identify the premises, and that such reference is made therein
to natural objects or permanent monuments as will perpetuate and fix the locus thereof.
And I further certify that five hundred dollars' worth of labor has been expended or improve-
ments made upon said mining claim by claimant. or its grantors, and that said improvements
consist of 1 open cut, 2 tunnels, and one shaft, total value
\$6385.00
and that no portion of said labor or improvements has been included in the estimate of expenditures
upon any other claim.
I further certify that the plat thereof, filed in the U.S. Land Office at Phoenix, Arizona.
is correct and in conformity with the foregoing Field Notes.
(Signed) Frank S. Ingalls,
United States Surveyor-General for Arizona.

Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior,

Office of U.S. Surveyor General,

Phoenix, Arizona,

Luc 14", 1905., 18.
I, U. S. Surveyor General for the district of Arizona,
do hereby certify that the foregoing and hereto attached Field Notes and Return of the
Survey of the Mining Claim of Old Dominion Copper Mining & Smelting Company
, known as the
Globe Southwest Lode and Mill-site,
situate in mining district,
Gila County, Arizona,
in Section 23 & 24 , Township No. 1 N. , Range No. 15 E.
, designated as Survey No. 2142 A & B
executed by Geo. S. Andrus, U. S. Deputy Mineral
Surveyor, Aug. 30 to Sept.1, 1905. , 18 , under my instructions dated
Aug. 9, 1905. , 18 , have been critically examined and the
necessary corrections and explanations made, and the said Field Notes and Return, and
the Survey they describe, are hereby approved. A true copy of the copy of the location
certificate filed by the applicant for survey is included in the field notes.
Maul Achgalle
U.S. Surreyor General for Arizona

Copy by W.S.I.,2/25/07.

FEB 21.1907

(4-683.)

Mineral Survey No. 2142 A & B.

Lot No.	
Arigona Land District.	
FIELD NOTES	
OF THE SURVEY OF THE MINING CLAIM OF	
Old Dominion Copper Mining & Smelting Company	
KNOWN AS THE	
Globe Southwest Lode & Mill Site Globe Mining District.	
Section 23 & 24 Township 1 N Range 15 E Surveyed under instructions dated August 9, 1905.1% February 11, 1	907
by Geo. S. Andrus U. S. Deputy Mineral Surveyor	
Claim located See Notices, . 1	
Survey commenced August 30 1905 . 1	y ²
Survey completed February 16, 1907. 1	
William Herring, Atty in Fact.	
P. O. Address, Tucson, Ariz.	

C.K.all

Mais Culy 200

Early 188

406.9

Survey No. 2142 A&B

Beginning at Corner No. 1, the south east corner, a pine post 4 x 4 ins x 4 ft long set 2 ft in concrete and scribed 1-2142 A, which corner is coincident with the scuth west corner of Lot 40, Globe Ledge Lode, and the northwest corner of the Interloper Lode, unsurveyed, both owned by the Old Dominion Copper Mining & Smelting Co., identical with the original location corner. identical with the original location corner,
Whence, Corner Sections 23, 24, 25 & 26, ElN, R15E, bears
S.8°48'W. 1400.9 ft.

this survey Corner 1 Globe Southwest Mill Site, bears S10°46'W. 1107.6 ft. Discovery Shaft, bears N.49°10'W . 359.5 ft Flue Stack Old Dominion Smelter Bears S.12°01'W. Thence, N.24°15'W. ... Var. 12°08'E.

300.0 East End Center stake, identical with original location monument, A pine post 4 x 4 ins x 4 ft long set 18 ins in the ground and scribed EEC-2142 A.

406.9 Center Old Dominion R. R., course S. 16°45'W.
436.8 East end Concentrator Building 102 x 140 ft.
458.72 Intersect Section Line between Sections 24 & 23, Whence, Corner Sections 23, 24, 25 & 26, bears S.Q°54'W 1804.23 ft.

t Section Corner bears N.0034'E. 827.57 ft.

600.0 Corner No. 2, identical with original location corner and coincident with the North west carner No 2 of Lot 40 Globe Ledge Lode, a pine post 4 x 4 ins x 4 ft long set 2 ft in concrete and scribed 2-2142 A. Whence, North east corner concrete foundation concentrator building bears S. 53°41'E. 35.6 ft.

Thence, S.74°33'W.
Var. 12°24'E.
Center Old Dominion R. R. Course S. 16°45'W. 60.7

Point on north side line, Whence Tunnel, 8 x 8 x 55 ft bears S. 5°24'E. 189.7 ft, 300.0 course S.26°E.

Point on north side line, No.
Whence, Corner No. 1 & 4 Survey, 1719 B, True Blue and
Carrie Mill Sites, United Globe Mines Co., Owners, bears
N.16°W. 1.6 ft 427.9

906.0 Center Old Dominion R. R. course S.11°E.

Point on side line, Whence, Corner No. 3, Survey No 1719 B. Carrie Mill Site bears N.16°W. 2.4.ft 916.5

bears N.16°W. 2.4 ft

1254.0 Gila Valley Globe & Northern R. R., course S. 12°30'E.

1314.37 Intersect east line Lot 3, Maurel Homestead Entry,
Whence, the south east corner of the N. W. † of the
S. E. † of Section 23, and designated as "Lot numbered 3"
in said entry, bears South, 263.19 ft.

1400.0 Center County Road, course S.17°E.

1457.0 East bank Pinal Creek 40 ft wide, Course, N.23°W.

1500.0 Corner No. 3, identical with original location corner
a Trachyte post 12 x 15 ins x 2 ft long set in concrete
block 3 x 3 x 5 ft set 3 ft in the ground on the west
bank of Pinal Creek, chiseled 3-2142 A.

bank of Pinal Creek, chiseled 3-2142 A, Whence, Witness Corner, a pine post 4 x 6 ins x 5 ft long set in conglomerate bluff bears \$.74°33'W. 9.0 ft. Witness corner is scribed WC-3-3142A.

Thence, S.24°15'E. Var. 12°30'E.

140.0 Pinal Creek, 40 ft wide, Course N.4°W.
234.43 Intersect South line Naurel Homestead, Lot NO. 3.
Whence, South east Corner N.W. of the S.E. of Section

25, bears East, 82.64 ft.

300.0 West End Center stake, identical with original location stake, a stone post 9 x 12 ins x 2 ft long set in concrete in the bed of Pinal Creek, chiseled WEC-2142 A.

425.0 County Road, course S.7°15'E.

```
Corner No. 4, a stone post 5 x 8 ins x 3 ft long set in concrete in the bed of Pinal Creek, and chiseled
 600.0
             4-2142 A, Whence, Blazed Cottonwood tree, scribed BT-4-2142 A
              bears N.62°58'E. 90.4 ft
              Flue Stack Old Dominion Smelter, bears S.51°15'E.
                                       Thence, N.74°33'E. Var 12°28'E.
             Gila Valley, Globe & Northern R. R. course S.12°30'E.
Old Dominion R. R. course S.36°E.
Old Dominion R. R. course South.
Point on south cids line
 151.7
 221.0
1063.0. Point on south side line,
Whence, Tunnel over 500 ft long with course N.77°07'E.
bears N.89°15'.W. 184.4 ft.
              South west corner Barn bears N.28°53'E. 170.9 ft South east corner Barn bears N.41°32'E. 234.6 ft .
1070.0 Old Dominion R. R. course S. 5°E.
1087.7 Old Dominion R. R. Course S. 17°30'E.
1299.69 Intersect Section Line between Sections 23 & 24,
Whence, Councer Sections 23, 24, 25 & 26, bears S.0°34'W.
1332.6 ft
              4 Section Corner north bears N.0034 E. 1299.2 ft .
             Old Dominion R. R. course, S.25°E.
Old Dominion R. R. course S.49°E.
Old Dominion R. R. course S. 29°E.
Old Dominion R. R. course S. 40°E.
1328.5
1346.0
1478.6
1485.0
             Corner No. 1, and place of beginning.
Containing 20.418 Acres.

NOTE: - The 500 ft Tunnel mentioned is caved at the end
1500.0
              so could not measure full length; it is supposed to con-
              nect with Interloper Shaft.
              nect with Interloper Shaft. Ledge.
The presumed course of ledge is N.74°33'E 1500 ftfrom W.
                                      GLOBE SOUTHWEST MILL SITE
                                            SURVEY NO. 2142 B.
              Beginning at Corner No. 1,
A pine post 4 x 4 ins x 4 ft long set 2 ft in concrete
              and identical with original location corner, scribed
              1-2142 B
              Whence Section Corner 23,24,25 & 36, TlN. R15E. bears
              South 297.5 ft. this survey .
Corner No. 1, Globe South West Lode, bears W.10°46'E.
              1107.6 ft.
                                        Thence, South, Var 12°25'E.
 .297.5 Corner No. 2, identical with original location corner
              and coincident with Section Corner 23, 24, 35 & 26, a pine post, 4 x 4 ins x 4 ft long set on top of bed of concrete in which isplaced an iron bolt 1 inch dia;—Whence, Flue Stack Old Dominion Smelter bears N.56°49'W. 90.5 ft; corner is scribed 2-2142 B.
                                         Thence, East, Var, 12°30'E.
  168.3 Corner No. 3, identical with original location corner, a pine post 4 x 4 ins x 4 ft long set 2 ft in the ground
              and scribed 3-2142 B.
... Whence old Dominion Flue Stack bears N. 78°32'W. 249.0 ft.

o.2 Intruct sic. Line at N. 89°51'E. 168.2 ft from Cr. 2100. 23, 24, 20 and 216.

341.8 Corner No. 1 and place of beginning;

Containing 0.575 Across
                       Containing 0.575 Acres.
              Total Area Globe Southwest Lode,
                                                                          20.418
                                                                                               ....Acfes.
               Less area in conflict with Lot
               3 Maurel Homestead .
              Net area Globe Southwest Lode,
                                                                                    1.9 675 - "
              Total area Globe Southwest Mill-site
                                                                                   0.575
```

Total and Net area Lode & Mill-site 20.250

SURVEY NO. 2142 A. & B.

LOCATION.

This claim is located about one mile north of the Town of Globe, Gila County, Territory of Arizona, part of the Lode being in the S. E. 4 of Section 23 and part in the S. W. 4 of Section 24; the Mill Site is in the S.W. 4 of Section 24, and all being in T.lN, R.15E Gila & Salt River B. & M. in Globe Mining District.

I am informed by disinterested persons that the original point of discovery was at the east end of the claim and that a shaft 50 ft in depth was sunk on the vein at that point; this shaft is now filled up and under the dump of the Interloper shaft.

IMPROVEMENTS.

No.1

From Corner 1,

Discovery Shaft 6 x 4 x 11 ft in rock, brs.

N.49°10'W. 359.3 ft

From a point on north side line 300 ft from Cor 2, Tunnel, 8 x 8 x 55 ft, bears S.5°24'E. 189.7 ft

No.3.

From a point on south side line 1063 ft from Cor 4

Tunnel 5 x 8 x 500 in rock bears N.89°15'W.

184.4 ft.

I certify that the value and labor of the mining improvements placed upon this claim by the claimant and its Grantors is not less than Five Hundred Dollars and that said improvements consist of the following:

Tunnel in rock 8x8x55 ft, 330.00 l Tunnel in rock 5x8x500 ft 6000.00

l Shaft in rock 4x6x11 ft

55.00 \$6385.00

(本)

INSTRUMENTS.

This survey was made with a Gurley Light Mountain Transit with Solar Attachment and all courses were laid off from the true Meridian as detormined by solar observation; all distances were measured with 100 & 300 ft steel tapes.

Note This Survey was made under an order of the Surveyor G hGeneral for Arizona dated August 9, 1905; owing to an error being discovered in the connection to the Section Corner after the approval of the same, but before posting or publishing, an Amended Order was issued under date of February 11, 1907, and the Survey completed and corrected in accordance therewith, on the 16th day of February 1907.

Dated at Globe, Arizona, Feb. 16, 1907.

ADJOINING CLAIMS.

Albiermany Theirm.

NORTH: -

Lot No. 3, Maurel Homestead.

EAST:-

Globe Ledge lode, Lot No. 40, Interloper unsurveyed.

SOUTH:Hidden Globe lode, unsurveyed.

WEST:-

Lot No. 3 Maurel Homestead, all owned by Old Dominion Mining & Smelting Company.

1)

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals e	imployed by
United States Deputy Mineral Surveyor, to	o assist in running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field 1	notes of the survey of the mining claim of
Old Dominion Copp	er Mining & Smelting Company
known as the Globe Southwes	t Lode & Mill Site
and showing the respective capacities in wh	ich they acted.
	Thomas N. Donaldson , Chainman.
	, Chainman.
	, Axman.
	, Flagman.
FINAL OA	THS OF ASSISTANTS.
We, I, Thomas N. Donaldson	n
and	I, do solemnly swear that w@assisted
Geo. S. Andrus , United Sta	tes Deputy Mineral Surveyor, in marking the corners and surveying
	Dominion Copper Mining & Smelting Company
known as the Globe Southwest L	ode & Mill Site
	wing been surveyed by said deputy mineral surveyor and under his
	all respects, to the best of our knowledge and belief, faithfully and
	dary monuments established according to law and the instructions
	Figure and the second of the second second second
furnished by the United States Surveyor-Ger	neral for Arizona. Thomas Moderalde of Chainman.
furnished by the United States Surveyor-Ger	neral for Arizona. Thomas Most or alole of Chainman. Chainman.
furnished by the United States Surveyor-Ge	Thomas AD on alole of Chainman.
furnished by the United States Surveyor-Ge	Thomas MD on alole of Chainman. , Chainman.
	Thomas Monalole of Chainman. , Chainman. , Axman. Flagman.
Subscribed and swo	Thom as Moralow Chainman. , Chainman. , Axman. , Flagman. rn to by the above-named persons before me this.
	Thomas Monalole of Chainman. , Chainman. , Axman. Flagman.
	Thom as Moralow Chainman. , Chainman. , Axman. , Flagman. rn to by the above-named persons before me this.
Subscribed and swo	Thom as M Sonalde of Chainman. Chainman. Axman. Flagman. The by the above-named persons before me this.

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, Ceo. S. Andrus,	, U. S. Deputy Mineral
	nce of instructions received from the United
States Surveyor General for <u>Arizona</u> Amended Order dated Feb. 11 August 9, 1905, and an . Il	, 1907, have, in strict conformity to the laws of the
	nstructions thereunder, and the instructions
of said Surveyor General, faithfully and co	orrectly executed the survey of the Mining
Claim of Old Dominion Copper Mini	ng & Smelting Company
	, known as the
Globe Southwest Lode & Mill	
	Mining District,
Gila C	
23 & 24 , Township No. 1 N , Ran	
	B, as represented
in the foregoing field notes, which accuratel	
as distinctly marked by monuments on the	ground, and described in the attached copy
of the location certificate, which was recei-	
said instructions, and that all the corners of	
petuated in strict accordance with the law, official regulations and instructions there-	
under; and I do further solemnly swear that the foregoing are the true and original	
field notes of said survey and my report therein, and that the labor expended and	
improvements made upon said mining clain	n by claimant or <u>its</u> grantors
are as therein fully stated, and that the ch	naracter, extent, location and itemized value
thereof are specified therein with particula	rity and full detail, and that no portion of
said labor or improvements so credited to the	his claim has been included in the estimate
of expenditures upon any other claim.	
	00 0 0
	Leasterday.
	U. S. Deputy Mineral Surveyor.
Subscribed and sworn to by the said	Geo. S. Andrus
U.S. Deputy Mineral Surveyor, bel	fore me G. F. Dodge
Notary Public,	this 18th
day of February, 1907.	
My commission expires a	January 13th, 1910.
	9. F. Dodge
	Notary Public in and for the
o 8—154	County of Gila, Territory of
e 11	Arizona.

Affidavit of Five Hundred Dollars Improvements.

We, H. V. Snell	, and N. A. Nelson
of lawful age, being first dul	ly sworn according to law, depose and say: That we are
acquainted with the Globe	Southwest Lode & Mill Site mining claim,
situate in Globe	
Arizona Territory, for which	Old Dominion Copper Mining & Smelting Company
ha⊻≘ made application for su	rvey prior to application for patent under the provisions
of the act of Congress, approx	ved May 10, 1872; and that the labor done and improve-
ments made thereon by the a	pplicant_and_its_grantor_sexceed Five Hundred
Dollars in value, and furthe	r that we are not personally interested in said mine.
	H.V. Snell
	7 G. Velovy
TERRITORY OF ARIZE	
×	Sworn to and subscribed before me, this18th
% <u> </u>	day of February, 1907. kg@
ूर्व किकककर्त्र इस्किकककर्त्र	My commission expires January 13th, 1910.
14396b400-8-04	
	Notary Public, in and for Gila County, Territory of

AMENDED LOCATION NOTICE.

NOTICE IS HEREBY GIVEN That the undersigned, the OLD DOMINION COPPER MINENG AND SMELTING COMPANY, a corporation, which on the 2nd day of April, 1903, located a mill-site in connection with and appurtenant to the Globe Southwest lode mining claim (which mining claim is also and commonly known as the Southwest Globe) owned by the undersigned, the Location Notice of which mill-site is of record in the office of the Recorder of Gila County in Book 8, Records of Hines, at page 30, has on this 28th day of July, 1905, made an amended location of said mill-site, by virtue of which and of said original location it claims the following described land and promises as a mill-site in connection with and appurtenant to said Globe Southwest lode mining claim, owned by the undersigned, and situate in Globe Mining District, County of Gila ATerritory of Arizona, the Location Notice of said mining claim being of record in the office of the Recorder of said County in Book 2, Records of Mines, at page 170; said mill-site is not contiguous to the above named lode, and is located on non-mineral land in said County and Torritory, and is bounded and described as follows, to-wit:-

Beginning at the monument of stones in which this notice is posted, being the Southwest corner of crid mill-site, which corner is co-incident with the section corner of Sections 83, 24, 25 and 26 in Township I. North, Range 15 East, Gila and Salt River Meridian; thence North two hundred minety-seven and five-tenths (297.5) feet to a monument of stones, being the Northwest corner of said mill-site; thence South 29° 30' East three hundred forty-one and eight-tenths (341.8) feet to a monument of stones, being the Southeast corner of said mill-site; thence West one hundred sixty-eight and three-tenths (168.3) feet to a monument of stones, the place of beginning. The two hundred foot flue stack of the Old Dominion Copper Mining and Smelting Company's smelter is distant about ninety (90) feet in a North Westerly direction from the initial monument above referred to.

This mill-site shall be known as the Globe Southwest Mill-site. Dated 28th day of July, A. D. 1905.

8

Location Notice.

Notice is hereby given to all whom it may concern that the undersigned has this day located and claimed fifteen hundred linear feet of this lode or vein with surface ground 600 feet in width, Situated in Globe Mining District, Gila County Arizona and shall be known as the Globe Southwest, being the first south west extension on the Globe claim and bounded as follows to wit: Commencin Commencing at a monument of stones at the southwest center of the end of the Globe claim and running Southerly three hundred feet to a monument of stones; thence Southwesterly fifteen hundred feet to a monument of stones. Thence six hundred feet northerly to a monument of stones. Thence fifteen hundred feet northeasterly to a monument thence three hundred feet Southerly to the initial monument and the place of beginning. This claim is situate between the Old Dominion and the Buffalo Smelting works and shall be known Located Aug. 13, 1883. as the GLOBE SOUTH WEST. Geo. A. Allen.

W. A. Holmes, Witness.

Recorded at request of Geo. A. Allen Aug. 13, 1883, at 5 P M. P. B. Miller Co. Recorder by R. L. Long, Dep.

Territory of Arizona, Ss.

I, W. D. FISK, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of Location Notice of the GLOBE SOUTH WEST Mining Claim, situated in Globe Mining District, Gila County, Arizona Territory, as the same appears of record in my office in Book 2, of Records of Mines at page 170-1; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

Given under my hand and seal of office this 18th day of May A. D. 190.5.

County Recorder, Gila County, A. 7

Old Dominion Copper Mining and Smelting Company, Locator.

By its Agent,

Louis D. Ricketts

WITNESS:

R. B. Hegardt A. McAlpine

Filed and recorded at the request of Herring & Sorin on the 2nd day of August, A. D. 1905, at 9 o'clock A. M.

W. D. Fisk, County Recorder, By G. F. Dodge, Deputy.

Territory of Arizona, ss

I, W. D. FISK, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy

of Amended Location Notice of Globe Southwest Kill-site

as the same appears of record in my office in Book 8, Record of Minos at page 262 ; that I have compared the same with the original record, and that the same is a true transcript and of the whole thereof.

Given under my hand and seal of office this.....
A. D. 190.5

W. D. Jesh

County Recorder, Gila County, A. T.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,	
April 1, 19	0.7
I, U. S. Surveyor-General forDistrict_of_Arizona	
do hereby certify that the foregoing transcript of the Field Notes, return and approval of the su	ırvey
of the mining claim of Old Dominion Copper Mining & Smelting Company	
known as the Globe Southwest Lode & Mill Site	
situate in Globe	
Mining District, Gila County, Arizona	
in Section 23 & 24, Township No. 1 II., Range No. 15 E.	, and
designated as Survey No. 2142 A & B., has been correctly copied from the originals on f	ile in
this office; that said Field Notes furnish such an accurate description of said mining claim as w	ill, if
incorporated into a patent, serve fully to identify the premises, and that such reference is made th	erein
to natural objects or permanent monuments as will perpetuate and fix the locus thereof.	
And I further certify that five hundred dollars' worth of labor has been expended or imp	rove-
ments made upon said mining claim by claimant or 1ts grantors, and that said improver	nents
consist of 1 shaft and 2 tunnels, valued at \$6385.00.00	
Class class count	
· · · · · · · · · · · · · · · · · · ·	
and that no portion of said labor or improvements has been included in the estimate of expendi	tures
upon any other claim.	
I further certify that the plat thereof, filed in the U.S. Land Office at Phoenix, Aris	<u>z ona</u>
is correct and in conformity with the foregoing Field Notes.	
Frank S. Ingalls,	
Transaction Amigons	

7361b5m3-03

SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

J	Phoenix, Arizona,
	April 1 , 190.7
I, U. S. Surveyor-General for District of An	rizona
do hereby certify that the foregoing and hereto attached I	Field Notes and Return of the Survey of the
Mining Claim of Old Dominion Copper Mining	ng & Smelting Company
Globe Southwest Lode & Mill Site	
situate in Globe	Mining District,
CilaCounty,	Arizona
in Section 23 & 24 , Township No. 1 N.	, Range No. 15 E.
designated as Survey No. 2142	A & B
executed by Geo. S. Andrus	, U. S. Deputy Mineral
Surveyor, August 30, 1905 & Feb. 16, August 9, 1905 and	
	n critically examined and the necessary cor-
rections and explanations made, and the said Field Notes	and Return, and the Survey they describe,
are hereby approved. A true copy of the copy of the loc	cation certificate filed by the applicant for
survey is included in the field notes.	Angalla .
U. S. Su	rveyor-General for Arizona.

12779b5m4-04

Description of the conflict with the $SW^{\frac{1}{4}}$ of the $SE^{\frac{1}{4}}$ of Sec. 23, T. 1 N., R. 15 E.

Beginning at the N. E. Cor. of the SW\(\frac{1}{4}\) Sec. 23, T. 1 N., R. 15 E., thence west 82.64 ft. along the north boundary of said legal subdivision to its intersection with line 3-4 of the Globe Southwest lode claim, Sur. No. 3142 A, thence S. 24° 15' E. along said line 3-4, being the northeast boundary of Lot 7, Sec. 23, T. 1 N., R. 15 E., as shown on Supplemental plat of said section and township, approved May 29, 1906, to an intersection with the east boundary of the SW\(\frac{1}{4}\) of the SE\(\frac{1}{4}\), thence in a northern direction, along the east boundary of said SW\(\frac{1}{4}\) of the SE\(\frac{1}{4}\), to the place of beginning, containing 0.174 acres.

Description of the conflict with the SE_{4}^{1} of the SE_{4}^{1} , Sec. 23, T. 1 N., R. 15 F.

Beginning at the N. W. Cor. of the SF1 SF 1 Sec. 23, T. 1 N., R. 15 F., thence in an eastern direction, along the north boundary of said SE1 SF1 to its intersection with line 1-4 of the Globe Southwest lode, Sur. No. 2142 A, thence S. 74° 33' W. along said line 1-4 and the north boundary of Lot 6, Sec. 23, T. 1 N., R. 15 E., as shown on supplemental plat of said section approved May 29, 1906, to Cor. No. 4 of said Globe Southwest lode, thence N. 24° 15' W. along line 3-4 of said lode claim, following the north boundary of said lot, to an intersection with the west boundary of the SE1 SE1 and Lot 6 of said Sec. 23, thence in a northern direction along the west boundary of said SE1 SF1, to the place of beginning, containing 4.958 acres.

Description of the conflict with Lot 5, Sec. 23, T. 1 N., R. 15 E., as shown on Supplemental plat approved June 11, 1983.

Beginning at Cor. No. 2 Globe Southwest lode, sur. No. 2143 A, thence S. 24° 15' E. 141.18 ft. to an inter-

SUPPLEMENTAL SHEET.

Description of conflict between Globe Southwest Millsite and SE SE SE Sec. 23, T. 1 N., R. 15 E.

Beginning at Cor. No. 1 of the Globe Southwest
Millsite, Sur. No. 2142 E, thence along line 1-2 said
millsite, south 297.5 ft. to Cor. No. 2 thereof, being
also the corner to Secs. 23, 24, 25 and 26, T. 1 N., R.
15 E., thence along the line between said sections 23
and 24, N. 0° 34' E. 292.3 ft. to its intersection with
line 3-1 said millsite, thence along line 3-1 said millsite, N. 29° 30' W. 5.9 ft. to the place of beginning,
containing .010 acres and being that portion of said
Globe Southwest Millsite in conflict with the SE¹/₂ SE¹/₂
Sec. 23, T. 1 N., R. 15 E.

est en en est est en en en en en en en en en

Description of conflict between Globe Southwest Millsite and Lot 2, Sec. 25, T. 1 N., R. 15 F.

Beginning at Cor. No. 2 of the Globe Southwest
Millsite, being also the Cor. to Secs. 23, 24, 25 and 26,
T. 1 N., R. 15 E., thence along the line between said
Secs. 24 and 25, N. 89° 51' E. 168.2 ft. to its intersection with line 5-4 said Clobe Southwest Millsite,
thence along line 1-3 of the Globe Scuthwest Millsite,
S. 29° 30' E. .2 ft. to Cor. No. 5 thereof, thence
along line 3-2 said millsite West 168.3 ft. to the
place of beginning, containing .001 acres and being
that portion of said Clobe Southwest Millsite in conflict with Lot 2, Sec. 25, T. 1 N, R. 15 E.

经环转货贷价的公司的证据

I certify that the above correctly describes the conflict between the Globe Southwest Millsite and the SE\frac{1}{3} Sec. 23, also between said millsite and Lot 2, Sec. 25, T. 1 N., R. 15 E., and that the plats of survey on file in the General Land Office, the Phoenix Land Office and this office have been amended in blue ink to show said conflicts, pursuant to G. L. O. letter "N" dated February 29, 1912.

Phoenix, Arizona, March 9, 1912. U.S. Surveyor General for Arizona.

R. 15 F., thence S. 0° 34' W. 471.63 ft. to the intersection of said section line with line 1-4 of the Globe Southwest lode, thence S. 74° 33' W. along said line 1-4 and the north boundary of Lot 6 said section, as shown on Supplemental plat approved May 29, 1906, to an intersection with the south boundary of said Lot 5, being the south boundary of the NE¹/₄ of the SE¹/₄ said Sec. 23, thence in a western direction along the south boundary of said Lot 5 to its south west corner, thence North 263.19 ft., along the west boundary of said Lot 5, to its intersection with line 2-3 of the Globe Southwest lode, thence N. 74° 33' F., along said line 3-2 Globe Southwest lode, 1314.37 ft. to the place of beginning, containing 12.758 acres.

especial esp

I hereby certify that the foregoing statements correctly describe the conflicts between the Globe Southwest lode, Survey No. 2142 A, and the SW_4^1 of the SE_4^1 , the SE_4^1 of the SE_4^1 , and Lot 5 of Sec. 23, T. 1 N., R. 15 E., and that said conflicts have been correctly shown upon the plats of survey in green ink.

U. S. Surveyor General for Arizona.

Phoenix, Arizona, April 14, 1911.

