

**M
S
-**

**0
2
1
5
3**

G. H. S.
Upper Gold
(4-683.)

Mineral Survey No. 2153

Lot No.

file Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Theodore H. Foucar, Trustee.

KNOWN AS THE

Marsay

Tyndall Mining District,

Santa Cruz County, Arizona.

Section 12, Township 21 S., Range 14 E. (*Surveyed*)

Surveyed under instructions dated August 16, 1905, 1

by James C. Dobbins
U. S. Deputy Mineral Surveyor.

Claim located July 26, 1899, 1

Survey commenced Aug. 20, 1905, 1

Survey completed Aug. 21, 1905, 1

o 6-160

Address of Attorney for Claimant,

*Pine
Ledge
Xist
Areas*

J. M. Jamison,
Phoenix,
Arizona.

Survey No. 2153.

Feet. Warsaw Lode.

Beginning at Cor. No. 1, the N. W. Cor. of the location
A rock in place 3 X 4 ft., 3 ft. above ground, chiseled
with a cross (+) and 1-2153, whence

An oak 24 ins. in diam. hrs. S. 89° E. 16 ft. dist.

An oak 18 ins. in diam hrs. S. 23° E. 86 ft. dist.
each blazed and scribed 1-2153 B.T.

The 1/4 Sec. Cor. bet. secs. 11 and 12, T. 21 S., R. 14
E., C. 1 S. A. B. & M. hrs. N. $85^{\circ} 33' 30''$ W. 1496 ft.
dist.

Thence I ran S. $38^{\circ} 42'$ E.

940 To Cor. No. 2, identical with location for N. side
center, an oak stump $\frac{3}{4}$ ft. high, squared to 6 ins.
scribed 2-2153 and surrounded by a mound of stone.
No bearings available.

Thence S. $74^{\circ} 42'$ E.

546 To Cor. No. 3, a cross (+) and 3-2153 chiseled on a
rock in place 3 ft. by 3 ft. on E. side of cliff and
raised a mound of stone alongside, whence
An oak 6 ins. in diam. hrs. South 28 ft. dist. end
An oak 14 ins. in diam. hrs. S. 53° W. 46 ft. dist.
each blazed and scribed 3-2153 B.T.

The original location of N. E. Cor. hrs. S. 82° E.
12 ft. dist.

Thence S. $2^{\circ} 20'$ W.

195 To East end center, set an igneous rock 6 X 10 X 24 ins.
12 ins. in the ground, chiseled E.C.E. 2153 with mound
of stone alongside, whence
An oak 16 ins. in diam. hrs. S. $62^{\circ} 30'$ W. 14 ft. dist.

- end an oak 12 ins. in diam. hrs. N. 43° E. 13 ft. dist.
each blazed and scribed E.C.E. 2153 B.T.
- 229 Original location of E.C.E.
- 269 Intersect line 1-2 Mineral No. 2 lode, Survey No. 2137
at a point 323 ft. S. $87^{\circ} 19'$ E. from Cor. No. 2.
- 430 To Cor. No. 4, a granite stone 8 X 12 X 26 ins., set
12 ins. in the ground, chiseled 4-2153 and raised a
mound of stone alongside. Whence
An oak 16 ins. in diam. hrs. N. $59^{\circ} 11'$ 42 ft. dist. end
An oak 14 ins. diam hrs. N. $26^{\circ} 45' W.$ 68 ft. dist.
each blazed and scribed 4-2153 B.T.
- Original location for S. E. Cor. hrs. S. $87^{\circ} 30'$ E. 26
ft. dist.
- Whence S. $89^{\circ} 53' W.$
- 329.5 Intersect line 2-3 Mineral No. 2 lode Survey No. 2137
at a point S. $2^{\circ} 41' W.$ 197 ft. from Cor. No. 2 and
line 3-4 Mineral No. 1 lode Survey No. 2137 at a point
S. $2^{\circ} 41' W.$ 322 ft. from Cor. No. 4.
- 712 To Cor. No. 5, identical with location for S. side
center. The best tree of a double oak cut off 6 ft.
above ground, blazed and scribed 5-2153 and surrounded
by a mound of stone.
- No other bearings available.
- Whence N. $83^{\circ} 14' W.$
- 763 To Cor. No. 6, a porphyry stone 6 X 10 X 24 ins., set
12 ins. in the ground, chiseled 6-2153 and raised a
mound of stone alongside. Whence
An oak 12 ins. in diam. hrs. S. $65^{\circ} 20' W.$ 15 ft. dist.
And an oak 10 ins. in diam. hrs. N. $64^{\circ} 40' W.$ 31 ft. dist.
each blazed and scribed 6-2153 B.T.

The place where original location corner for S. W. Cor. stood hrs. S. $87^{\circ} 35'$ W. 16 ft. The monument was destroyed.

Thence N. $2^{\circ} 20'$ E.

227 To E.C.W., identical with West end center of location of post in a mound of stone. Set a porphyry rock 8 X 10 X 24 ins. chiseled E.C.W. 2137.

286.5 Intersect line 1-4 Mineral No. 1 lode survey No. 2137 at a point E. $87^{\circ} 19'$ W. 1145 ft. from Cor. No. 14

27 To Cor. No. 1 the place of beginning.
Containing an area of 18.680 acres.

NOTE. The areas in conflict with

Mineral No. 2 ^{Lode} survey No. 2137, 1.542 acres

Mineral No. 1 ^{Lode} survey No. 2137, 8.391 acres;

are not excluded from this claim.

The apparent course of vein on this claim is from E. C. W. S. $87^{\circ} 39'$ E. 1472 ft.

Variation at all corners $12^{\circ} 30'$ E.

LOCATION.

This claim is located in the S. 1/2 of Sec. 12, T. 21 S., R. 14 E., Gila & Salt River Base & Meridian.

~~Adjoining Claims
South - Mineral No. 1 and Mineral No. 2 Sur. No. 2137.
West, North and East, U.S. Public Land.~~

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements upon this claim, placed thereon by the claimant and his executors is not less than five hundred dollars, and that said improvements consist of:

No. 1. The discovery shaft 3 X 6 X 30 ft. on the center line
S. $87^{\circ} 39'$ E. 909 ft. from the E. C. W.

	Value	\$1200.00
--	-------	-----------

OTHER IMPROVEMENTS.

A tunnel, the mouth of which hrs. from Cor. No. 6
N. $60^{\circ} 50'$ E. 39 ft.

A shaft 3 X 6 X 20 ft connecting with tunnel, hrs.
from Cor. No. 6 S. $76^{\circ} 40'$ E. 48 ft.

Claims unknown.

INSTRUMENT.

This survey was made with a Gurley Complete Engineers
Transit. The courses were deflected from a true
meridian as determined by an observation on Polaris.
The distances were measured with a 100 ft. steel tape.

NOTE: The discrepancies between the original location
and this survey are due to errors in the location
notice.

James C. Robbins.
U. S. Deputy Min. Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by James C. Dobbins

United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and boundaries described in the foregoing field notes of the survey of the mining claim of

Theodore M. Foucar, Trustee

known as the Marsaw Lode

and showing the respective capacities in which they acted.

Mark Lelley, Chainman.

Francisco Albares, Chainman.

, Axman.

, Flagman.

FINAL OATHS OF ASSISTANTS.

We, Mark Lelley

and Francisco Albares, do solemnly swear that we assisted James

C. Dobbins, United States Deputy Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of Theodore M. Foucar, Trustee

known as the Marsaw

represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his

direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and

correctly executed, and the corner and boundary monuments established according to law and the instructions

furnished by the United States Surveyor-General for

Arizona.

Mark Lelley, Chainman.

Francisco Albares, Chainman.

, Axman.

, Flagman.

Subscribed and sworn to by the above-named persons before me this

26th

day of August, 190⁸

Alessio

Notary Public

My commission exp'd
June 7, 1908

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, James C. Robbins, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated August 16 - 1905, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Theodore M. Foscar, Trustee, known as the Marcays, situate in Tyndall Mining District, Santa Cruz County, Arizona, in Section 12, Township No. 21 S., Range No. 14 E. S.R.B.W. and designated as Survey No. 2153, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

James C. Robbins
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said James C. Robbins

U. S. Deputy Mineral Surveyor, Before me J. H. Langston, Notary Public
in and for Maricopa County, Arizona this 2nd day of October 1905, my commission expires
Jan 22nd 1908

J. H. Langston
Notary Public

Affidavit of Five Hundred Dollars Improvements.

We, A. Abbover and H. E Stevens

of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the
Marrow mining claim, situate in Tyndall
mining district, Santa Cruz County, Arizona Territory, for which Theodore M.
Foucar, Trustee

have made application for survey prior to application for patent under the provisions of the Act of Congress
approved May 10, 1872; and that the labor done and improvements made thereon by the applicant... and
this grantor... exceed five hundred dollars in value, and further that we are not personally interested
in said mine.

Abbover

H E Stevens

TERRITORY OF ARIZONA,
COUNTY OF Santa Cruz } ss:

Sworn to and subscribed before me this 31st day

[SEAL.]

of August, 1905

M. Masteller

Notary Public

My Commission expires
May 12, 1908

NOTICE OF MINING LOCATION

Quartz Claim

TO ALL WHOM IT MAY CONCERN;)

This mining claim, the name of which is the WARSAW mining claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Louis Lulley, the undersigned, on the 26th day of July, 1899.

The length of this claim is 1300 feet, and I claim 750 ft. in a easterly direction, and 750 feet in a westerly direction from the center of the discovery shaft, at which this notice is placed, longitudinal of the claim, to gether with 300 ft. in width of the surface grounds on each side of the center of said claim. The general course of the lead deposit and premises is from the Easterly to the Westerly.

The claim is situated and located in the Tumall Mining District, in the County of Santa Cruz, and Territory of Arizona, about 25 miles in a easterly direction from Nogales, and 3 miles from the old Hacienda del Santa Rita, and half a mile from the old Gold dredge mine, and about 1000 feet from the Lulley Spring.

The surface boundaries of the claim are marked upon the ground as follows; Beginning at a monument of stones, where this notice is posted, at a point in a easterly direction 750 ft. from the discovery shaft, being in the center of the easterly end line of said claim; thence north 300 ft. to a stone monument, being the N. E. Cor. of said claim; thence W. 750 ft. to a monument of stones, at the center of the north side line of said claim; thence 750 ft. to a stone monument being at the N. W. Cor. of said claim; thence S. 300 ft. to a stone monument at the center of the west end of said claim; thence S. 300 ft. to a stone monument at

beginning at the S. W. Cor. of said claim; thence E. 100 ft. to a stone monument being at the center of the south side line of said claim; thence 700 ft. to a stone monument at the S. E. Cor. of said claim; thence 300 ft. to the place of beginning.

All done under the provisions of Chapter Six of Title XXXIII of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines", approved March 20th, 1895.

Dated and posted on the ground this 20th day of July, 1895.

Louis Lulley.

Locator.


Filed and recorded at request of Louis Lulley, Aug.
20th, 1895 at 2:30 P. M.

W. N. Cummings, Recorder.

To Sheriff, Arizona,)
County of Santa Cruz) ss.
I,

I, Phil Herold County Recorder in and for the County and Territory aforesaid, do hereby certify that the foregoing is a full true and correct copy of location notice of the WARSAW mining claim, situated in the Tyndall Mining District, located by Louis Lulley, as the same appears on record in my office in Book I of Mineral Locations at pages 179 and 180.

In witness whereof, I have hereunto set my hand and affixed my official seal this 31st day of July, A. D. 1905.


Phil Herold
County Recorder.

4-688.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona

Oct. 21, 1905., 190

I, U. S. Surveyor-General for Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of Thaddeus M. Foucar, Trustee

known as the ~~Wiseau~~

situate in Tyndall

Mining District, Santa Fe County, Arizona

in Section 12, Township No. 21 S., Range No. 14 E., and

designated as Survey No. 2553, has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the *locus* thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or his grantors, and that said improvements consist of 1 shaft, Total value \$1200.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat hereto filed in the U. S. Land Office at Phoenix, Arizona is correct and in conformity with the foregoing Field Notes.

(Signed) Frank S. Ingalls,

United States Surveyor-General for Arizona.

4-687.

**SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD
NOTES AND SURVEY OF MINING CLAIM.**

Department of the Interior,

Office of U. S. Surveyor-General,

Phoenix, Arizona

Oct. 31, 1905., 190...

I, U. S. Surveyor-General for *Arizona*,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of *Theodore M. Foucar, Trustee*

, known as the

Warsaw

situate in *Tyndall* Mining District,

Santa Cruz County, *Arizona*

in Section *12*, Township No. *21 S.*, Range No. *14 E.*,
designated as Survey No. *2153.*

executed by *James C. Robbins*, U. S. Deputy Mineral
Surveyor, *Aug. 20th & Aug. 21st*, *1905*, under my instructions dated


Aug. 16, *1905*, have been critically examined and the necessary cor-
rections and explanations made, and the said Field Notes and Return, and the Survey they describe,
are hereby approved. A true copy of the copy of the location certificate filed by the applicant.. for
survey is included in the field notes.

Frank A. Liggett

U. S. Surveyor-General for Arizona.

U.S. Geological Survey
G. C. Abbott, Director

MINERAL NO. 2. SURVEY NO. 2137.



SURVEY NO 2132

