(4-683.)

## Mineral Survey No. 2/59

Lot No.

### FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF Mining District, whose county, Chisona Section Township 22 //, Range 17 W Surveyed under instructions dated Left / . 1905 Thilifo Confe Claim located..... Survey commenced Sels Survey completed.

feet

Beginning at Cor. No. 1

Identical with the location which is a mound of stones 2-1/2 ft. base 2 ft. high, a quartzite rock  $24 \times 10 \times 7$  ins. set 12 ins. in the ground with a mound of stone alongside, whence

1/4 Sec. cor. bet. secs. 7 and 12 T. 22 N., Rs. 17 and 18 W, bears N. 79° deg. 10' W. 3302 ft.

A cross (X) and B.R.1-2159 chisled on a quartzite boulder  $4 \times 3 \times 2$  ft. above the general surface, bears S. 31-1/2° teg. E. 16.1 ft.

A cross (x) and B.R. 1-2159 chisled on a quartzite boulder  $4 \times 3 \times 2$  ft. above the general surface, bears N. 48-3/4 W. 47.1 ft.

Thence S. 49° 3' E.

Va. 15° 15'E.

820 Galch, course S.W.

1500 Cor. No.2, identical with the location, which is a mound of stones 2-1/2ft. base 2 ft. high.

A granite stone  $24 \times 12 \times 8$  ins. set 12 ins. in the ground chisled 2-2159, whence

A cross (X) and B.R. 2-2159 chisled on a granite boulder  $4 \times 4 \times 3$  ft. above the ground, hears N. 67° E. 12.3 ft.

A cross (x) and B.R. 2-2159 chisled on a granite boulder 6 x 4 x 4 ft. above the ground, hears N.22-1/2° E. 26.4 ft.

Thence N. 33° 12' E. Va. 15° 15' E.

To the S.E. end center monument, identical with the location which is a mound of stone 2-1/2 ft.base 2 fthigh.

To cor. No. 3.

A granite stone  $26 \times 14 \times 14$  ins., set 12 ins. in the ground with mound of stone along side and chisled 3-2159 whence

A cross (X) and B.R. 3-2159 chisled on a granite boulder 2 x 2 x 2 ft. above the ground, bears  $8.30-1/2^{\circ}$ 

f'est W. 18.3 ft. A cross (X) and B.R. 3-2159 chisled on a granite boul der 4 x 3 x 3 ft. above the ground, hears S. 63-1/4 W. 19.9 ft. Old location monument which is a mound of stone, 2-1/2 ft.base 2 ft.high bears S. 49 8' R. 138 ft. Thence N. 49° 8' W. Var.15°15' E. Gulch, bears S.W. 590 1500 To cor. No.4, identical with the location, which is a mound of stones 2-1/2 ft. base 2ft. high. A cross (X) and 4-2159 chisted on a quartzite boulder in place which is 24 x 24 ins. above the ground whence A cross (X) and B.R. 4-2159 chisled on a quartzite boulder 5 x 3 x 3 ft. above the ground, hears N. 62° 40' E. 10.5 ft. A cross (X) and B.R. 4-2159 chisled on a quartzite boulder 4 x 3 x 2 ft. above the ground, bears S.62 ° E 6.9 ft. Thence S. 33°12' W. Var. 15° 15° E. To the N.W. end center monument, identical with the 300 location, which is a mound of stone 2-1/2 ft.base 2 ft. high. 600 To cor. No. 1, place of beginning. Area 20. 476 acres Location This claim is located in Sec. 7, T. 22 N. R. 17 W. Wallapai Min. District, Mohaye Co., Ariz. Adjoining Claims.

> Little Boy Lode, is bounded on the Northwest by the Success Lode, unsurveyed; and on the North side by the "98" Lode unsurveyed.

> > Course of Vein.

The presumed course of vein is from the N.W. end center monument to the S.E. end center monument, S.  $49^{\circ}$  8° E 1500 ft. -2

Expenditure of Five hundred dollars.

I certify that the value of the labor and improvements upon this claim, placed thereonby the claimants and their grantors, is not less than five hundred dol lars, and that said improvements consists of:

From Cor. No.3

Discovery shaft No. 1,4 x 6 ft., 10 ft. deep, bears N. 71° 30' W. 76% ft.

Value \$100.00.

Tunnel No.2, bears N. 84° 30' W. 790 ft.

The courses of this tunnel are: N. 37° 35' E. 169 ft.

thenceNil° 50' E. 56.3 ft.; thence N. 16° 45' E.;

44.5 ft.; thence N. 27° 55' W. 19.5 ft.; thence N. 51°

15' W. 82 ft.

Value \$3.000.00.

Winze No. 3, 4 x 6 ft. 112 ft. deep, Bears N. 59° 30' W. 740 ft.

Value \$1200.00.

Tunnel No. 4, hears N. 60° 30' W. 655 ft. 4 x 6 ft. 80 ft. long, course of tunnel N. 51° 50' W. Value \$500.00.

Other Improvements.

Lumber Cabin 12 x 20 ft., bears N. 88° 30' W. 650 ft. A stone Cabin 14 x 16 bears N. 72° W 685 ft.

#### Instrument.

The survey was made by a Young & Sons Light Mountain Transit with a Smith Solar Attachment. The courses were deflected from the true meridian as determined by Solar attachment and checked by Polaris Observation. The distances were meds with 50 ft.and 100 ft. steel tapes.

Polaris Observation.

At Cor. No. 1 of the Little Boy lode, Sept.21,1905,

Polaris at eastern elongation, and mark such line by a stake 2 ins. sq. and 18 ins. long driven in the ground at a point 300 ft. N. of my station.

On Sept. 22nd,1905 at 7 hours 30 min. L.M.T., I deflected 26' to the westfrom the line determined by observation. From the meridian thus determined, I checked times determined by the Solar apparatus and the same agree within one minute.

#### Note.

- . In connecting this claim with the public surveys, I was unable to find any quarter or sec. cor. near er than the 1/4 cor. bet. secs. 7 and 12, T. 22 N. Rs. 17 and 18 W.
- 2. Although the location notice of the Little Boy lode deviates in course, the same was properly marked on the ground and easily identified.

While Coursel

# FINAL OATHS FOR SURVEYS.

LIST OF	NAMES.
A list of the names of the individuals employed by -	Philip Conhen
United States Deputy Mineral Surveyor, to assist in ru	nning, measuring, and marking the lines, corners, and
boundaries described in the foregoing field notes of the su	arvey of the mining claim of
Derena H	. Thight
known as the Little 13	and the same of th
and showing the respective capacities in which they acted	
and phowing the respective capacities in which they acted	Frank O Dea , Chainman.
*	Traus O Vea , Chainman.
	Vaniel Campbell, Chainman.
	Frank O Dea , Axman.
	Daniel Campbellagman.
FINAL OATHS C	
We Frank O Vew	Ed Daniel Campbel
200	solemnly swear that we assisted.
United States Deputy	Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of.	rana of Vurght
known as the	204
represented in the foregoing field notes as having been s	urveyed by said deputy mineral surveyor and under his
direction; and that said survey has been in all respects,	
correctly executed, and the corner and boundary monun	nents established according to law and the instructions
furnished by the United States Surveyor-General for	Chifon a
	Trusk Ofhainman.
	aniel Campbell, Chainman.
	The Wall To
	Jean Coman.
	Daniel Campbell, Flagman.
Subscribed and sworn to by the	e above-named persons before me this.
day of October	190.5
uay or	8 4 Heach 12
	1. Mourson
My Commission Expires	Ill Mane Vishin

July 11, 1908.

### FINAL OATH OF U.S. DEPUTY MINERAL SURVEYOR

O(1.1.6)
I, U.S. Deputy Mineral
Surveyor, do solemnly swear that, in pursuance of instructions received from the United
States Surveyor General for (Sulforna), dated
September 1-190,6. , I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
, known as the
Mohave County, Prisona in Section
Township No. 22/1, Range No. 17/11,
and designated as Survey No. 2/5/3, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or her grantors
are as therein fully stated, and that the character, extent, location and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
0.01(C)
Mulifo Contaly
U. S. Deputy Mineral Surveyor.
and of
Subscribed and sworn to by the said Unlife Coulzen
U. S. Deputy Mineral Surveyor, before me
this 28 M
day of September, 1905
day of September, 1905  W.G. Power
794

# Affidavit of Five Hundred Dollars Improvements.

we, Tre	ruk O'Dei	<b>2</b> , and	Daniel	1 Can	ysbe
of lawful age, bei					
are acquainted wi	th the Will	le Bo	¥	mining	claim,
situate in	allapai	Mining d	listrict, Mo	have	County,
are acquainted wi situate in	for which	Seren	a H	Knig	M.
ha 🖊 made applic	ation for survey pr	rior to applicatio	on for patent un	der the pro	visions
of the Act of Congr	ress, approved May	10, 1872; and	that the labor d	lone and in	nprove-
ments made thereo	on by the applicant	t. and Les	grantor <b>.s.</b> exc	eed Five H	undred
Dollars in value, o	und further that u	e are not perso	nally interested	in said m	ine.
			rank	USE.	00
		90	miel Ca	mplet	1
TERRITORY County of	OF ARIZONA, Swort	ss:  n to and subscritary of	ibed before me, i	this / 6	Contraction of the second
<b>I</b> V 69861500-2-03	Iy Commission Expires July 11, 1908.		C.F. Hue Note	oupso	blee

Wallapai Dist

Little Boy

#### Notice of Location

Know all men by these presents that the undersigned have this day located Fifteen hundred (1500) linear feet of this vein or lode bearing precious metals, with all dips, spurs, angles and variations, with surface ground three hundred (300) feet on each side of the centre of vein, with all mineral Deposits contained therein, and all Timber growing within the limits of said claim, and all water and water privileges thereon or appurtenant thereto under and according to the provisions of the united States Mining Laws, under which it is located.

This claim commences at this monument and Notice placed upon the ledge, and runs 750 feet in a Northerly direction and 750 feet in a Southerly direction along the ledge.

The exterior boundaries are as follows- viz:

commencing at a monument of stone on west boundary line, distant three hundred (300) feet in a westerly direction from discovery monument, thence in a Northerly direction parallel with the ledge 750 feet to a monument of stone at N.W. corner of claim, thence in an Easterly direction at right angles across the ledge Six hundred (600) feet to monument of stone at N.E. corner of Claim, thence in a Southerly direction parallel with the ledge Fifteen hundred 1500 feet to monument of stone at S.E. corner of claim thence at right angles across the ledge in a westerly direction Six hundred (600) feet to monument of stone at S.W. corner of Claim: thence in a Northerly direction parallel with the ledge 750 feet to monument on West boundary and place of beginning.

This ledge may be more generally described as situated about a mile in a Southwesterly direction from Lane Springs and formerly known as the American Jack, in Wallapai Mining District, Mohave County, Arizona Territory, and shall be known as the Little Boy Mining Claim.

Dated on the ground this first day of January 1884

John O. Brien.

J. A. Pomber.

Recorded at the request of John O. Brien February 26th A. D. 1884 at 9 A. M.

John K. MacKenzie

County Recorder.

Territory of Arizona,)
) ss.
County of Mohave.)

I, Thos. McNeely, Recorder of Mohave County, Territory of Arizona, do hereby certify that I have compared the foregoing copy of the Little Boy Mining Claim, (which is Recorded in Book H. at Page 333) and of the indorsements thereupon with the original records of the same on file in this office and that the same are correct transcripts therefrom and of the whole of said original records.



WITNESS my hand and seal of said office this 12th day of August, 1905.

Recorder of Mohave County.

### U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

# Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoenix, Arizona		
		Duc	12", 1905
I, U. S. Surveyor-C	Reneral for Arizon	na	
do hereby certify that the	he foregoing transcript of the	Field Notes, retur	rn and approval of the survey
of the mining claim of			
known as the			
situate in	Wallapai		
Mining District,	Mohave	County,	Arizona
			17 W. , and
designated as Survey N	o. 2159, has b	peen correctly cop	ied from the originals on file in
			of said mining claim as will, if
incorporated into a pate	ent, serve fully to identify the j	premises, and that	such reference is made therein
to natural objects or pe	rmanent monuments as will pe	erpetuate and fix	the locus thereof.
And I further cert	cify that five hundred dollars	worth of labor	has been expended or improve-
ments made upon said	mining claim by claimant or	her granto	rs, and that said improvements
consist of ho	yt, winge	and 2	tunnels,
total val	ne, \$4800 700		lunnels,
		)	
			· · · · · · · · · · · · · · · · · · ·
and that no portion of	said labor or improvements ha	as been included i	n the estimate of expenditures
upon any other claim.			
I further certify the	at the plat thereof, filed in the	U. S. Land Office	at Phoenix,
Arizona	is correct and in conf	formity with the fo	oregoing Field Notes.
	-(Si	gned) Frank	S. Ingalls,
	United States Surveyor-	General for A	rizona.

7361 b5m3-0

# Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

### Department of the Interior,

Office of U.S. Surveyor General,

Phoenix, Arizona			
		duc. 12"	, 1805.
I, U. S. Surveyor	General for Ariz	ona	,
do hereby certify that	t the foregoing and hereto	attached Field Notes an	nd Return of the
	Claim of Seren		
	Little Bcy		,
situate in	Wallapai		mining district,
Mohave	County	, Arizona	,
in Section7.	, Township No. 22 N.	, Range No. 17 W.	i
, de	esignated as Survey No	2159	
executed by	Philip Contzen	, U. S.	Deputy Mineral
Surveyor, <u>Sept</u> .	22 and 25rd	, 1:905 , under my in	structions dated
September 1	, 1905, , l	nave been critically exa	mined and the
necessary corrections	and explanations made, a	and the said Field Notes	and Return, and
the Survey they descr	ibe, are hereby approved.	A true copy of the cop	y of the location
certificate filed by the	applicant for survey is	included in the field not	es.
	Dian	h dengan	
	TI a a	1 6	

#### DEPARTMENT OF THE INTERIOR

PUBLIC SURVEY OFFICE,

Phoenix, Arizona, July 18, 1932.

I. A. C. Horton, Jr., District Cadastral Engineer, at Phoenix, Arizona, do hereby certify that the tie from Cor. No. 1 of the Little Boy lode, Mineral Survey No. 2159, to the Cor. of Secs. 5 and 6, T. 22 N., R. 17 W., as computed through the record of Mineral Survey No. 3598, as on file in this office, is N. 21° 20° 10° W. 694.56 ft., and that the correct location of said Little Boy claim, according to this tie, is in the the NW of Sec. 5, T. 22 N., R. 17 W.

I further certify that the plats of said Survey No. 2159, on file in this office and the Phoenix Land Office, have been correctly amended in blue ink to show such the and location, and that such amendment is made in accordance with letter "N" of July 12, 1932, from the Commissioner of the General Land Office.

District Cadastral Engineer

HIS TER WIN BYT SOR 8061/ 8061/ 8061/ 8061/ LSIO ONYT LLODSIY 6518 ON XZANS SEC. 7 - T. 22 N. A. 17 W. 3,806+5 10051 : COK. NOS ION YOU NIBBY CABIN ISYNOS OJWAS IND ESISON . AUS XOS 371117 ,0091 FON YOU M, 8.6+ N ( ON SURVEYED) ୍ଜ 86

2



