

(4-683.)

Mineral Survey No. 21

Lot No.



FIELD NOTES



(4—683.)

Mineral Survey No. 2160

Lot No.

a (lugora Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM	or
The Shannon Copper	Co. J.W. Bennie
Manager, Clifton Arizona	
KNOWN AS THE	
Keystone Mos. 788	
Greenice Gold Mountain	Mining District,
Granger County, Ar	12079
Section 4, Township 45.,	
Surveyed under instructions dated Sept. 6th	, 19 <i>0 Ş</i>
by Larnar	Cobb Jr
	U. S. Deputy Mineral Surveyor
Claim located Nov. 15th	, 1897,
Survey commenced Sept. 8th Survey completed Sept 9th	. 1905
Survey completed SEP+ 9th	, 1905
Parmanto addieso; The Shannon Copper to	~.

by J. It Bennie, Jug.

	Y	
	<i>1</i>	

- Survey No. 2160 -Keystone No. 8 Lode Reginging at Cox Not Identical with Con Kor dong Torre lode. Enemy Koja 86 carib & 1 fin fact, 41,2 yt. fora, = > 6 re. XIII . o destrict and the desir mound of stone will 12.60 Co & page a cross and of the 1-24 bn, choosed. form the fine as a retail out or to sinites and well right ight, hears 1 . 1000 8. 000 11. Trues , For it h. 10 4 Y 10 7 , a of a real with 21. Well fundare today of this surrous. a fil de l'élong. all sold pay purposed of alone miles 2 21/2 I conduct to At. J. Dillo nasts for leins 12 il. 2 1 link home " Liveto J. J. J. all we distribute the Su ca 74.00. The see I prairie brook were allow Franciscan To Car Mr. 3 1421 I don lived with los nor haydone on line 2-3 Chique ma lode. annua 70. 1229 a fine good of ft. long, is 6 ims. set on bed rock, wurrounded day

Short ware hed 3 , 2 - ag 11 (2020 - and Dx 3-- 21-0 posite they elicated 1. 1 . 11 de . . . Lane 5 / 20 - 2 8 . 8 . 6 kg 183 La Billia le a lodi, que sus Tarra el fair foot - 10 in 241, may, I have I as along a contain Johnson in 2 2 days to in the rate of the second at to the first to the done have A March Con 1 Cor. 10,21 a standard during 1 1 1 1 3 Jan. smaller & order. Cin . 1 (+0 1d y) and Ret. 4-0160. Kenddon many port - 3 ft. bonks 1.2 9° 23 8. 1-18 5 ft. or le a tor lode ansun 16.148. I fine fool mino, equal 341 right but rows ded her mound store were and he will be the Those I a C. T. Marin Claims, Eurous 7/2. 5 /26 at 5.72041 E. Cho es double trock Incline Transman 697.5 of 71.86°0 a'W. 261.1 ft. from upper terminal. Cross 20 m. gauge mine rollroad. 1015

L

of the P JANIT. 13000 10 as Holl the floor of agrange 14 33 Keystone Mc. - Irde are at at at Service that we Fee hundre 116. S. T. M. S. Wake Don't C. P. M. M. H. of and the state of the All I had a 2-2 Sachardelina oda, 100 mm 12. 12 50, 12 01 170 12 01, 2 0, 5 ft. Marrie a a he soint ... - a contract to the first prince i cut in as, unit get, yout it is and the second second second contoured by the state of atom, similard Will x-2160 singula. The carlon of the J 70. W. L traine bout text fire in the modern 1 . . Cod & 233 ft. Str. Some browned derline soil en 162 de la serie de la 162 de la constante de la 162 de la constante de la cons 1493,1 They will, and Britary remarkation all of survey 16. 1229, we relied 4 3-2-1229. A fine good hije ghe rong with inch and one red north Durrown ded des

along, verilie soubo, (p 11 crove yo o, d (8. A. 3 2160 7/200 d 1. 4 1. 400 1 1 2 30 c 215 6 01 10 03 W 10. 271. Jkonno 1. 70000 E. Siber Sir Protest and I want in a wine - gray of a store of the 01. 10 1 110,0 Id Alical with Gr. 13 3 Resetore Ho. 8 lode a this was very Cross double track Incomera, 601. 1116000 9 Cul 11. 43.1 Le by Mo, 1 the place of beginning. 2 Ser 24 cel Com 1 - 13°16 €. -- Alea a area Angles has al. Mrs Grain Suran to 866 0.053 Hor Cratustin H. 8 lod. 76, e 11 " of a iliand turator standed. L. 1 3 : The Land Cod Non L . 41 L 11 of the durance of the forther with their material It Took and want was I had. Not be found. The conten of the ledge of the Keydone Tog todo con wider with the Cuter of the claired an exercise areged. The girming of

formally and and the second of the second esone the es introductions of the stores in 1 2 4 30 41 7 000 10 40. 2. The weeter with the day to the then the 1. 11 de 21 de de la francia de francia. Jan de la Maria Ma in was to a trace to parting the 13931 ft. to is an our separate there somethe his original / . . . in to action the cije b, c + , €3, V. 3 €. 18.51 €. 4, 2 d dele To it is an an a distribute of the 45. A. 19 Th. unour neged. - Expenditure of five hundred dollars -I pertital les des valers of la labor the day the attract by the demants End their gladord, as not bee the Charlyers hundred dollars, and chap said companies who craist if; The location tube of which beans

from 61. 70. 7 5. 650 E. 45 ft., 6 ft. in openious, and off in turne Value from Con No. 1 Secretone No. 8 lodo : 22°31 d. 877.3 ft. 20153 ft doing height 35 ft. Course long vide : 8600 E 10 position was tons. 1000,00 Valere Thing railroad, Aunning from foint on line of 1 Keystone No. 8 tode 1012 ft.

From ton too to trast and at one 1, 200 H. Incline gravily tournway soith Souble 1 = 80, hoad you Cables, Cors, Are sing at lerminal, she, fally los siends la handle over 1000 1227 Th. ora. difference in elevation to this are to y all elected to mend para from Found to line - Keylon 155 od 1 12 1 frem Par 180. 180. 28600 %. 10 1 ft. Succes Comment Con from from for today escale total est is ocation I to Section and quel mit and the sold of the tory of information to the Samuelle of to to to the state of 126.46 since the Carl to the state of the said in the Sa or diente los survey no. 1224, the mouth of which is the of leave to me let 1/3, 2 Kenton l'os 10 de 7 210 56 W. 155 ft., Ikense 5.20°118. in apent of safe, in a flam. soft to break. Talue tost 1011. "100.00 723 a. One nick unlessed in drein. gravity transvay as described above lunder The of improvement Value

The surface who have they this claim, wise from Class Com / about doction to the doct and his of dead of where the mine a Inchie transmay. This transmon formation a most be direct as a constraint relate for if to any for to to a of mining impliments of the the miner and for the transfortation or one to the beduction many wired in as der lend to the profes end year virient levelogen it of the and the surface of the line and the both by the comment of as a lo of a record misan doubt not the the the contract of the Sa Cantiliania wide. by the Kinter of the bearing the , do high more develop the ledge of Link in the vin tou most about opening 1102 Itis sur any was wade with a Legg Cegly Trougton - bassit. to a solar diamen. Il, di Carrier ing as Manguard. unità ergl. position a terre. steel topes It disagreements between these rested and the freation Contification down, and due to arrays in the latter.

The dicarrieroute detiver these is! I show still organd to the der oth to be were, consider to langet of side " and time of the decastone lade turner don't still course and longth a le de Sa Condebria Lode, Eurhey Valada as & to stand on length to for 20 3 the quaking lete, runder the. 1974. One due le consor in the

Adjoining Claims This claim is bounded on the worth by the Sa Candeleien Extension loderywar veryed Stonnon Coffer Co. Claimout; on the East by the Long Jon Sode, Survey No. 1486. Shannon Copper Co. Claimant; on the South by the Chihuahua lode, survey 40.1229 and the C.L. lode, survey No. 566, arizona Cofeper Co. claimant; andon the West by the La Candeleria lade Durvey No 1729, Shannon Coffee Co. Claimant.

FINAL OATHS FOR SURVEYS.

LIST OF	NAMES.
Λ list of the names of the individuals employed by .	Samar Cobb
United States Deputy Mineral Surveyor, to assist in ru	uning, measuring, and marking the lines, corners, and
boundaries described in the foregoing field notes of the su	urvey of the mining claim of
The Shannor (offer Co.
known as the Accestors Nos. T	4 8
and showing the respective capacities in which they acted	
	Mercailde West
	Meregildo Weeks , Chainman. & ax mon , Chainman.
	, Chainman.
	, Axman.
•	, Flagman.
	, Flagman.
FINAL OATHS O	
I have silde Make	
We. Muse gildo Meeks	
and, do s	olemnly swear that we assisted Laman
United States Deputy M	lineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of.	han copper ce.
the southeartes of the mining claim on	,
A. A. V. da	·
known as the	8
represented in the foregoing field notes as having been su	rveyed by said deputy mineral surveyor and under his
direction; and that said survey has been in all respects,	to the best of our knowledge and belief, faithfully and
*	
correctly executed, and the corner and boundary monum	
furnished by the United States Surveyor-General for	(langer of
	Invesildo Milles, Chainman.
	Ce Chainman.
	S. C. Chairman.
	, Axman.
	, Flagman.
Subscribed and sworn to by the	above-named persons before me this 9
1	
day of tember	, 190.
	Dancas of a
	Holary Public
14224b5m8-04	

FINAL OATH OF U.S. DEPUTY MINERAL SURVEYOR

I, Samar Cobb, U. S. Deputy Mineral
Surveyor, do solemnly swear that, in pursuance of instructions received from the United
States Surveyor General for Ore good , dated
in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of The Shannon Copper Co florening,
Claim of The Thannon Copper Co, fw Bennie, Monager Clifton arisona, known as the
situate in Mining District,
situate in Graham Mining District, Graham County, Orizona, in Section Township No. 45.1, Range No. 29 = (ususayal)
and designated as Survey No. 2160 , as represented
<u> </u>
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or The grantors
are as therein fully stated, and that the character, extent, location and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
of expenditures upon any other claim.
U.S. Deputy Mineral Surveyor.
Subscribed and sworn to by the said Society of for
U. S. Deputy Mineral Surveyor, before me
IR. Hace plan this
day of 5/1 / 1905
John Chawpion
Water Public
o 3-164 My Commence and Deres of Mal
my commences as your congression

Affidavit of Five Hundred Dollars Improvements.

We ta Collin	and (P. E. Van Dergen
	U
of lawful age, being first duly sworn accor	ding to law, depose and say: That we are acquainted with the
Keystone Hos. 788	mining claim, situate in Greatee Gold Mountains
mining district,	County, Arizona Territory, for which
The Stanor Officer	Co, Ly Jew Bannie, Minga,
haــــــ. made application for survey prior to a	application for patent under the provisions of the Act of Congress
approved May 10, 1872; and that the labor	r done and improvements made thereon by the applicant and
truit grantor a exceed five hundred	dollars in value, and further that we are not personally interested
in said mine.	At the recie
	P.E. VauBergen
TERRITORY OF ARIZONA,	
	Sworn to and subscribed before me thisday
[SEAL.]	of Softember, 190 15
17171b400-3-05	Samo obb
	My Commission Expens an 5/07

AMENDED LOCATION NOTICE.

That Lannon Cyperlo., the undersigned, has this
day of leaguest, 190 , amended, located, and claimed, and by these presents does amend,
locate, and claim, by right of the original discovery and this additional and amended location certificate on the 15/5/076 47 lode,
vein, ledge or deposit, along the vein thereof, with all its dips, angles, and variations.
The length of this claim is
and WE claim 13 9 3.1 feet, in a North Easterer direction, and 100.0
in a direction, and
feet in a Sauth Wasterley direction from
the center of the discovery staff, at which this notice is posted, lengthwise of the claim, together with
of the center-of/said claim. The general course of the lode deposit and premises is from the
Horth Eash to the South WEST
The claim is situated and located in the Security Gold Manulam Mining District, in
County, Territory of Arizona, about
John Cor +2 (the Harthwesh Cor.) 7. 28°04' 9
·
The surface boundaries of the glaim are marked upon the ground as follows:
Beginning at corner No. 1 Thomas 7. 72°25' W. 127. 35 %.
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
to corner No. 2. ——————————————————————————————————
to corner No. 3. June 15. 72°25 E. 1125.4 ft.
\mathcal{A}^{\prime}
to corner No. 4. Thereof 7. 17°40'E. 14931 fl.
to corner No. 1, the place of beginning.
All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Codify and Revise the Laws of the Territory of Arizona," approved March 16th, 1901.
This is an Amended Location Notice of the Keystone #7
This is an Amended Location Notice of the Keystone #7 Mining Claim, located by on the day of
on the day of November 190, and recorded in book 9 of Records of Mines, at
of paccords of Mines, at
mara 0/ in the office of the County Recorder of the aforesaid County of
page 381, in the office of the County Recorder of the aforesaid County of
to which reference is hereby made, and amended the 15 day
to which reference is hereby made, and assended the 15th day of august 1901; the amended focation being
to which reference is hereby made, and assembled the 15 holay of august 1901; the accorded focation being and assembled in Book 13 page 346, in the agons of
to which reference is hereby made, and assended the 15 day of august 1901; the amended focation being crecoffed in Book 13 page 346, in the aforesaid offers
to which reference is hereby made, and assended the 15th day of august 1901; the amended focation being
to which reference is hereby made, and assended the 15 day of august 1901; the amended focation being crecoffed in Book 13 page 346, in the aforesaid offers
to which reference is hereby made, and amended the 15 day of august 1901; the amended focation being seconded in Book 13 page 346, in the aforesaid officer
to which reference is hereby made, and amended the 15 day of august 1901; the amended focation being one copied in Book 13 page 346, in the aforesaid of the amended the 15 day
to which reference is hereby made, and amended the 15 day of august 1901; the amended focation being one copied in Book 13 page 346, in the aforesaid of the amended the 15 day

ERA PRINT, CLIFTON, ARIZ

County Recorder in and for the County and

Territory aforesaid, do hereby certify that the within instrument was filed for record at

o'clock M., on this

day of

duly recorded in Book No.


of

Records of

County, Arizona, at pages

Witness my hand and seal the day and year first above written,

County Recorder.



The above diagram is to give the locator a general idea of the plan of location under the new law. Your discovery shaft may be in the center of claim, or any distance from either end you desire. In the diagram we have placed it 500 feet from one end and 1000 feet from the other. In description be careful to state locality of claim with reference to some natural object, or permanent monument, so as to identify the claim.

ERA PRINT, CLIFTON

Deputy Recorder.

County Recorder

5 061

hT

AMENDED LOCATION NOTICE.

That he Shannon Copper	Co the man in a large part
day of august , 1905, amended, located, and claim	, the undersigned, has this
locate and claim by right of the original discovery and the	ned, and by these presents does amend,
locate, and claim, by right of the original discovery and this a cate on the	
	lode,
vein, ledge or deposit, along the vein thereof, with all its dips,	
The length of this claim is	150 reet,
and log claim North Easterly feet in a Saul	Teet,
	direction and
the center of the discovery , at which this notice is posted	ed, lengthwise of the claim, together with width of the surface grounds, on each side
of the center of said claim. The general course of the lode depos	sit_and premises is from the
of the center of said claim. The general course of the lode depose to the Lot to the Land Greenly Galacter and located in the	Sautwash
The claim is situated and located in the Greenly Gal	Maunlam Mining District, in
Scalar County, Territory of Arizona,	ithout
in a direction from	1. S. L. M. #2 hears
Haffer Cor. Hot (The Hosel East Co	(s.) 7.21°25' E 5102 ft.
The surface boundaries of the claim are marked upon the gr Beginning at corner No. 1	round as follows:
	0
to corner No. 2. Leve 5, 17°40'	W.1493.1 fl.
Oil C 1. O. C	16 / 1
to corner No. 3. There 5.72° 35	6.600 JL.
to corner No. 4. Thence 7.17°4	ó €,1493.1 JL.
to corner No. 1, the place of beginning.	
All done under the provisions of Chapter Six, of Title XXX States, and of an Act of the General Assembly of Arizona, entitled of the Territory of Arizona," approved March 16th, 1901.	I "An Act to Codify and Revise the Laws
This is an Amended Location Notice of the	pter Co.
Mining Claim, located by	the 18-cd
Hoacuber 190, and recorded in boo	of Bosords of Minos at
page $\frac{382}{}$, in the office of the County Recorder of the afores	or decords of Mines, at
to which reference is hereby made, and asserted	led on the 15th
day of august 1901; the aucus	eded focation bewa
secorded per book 13 page 34	6 ray in the almosaid
affeir.	Jornan Jornan
Dated and posted on the ground thisday	of august 19005
K- Pall. Sha	anof Coppen Co
Jaccoo July	Hannis Vaga.
Wix ness	

ERA PRINT, CLIFTON, ARIZ

17

APR 10 190A

MINING AND CIVIL ENGINEERS

U. S. MINERAL SURVEYORS

Clifton, Arizona, March 19/08

Hon. Frank 5, Sugalla, U.S. Surveyor General, O'hoevir, Kriz,

Regarding to the feich Hoten of the teystong Has/x8, Survey Ho. 2160, I hay to cartify that the growing transvery, a one ninth interest in which was credited to each of these codes, we are constructed for the common improvement of the La Candeleria, Lot Ho. 1779, Lang Jon. Los Yo. 1486, White How Hoteleria, Lot Ho. 18 Hoster Hours Lot Ho. 65 Hasthern Caint Lot Ho. 27, 19 M. Eith. Mexery Lot Yo. 45, and Caint Lot Ho. 27, 19 M. Eith. Mexery Lot Yo. 45, and h. Eighn. White Hawk Lot No. 1732 in addition to Keytone How Tx8, Survey Ho. 1760, Test of these ning Joseph were the Josephsky of the Stanson Copper ning Joseph were the Josephsky of the Stanson Copper ning Joseph were the Josephsky of the Stanson Copper ning Josephs were the Josephsky of the Stanson Copper

Vory respectfully Lacualoft

Locces of the Mineral Suracy

TER	RIT	OR	V ()	E A	1217	ONA
TILL	TOTT	UIL	1 1	1 1	DIL	111111

County of

84.

County Recorder in and for the County and

Territory aforesaid, do hereby certify that the within instrument was filed for record at

o'clock M., on this

day of

190 , and

duly recorded in Book No


of

Records of

County, Arizona, at pages

Witness my hand and seal the day and year first above written,

County Recorder.



The above diagram is to give the locator a general idea of the plan of location under the new law. Your discovery shaft may be in the center of claim, or any distance from either end you desire. In the diagram we have placed it 500 feet from one end and 1000 feet from the other. In description be careful to state locality of claim with reference to some natural object, or permanent monument, so as to identify the claim.

Fee \$100 Paid

ERA PRINT, CLIFTON

Deputy Recorder.

Megnet H A. D. 190 5
at 90'Clock G. M.

Book 16 Record of Mines

Pages 10 3

Pages 10 3

County Recorder.

County Recorder.

Piled and recorded at request of

Keystone #8"
heenlee Goes Mithed ist
Shannon leopper Co

tice of Location

I certify that the foregoing is a true and correct copy of the report made by Lamar Cobb, U. S. Deputy Mineral Surveyor, who executed Mineral Survey No. 2160, and further than the incline gramity tramway, total value \$27000, was constructed for the practical development of the La Candeleria lode, Sur. No. 1229, Long Tom lode, Sur. No. 1486, White Hawk lode, Lot No. 46, Black Hawk lode, Lot No. 65, Northern Point lode, Lot No. 57, 1st N. Extension Metcalf lode, Lot No. 35, White Hawk E. Extension lode, Sur. No. 1732, Keystone No. 7 and Keystone No. 8 lodes, Survey No. 2160, and that a one-ninth interest in the total cost of said gravity tramway, valued at \$3000, was properly credited to the Keystone No. 7 lode, and a one-ninth interest, valued at \$3000, was properly credited to the Keystone No. 8 lode.

> Frank S. Ingalls, U. S. Surveyor General.

Phoenix, Arizona, April 10, 1908.

(Copy of certificate furnished claimant.)

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior, office of u. s. surveyor-general,

Phoenix, Arizona
Dec. 14" 190.5
, 190.0.
I, U. S. Surveyor-General for
do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey
of the mining claim of The Shannon Copper Co."
known as the Keystone Mos. 7 & 8
situate in Greenlee Gold Mountain
Mining District, Graham County, Arizona
Mining District, Graham County, Arizona 33 3. S. 29 E. in Section 4 , Township No. 4 S. , Range No. 29 E. unsurveament
designated as Survey No. 2260 has been correctly copied from the originals on file in
this office; that said Field Notes furnish such an accurate description of said mining claim as will, if
incorporated into a patent, serve fully to identify the premises, and that such reference is made therein
to natural objects or permanent monuments as will perpetuate and fix the <i>locus</i> thereof.
And I further certify that five hundred dollars' worth of labor has been expended or improve-
ments made upon said mining claimaby claimants ortheigrantors, and that said improvements
consist of 1 tempel 1 shakt our lives mine & 2 2/0
intrest in Transver and in the of turned on
consist of I ternul, I shaft, ou bins, mine & X, 2/9 interest in transway and 10 ft of tymnel on Da Candideria lode, total value 542500
The construction was a first that the second of the second
and that no portion of said labor or improvements has been included in the estimate of expenditures
upon any other claim.
I further certify that the plat thereof, filed in the U.S. Land Office at Phoenix.
Arizona is correct and in conformity with the foregoing Field Notes.
(Signed) Frank S. Ingalls,
United States Surveyor-General for Arizona,

7361b5m3-03

Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior,

Office of U.S. Surveyor General,

Phoenix, Arizona
I, U. S. Surveyor General forArizona,
do hereby certify that the foregoing and hereto attached Field Notes and Return of the
Survey of the Mining Claim of The Shannon Copper Co."
······································
, known as the
situate in mining district,
Graham County, Arizona ,
in Section 4, Township No. 4, S., Range No. 29 E. unsurveyed
, designated as Survey No. 2160
executed by, U. S. Deputy Mineral
Surveyor, Sept. 8th and 9th, 1905., 18, under my instructions dated
Sept. 6th, 1905. , have been critically examined and the
necessary corrections and explanations made, and the said Field Notes and Return, and
the Survey they describe, are hereby approved. Λ true copy of the location
certificate filed by the applicants for survey is included in the field notes.
Mant Donzelle
U. S. Surveyor General for Artzona.