M S

(4-683.)

Mineral Survey No. 7/67

Lot No.	
itomas	
CONTRACTOR OF THE PROPERTY OF	
	Land District.

FIELD NOTES

Section Township 73 Surveyed under instructions dated for the Mining District of the Mining

Soul office address of clarinants attorney

Lugar Dis

DANIEL LODE.

Feet. Beginning at Cor. No. 1 the N. E. Cor. from which original location for N. E. Cor. brs. N. 5° E. 95 ft, a pine post 4 ft long 4 ins. sq. set 18 ins. in the ground in a mound of stones and scribed 1-2167 B.L. whence a pine post of same dimensions and scribed B P 1-2167 brs S. 82° 8' W 10 ft, U S M M No. 4 brs N 27° 2' W 6830.6 ft

Thence S 5° W

- 3.0 to original location for E E C
- 10.0 same bearing to Cor. No. 2 the SE Cor. identical with

 location and with Cor. No. 6 Illinois lode Survey

 A Nulli Lade law. No. 1474; Whence Cor. No. 2 Nulli had, law (No. 1564, a pine post 4 ft long 4 ins sq set 18 ins. in

 and Remark lade. law. No. 14. 2.

 the ground in a mound of stones and scribed 2-2167 D. L.

 whence a pine post of same dimensions and scribed BP

 2-2167 brs. S 82° 9' W 10 ft

Thence S 82° 9' W

- along line 1-2 Reward lode Survey No. 1502 to Cor No.

 3 identical with Cors.2 respectively for Reward lode Survey No. 1652 and 16-1 lode Survey No. 1393 a pine post 4 ft long 4 ins. sq. set 18 ins. in the ground in a mound of stones and scribed 3-2167 D L whence a pine post of same dimensions and scribed B P 3-2167 brs N 82°

 9' E 25 ft and a second pine post of same dimensions and scribing brs. S 80° 57' W 25 ft.
- Siften to One.

 Siften to One.

 along line 2-1 15-1 lode Survey No. 1393 to Cor. No.4

 identical with Cors. 1 and 2 respectively of 16-1 lode Survey

 Survey No. 1393 and Xmas '96 lode Survey. No. 1393

 a pine post 4 ft long 4 ins sq set 18 ins. in the ground

 in a mound of stones and scribed 4-2167 D L whence a pine

 post of same dimensions and scribed B P 4-2167 brs

 N 80° 57' E 25 ft. and a second pine post of same dimensions and scribing brs. S. 81° 27' W 25 ft

Feet.

3

- Thence S 81° 27' W

 Christmas 96

 along line 2-1 Thence S 81° 27' W

 along line 2-1 Thence S 81° 27' W

 along line 2-1 Thence S 81° 27' W 601.9 idetical with location and with Cors. No. 1 and 3 respect-Christmas 96 ively of Knas 196 lode Survey No. 1393 and Danville lode Survey Mo. 1410 and situated on line 1-2 Delevin lode Survey No. 1410 a pinepost 4 ft long 4 ins. sq. set ins. in the ground in a mound of stones and scribed 5-2167 D L whence a pine post of same dimensions and scribed B P 5-2167 brs N 8127 E 25 ft and original lo-Cation for S W Cor. brs S 50 W 15 ft and Cor. No. 2 Danville Rode. Sur. No 1410, brs. N. 76 35 E 598, 5 ft.

 Thence N 50 E
- to original location for W E C 20.0
- same bearing to Cor. No. 6 the N W Cor. from which origi-30.0 nal location from N W Cor. brs N 5° E 15 ft, a pine post 4 ft long 4 ins sq set 18 ins. in the ground in a mound of stones and scribed 6-2167 D L whence a proce post of same dimensions and scribed B P 6-2167 brs N 79° 21' E 25 ft

Thence N 79° 21' E

to Cor. No.7 identical with Cors. 2 respectively of 589.7 Danville lode Survey No. 1410 and Hanchett lode Survey No. 1410 a pine post 4 ft long 4 ins. sq set 18 ins. in the ground in a mound of stones and scribed 7-2167 D L whence a pine post of same dimensions and scribed B P 7-2167 brs. S 79° 21' W 25 ft

Then ce N 85° 31' E

22.8 along line 2-3 Hanchett lode Survey No. 1410 to Cor. No. 8 identical with Cors. 3 and 2 respectively of Manchett lode Survey No. 1410 and Hard Cash lode Survey No. 1475 a pine post 4 ft long 4 ins sq set 18 ins. in the ground in a mound of stones and scribed 8-2167 D L whence a pine post of same dimensions and scribed B P 8-2167 brs N 85° 8' E 25 ft

Survey No. 2167 (Cont'd.)

Feet

Thence N 85° 8' E

620.1 along line 2-3 Hard Cash lode Survey No. 1475 to Cor.

No. 9 identical with Cors. 3 and 2 respectively of Hard

Cash lode Survey No. 1475 and Nellie lode Survey No. 1475

Thence N 82° 8' E

233.4 to Cor. No. 1 the place of beginning.

LEDGE.

The presumed course of the vein on this claim is from the E E C S 82° 4' W 1466.0 ft.

AREAS.

Total area of Daniel lode

0.973 /

Less area in conflict with Danville lode Survey No. 1410

Less area in conflict with Nellie lode

Survey No. 1475

013

Net area of Daniel lode

0.760

IMPROVEMENTS.

I certify that the value of the labor and improvements on this claim placed thereon by the claimant or its grantors is as follows:

- No. 1 Discovery shaft $4 \times 6 \times 10$ ft brs. from W E C N 82° 4' E 750 ft on ledge Value \$100.00
- Note. Complete affidavit of \$500.00 improvements will be furnished prior to the expiration of the period of publication.

ADJOINING CLAIMS.

North. Danville lode Survey No. 1410 and Hanchett lode
Survey No. 1410 owned by Copper Queen Consolidated
Mining Company. Hard Cash lode and Hellie lode Survey
No. 1475 owned by Calumet and Pittsburg Mining Co.

East. Nellie lode Survey No. 1475 owned by Calumet & Pittsburg Mining Co.

South. Reward lode Survey No. 1652 Owned by Calumet & Pitts-System to the and Christmas 96 burg Mining Co. 16-1 and Xmas 96 lodes Survey No 1393 owned by Lake Superior & Pittsburg Mining Co.

West. Danville lode Survey No. 1410 owned by Copper Queen Consolidated Mining Co.

LOCATION.

This claim is located about 1 miles in a southerly direction from the Irish Mag shaft of the Calumet & Arizona Mining Co., and situated on unsurveyed land in the Warren Mining District, Cochise Coûnty Territory of Arizona, approximately in township 23 S R-24 E G & S R B & M.

INSTRUMENT.

- This survey was made with a C. L.Berger & Sons
No.IC transit, the courses were deflected from the true
meridian as determined by a solar observation, checked
by an observation on polaris, the distances were measured
by a 300- foot steel tape. Magnetic variation 12° 30'E

I auxilia Whath.

U. S. Deputy Mineral Surveyor.

Dated at Bisbee, Arizona.

January 4th, 1906.

Note

After noting the discrepancies between this survey and former surveys the posts were again fully identified, the distances carefully remeasured and bearings determined by direct measurement and checked by triangulation. The following discrepancies between this survey and former surveys are reported.

Course and distance from Cor. No. 5 to Cor. No. 7 is N 76° 35th E 598.5 ft instead of N 76° 13' E 600 ft as reported in Survey No. 1410.

Course 7 - 8 is N 35° 31' E 22.8 ft instead of N 76° 13' E 26 ft as reported in Survey No. 1410.

Survey No. 2167 (Con'td.)

Course 8-9 is N 85° 8' E 620. If the instead of N 85° 28' E 600.0 ft as reported in Survey No. 1475.

Course and distance from Cor. No. 9 to Cor. No.2 is N 83° 20' E 232.3 ft. instead of N 82° 40' E 229.5 ft as reported in Survey No. 1475.

Course 2-3 is S 82° 9' W 270.1 ft instead of S 81° 31' W 271.0 ft as reported in Survey No. 1652.

Course 3-4 is $S/80^{\circ}$ 57' W 598.2 ft instead of S 80° 17' E 600.0 ft as reported in Survey No. 1393.

Course 4-5 is S. 81° 27' W 601.9 ft instead of S 80° 17' W 600.0 ft as reported in Survey No. 1393.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

	I was and the
A list of the names of the individuals employed	d by Tranklin M. Smith
United States Deputy Mineral Surveyor, to assist	in running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field notes of	the survey of the mining claim of
vake Superior	Metteling Mining Co.
known as the	mel
and showing the respective capacities in which they	
	Jos Chiado Chainman. Denercus, Chainman.
	La Communication of the Commun
	Chainman.
	, Axman.
	, Flagman.
	S OF ASSISTANTS.
We.	Chiado.
	, do solemnly swear that we assisted Faculticia
Linited States Den	uty Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of	2-1-4 621
mill superior	The Pettsburg Minning Co.
known as the	accel .
	non cumpared by soid deputy mineral supparent and under his
represented in the foregoing held notes as naving be	een surveyed by said deputy mineral surveyor and under his
direction; and that said survey has been in all resp	peets, to the best of our knowledge and belief, faithfully and
correctly executed, and the corner and boundary m	onuments established according to law and the instructions
furnished by the United States Surveyor-General for	r
	J. P. Chiade , Chainman.
•	
	Florerauf, Chainman.
	, Axman.
•	, Flagman.
	- Th.
	by the above-named persons before me this
day of	190 6
	Sara L. Balph
	My Commission Expires
	Dec. 20-1900

FINAL OATH OF U.S. DEPUTY MINERAL SURVEYOR

I, Lanklin W. Smith, U. S. Deputy Mineral
Surveyor, do solemnly swear that, in pursuance of instructions received from the United
States Surveyor General for Ungona, dated
Letternber 19-1405, , I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of the Surreion and Pittsburg Minning
, known as the
Daviel.
situate in <u>Jianua Mining District</u> ,
County, Lucyona, in Section
Township No. 73 S, Range No. 27 & Jas CA Brown
and designated as Survey No. — 7/67 — , as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or description grantors
are as therein fully stated, and that the character, extent, location and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
Maulelin Monut
U. S. Deputy Mineral Surveyor.
C1 in the second
Subscribed and sworn to by the said Grandlin Whath,
U. S. Deputy Mineral Surveyor, before me
a company of the comp
day of January 1906,
Clara d. Balph
My Concussion
the state of the s

AMENDED


Motice of Mining Location

To All Whom it May Concern:
This Mining Claim, the name of which is the Daniel
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and
purchase by LAKE SUPERIOR & PITTSBURG MINING COMPANY, A MINNESOTA
CORPORATION. (Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")
the undersigned, on the day of September 1905.
The length of this claim is about 1500 feet,
and we claim 750 feet,
in a Easterly direction and 750
monthing Westerly direction from
the center of the discovery Mart, at which this notice is posted, lengthwise of the claim, together
with about 50 feet in width of the surface grounds, on each
side of the center of said claim. The general course of the lode deposit and premises is from the
to the West
The claim is situated and located in the Warren Mining District, in
County, in the Territory of Arizona, about 1500 feet
in a Southerly direction from the Briggs sheft of the C. & P.
Mining Co., and is bounded on the North by the Danville, Hard Cash,
and wellie; on the South by the Reward, 16-1, and X'Mas '96, patented
mining claims.
The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones
at a point in a Pasterly direction 750 feet from the discovery *** (at which this notice is posted), being in the center of the end line of said claim; thence about 50 feet to a monument
of stones , being the South-east corner of said claim; thence
about 1500 feet to a monument of stones, being at the
South-west corner of said claim; thence about 50 feet
to a Monument of stones at the center of the West end of said claim;
thence about 50 feet to a monument of stones at the
North-west corner of said claim; thence about 1500
feet to a monument of stones at the North-east corner of said claim;
thence about 50 teet to the place of beginning.
the United States, and on an arm of the extent a sound on the control of the cont
Keyler and Table the Land of the car increased Arizona " on some I Ville 14, 1907
reprisory of Arizona Price sours of the Deed of . 9
County of Arizona Ss Source of the Ss Ss Ss Ss Ss Ss Ss S
certify that I have compared the foregoing copy with the Amended Location Notice of Donistant day of Siptember, 1905 in Book 34, page 4600, Record of Mines, and that the same is a full true and correct copy of the same and of the whole thereo witness my hand and seal of office, this 9th day of September, A.D. 1905.

County Recorder.

Motice of Mining Location

To All Whom it May Concern:
This Mining Claim, the name of which is the Daniel Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and
purchase by LAKE SUPERIOR & PITTSBURG MINING COMPANY, A MINNESOTA
CORPORATION. (Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")
the undersigned, on the day of september 1905.
The length of this claim is about 1500 feet,
and we claim 750 feet,
in a Easterly direction and 750
monthing Westerly direction from
the center of the discovery shart, at which this notice is posted, lengthwise of the claim, together
with about 50 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the to the
The claim is situated and located in the Warren Mining District, in Cochise County, in the Territory of Arizona, about 1500 feet
in a Southerly direction from the Briggs shaft of the C. & P. Wining Co., and is bounded on the North by the Danville, Hard Cash,
alld Mellie; on the South by the Reward, 16-1, and X'Mas '96, patented mining claims.
The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones
at a point in a Pasterly direction . 750 feet from the discovery NAME (at which this notice is posted), being in the center of the monument end line of said claim; thence about 50 feet to a monument
of stones , being the South-east corner of said claim; thence
about 1500 feet to a monument of stones, being at the
South-west corner of said claim; thence about 50 feet
to a monument of stones at the center of the West end of said claim; thence about 50 feet to a monument of stones, being at the
North-west corner of said claim; thence about 1500 feet to a monument of stones at the North-east corner of said claim;
thence about 50 teet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.
This is an Amended Location Notice of the Daniel
Mining Claim, located by Jacob Pirrung, Dan Hankins, and W. J. Hankins
December 190 1, and recorded in Book 20 of Record of Mines, at
page 70, in the office of the County Recorder of the aforesaid County of Cochise to which reference is hereby made, and this amended Location Notice is made and posted to correct errors in the description in the said original Location Notice and the recorded to the correct which, by error of recorder was recorded "Damil". Dated and posted on the ground this day of September 190.5.
LAKE SUPERIOR & PITTSBURG MINING GOMPANY
Its Agent. Its Agent. Of M. O Connell Sept 8, 190.
QPM - BOOK 34 Records of Mines - Page 460 No. 109.—AMENDED NOTICE OF LOCATION OF LODE CLAIM.—The H. H. McNeil Company's Red Line Blanks, Phoenix, Arizona.*



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural claim with reference to some natural object, or permanent monument, as will identify the claim.

AMENDED Motice of Location.

	LODE	CLAIM.	
$\mathcal{N}_{\mathcal{O}}$	euie	L	
-	-		
Dated			190
Filed	and Record	ed at req	uest of
. 2.		•	
-			-
	·····		
		A. I	D. 190
at			
Book		7	
ç		2	
Pages	***	- ?	
	E.		
	9.0	County 1	
Ву	1.1		*
-,		Deputy 1	Recorder.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,
Fib. 16- 190 C
I, U. S. Surveyor-General for Arizona
do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey
of the mining claim of Lake Superior and Pittsburg Mining Co.,
known as the Daniel
situate in Warren
Mining District, Cochise County, Arizona, &
in Section approx. , Township No. 23 S. , Range No. 24 E.G & S.R.B., an
designated as Survey No2167, has been correctly copied from the originals on file is
this office; that said Field Notes furnish such an accurate description of said mining claim as will,
incorporated into a patent, serve fully to identify the premises, and that such reference is made therei
to natural objects or permanent monuments as will perpetuate and fix the locus thereof. Lux than And I further certify that, five hundred dollars' worth of labor has been expended or improve
ments made upon said mining claim by claimant or its grantors, and that said improvement
consist of 1 shaft Value \$100.00 at time of survey.
and that no portion of said labor or improvements has been included in the estimate of expenditures
upon any other claim.
I further certify that the plat thereof, filed in the U.S. Land Office at Phoenix,
Arizona, is correct and in conformity with the foregoing Field Notes.
(Signal) Frank S. Ingalla
United States Surveyor-General for Arizona,

7361b5m3-03

Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior,

Office of U.S. Surveyor General,

Phoenix, Arizona, L. 16-1906, 18.
I, U. S. Surveyor General for <u>Arizona</u> ,
do hereby certify that the foregoing and hereto attached Field Notes and Return of the
Survey of the Mining Claim ofLaka Superior and Pittspurg Mining
Co.
, known as the
Daniel ,
situate in <u>Warren</u> mining district,
County, Arizona, ,
in Section approx., Township No. 23 S., Range No. 24 E. G. & S.R. B. &. M.
, designated as Survey No. 2167
executed by Franklin W. Smith , U. S. Deputy Mineral
Surveyor, <u>September 27,1905</u> , , under my instructions dated
necessary corrections and explanations made, and the said Field Notes and Return, and
the Survey they describe, are hereby approved. A true copy of the copy of the location
certificate filed by the applicant for survey is included in the field notes. U. S. Surveyor General for
U. S. Surveyor General for Krizona.

797965

Daniel Lode

situated in the Warren Mining District, Cochise County, Territory of Arizona, and owned by Lake Superior & Pitts burg Mining Company:

AFFIDAVIT OF \$500.00

I hereby certify that the value of the labor and improvements on this claim placed thereon by the claimant or its grantors is not less than \$500.00 and that said improvements were placed on said claim before the 15th day of April, 1906, and prior to the expiration of the period of publication of the application for patent and that said improvements are as follows:

- No. 1 Discovery shaft 4 x 6 x 10 feet deep brs from

 W E C N.82° 4' E 750.0 ft value 100.00
- No. 2 Shaft 8 x 12 x 11 feet deep brs from Cor. No. 4

 N 76° E 228.0 ft value 300.00
- No. 3 Shaft 4 x 11 x 12 feet deep brs from Vor. No. 4

 N 74° E 202.0 ft value 200.00
- No. 4 Shaft 4 x 8 x 10 feet deep brs from Cor. No. 4 N
 71° 30' E 172.0 ft value 130.00
- No. 5 Shaft 4 x 6 x 10 feet deep brs from Cor. No. 4

 N 79° E 171.0 ft value 100.00
- No. 6 Shaft 4 x 6 x10 feet deep brs from Cor. No. 4
 S 86° W 281.0 ft value 100.00

Total Improvements \$ 930.00

Franklin Wineral Surveyor

Dated at Bisbee, Ariz.,
April /6-/906.

Affidavit of Five Hundred Dollars Improvements.

We, J. P. Cnlado	and Harry Locke
of lawful age, being first duly sworn accord	ding to law, depose and say: That we are acquainted with the
Daniel	mining claim, situate in
mining district, Cochise	County, Arizona Territory, for which the Lake
Superior & Pittsburg Mining	Co. by J. M. O'Connell attorney
ha made application for survey prior to a	pplication for patent under the provisions of the Act of Congress
approved May 10, 1872; and that the labor	done and improvements made thereon by the applicant and
itsgrantors_exceed five hundred	l dollars in value, and further that we are not personally interested
in said mine.	Ando Vach
TERRITORY OF ARIZONA, COUNTY OF COChise	$\rangle ss$:
COUNTY OF GOCNISE	Sworn to and subscribed before me this 17 day
[SEAL.]	of April , 1906.
117865409-2-04	NOTARY PUBLIC In and for the County of Cochise, Territory of Arizona, My Commission Expires March 12, 1910.

Certificate of U. S. Surveyor General

AS TO

EXPENDITURES	REPORTED	AFTER	RETURN	OF	SURVEY	OF	MINING	CLAIN

I, U.S. Surveyor General for Dist, of Arizona,
do hereby certify that Five Hundred Dollars' worth of labor has been expended o
improvements made by claimant or its grantors, upon the mining claim of
Lake Superior & Pittsburg Mining Company
known as the Danigl
situate in <u>Warren</u> mining distric
<u>Cochise</u> County, <u>Arizona</u>
in Section, Township No, Range No.
that said improvements consist of 6 shafts, total value, \$930.00
, and that no portion of said labor or improvements has been
included in the estimate of expenditures upon any other claim. A copy of the report
Franklin W. Smith, U.S. Deputy Mineral Surveyor, date
April 16, 1906, , 18 , is hereto attached.
Jank & Ingalls
Mank & Ingalls
U.S. Surveyor General for ANAZOTA.
Office of U. S. Surveyor General,
Phoenix, Arizona,
April 20,1906

- CURVEY Nº 2167

