

M  
S  
-

0

2

1

9

0

FEB 3-1906

Accepted by agent  
2/12/06.

(4-683.)

Mineral Survey No. 0190

Lot No. \_\_\_\_\_

Gila Arizona Land District.

### FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Mowry Mines Co.

KNOWN AS THE  
Mowry #2 - Mowry No 3 - Mowry No. 5 - Mowry No. 4 - Mowry Camp - El Pueblo -  
Mowry No 1 - Mowry - Park - Park View - Juniper & Oak LODES.

Patagonia Mining District.

Santa Cruz County, Arizona

Sections 23 & 24, Township 23 S., Range 16 E (unsurveyed)

Surveyed under instructions dated Jan 3 -, 1906.  
by Philip Pontzen  
U.S. Deputy Mineral Surveyor

Claim located See location notices

Survey commenced Jan 1<sup>st</sup>, 1906

Survey completed Jan 14<sup>th</sup>, 1906

6-103

Address:

Kingan & Wright, Attorneys,  
Tucson, Arizona

File ✓  
Ledger ✓  
pic ✓  
area ✓

Feet

SURVEY NO. 2190

MOWRY NO.3 Lode.

Beginning at Cor. No. 1.

Identical with the location, which is a mound of stone 3 ft. <sup>base</sup> 2½ft. high, also identical with the S.E. Cor. of the Enterprise Lode, Lot. No. 37, ~~Survey No.~~ and the S.W. Cor. of the Eastern Extension of the Enterprise, Lot No. 44, Survey No. 770. The old corner post being decayed and the marks being obliterated, I re-establish the same, by setting a pine post 4 ins. sq. 4 ft. long, 18 ins. in the ground, and surround the same by a mound of stone and scribe same E M on N. face, M 2-4-2190 on W. and E Ex E M No. 2 on E. face and M-3-1-2190 on S. face, whence

U. S. ~~M~~ M. No. 3 brs. S. 66° 24' W., 2019 ft.

An Oak 8 ins. diam., brs. S. 56° E. 28 ft.

An Oak 14 ins. diam., brs. N. 49° 45' W., 55 ft.

Both trees blazed and scribed 1-4-2190 B T

-----  
Thence S. 26° 30' E.

Var. 12° 45' E.

300. To West End Center Monument.

Identical with the location, which is a mound of stone 3 ft. base 2½ft. high.

500. Road, bears N. E. & S. W.

600. To Cor. No. 2.

Identical with the location, which is a mound of stone 3 ft. base 2½ ft. high.

A limestone 24 x 10 x 12 ins., set 12 ins. in the ground, with mound of stone, chiseled 2-3-5-1-2190 on top M 2 on N.W., M 3 on N.E., M 5 on S.E., and M 4 on S.W. faces, whence

An oak 6 ins. diam., brs. N. 6° 15' E., 56 ft.

An oak 4 ins. diam., brs. S. 55° 30' W., 14 ft.

Both trees blazed and scribed 1-2-3-5-2190 B T

feet.

Thence S. 78° 23' W.

Var. 12° 45' E.

126.4 To Cor. No. 3 Eastern Extension Enterprise Lode, Lot No. 44, Survey No. 770.

510. Ridge, brs. N. and S.

935. Road, brs. N. and S.

980. Gulch, course S.

1310. Ridge, brs. N.W. and S.E.

1500. To Cor. No. 1 the place of beginning.

MOWRY NO. 2 LODE.

Beginning at Cor. No. 1

Identical with the location, and identical with S.W. Cor. Enterprise Lode, Lot No. 37, ~~Survey No.~~ <sup>Cor. No. 6</sup> and the 1st Extension West Enterprise Lode, Lot No. 43, Survey No. 769,, which is an oak post 4 ins. sq. 3½ ft. long firmly set in the ground surrounded by a mound of stone and scribed E M on E. face No. VI on N. and 1st Ex W E M on W. faces, I scribed 1-1-2190 on S. face, whence

U. S. M. M. No. 3, brs. S. 73° 38' W., 528.7 ft.

An oak 6 ins. diam., brs. N. 23° 30' E. 13 ft.

An oak 6 ins. diam., brs. S. 21° W. 27 ft.

Both trees blazed and scribed 1-1-2190.

Thence S. 26° 30' E.

Var. 12° 45' E.

163. Road, brs. N.W. and S.E.

~~500 Road, brs. N.W. and S.E.~~

300. West end center monument.

Identical with the location, which is a mound of stone 3 ft. base 2½ ft. high.

600. To Cor. No. 2.

Identical with the location, which is a mound of

Feet.

stone 3 ft. base  $2\frac{1}{2}$  ft. high.

A granite 24 x 8 x 8 ins., set 12 ins. in the ground, with mound of stone, chiseled 2-1-4-2190 on top, M 2 on N.E., M 4 on S.E. and M 1 on N.W. faces, whence

An oak 10 ins. diam., brs. N.  $89^{\circ}$  E. 41. ft.

An oak 6 ins. diam., brs. S.  $6^{\circ}$  E. 52 ft.

Both trees blazed and scribed 1-2-4-2190 B T

-----  
Thence N.  $63^{\circ}$  51' E.

Var.  $12^{\circ}$  45' E.

20. Road, brs. N. and S.  
1316. Road, brs. E. and W.  
1400. Gulch, course S.  
1416. Road, brs. N.W. and S.E.  
1496. To Cor. No. 3.

Identical with the location, and with Cor. No. 2 of the Mowry No. 3 Lode of this survey.

-----  
Thence N.  $26^{\circ}$  30' W.

Var.  $12^{\circ}$  45' E.

300. To the East end center monument.

Identical with the location, and identical with the west end center monument of the Mowry No. 3 Lode of this Survey.

600. To Cor. No. 4.

Identical with the location, and with Cor. No. 1 of the Mowry No. 3 Lode of this Survey., and with Cor. No. 2 of the Eastern Extension Enterprise Lode, Lot No. 44, Survey No. 770, and the S.E. Cor. of the Enterprise Lode, Lot No. 37, ~~Survey No.~~

-----  
Thence S.  $63^{\circ}$  51' W.

Var.  $12^{\circ}$  45' E.

50. Gulch, course S.

Feet  
 75. Road, brs. N. and S.  
 125. Ridge, brs. N. and S.  
 300. Gulch, course S.E.  
 1190. Gulch, course S.E.  
 1496. To Cor. No. 1 the place of beginning.

-----  
 MOWRY ~~LODE~~ NO. 5 LODE.

Beginning at Cor. No. 1

Identical with the location, and with Cor. No. 2  
 Mowry No. 3 Lode, Cor. No. 3 Mowry No. 2 Lode of this  
 Survey, whence

U. S. M. M. NO. 3 brs. S.  $82^{\circ} 42'$  W., 2135.1 ft.

-----  
 Thence S.  $26^{\circ} 30'$  E.

Var.  $12^{\circ} 45'$  E.

230. Road, brs. N.W. and S.E.  
 300. To west end center monument.

Identical with the location, which is a mound of  
 stone 3 ft. base  $2\frac{1}{2}$  ft. high.

335. Creek, course E.

600. To Cor. No. 2.

Identical with the location, which is a mound of  
 stone 3 ft. base  $2\frac{1}{2}$  ft. high.

A granite stone 24 x 8 x 12 ins., set 12 ins. in the  
 ground, with mound of stone, chiseled 2-4-2190 on top  
 M 5 on N.E. and M 4 on ~~N.E.~~ <sup>N.W.</sup> faces, whence

An oak 10 ins. diam. brs. N.  $66^{\circ} 30'$  W., 78 ft.

An oak 8 ins. diam. brs. S.  $4^{\circ} 15'$  W., 91 ft.

Both trees blazed and scribed 2-4-2190. B T

-----  
 Thence N.  $78^{\circ} 23'$  E.

Var.  $12^{\circ} 45'$  E.

450. Road, brs. N.W. and S.E.  
 480. Gulch, course S.E.

Feet.

1100. Ridge, brs. N. and S.

1420. Gulch, course S. E.

1500. To Cor. No. 3.

Identical with the location, which is a mound of stone 3 ft. base 2½ ft. high.

A granite stone 24 x 8 x 8 ins., set 12 ins. in the ground, with mound of stone, chiseled 3-2190 on top, and M 5 on N. W. face, whence

An oak 20 ins. diam., brs. N. 69° 30' W., 47 ft.

An oak 6 ins. diam., brs. S. 83° 30' W., 39 ft.

Both trees blazed and scribed 3-2190 B T

-----

Thence N. 26° 30' W.

Var. 12° 45' E.

100. Gulch, course S. W.

300. East end center monument.

Identical with the location, which is a mound of stone 3 ft. base 2½ft. high.

600. To Cor. No. 4.

Identical with the location, and Cor. No. 3 of the Mowry No. 3 Lode of this Survey.

-----

Thence S. 78° 23' W.

Var. 12° 45' E.

1500. To Cor. No. 1 the place of beginning.

-----

MOWRY NO. 4 LODGE.

Beginning at Cor. No. 1.

Identical with the location, and with Cor. No. 2 of the Mowry No. 2 Lode of this Survey, whence

U. S. M. M. No. 3 brs. N. 63° 24' W. 866.5 ft.

-----

Feet.	
	Thence S. 26° 30' E.
	Var. 12° 45' E.
158.	Wire fence, brs. N.E. and S.W.
263.	Wire fence, brs. E. and W.
300.	West end center monument.
	Identical with the location, which is a mound of stone 3 ft. base 2½ ft. high.
400.	Road, brs. S.W. and N.E.
422.2	To Cor. No. 2.
	Limestone 24 x 6 x 6 ins., set 12 ins. in the ground, with mound of stone, chiseled 2-2190 on top and M 4 on N.E. face, whence
	An oak 10 ins. diam. brs. S. 31° E. 5 ft.
	An oak 8 ins. diam. brs. S. 35° E. 15 ft.
	Both trees blazed and scribed 2-2190 B T
	Location monument, which is a mound of stone 3 ft. base 2½ ft. high, brs. S. 26° 30' E., 179 ft.
	-----
	Thence S. 64° 12' E.
	Var. 12° 45' E.
224.7	To Cor. No. 3.
	A granite stone 30 x 12 x 8 ins., set 15 ins. in the ground, with mound of stone, chiseled M 4 3-2190 on top and M 4 on N. face, whence
	An oak 6 ins. diam., blazed and scribed 3-2190 B T brs. S. 18° W. 28 ft.
	A cross (X) and B R 3-2190, chiseled on a granite boulder 3 x 2 x 1 ft. above the ground, brs. N. 21° E. 20 ft.
	-----
	Thence N. 63° 53' E.
	Var. 12° 45' E.
200.	Trail, brs. N.W. and S.E.
330.	Road, brs. N.W. and S.E.
1358.6	To Cor. No. 4.



Feet.	<p>Identical with the location, and with Cor. No.2 of Mowry No. 5 Lode of this Survey.</p>
	-----
	<p>Thence N. 26° 30' W.</p>
	<p>Var. 12° 45' E.</p>
300.	<p>To East End Center Monument.</p>
	<p>Identical with the location, and with the West end center monument of Mowry No. 5 Lode this survey.</p>
600.	<p>To Cor. No. 5.</p>
	<p>Identical with Cor. No. 1 Mowry No. 5 Lode, Cor. No. 2 Mowry No. 3 Lode and Cor. No. 3 of Mowry No. 2 Lode of this Survey.</p>
	-----
	<p>Thence S. 63° 51' W.</p>
	<p>Var. 12° 45' E.</p>
1496.	<p>To Cor. No. 1 the place of beginning.</p>
	-----
	<p>MOWRY NO. 1 LODE.</p>
	<p>Beginning at Cor. No. 1.</p>
	<p>Identical with the location, and with Cor. No. 1 of the Mowry No. 2 Lode, and the S.W. Cor. of the Enterprise Lode, Lot No. 37, <del>Survey No.</del> and Cor. No. 6 of the 1st Extension West Enterprise Lode, Lot No. 43, Survey No. 769, whence</p>
	<p>U. S. M. M. No. 3 brs. S. 73° 38' W., 528.7 ft.</p>
	-----
	<p>Thence S. 45° 49' W.</p>
	<p>Var. 12° 45' E.</p>
78.	<p>Road, brs. N. and S.</p>
134.	<p>Gulch, course N. &amp; S.</p>
160.	<p>Road, brs. N.W. and S.E.</p>
625.	<p>Road, brs. N. and S.</p>
820.	<p>Gulch, course S. E.</p>
1494.	<p>To Cor. No. 2.</p>

Feet.

Identical with the location, and with Cor. No. 5 of the 1st Extension West Enterprise Lode, Lot No. 43, Survey No. 769. The old post being decayed and the marks being obliterated, I reestablish said Cor. by setting a pine post 4 ins. sq., 4 ft. long, set 18 ins. in the ground, and surround same by a mound of stone. I scribe on same, 1st Ex W E M -V on N., M 1 2-2190 on E., P - 1-2190 on S. and M-1-2190 on W. faces, whence  
An oak 8 ins. diam, brs. W. 73 ft.  
An oak 12 ins., diam., brs. N. 28° W., 49 ft.  
Both trees blazed and scribed 1-2-4-2190 B T

-----  
Thence S. 26° 30' E.

Var. 12° 45' E.

- 90. Road, N.W. and S. E.
- 200. Gulch, course S.E.
- 300. To west End Center Monument.

Identical with the location, which is a mound of stone 3 ft. base 2½ ft. high.

- 500. Gulch, course S.E.
- 600. To Cor. No. 3.

Identical with the location, which is a mound of stone 3 ft. base 2½ ft. high.

A limestone 24 x 16 x 8 ins., set 12 ins. in the ground, with mound of stone, chiseled 3-4-2190 on top P on N.W. and M 1 on N.E. faces, whence

An oak 8 ins. diam., brs. N. 41° E., 55 ft.

An oak 12 ins. diam., brs. S. 57° 30' W., 43 ft.

Both trees blazed and scribed 3-4-2190 B T

-----  
Thence N. 45° 49' E.

Var. 12° 45' E.

- 340. Gulch, course S. E.
- 370. Road, brs. S.E. and N.W.

Feet.	
995.	Gulch, course S.E.
1080.	Road, brs. N. and S.
1290.	Gulch, course S.
1494.	To Cor. No. 4.
	Identical with Cor. No. 2, Mowry No. 2 Lode, and Cor. No. 1, Mowry No. 4 Lode of this survey.
	-----
	Thence N. 26° 30' W.
	Var. 12° 45' E.
300.	To East end center monument.
	Identical with the location, and identical with the west end center monument of the Mowry No. 2 Lode of this survey.
600.	To Cor. No. 1 the place of beginning.
	-----
	MOVRY CAMP LODGE.
	Beginning at Cor. No. 1.
	Identical with the location, which is a mound of stone 3 ft. base 2½ ft. high.
	A galena stone 24 x 12 x 6 ins., set 12 ins. in the ground, with mound of stone, chiseled 1-2190 on top, and M C on S. face, whence
	U. S. M. M. No. 3 brs. N. 40° 16' W., 666 ft.
	An oak 6 ins. diam., brs. E. 34 ft.
	An oak 30 ins. diam., brs. N. 29° W., 56 ft.
	Both trees blazed and scribed 1-2190 B T
	-----
	Thence S. 64° 12' E.
	Var. 12° 45' E.
163.9	Intersect line 3-4 of the Mowry No. 1 Lode of this survey, at a point N. 45° 49' E., 1219.2 ft. from Cor. No. 3 of the Mowry No. 1 Lode.
192.	Gulch, course S.E.
285.	Ridge, brs. N.E. and S.W.

Feet

592. To Cor. No. 2. Mowry No. 4 Lode of this Survey,

816.7 To Cor. No. 3 Mowry No. 4 Lode of this Survey.

1456.7 To Cor. No. 2.

Identical with the location, which is a mound of stone 3 ft. base 2½ ft. high.

A granite stone 30 x 8 x 12 ft., set 15 ins. in the ground, with mound of stone, chiseled 2-2190 on top and M C on W. face.

An oak 16 ins. diam., brs. N. 38° W., 21 ft.

An oak 10 ins. diam., brs. N. 87° 45' E., 62 ft.

Both trees blazed and scribed 2-2190 B T

-----

Thence S. 30° 57' W.

Var. 12° 45' E.

20. Gulch, course E.

300. To East End Center Monument.

Identical with the location, which is a mound of stone 3 ft. base 2½ ft. high.

600. To Cor. No. 3.

Identical with the location, which is a mound of stone 3 ft. base 2½ ft. high.

A granite stone 24 x 12 x 12 ins., set 12 ins. in the ground, with mound of stone, chiseled 3-2190 on top and M C on N. face, whence

An oak 10 ins. diam., brs. N. 47' E., 35 ft.

An oak 8 ins. diam., brs., S. 79° W., 15 ft.

Both trees blazed and scribed 3-2190 B T

-----

Thence N. 64° 12' W.

Var. 12° 45' E.

100. Gulch, course N. E.

290. Ridge, brs. N. E.

960. Gulch, course E.

1186. Road, brs. E. and W.

Feet  
1456.7

To Cor. No. 4.

Identical with the location, which is a mound of stone 3 ft. base 2½ ft. high, *situate on line 3-4 Norway No. 1 lode this survey at N. 45° 49' E. 583.2 ft. from Cor. No. 3.*

A galena stone 24 x 8 x 6 ins., set 12 ins. in the ground, with mound of stone, chiseled 4-2190 on top and M C on E. face, whence

- An oak 10 ins. diam., brs. S. 15° E., 66 ft.
- An oak 5 ins. diam., brs. N. 67° 30' W., 37 ft.

-----  
Thence N. 30° 57' E.  
Var. 12° 45' E.

115. Ridge brs. N.W. and S.E.  
300. To West End Center Monument.

Identical with the location, which is a mound of stone 3 ft. base 2½ ft. high.

400. Gulch, course S.E.  
480. Road, brs. N W. and S.E.  
600. To Cor. No. 1 the place of beginning.

-----  
EL PUEBLO LODGE.

Beginning at Cor. No. 1.

Identical with the location, which is a mound of stone 3 ft. base 2½ ft. high.

A granite 30 x 12 x 8 ins., set 15 ins. in the ground, with mound of stone, chiseled 1-2190 on top and E P on S.E. face, whence

- U. S. M. M. No. 3 brs. N. 54° 53' W., 1817.5 ft.
- An oak 8 ins. diam., brs. S. 59° 30' E., 18 ft.
- An oak 6 ins. diam., brs. S. 45° W., 24 ft.

Both trees blazed and scribed 1-2190 B T

-----

Feet	
	Thence S. 32° 34' E. Var. 12° 45' E.
160.	Gulch, course S.E.
300.	To West End Center Monument.  Identical with the location, which is a mound of stone 3 ft. base 2½ ft. high.  At this point intersect line 2-3 of Mowry Camp Lode of this survey, from which Cor. No. 2 of said Lode brs. N. 30° 57' E., 182.2 ft.
500.	Gulch, course N.E.
600.	To Cor. No. 2.  Identical with the location, which is a mound of stone 3 ft. base 2½ ft. high.  A granite stone 24 x 14 x 12 ins., set 12 ins. in the ground, with mound of stone, chiseled 2-2190 on top and E P on N. E. face, whence  An oak 10 ins. diam., brs. N. 14° 15' E., 88 ft. An oak 6 ins. diam., brs. N. 33° 45' E., 127 ft. Both trees blazed and scribed 2-2190 B T  -----  Thence N. 53° 42' E. Var. 12° 45' E.
100.	Ridge brs. N. & S.
280.	Road, brs. N. and S.
350.	Road, brs. N.E. and S.W.
1008.	Gulch, course N.E.
1498.	To Cor. No. 3.  Identical with the location, which is a mound of stone 3 ft. base 2½ ft. high.  A limestone 24 x 14 x 10 ins., set 12 ins. in the ground, with mound of stone, chiseled 3-2190 on top and E P on N. W. face, whence  An oak 8 ins. diam., brs. N. 64° E., 19 ft. An oak 20 ins. diam., brs. N. 67° W., 75 ft. Both trees blazed and scribed 3-2190 B T

Feet

Thence N.  $32^{\circ} 34'$  <sup>N.W.</sup>  
 Var.  $12^{\circ} 45'$  E.

300. To East End Center Monument.  
 Identical with the location, which is a mound of stone 3 ft. base  $2\frac{1}{2}$  ft. high.
320. Road, brs. N.E. and S.W.
340. Creek, course N.E.
- 554.5 Intersect line 2-3 of the Mowry No. 5 Lode of this Survey, from which Cor. No. 2 of said Lode brs.  $S.78^{\circ} 23'$  W., 339.8 ft.
600. To Cor. No. 4.  
 Identical with the location, which is a mound of stone 3 ft. base  $2\frac{1}{2}$  ft. high.  
 A granite stone 24 x 12 x 12 ins., set 12 ins. in the ground, with mound of stone, chiseled 4-2190 on top and E P on S. face, whence  
 An oak 6 ins. diam., brs. N.  $14^{\circ} 15'$  E., 88 ft.  
 An oak 12 ins. diam., brs. N.  $34^{\circ} 45'$  E., 127 ft.  
 Both trees blazed and scribed 4-2190 B T
- 
- Thence S.  $53^{\circ} 42'$  W.  
 Var.  $12^{\circ} 45'$  E.
- 101.8 Intersect line 2-3 of the Mowry No. 5 Lode of this Survey, from which point Cor. No. 2 of said Lode brs.  $S. 78^{\circ} 23'$  W., 231.1 ft.
1190. Road brs. N. W. and S. E.
- 1470.7 Intersect line 1-2 of the Mowry Camp Lode of this survey from which point Cor. No. 2 of said Lode brs.  $S.64^{\circ} 12'$  <sup>N.W.</sup>, ~~159.7~~ <sup>259.</sup> ft.
1498. To Cor. No. 1 the place of beginning.
-

Feet.

## PARK LODE.

Beginning at Cor. No. 1.

Identical with the location, also with Cor. No. 5 of the 1st Extension West Enterprise Lode, Lot No. 43, Survey No. 769, and Cor. No. 2 of Mowry No. 1 Lode of this Survey, whence

U. S. M. M. No. 3, brs. N.  $32^{\circ} 18'$  E., 1055.6 ft.

-----  
Thence S.  $45^{\circ} 49'$  W.

Var.  $12^{\circ} 45'$  E.

55. Road, brs. N.W. and S.E.

90. Creek, course S.E.

1500. To Cor. No. 2.

Identical with the location, which is a mound of stone 3 ft. base  $2\frac{1}{2}$  ft. high.

Set a limestone 24 x 12 x 8 ins., set 12 ins. in the ground, with mound of stone, chiseled 2-3-2190 on top M on N. and P on E. faces, whence

An oak 10 ins. diam., brs. S.  $70^{\circ} 30'$  E., 18 ft.

An oak 8 ins. diam., brs. S.  $43^{\circ} 30'$  W., 25 ft.

Both trees blazed and scribed 2-3-2190 B T

-----  
Thence S.  $26^{\circ} 30'$  E.

Var.  $12^{\circ} 45'$  E.

280. Gulch, course N. E.

300. West End Center Monument.

Identical with the location, which is a mound of stone 3 ft. base  $2\frac{1}{2}$  ft. high.

560. Gulch, course N. E.

600. To Cor. No. 3.

Identical with the location, which is a mound of stone 3 ft. base  $2\frac{1}{2}$  ft. high.

A limestone 24 x 12 x 7 ins., set 12 ins. in the ground, with mound of stone, chiseled 3-2190 on top and P on N. face, whence



Feet.

An oak 8 ins. diam., brs. N. 59° W., 13 ft.  
An oak 5 ins. diam., brs. N. 64° 30' E., 18 ft.  
Both trees blazed and scribed 3-2190 B T

-----

Thence N. 45° 49' E.  
Var. 12° 45' E.

1200. Gulch, course N. E.

1500. To Cor. No. 4.

Identical with the location, and Cor. No. 3 of Mowry No. 1 Lode of this survey.

-----

Thence N. 26° 30' W.  
Var. 12° 45' E.

300. To East End Center Monument.

Identical with the location, and with the West End Center Monument of the Mowry No. 1 Lode of this survey,

600. To Cor. No. 1 the place of beginning.

-----

MOWRY LODE.

Beginning at Cor. No. 1

Identical with the location, and with Cor. No. 3 of the 1st Extension West Enterprise Lode, Lot No. 43, Survey No. 769. The Old corner post being decayed and marks obliterated I re-establish same by setting a pine post 4 ins. sq. 4 ft. long, 18 ins. in the ground and surround same by a mound of stone, scribed 1st Ex W E M III on E., M 1-2190 on S., and P V 1-2-2190 on W., and J 4-2190 on N. faces, whence

U. S. M. M. No. 3, brs. N. 66° 52° E., 904.6 ft.  
An oak 4 ins. diam., brs. S. 61° 30' E., 33 ft.  
An oak 6 ins. diam., brs. N. 46° W., 72 ft.  
Both trees blazed and scribed 1-1-4-2190 B T

-----

Feet

Thence S. 45° 49' W.

Var. 12° 45' E.

350. Gulch, course S.E.

410. Road, brs. N.W. and S.E.

1500. To Cor. No. 2.

Identical with the location, which is a mound of stone 3 ft. base 2½ ft. high.

A limestone 24 x 12 x 10 ins., set 12 ins. in the ground, with mound of stone, chiseled 2-2190 on top and M on E. face, whence

An oak 8 ins. diam., brs. S. 19° E. 58 ft.

An oak 6 ins. diam., brs. S. 88° E., 62 ft.

Both trees blazed and scribed 2-2190 B T

-----

Thence S. 26° 30' E.

Var. 12° 45' E.

30. Gulch, course N.E.

150. Ridge brs. N.E. and S.W.

250. Gulch, course N.E.

300. To West End Center Monument.

Identical with the location, which is a mound of stone 3 ft. base 2½ ft. high.

600. To Cor. No. 3.

Identical with the location, and with Cor. No. 2 of the Park Lode of this Survey.

-----

Thence N. 45° 49' E.

Var. 12° 45' E.

1500. To Cor. No. 4.

Identical with Cor. No. 5 of the 1st Extension West Enterprise Lode, Lot No. 43, Survey No. 769, Cor. No. 2 of Mowry No. 1 Lode, and Cor. No. 1 of Park Lode of this Survey.

-----

Feet.

Thence N. 26° 30' W.

Var. 12° 45' E.

300. To East End Center Monument.

Identical with the location, and with Cor. No. 4 of  
1st Extension West Enterprise Lode, Lot No. 43, Survey  
No. 769, which is an oak post in mound of stone, scribed  
1st Ex W E M No IV on E. face

560. Gulch, course S. W.

590. Road, brs. N.E. and S.W.

600. To Cor. No. 1 the place of beginning.

-----

PARK VIEW LODE.

Beginning at Cor. No. 1

Identical with the location, and with Cor. No. 3 of  
1st Extension West Enterprise Lode, Lot No. 43, Survey  
No. 769, Cor. No. 1 of Mowry Lode of this Survey, whence  
U. S. M. M. No. 3 brs. N. 66° 52' E., 904.6 ft.

-----

Thence N. 26° 30' W.

Var. 12° 45' E.

~~850. Gulch, course S.W.~~

1080. Gulch, course S.

1350. Gulch, course S.

1500. To Cor. No. 2.

Identical with the location, which is a mound of  
stone 3 ft. base 2½ ft. high.

A limestone 30 x 18 x 8 ins., set 15 ins. in the  
ground, with mound of stone, chiseled 2-2190 on top and  
P V on S. face, whence

An oak 20 ins. diam., brs. N. 42° W., 20 ft.

An oak 16 ins. diam., brs. S. 77° E., 76 ft.

Both trees blazed and scribed 2-2190 B T

-----

<p>Feet</p>	<p style="text-align: center;">Thence S. 45° 49' W. Var. 12° 45' E.</p> <p>90. Gulch, course S.</p> <p>300. To North End Center Monument. Identical with the location, which is a mound of stone 3 ft. base 2½ ft. high.</p> <p>400. Ridge, brs. N. and S.</p> <p>600. To Cor. No. 3. Identical with the location, which is a mound of stone 3 ft. base 2½ ft. high. Set a limestone 30 x 16 x 12 ins., set 15 ins. in the ground, with mound of stone, chiseled 3-2190 on top and P V on E. face, whence An oak 30 ins. diam. brs. No. 80° E., 28 ft. An oak 6 ins. diam., brs. N. 22° E., 57 ft. Both trees blazed and scribed 3-2190 B T</p> <p style="text-align: center;">----- Thence S. 26° 30' E. Var. 12° 45' E.</p> <p>180. Enter road.</p> <p>450. Leave road.</p> <p>720. Gulch, course S.E.</p> <p>820. Same road, brs. N.W. and S.E.</p> <p>1500. To Cor. No. 4. Identical with the location, which is a mound of stone 3 ft. base 2½ ft. high. a Limestone 24 x 12 x 8 ins., set 12 ins. in the ground, with mound of stone, chiseled 4-2190 on top and P V on N. face, whence An oak 5 ins. diam., brs. N. 12° W., 18 ft. An oak 5 ins., diam., brs. S. 20° W., 4 ft. Both trees blazed and scribed 4-2190 B T Cor.No.2 Mowry Lode of this Survey brs.S.45° 49' W., 900 ft.</p> <p style="text-align: center;">-----</p>
-------------	--

Feet

Thence  $N 45^{\circ} 49' E.$ Var.  $12^{\circ} 45' E.$ 

300. To S. End Center Monument.

Identical with the location, which is a mound of stone 3 ft. base  $2\frac{1}{2}$  ft. high.

600. To Cor. No. 1 the place of beginning.

-----

JUNIPER LODGE.

Beginning at Cor. No. 1.

Identical with the location, also identical with Cor. No. 2 1st Extension West Enterprise Lode, Lot No. 43, Survey No. 769, and N. W. Cor. of the Enterprise Lode, Lot No. 37, ~~Survey No.~~, which is an oak post 4 ins. sq., firmly set in the ground and surrounded by a mound of stone, scribed 1st E X E M No. II on W., E M on E. and 1-1-2190 on N., and 1-1-2190 on W. faces, whence U. S. M. M. No. 3 brs. S.  $19^{\circ} 59' W.$ , 717.7 ft. No other bearings available.

-----

Thence N.  $26^{\circ} 30' W.$ Var.  $12^{\circ} 45' E.$ 

300. East End Center Monument.

Identical with the location, which is a mound of stone 3 ft. base  $2\frac{1}{2}$  ft. high.

600. To Cor. No. 2.

Identical with the location, which is a mound of stone 3 ft. base  $2\frac{1}{2}$  ft. high.

Alimestone 24 x 12 x 8 ins, set 12 ins. in the ground, with mound of stone, chiseled 24-2190 on top and J on S. face and O on S. E. face, whence

An oak 8 ins. diam., brs. S/  $18^{\circ} E.$ , 90 ft.

An oak 14 ins. diam., brs. N.  $64^{\circ} 30' E.$ , 59 ft.

Both trees blazed and scribed 2-4-2190 B T

-----

Feet	
	<p>Thence S. 46° 17' W. Var. 12° 45' E.</p>
150.	Ridge, brs. N W. and S.E.
1100.	Gulch, course S.
1490.1	To Cor. No. 3.
	<p>Identical with the location, which is a mound of stone 3 ft. base 2½ ft. high.</p> <p>A Limestone 24 x 8 x 8 ins., set 12 ins. in the ground, with mound of stone, chiseled 3-2190 on top and J on S. E. face, whence</p> <p>An oak 12 ins. diam. brs. N. 12° E., 60 ft. An oak 5 ins. diam. brs. S. 82° W., 30 ft. Both trees blazed and scribed 3-2190 B T Cor. No. 2 of the Park View Lode of this Survey, brs. N. 26° 30' W., 900 ft.</p> <p style="text-align: center;">-----</p>
	<p>Thence S. 26° 30' E. Var. 12° 45' E.</p>
300.	To the West End Center Monument.
	<p>Identical with the location, which is a mound of stone 3 ft. base 2½ ft. high.</p>
600.	To Cor. No. 4.
	<p>Identical with the location, and with Cor. No. 3 of the 1st Extension West Enterprise Lode, Lot No. 43, Survey No. 769, Cors. Nos. 1 of the Mowry and Park View Lodes of this Survey,</p> <p style="text-align: center;">-----</p>
	<p>Thence N. 46° 17' E. Var. 12° 45' E.</p>
40.	Road, brs. N.E. and S.W.
50.	Gulch, course S.
1490.1	To Cor No. 1 the place of beginning.
	-----

Feet

## OAK LODGE.

Beginning at Cor. No. 1.

Identical with the location, and with the N.W. Cor. of the Enterprise Lode, Lot No. 37, ~~Survey No.~~ and Cor. No. 2 of the 1st Extension West Enterprise Lode, Lot No. 43, Survey No. 769, and Cor. No. 1 of the Juniper Lode of this Survey, whence

U. S. M. M. No. 3 brs. S.  $19^{\circ} 59'$  W., 717.7 ft.

-----  
Thence  $\backslash$  N.  $63^{\circ} 30'$  E.

Var.  $12^{\circ} 45'$  E.

300. Ridge, brs. N.W. and S.E.  
600. Draw, course S.E.  
1050. Gulch, course S.E.  
1200. Ridge, brs. N.W. and S.E.  
1500. To Cor. No. 2.

Identical with the location, and with the N.E. Cor. of the Enterprise Lode, Lot No. 37, ~~Survey No.~~, also Cor. No. 6 of Eastern Extension Enterprise Lode, Lot No. 44, Survey No. 770. Old <sup>post</sup> being decayed and marks obliterated I re-establish the same by setting a pine post 4 ins. sq., 4 ft. long, 18 ins. in the ground, scribed O-2-2190 on W., E M on S. and E E E No. VI on E. faces, whence

Cor. No. 1 Golden Gate Lode Survey No. 2027, brs. N.  $78^{\circ} 15'$  E., 143.5 ft.

An oak 10 ins. diam., brs. N.  $84^{\circ}$  E., 24 ft.

An oak 24 ins. diam., brs. S.  $69^{\circ} 30'$  W., 122 ft.

Both trees blazed and scribed 2-2190 B T

-----  
Thence N.  $26^{\circ} 30'$  W.

Var.  $12^{\circ} 45'$  E.

155. Gulch, course S. E.  
300. To East End Center Monument.

Identical with the location, which is a mound of stone

- Feet.
- 3 ft. base  $2\frac{1}{2}$  ft. high.
- 477.2 Intersect line 1-2 golden Gate Lode, Survey No. 2027,  
at a point from which Cor. No. 1 of said Lode brs,  
S.  $41^{\circ} 37'$  E., *532.15* ft.
600. To Cor. No. 3.  
Identical with the location, which is a mount of  
stone 3 ft. base  $2\frac{1}{2}$  ft. High  
A limestone 24 x 8 x 6 ins., set 12 ins. in the  
ground, with mound of stone, chiseled 3-2190 on top and  
O on S. W. face, whence  
An oak 16 ins. diam., brs. S.  $20^{\circ}$  E., 130 ft.  
An oak 16 ins. diam., brs. S.  $54^{\circ}$  W., 123 ft.  
Both trees blazed and scribed 3-2190 B T  
-----  
Thence S.  $63^{\circ} 30'$  W.  
Var.  $12^{\circ} 45'$  E.
- 33.18 Intersect line 1-2 Golden Gate Lode, Survey No. 2027,  
from which point Cor. No. 1 of said lode brs. S.  $41^{\circ} 37'$  ~~W.~~ *E.*  
*659.35* ft.
1030. Gulch, course S. E.
1500. To Cor. No. 4.  
Identical with the location, and with Cor. No. 2  
of the Juniper Lode of this Survey.  
-----  
Thence S.  $26^{\circ} 30'$  E.  
Var.  $12^{\circ} 45'$  E.
300. To West End Center Monument.  
Identical with the location, and with the West End  
Center Monument of the Juniper Lode of this Survey.
600. To Cor. No. 1 the place of beginning.  
-----



## A R E A

Mowry No. 3 Lode,	✓	19.968	Acres	
Mowry No. 2 Lode,		20. <del>000</del> <sup>605</sup>	"	
Mowry No. 5 Lode,	✓	19.968	"	
Mowry No. 4 Lode,	✓	20.311	"	
Mowry No. 1 Lode,		19. <del>000</del> <sup>606</sup>	"	
Mowry Camp Lode,		19. <del>982</del> <sup>983</sup>	Acres	
Less Conflict with Mowry No. 1 Lode,	✓	<u>1.124</u>	"	
Net Area Mowry Camp Lode,		18. <del>800</del> <sup>859</sup>	"	
El Pueblo Lode,	✓	20.590	Acres	
Less Conflict with Mowry No. 5 Lode,	✓	0.053	Acres	
Less Conflict with Mowry Camp Lode	✓	<u>0.633</u>	"	
		0.686	"	
Net Area El Pueblo Lode,	✓	<u>0.686</u>	"	
		19.904	"	
Park Lode,	✓	19.685	"	
Mowry Lode,	✓	19.685	"	
Park View Lode,	✓	19.685	"	
Juniper Lode,	✓	19.605	"	
Oak Lode,	✓	20.661	Acres	
Less conflict with Golden Gate Lode Survey No. 2027	✓	<u>0.046</u>	"	
Net Area Oak Lode	✓	20.615	"	
Total net area claim,		238. <del>000</del> <sup>496</sup>	"	

## LOCATION.

The Lodes embraced in Survey No. 2190 are situated approximately in Secs. 23 and 24 Tp. 23 S., R. 16 E., G. & S. R. P. M., Patagonia Mining District, Santa Cruz County, Arizona.

## ADJOINING CLAIMS.

The Mowry No. 5 Lode is bounded on the South by the Refugio Lode, unsurveyed.

The Mowry No. 4 Lode is bounded on the South by the Mowry No. 6 Lode, unsurveyed, and the Knob Lode unsurveyed, on the west.

The Oak Lode is bounded on the East by the Laurel Lode, unsurveyed, and the Golden Gate Lode, Survey No. 2027.

-----  
COURSE OF VEINS.

The Presumed course of the vein of the Mowry No. 3 Lode is from the West End Center Monument to the East End Center Monument, N.  $78^{\circ} 23'$  E., 1500 ft.

The presumed course of the vein of the Mowry No. 2 Lode is from the West End Center to the East End Center, N.  $63^{\circ} 51'$  E., 1496 ft.

The presumed course of the vein of the Mowry No. 5 Lode is from the West end center to the East End Center, N.  $78^{\circ} 23'$  E., 1500 ft.

The presumed course of the vein of the Mowry No. 4 Lode is from the West end center to the East End Center, N.  $63^{\circ} 51'$  E., 1496 ft.

The presumed course of the vein of the Mowry No. 1 Lode is from the West End Center to the East End Center, N.  $45^{\circ} 49'$  E., 1494 ft.

The presumed course of the vein of the Mowry Camp Lode is from the West End Center to the East End Center, S.  $64^{\circ} 12'$  E., 1456.7 ft.

The presumed course of the vein of the El Pueblo Lode is from the West End Center to the East End Center, N.  $53^{\circ} 42'$  E., 1498 ft.

The presumed course of the vein of the Park Lode is from the West End Center to the East End Center, N.  $45^{\circ} 49'$  E., 1500 ft.

The presumed course of the vein of the Mowry Lode is from the West End Center to the East End Center, N.  $45^{\circ} 49'$  E., 1500 ft.

The presumed course of the vein of the Park View Lode is from the South End Center to the North End Center, N. 26° 30' W., 1500 ft.

The presumed course of the vein of the Juniper Lode is from the West End Center to the East End Center, N. 46° 17' E., 1490.1 ft.

The presumed course of the vein of the Oak Lode is from the West End Center to the East End Center, N. 63° 30' E., 1500 ft.

-----  
EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements upon the Mowry No. 3, Mowry No. 5, Mowry No. 4, Mowry No. 1, Mowry Camp, El Pueblo, Park, Mowry, Park View, Juniper and Oak Lodes, placed thereon by the claimant and his grantors, is not less than five hundred dollars on each lode, and said improvements consist of:

MOVRY NO. 3 LODE.

From West End Center Monument:

Discovery shaft No. 1, 5 x 7 ft. 30 ft. deep,  
brs. N.78° 23' E., 40 ft. Value, \$ 300.00

From Cor. No. 2:

Cut No. 2, 3 x 4 ft. 25 ft. long, course S. E.,  
brs. N. 29° E., 102 ft. Value, \$ 100.00

Shaft No. 3, 4 x 6 ft. 23 ft. deep, with incline  
4 x 6 ft. 60 ft. long, course E., brs. N. 70° E., 265 ft.  
Value, \$ 600.00

-----  
MOVRY NO. 2 LODE.

From West End Center Monument:

Discovery shaft No. 1, 4 x 6 ft. 10 ft. deep, brs.  
N. 63° 51' E., 530 ft. Value, \$ 100.00

Shaft No. 2, 5 x 6 ft. 14 ft. deep, brs. S.73° E.,  
205 ft. Value, \$ 140.00

Cut No. 3, 4 x 6 ft. 10 ft. long, brs. N. 77° E.,  
660 ft. Value \$ 100.00

~~Cut No. 4, 4 x 6 ft. 10 ft. long, brs. N. 77° E.,  
660 ft. Value \$ 100.00~~

From Cor. No. 3:

Shaft No. 4, 5 x 6 ft. 30 ft. deep, brs. N. 78° 30' W.,  
378 ft. Value, \$ 300.00

-----  
MOWRY NO. 5 LODE.

From West End Center Monument:

Discovery shaft No. 1, 4 x 6 ft. 25 ft. deep,  
brs. ~~S. 37° 30' E., 91 ft.~~ <sup>N. 78° 23' E. 370</sup> Value, \$ 250.00  
From Cor. No. 1:

Shaft No. 2, 5 x 6 ft. 10 ft. deep, brs. S. 37° 30' E.,  
94 ft. Value \$ 100.00

Tunnel No. 3, 4 x 6 ft. 15 ft. long, course  
N. 45° E., with cut 4 x 4 ft. 34 ft. long, brs:  
N. 89° 30' E., 490 ft. Value \$ 300.00

From Cor. No. 3:

Shaft No. 4, 4 x 6 ft. 10 ft. deep, brs. S. 84° 30' W.,  
395 ft. Value \$ 100.00

-----  
MOWRY NO. 4 LODE.

From West End Center Monument:

Discovery Shaft No. 1, 4 x 6 ft. 40 ft. deep,  
brs. N. 63° 51' E., 100 ft. Value, \$ 400.00

From Cor. No. 1:

Shaft No. 2, 4 x 6 ft. 10 ft. deep, brs. S. 34° E.,  
120 ft. Value, \$ 100.00

-----  
MOWRY NO. 1 LODE.

From East End Center Monument:

Discovery shaft No. 1, 4 x 6 ft. 10 ft. deep, brs.  
S. 45° 49' W., 100 ft. Value, \$ 100.00

From Cor. No. 1:

Shaft No. 2, 4 x 6 ft. 14 ft. deep, brs. S.  $37^{\circ}15'$  W  
250 ft. Value, \$ 140.00

Shaft No. 3, 4 x 6 ft. 22 ft. deep, brs. S.  $40^{\circ}$  W  
500 ft. Value, \$ 200.00

From Cor. No. 2:

Shaft No. 4, 4 x 7 ft. 10 ft. deep, brs. S.  $30^{\circ}$  E.  
105 ft. Value, \$ 100.00

From Cor. No. 4: Mowry Camp Lode:

Shaft No. 5, 4 x 6 ft. 10 ft. deep, brs. N.  $35^{\circ}$  E.,  
120 ft. Value, \$ 100.00

Shaft No. 6, 4 x 6 ft. 10 ft. deep, brs. N.  $32^{\circ}$  E.,  
130 ft. Value, \$ 100.00

From Cor. No. 1 Mowry Camp Lode:

Cut No. 7, 3 x 12 ft. 20 ft. long, course S., brs.  
N.  $45^{\circ}$  W., 30 ft. Value, \$ 100.00

-----  
MOVRY CAMP LODE

From West End Center Monument:

Discovery shaft No. 1, 6 x 6 ft. 22 ft. deep, brs.  
S.  $64^{\circ}12'$  E., 740 ft. Value, \$ 220.00

From Cor. No. 3, Mowry No. 4 Lode:

Shaft No. 2, 6 x 6 ft. 6 ft. deep, brs. S.  $28^{\circ}$  W.,  
260 ft. Value, \$ 50.00

cut No. 3, 2 x 20 ft. 30 ft. long, course N., brs.  
S. 40 ft. Value, \$ 50.00

From Cor. No. 1:

Shaft No. 4, 4 x 6 ft. 10 ft. deep, brs. S.  $48^{\circ}$  E.,  
430 ft. Value, \$ 100.00

Shaft No. 5, 4 x 6 ft. 10 ft. deep, brs. S.  $47^{\circ}$  E.,  
470 ft. Value, \$ 100.00

-----

EL PUEBLO LODGE.

From the West End Center Monument:

Discovery shaft No. 1, 4 x 6 ft., 18 ft. deep, brs N. 53° 42' E. 300 ft. Value, \$ 200.00

From Cor. No. 3:

Shaft No. 2, 4 x 6 ft. 10 ft. deep, brs.S.81°30' W., 810 ft. Value, \$ 100.00

Shaft No. 3, 4 x 6 ft. 10 ft. deep, brs.S. 83° W., 800 ft. Value, \$ 100.00

From Cor. No. 4:

Shaft No. 4, 4 x 6 ft. 10 ft. deep, brs.S.24°30' W., 875 ft. Value, \$ 100.00

PARK LODGE.

From the East End Center Monument:

Discovery shaft No. 1, 4 x 6 ft. 14 ft. deep, brs. S. 45° 49' W., 50 ft. Value, \$ 140.00

*From Cor No 1*  
Shaft No. 2, 4 x 6 ft..20 ft. deep, brs.S. 7° W., 75 ft., Value, \$ 200.00

Shaft No. 3, 7 x 9 ft., 18 ft. deep, brs.S.34° W., 125 ft. Value, \$ 180.00

MOWRY LODGE.

From the East End Center Monument:

Discovery shaft No. 1, 4 x 6 ft. 10 ft. deep, brs. S. 45° 49' W., 50 ft. Value, \$ 100.00

From Cor. No. 1:

Shaft No. 2, 9 x 11 ft., 6 ft. deep, brs.S.3° E., 300 ft. Value, \$ 100.00

Shaft No. 3, 4 x 6 ft., 16 ft. deep, brs.S.3° W/, 268 ft. Value, \$ 150.00

Shaft No. 4, 4 x 6 ft. 6 ft. deep, brs. S. 10° W., 206 ft. Value, \$ 50.00

Shaft No. 5, 4 x 6 ft., 10 ft. deep, brs. S.18° W., 460 ft. Value, \$ 100.00

From Cor. No. 4:

Cut No. 6, 3 x 12 ft. 20 ft. long, course N. W.,  
brs. N. 35° W., 170 ft. Value \$ 100.00

Cut No. 7, 3 x 14 ft. 18 ft. long, course N. W.,  
brs. N. 48° W., 160 ft. Value, \$ 100.00

Shaft No.8, 6 x 6 ft. 10 ft. deep, brs. S. 60° W.,  
300 ft., Value, \$ 100.00

-----  
PARK VIEW LODE

From the South End Center Monument:

Discovery Tunnel No. 1, 5 x 6 ft., 39 ft. long,  
with cut on S.W.end 5 x 5 ft. 30 ft. long, course of  
cut and tunnel N. 38° E., brs. N. 26° 30' W., 314 ft.  
Value, \$ 500.00

Shaft No. 2, 5 x 6 ft. 12 ft. deep, brs. N. 4° E.,  
92 ft. Value, \$ 100.00

From Cor.No.2:

Shaft No. 3, 4 x 6 ft. 10 ft. deep, brs.  
S. 26° W.,  
84 ft. Value, \$ 100.00

-----  
JUNIPER LODE:

From East End Center:

Discovery Shaft No. 1, 4 x 6 ft. 10 ft. deep, brs.  
S. 46° 17' W., 70 ft. Value, \$ 100.00

Shaft No. 2, 6 x 10 ft. 36 ft. deep, brs. S. 83° W.,  
42 ft. Value, \$ 400.00

Shaft No. 3, 4 x 6 ft. 18 ft. deep, brs. S. 12° 30' W.,  
65 ft. Value, \$ 150.00

-----  
OAK LODE:

From West End Center Monument:

Discovery shaft No. 1, 4 x 6 ft. 10 ft. deep, brs.  
N. 63° 30' E., 50 ft. Value, \$ 100.00

Shaft No.2, 4 x 6 ft., 10 ft. deep, brs. N. 43° E.,  
71 ft. Value, \$ 100.00

Shaft No.3, 5 x 7 ft.,30 ft.deep,brs.N.63° 30' E.,  
280 ft. Value, \$ 300.00

Shaft No.4, 4 x 6 ft.,6 ft. deep,brs. E.,240 ft.  
Value, \$ 50.00

From East End Center Monument:

Shaft No. 5, 4 x 6 ft.,6 ft.deep, brs. N. 72° W.,  
35 ft. Value, \$ 50.00

Shaft No.6, 4 x 6 ft.,10 ft. deep, brs.S. 33° W.,  
20 ft. Value, \$ 100.00

From Cor. No. 2:

Shaft No.7, 4 x 6 ft.,10 ft.deep, brs.N.69° W.,  
53 ft. Value, \$ 100.00

NOTE:

Of the numerous underground workings in the main shaft of the Enterprise Lode, Lot No. 37, ~~Survey No.~~ which is owned by the applicant, and which workings are for the benefit of the development of the Lodes embraced in this survey, 500 ft. are credited to this group,

Value, \$20,000.00

OTHER IMPROVEMENTS:

From Cor. No. 2, Mowry No. 4 Lode:

Office, frame building, 20 x 60 ft., long side  
brs. N. 58° W., S.W. Cor. of same brs. S.62° W.,227 ft.

Store, adobe building, 27 x 88 ft., long side brs.  
N. 85° W., N.E.Cor. of same brs. S. 55° W., 350 ft.

Dwelling, frame and adobe building, 31 x 70 ft.,  
long side brs. N. 27° E., N.E. Cor. of same brs.S.26° W.,  
310 ft.

INSTRUMENT:

This Survey was made with a Gurley Light Mountain  
Transit. The courses were deflected from the true meri-



dian as determined by direct solar observations and checked by a meridian determined by Polaris. The distances were measured with a 100-ft. steel tape.

-----

POLARIS OBSERVATION.

January 1, 1906. At Cor. No. 1 of the Mowry No. 3 Lode, at 12h 41m a.m., l.m.t., I observe Polaris at Western Elongation, and mark the line by an iron bolt 18 ins. long set 400 ft. N. of said Cor.

At 7h 55m a.m., l.m.t., I deflect the azimuth of  $1^{\circ} 24'$  to the E., and from the meridian thus established I determine the courses of this Survey which also agree with the courses determined by solar observations.

NOTE: The deviation in courses and distances of the 1st Extension West Enterprise Lode, Lot No. 43, Survey No. 769, Enterprise Lode, Lot No. 37, ~~Survey No.~~, and Eastern Extension Enterprise Lode, Lot No. 44, Survey No. 770, is due to errors in old Surveys. X

*Philip Cortzess*  
U. S. Deputy Mineral Surveyor.

# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by

*Philip Pontzen*

United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and

boundaries described in the foregoing field notes of the survey of the mining claim of

*Murray*

*Mines Co.*

known as the

*Murray Nos. 1-5 - Murray Camp - El Pueblo  
Murray No. 1 - Murray Park - Park Mine - Juniper and Oak - Reduel*

and showing the respective capacities in which they acted.

*Frank K. Blair*, Chainman.

*Walter Percival*, Chainman.

*Manuel Salazar*, Axman.

*Manuel Salazar*, Flagman.

## FINAL OATHS OF ASSISTANTS.

We,

*Frank K. Blair - Walter Percival*

and

*Manuel Salazar*

do solemnly swear that we assisted

*Philip Pontzen*

United States Deputy Mineral Surveyor, in marking the corners and surveying

the boundaries of the mining claim of

*Murray Mines Co.*

known as the

*Murray Nos. 1-5 - Murray Camp - El Pueblo - Murray No. 1 - Murray Park - Park Mine - Juniper & Oak - Reduel*

represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his

direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and

correctly executed, and the corner and boundary monuments established according to law and the instructions

furnished by the United States Surveyor-General for

*Arizona*

*Frank K. Blair*, Chainman.

*Walter Percival*, Chainman.

*Manuel Salazar*, Axman.

*Manuel Salazar*, Flagman.

Subscribed and sworn to by the above-named persons before me this

*25<sup>th</sup>*

day of *January*, 190*6*

*H. G. Power*

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, Philip Contzen, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated Jan. 3. 1906, I have in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Mowry Mines Co

known as the Mowry No. 2 - Mowry No. 3 - Mowry No. 5 - Mowry No. 1 - Mowry Camp - Mowry Park - Part Sect. 16 & 20 - Order, situate in Patagonia Mining District,

Santa Cruz County, Arizona, in Section

Secs 23 & 24, Township No. 23 N., Range No. 16 E. (unsurveyed) and designated as Survey No. 2190, as represented

in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Philip Contzen  
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said Philip Contzen  
U. S. Deputy Mineral Surveyor, before me

this 25<sup>th</sup>  
day of January, 1906,

H. G. Power

Affidavit of Five Hundred Dollars Improvements.

We, Frank K. Blair and Walter Percival

of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the Mowry #2, Mowry #3, Mowry #4, Mowry Camp, El Pueblo, Mowry #1, Park, Park View, Jumper, Mowry and Oak mining claims, situate in Patagonia

mining district, Santa Cruz County, Arizona Territory, for which Mowry Mines Co.

has made application for survey prior to application for patent under the provisions of the Act of Congress approved May 10, 1872; and that the labor done and improvements made thereon by the applicant and its grantor exceed five hundred dollars in value, and further that we are not personally interested in said mine.

Frank K Blair  
Walter Percival

TERRITORY OF ARIZONA,  
COUNTY OF Pima } ss:

Sworn to and subscribed before me this 25<sup>th</sup> day

[SEAL.]

of January, 1906

N. G. Power

## NOTICE OF MINING LOCATION/

## Quartz claim

TO ALL WHOM IT ANY CONCERN:-

This mining claim, the name of which is the MOWRY NO. 4 mining claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Alfred S. Donau, by the undersigned, on the 11th day of August, 1904.

The length of this claim is 1500 feet and I claim 400 feet in a southwesterly direction and 1100 feet in a northeasterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, togetherwith 300 feet in width of the surface grounds on each side of the center of said claim. The general course of the lode deposit and premises is from the North East to the South West.

The claim is situated and located in the Patagonia Mining District, in Santa Cruz County, in the Territory of Arizona about 1200 feet in a south easterly direction from Enterprise Mine (Patented).

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones at a point in a southwesterly direction 400 feet from the discovery shaft, (at which this notice is posted), being in the center of the southwesterly end line of said claim; thence northwesterly 300 feet to a monument of stones being the westerly corner of said claim; thence northeasterly 1500 feet to a monument of stones being at the northerly corner of said claim; thence southeasterly 300 feet to a monument of stones being the center of the northeasterly end of said claim; at thence southeasterly 300 feet to a monument of stones, being the

easterly corner of said claim; thence south westerly 1500 feet to a monument of stones at the southerly corner of said claim; thence northwesterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six of Title XXXII of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Codify and Revise the Laws of the Territory of Arizona", approved March 16th 1901.

dated and posted on the ground this ;;th day of August, 1904.

Alfred S. Donau.

Witness:

J. M. Curtis.

Filed and recorded at request of Roy & Titcomb, Inc.  
Nov. 2, A. D. 1904 at 11:30 A. M.

Phil Herold, County Recorder.

Territory of Arizona,) ss.  
County of Santa Cruz.)

I, Phil Herold County Recorder in and for the County and Territory aforesaid, do hereby certify that the foregoing is a full, true and correct copy of location notice of the MOWRY NO. 4 mining claim, located by Alfred S. Donau, as the same appears of record in my office in Book 5 of Mining Locations at pages 93 et seq.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal this 7th day of December, A. D. 1905.

  
County Recorder.

AMENDED

NOTICE OF MINING LOCATION.

39

LODE CLAIM.

---

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Juniper Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Albert Steinfield, the undersigned, on the 7th day of December, 1904.

The length of this claim is 1500 feet, and I claim 50 feet in an Easterly direction, and 1450 feet in a Westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds; on each side of the center of said claim. The general course of the lode deposit and premises is from the East to the West.

The claim is situated and located in the Patagonia Mining District, in Pima Cruz County, in the Territory of Arizona, about 600 feet in a Northerly direction from the hoisting works of the West Extension of the Enterprise mine (Patented) and lays parallel to said mine.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones at a point in an Easterly direction 50 feet from the discovery shaft; at which this notice is posted, being in the center of the East end line of said claim; thence Northerly 300 feet to a monument of stones, being the Northeast corner of said claim; thence Westerly 1500 feet to a monument of stones, being at the Northwest corner of said claim; thence Southerly 300 feet to a monument of stones at the center of the West end of said claim; thence Southerly 300 feet to a monument of stones, being at the Southwest corner of said claim; thence Easterly 1500 feet to a monument at the Southeast corner of said claim; thence Northerly 300 feet to the place of beginning.

All done under the Provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Juniper Mining Claim, located by Albert Steinfeld on the 7th day of April, 1899, and recorded in Book 1 of Record of Mines, at Page 132, in the office of the County Recorder of the aforesaid County of Santa Cruz, to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice, and this is made without waiver of previous rights.

Dated and posted on the ground this 7th day of December, 1904.

Witness:

Albert Steinfeld.

J. N. Curtis.

Filed and recorded at the request of S. L. Kingan, Dec. 17, A. D. 1904 at 9 A. M.

Phil Herold,  
County Recorder.

Territory of Arizona, )  
County of Santa Cruz. ) ss.

I, Phil Herold, County Recorder in and for the County and Territory aforesaid, do hereby certify that the foregoing is a full, true and correct copy of amended location notice of Juniper Mining Claim, located by Albert Steinfeld as the same appears of record in my office in Book 3 of Mining Locations, at Page 142 of 2

Witness my hand and seal of office this 6th day of December A. D., 1904.

Phil Herold  
County Recorder.



AMENDED  
 NOTICE OF MINING LOCATION  
 LODE CLAIM.

---

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Mowry Camp Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Albert Steinfeld, the undersigned, on the 7th day of December, 1904.

The length of this claim is 1500 feet, and I claim 750 feet in a Westerly direction, and 750 feet in an Easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds; on each side of the center of said claim. The general course of the lode deposit and premises is from the Northwest to the Southeast.

The claim is situated and located in the Patagonia Mining District, in Santa Cruz County, in the Territory of Arizona, about 900 feet in a Southeasterly direction from the hoisting works of the "West Extension of the Enterprise Mine" (Patented)

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones at a point in a Westerly direction 750 feet from the discovery shaft; at which this notice is posted, being in the center of the Westerly end line of said claim; thence Northerly 300 feet to a monument of stones, being the Northwest corner of said claim; thence Easterly 1500 feet to a monument of stones being at the Northeast corner of said claim; thence Southerly 300 feet to a monument at the center of the East end of said claim; thence Southerly 300 feet to a monument, being at the Southeast corner of said claim; thence Westerly 1500 feet to a monument at the Southwest corner of said claim; thence Northerly 300 feet to the place of beginning.

All done under the Provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Mowry Camp Mining Claim, located by Albert Steinfeld on the 29th day of April, 1899, and recorded in Book 1 of Record of Mines, at page 128, in the office of the County Recorder of the aforesaid County of Santa Cruz, to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice, and is made without waiver of previous rights.

Dated and posted on the ground this 7th day of December, 1904.

Witness: Albert Steinfeld.  
J. N. Curtis.

Filed and recorded at the request of S.L.Kingan, Dec.17,A.D.,1904, at 9 A.M., Book 5 Mining Locations, page 140-141, & 142. Phil Herold, County Recorder.

Territory of Arizona, )  
County of Santa Cruz. ) ss.

I, Phil Herold, County Recorder in and for the County and Territory aforesaid, do hereby certify that the foregoing is a full, true and correct copy of amended location notice of Mowry Camp Mining Claim, located by Albert Steinfeld as the same appears of record in my office in Book 5, of Mining Locations, at Page 140-141 & 142

Witness my hand and seal of office this 6th day of December A. D., 1904.

Phil Herold  
County Recorder.

AMPLIFIED

NOTICE OF MINING LOCATION.

LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Mowry No. 5 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Alfred S. Donsa, the undersigned, on the 1st day of January, 1905.

The length of this claim is 1500 feet, and claim 700 feet in a Westerly direction, and 300 feet in an Easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet inwidth of the surface grounds; on each side of the center of said claim. The general course of the lode deposit and premises is from the East to the West.

The claim is situated and located in the Patagonia Mining District, in Santa Cruz County, in the Territory of Arizona, about 600 feet in a Southerly direction from the "East Extension of the Enterprise Mine (Patented) this is a relocation of an abandoned mine.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones at a point in a Westerly direction 700 feet from the discovery shaft (at which this notice is posted), being in the center of the Westerly end line of said claim; thence Northwesterly 300 feet to a monument of stones, being the Northwest corner of said claim; thence Northeasterly 1500 feet to a monument, being at the North East corner of said claim; thence Southeasterly 300 feet to a monument of stones being the center of the Easterly end of said claim; thence Southeasterly 300 feet to a monument, being at the South East corner of said claim; thence Southwesterly 1500 feet to a monument of stones at the Southwest corner of said claim; thence Northwesterly 300 feet to the place of beginning.

NOTICE OF LOCATION.

Quartz Claim.

TO ALL WHOM IT MAY CONCERN:-

This mining claim, the name of which is the Mowry No. 3 mining claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Albert Steinfeld, the undersigned, on the 6th day of April, 1899.

The length of this claim is 1500 feet, and I claim 1465 feet in an Easterly direction and 35 feet in a westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds on each side of the center of said claim. The general course of the lode deposit and premises, is from the East to the West.

This claim is situated and located in the Patagonia Mining District, in Santa Cruz County, in the Territory of Arizona, about 2000 feet in a north Easterly direction from the Mowry Camp adjoins and lays parallel with the East Extension of the Enterprise Mine (Patented) or its south side line.

The surface boundaries of the claim are marked upon the ground as follows:- Beginning at a monument of stones at a point in a westerly direction thirty-five feet from the discovery shaft, (at which this notice is posted) being in the center of the west end line of said claim; thence northerly 300 feet to a monument of stones being the northwest corner of said claim; thence easterly 750 feet to a monument of stones at the center of the north side line of said claim; thence easterly 750 feet to a monument of stones at the northeast corner of said claim; thence southerly 300 feet to a monument of stones at the center of the east end of said claim thence southerly 300 feet to a monument of stones at the south east corner of said claim; thence westerly 750 feet to a monument of stones being the center of the south side line of said claim; thence westerly 750 feet to a monument of stones at the south west corner of said claim; thence northerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six of Title XXXII of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines" approved March 20, 1895.

Dated and posted on the ground this 6th day of April, 1899.

Locator.

ALBERT STINEFELD.

Witness.

M. Curtis.

Filed and recorded at request of Albert Stinefeld July 7, 1899.

W. W. Cummings, Recorder.

Territory of Arizona,) ss.  
County of Santa Cruz.)

I, Phil Herold, County Recorder in and for the County and Territory aforesaid, do hereby certify that the foregoing is a full, true and correct copy of location notice of the Mowry No. 3, mining claim, located by Albert Steinfeld, as the same appears of record in my office in Book 1 of Mining Locations at Page 157 et seq.

Witness my hand and seal of office this 26th day of July,

A. D. 1904.

  
County Recorder.

4-688.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.

March 1st, 1906

I, U. S. Surveyor-General for the district of Arizona, do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of Mowry Mines Co.,

Mowry No. 2, Mowry No. 3, Mowry No. 5, Mowry No. 4, Mowry Camp, known as the El Pueblo, Mowry No. 1, Mowry, Park, Park View, Juniper, Oak.

situate in Patagonia,

Mining District, Santa Cruz, County, Arizona,

in Section S. 23 & 24., Township No. 23 S., Range No. 16 E. unsurveyed, and designated as Survey No. 2190,

has been correctly copied from the originals on file in this office; that said Field Notes furnish such an accurate description of said mining claim as will, if incorporated into a patent, serve fully to identify the premises, and that such reference is made therein to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claim by claimant or its grantors, and that said improvements consist of 45 shafts, 8 cuts, 2 tunnels, total value \$8,220. and in addition \$20,000. to be credited to this group from workings on the Enterprise lode, Lot. No. 37

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix, Arizona, is correct and in conformity with the foregoing Field Notes.

( Signed ) Frank S. Ingalls,

United States Surveyor-General for

(4-687.)

# Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

**Department of the Interior,**

*Office of U. S. Surveyor General,*

Phoenix, Arizona.

March 18<sup>th</sup> 1906, 18 .

I, U. S. Surveyor General for the district of Arizona,


do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of Mowry Mines Co.

Mowry No. 2, Mowry No. 3, Mowry No. 5, Mowry No. 4, Mowry Camp, El Pueblo, Mowry No. 1, Mowry, Park, Park View, Juniper, Oak,

situate in Patagonia, mining district, Santa Cruz, County, Arizona.

in Section s. 23 & 24, Township No. 23 S., Range No. 16 E. unsurveyed, designated as Survey No. 2190.

executed by Philip Contzen, U. S. Deputy Mineral Surveyor, Jan. 17-14 1906, 18, under my instructions dated Jan. 3, 1906, 18, have been critically examined and the necessary corrections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. A true copy of the copy of the location certificate filed by the applicant for survey is included in the field notes.



U. S. Surveyor General for Arizona.

All done under the provisions of Chapter Six, of Title XXXII, of The Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 10, 1901.

This is an Amended Location Notice of the Mowry No. 5 Mining Claim, located by Alfred S. Donau, on the 1st day of January, 1905, and recorded in Book 5, of Records of Mines, at Pages 329, et. seq., in the office of the County Recorder of the aforesaid County of Santa Cruz, to which reference is hereby made, and this Amended Location notice is made and posted to correct errors in the description in the said original location notice, and is made without waiver of previous rights.

Dated and posted on the ground this 13th day of December, 1905.

Alfred S. Donau

Filed and recorded at the request of Alfred S. Donau December 14, A. D., 1905, at 7 1/2 P. M., Book 6, Mining Locations, Pages \_\_\_\_\_, Phil Herold, County Recorder.

Territory of Arizona, )  
County of Santa Cruz. ) ss.

I, Phil Herold, County Recorder in and for the County and Territory aforesaid, do hereby certify that the foregoing is a full, true and correct copy of Amended Location Notice of Mowry No. 5 Mining Claim, located by Alfred S. Donau as the same appears of record in my office in Book 6 of Mining Locations, at Page \_\_\_\_\_

Witness my hand and seal of office this 14 day of December, A. D., 1905.

Phil Herold  
County Recorder.



NOTICE OF MINING LOCATION.

QUARTZ CLAIM.

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the El Pueblo Mining claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Alfred S. Donau, by the undersigned on the 4th day of March, 1904.

The length of this claim is 1500 feet and I claim 300 feet in a Southwesterly direction and 1200 feet in a Northeasterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds on each side of the center of said claim. The general course of the lode deposit and premises is from the N.E. to the S. W.

The claim is situated and located in the Patagonia Mining District, in Santa Cruz County, in the Territory of Arizona, about 2100 feet in a Southeasterly direction from Enterprise Mine. (Patented).

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones at a point in a Southwesterly direction 300 feet from the discovery shaft (at which this notice is posted), being in the center of the S.W. end line of said claim; thence Northwesterly 300 feet to a monument of stones, being the Westerly corner of said claim; thence Northeasterly 1500 feet to a monument, being at the Northerly corner of said claim; thence S.Easterly 300 feet to a monument of stones being the center of the Northeasterly end of said claim; thence Southeasterly 300 feet to a monument, being at the Easterly corner of said claim; thence S.Westerly 1500 feet to a monument of stones at the Southerly corner of said claim; thence Northwesterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General

1890  
M. J. P.

## N O T I C E O F L O C A T I O N .

## Quartz Claim.

TO ALL WHOM IT MAY CONCERN:-

This mining claim the name of which is the Oak Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Albert Steinfeld, the undersigned, on the seventh day of April, 1899.

The length of this claim is 1500 feet, and I claim 1450 feet in an Easterly direction and 50 feet in a Westerly direction from from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the ~~West~~ East to the West.

This claim is situated and located in the Patagonia Mining District, in Santa Cruz County, in the Territory of Arizona, about 600 feet in a Northerly direction from Hoisting Works of the "West Extension of the Enterprise Mine" (Patented) on its North side line.

The surface boundaries of the claim are marked upon the ground as follows:- Beginning at a monument of stones at a point in a westerly direction fifty feet from the discovery shaft, (at which this notice is posted) being in the center of the west end lines of said claim; thence northerly 300 feet to a monument of stones, being the northwest corner of said claim; thence easterly 750 feet to a monument of stones being at the center of the north side line of said claim; thence easterly 750 feet to a monument of stones being at the northeast corner of said claim; thence southerly 300 feet to a monument of stones at the center of the east end of said claim; thence southerly 300 feet to a monument of stones being at the south east corner of said claim; thence westerly 750 feet to a monument of stones being at the center of the south side line of said claim; thence westerly 750 feet to a monument of stones at the southwest corner of said claim; thence northerly 300 feet

to the place of beginning.

All done under the provisions of Chapter Six of Title XXXII of the Revised Statutes of the United States, and of an act of the General Assembly of Arizona, entitled "An Act Concerning Mines" Approved March 20, 1895.

Dated and posted on the ground this 7th day of April, 1899.

Locator.

ALBERT STEINFELD.

Witness.

M. Curtis.

Filed & recorded at request of Albert Steinfeld July 7, 1899.

W. N. Cummings, Recorder.

Territory of Arizona,)  
County of Santa Cruz.)

ss.

I, Phil Herold, County Recorder in and for the County and Territory aforesaid, do hereby certify that the foregoing is a full, true and correct copy of location notice of OAK mining claim, located by Albert Steinfeld, as the same appears of record in my office in Book 1 of Mining Locations at page 131 et seq.

Witness my hand and seal of office this 26th day of July,  
A. D. 1904.

  
County Recorder.

## N O T I C E O F L O C A T I O N.

## Quartz Claim.

TO ALL WHOM IT MAY CONCERN:-

This mining claim the name of which is the Mowry Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose and exploration and purchase by Albert Steinfeld, the undersigned, on the 6th day of April, 1899.

The length of the claim is 1500 feet, and I claim 1450 feet in a Westerly direction and 50 feet in an Easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds on each side of the center of said claim. The general course of the lode de posit and premises is from the North east to the Southwest.

The claim is situated and located in the Patagonia Mining District, in Santa Cruz County, in the Territory of Arizona, about 1200 feet in a south easterly direction from the Hoisting Works of the "West Extension of the Enterprise Mine"- and is the West extension of said mine.

The surface boundaries of the claim are marked upon the ground as follows:- Beginning at a monument of stones at a point in an easterly direction fifty feet from the discovery shaft, (at which this notice is posted) being in the center of the east end line of said claim; thence northerly 300 feet to a monument of stones being the north east corner of said claim; thence westerly 750 feet to a monument of stones, at the center of the north side line of said claim; thence westerly 750 feet to a monument of stones being at the northwest corner of said claim; ~~thence~~ thence southerly 300 feet to a monument of stones at the center of the west end of said claim; thence southerly 300 feet to a monument of stones being at the south west corner of said claim; thence easterly 750 feet to a monument of stones being at the center of the south side line of said claim thence easterly 750 feet to a monument of stones at the south east corner of said claim; thence northerly 300 feet to the place of beginning

All done under the provisions of Chapter Six of Title XXXII of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines" approved March 20, 1895.

Dated and posted on the ground this 6th day of April, 1899.

Locator.

ALBERT STEINFELD.

Witness.

M. Curtis.

Filed & recorded at request of Albert Steinfeld July 7", 1899.

W. N. Cummings, Recorder.

Territory of Arizona,) ss.  
County of Santa Cruz.)

I, Phil Herold, County Recorder in and for the County and Territory aforesaid, do hereby certify that the foregoing is a full, true and correct copy of location notice of Mowry mining claim, as the same appears of record in my office in Book 1 of Mining Locations at page 133 et seq.

Witness my hand and seal of office this 26th day of July,  
A. D. 1904.

  
County Recorder.

AMENDED  
NOTICE OF MINING LOCATION.  
LODE CLAIM.

---

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Mowry No. 1, Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by Albert Steinfeld, the undersigned, on the 7th day of December, 1904.

The length of this claim is 1500 feet, and 1 claim 100 feet in an Easterly direction, and 1400 feet in a Westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds; on each side of the center of said claim. The general course of the lode deposit and premises is from the East to the West.

The claim is situated and located in the Patagonia Mining District, in Santa Cruz County, in the Territory of Arizona, about 300 feet in a Southeasterly direction from the hoisting works of the "West Extension to the Enterprise Mine"(Patented) adjoins and lays parallel with the West Extension Mine on its south side line.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones at a point in an Easterly direction 100 feet from the discovery shaft; at which this notice is posted, being in the center of the East end line of said claim; thence Northerly 300 feet to a monument of stones, being the Northeast corner of said claim; thence Westerly 1500 feet to a monument of stones, being at the Northwest corner of said claim; thence Southerly 300 feet to a monument at the center of the West end of said claim; thence Southerly 300 feet to a monument, being at the Southwest corner of said claim; thence Easterly 1500 feet to a monument at the Southeast corner of said claim; thence Northerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Mowry No. 1 Mining Claim, located by Albert Steinfeld, on the 6th day of April, 1899, and recorded in Book 1 of Record of Mines, at page 135, in the office of the County Recorder of the aforesaid County of Santa Cruz, to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Notice, and is made without waiver of previous rights.

Dated and posted on the ground this 7th day of December, 1904.

Witness:

Albert Steinfeld.

J. N. Curtis.

Filed and recorded at the request of S.L. Kingan, Dec. 17, A.D., 1904, at 9 A.M., Book 5 Mining Locations, page 137 & 138, Phil Herold, County Recorder.

Territory of Arizona,        )  
County of Santa Cruz.        ) ss.

I, Phil Herold County Recorder in and for the County and Territory aforesaid, do hereby certify that the foregoing is a full, true and correct copy of amended location notice of Mowry No 1 Mining Claim, located by Albert Steinfeld as the same appears of record in my office in Book 5 of Mining Locations, at Page 137.

Witness my hand and seal of office this 6th day of December A. D., 1904.

Phil Herold  
County Recorder.



NOTICE OF MINING LOCATION.

QUARTZ CLAIM.

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the Park Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Alfred S. Donau by the undersigned on the 1st day of January, 1904.

The length of this claim is 1500 feet and I claim 50 feet in a Northeasterly direction and 1450 feet in a Southwesterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the N. E. to the S. W.

The claim is situated and located in the Patagonia Mining District, in Santa Cruz County, in the Territory of Arizona, lays in a Southerly direction from the "West Extension to the Enterprise Mine" (Patented) The North corner of the Park claim joins the South corner of the West Extension Mine.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones at a point in a Northeasterly direction 50 feet from the discovery shaft (at which this notice is posted), being in the center of the Northeasterly end line of said claim; thence Northwesterly 300 feet to a monument of stones being the North corner of said claim; thence Southwesterly 1500 feet to a monument being at the West corner of said claim; thence Southeasterly 300 feet to a monument of stones being the center of the Southwesterly end of said claim; thence Southeasterly 300 feet to a monument, being at the South corner of said claim; thence Northeasterly 1500 feet to a monument of stones at the East corner of said claim; thence Northwesterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Codify and Revise the Laws of the Territory of Arizona," approved March 16th, 1901.

Dated and posted on the ground this 1st day of January, 1904.

Witness: Alfred S. Donau.

Geo. Gross

Chas. Pickenbach.

Filed and recorded at request of Roy & Titcomb, Inc., Mch. 26, A.D. 1904, at 9 A.M., Book 4 Mining Locations, pages 486-487. Phil Herold, County Recorder.

Territory of Arizona, )  
County of Santa Cruz. ) ss.

I, Phil Herold, County Recorder in and for the County and Territory aforesaid, do hereby certify that the foregoing is a full, true and correct copy of location notice of Park Mining Claim, located by Alfred S. Donau as the same appears of record in my office in Book 4 of Mining Locations, at page 486 & seq

Witness my hand and seal of office this 6 day of December A. D., 1904.

Phil Herold  
County Recorder.

AMENDED  
NOTICE OF MINING LOCATION.  
LODE CLAIM.

---

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Mowry No. 2 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes and exploration and purchase by Albert Steinfeld the undersigned, on the 7th day of December, 1904.

The length of this claim is 1500 feet, and I claim 525 feet in a Westerly direction, and 975 feet in an Easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds; on each side of the center of said claim. The general course of the lode deposit and premises is Easterly and Westerly.

The claim is situated and located in the Patagonia Mining District, in Santa Cruz County, in the Territory of Arizona, about 300 feet in a Southeasterly direction from the hoisting works of the "West Extension of the Enterprise Mine," (Patented) and adjoins and lays parallel with the "Enterprise" Mine (Patented) on its south side line.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones at a point in a Westerly direction 525 feet from the discovery shaft; at which this notice is posted, being in the center of the West end line of said claim; thence Northerly 300 feet to a monument of stones, being the Northwest corner of said claim; thence Easterly 1500 feet to a monument of stones, being at the Northeast corner of said claim; thence Southerly 300 feet to a monument at the center of the East end of said claim; thence Southerly 300 feet to a monument, being at the Southeast corner of said claim; thence Westerly 1500 feet to a monument at the Southwest corner of said claim; thence Northerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of

the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Mowry No. 2 Mining Claim, located by Albert Steinfeld, on the 6th day of April, 1899, and recorded in Book 1, of Record of Mines, at page 136, in the office of the County Recorder of the aforesaid County of Santa Cruz, to which reference is hereby made, and this Amended Location notice is made and posted to correct errors in the description in the said original Location Notice, and is made without waiver of previous rights.

Dated and posted on the ground this 7th day of December, 1904.

Witness: Albert Steinfeld.

J. N. Curtis.

Filed and recorded at the request of S.L.Kingam, Dec.17,A.D.,1904, at 9 A.M., Book 5, Mining Locations, Page 138,139 & 140. Phil Herold, County Recorder.

Territory of Arizona, )  
County of Santa Cruz. ) ss.

I, Phil Herold, County Recorder in and for the County and Territory aforesaid, do hereby certify that the foregoing is a full, true and correct copy of <sup>Amended</sup> location notice of Mowry No. 2 Mining Claim, located by Albert Steinfeld, as the same appears of record in my office in Book 5 of Mining Locations, at page 138 et seq

Witness my hand and seal of office this 7th day of December A.D., 1904.

Phil Herold  
County Recorder.

NOTICE OF MINING LOCATION.

QUARTZ CLAIM.

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the Park View Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Alfred S. Donau, by the undersigned, on the 7th day of January, 1904.

The length of this claim is 1500 feet and I claim 300 feet in a Southeasterly direction and 1200 feet in a Northwesterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Northwest to the Southeast.

The claim is situated and located in the Patagonia Mining District, in Santa Cruz County, in the Territory of Arizona, and lays in a Westerly direction from "West Extension of the Enterprise Mine" Patented. The East corner of this claim joins the west corner of the West Extension Mine, Patented. This is a relocation of an abandoned mine.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones at a point in a Southeasterly direction 300 feet from the discovery shaft (at which this notice is posted), being in the center of the Southeasterly end line of said claim; thence Northeasterly 300 feet to a monument of stones being the Easterly corner of said claim; thence Northwesterly 1500 feet to a monument being at the Northerly corner of said claim; thence Southwesterly 300 feet to a monument of stones being the center of the Northwesterly end of said claim; thence Southwesterly 300 feet to a monument, being at the Westerly corner of said claim; thence Southeasterly 1500 feet to a monument of stones at the Southerly corner of said claim; thence Northeasterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six of Title XXXII, of

the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Codify and Revise the Laws of the Territory of Arizona," approved March 16th, 1901.

Dated and posted on the ground this 7th day of January, 1904.

Witness.

Alfred S. Donau.

Geo. Gross.

Chas. Pickenbach.

Filed and recorded at request of Roy & Titcomb, Inc., Apr. 4, A.D., 1904, at 9:15 A.M., Book 4 Mining Locations, pages 529 & 530, Phil Herold, County Recorder.

Territory of Arizona, )  
County of Santa Cruz. ) ss.

I, Phil Herold, County Recorder in and for the County and Territory aforesaid, do hereby certify that the foregoing is a full, true and correct copy of location notice of Park View Mining Claim, located by Alfred S. Donau as the same appears of record in my office in Book 4 of Mining Locations, at page 529 & 530

Witness my hand and seal of office this 6<sup>th</sup> day of December, A. D., 1904.

Phil Herold  
County Recorder.