april 2/18/06

(4--683.)

# Mineral Survey No. 2194

Lot No.

Land District.

## FIELD NOTES'

Section memory Township 12, Range 6 M. (approx)

Surveyed under instructions dated Tale 3 2 4 1906

by L. Deputy Mineral Surveyor

Claim located Lana 16 1906,

Survey commenced Lana 16 1906,

Survey completed January 17" 1 906

Address of claimant: Yuma - Avie;

My well for counter

Feet.

Mineral Survey No. 2194.

COPPER KING.

Beginning at the original location monument of stones at the Southeast corner of the claim, the same being identical with corner No. 2 of the patented Southern elsim. Rode. Sur. No 454

Set a pine post 4 x 4 ins., by 4 ft., scribed C. K. C. 1-2194, 1 foot in the ground and surround same with a mound of stones. Whence,

U. S. M. M. No. 1 bears S. 75 57' E., 1083.95 ft.

S. W. cor. stone in the Old Ajo Corral bears N .

10 W., 160.33 feet.

Corner No. 3 of the Ajo Junior, Talented Glaim, bears S. 31 W., 695 feet.

Thence N. 87- W. Var. 12 40' E.

84.50

South end center of claim, A pine post 4 x 4 ins. marked C. K.S.C.C. M., surrounded with a mound of stones. Whence.

Discovery shaft  $4 \times 6 \times 30$  feet deep, bears N.  $5^{5}44^{\circ}$  E., 259 feet.

169. To corner No. 2. Identical with original location mon-

Set a pine post 4 x 4 ins., 4 ft. long, scribed C. K. C. No. 2-2194, 1 ft. in the ground and sourround same with monument of stones. Whence,

An old 4 x 4 ins. post with dim marks, S. C. Ct. in mound of stones, the N. W. cor. of the patented Southern Southern Stair, No 4674 87- W., 621.50 feet.

S. E. Cor. of stone house bears N. 31 45° W., 28.93 feet.

Thence N. 2 36' W., Var. 12 40' E.

600.

To post and mound of stones, the N. E. cor. of the Ajo View mining claim, unsurveyed.

Feet.

1482.36 Original location monument, the N. W. cor. of claim.

Set a pine post 4 x 4 ins., 4 ft. long, scribed C. K.

C. No. 3-2194, 1 ft. in the ground, and surround same w

with a mound of stones, for ccr. No. 3. Whence,

A Palo Verde tree 12 ins. dia. bears S. 10° 15° W., 62 feet, which I scribe C. K. C. No. 3-2194 B. T. No other bearings available.

Thence S. 87-E.

Var. 12 40' E.

300. To North end center monument. Identical with location men. A pine post 4 x 4 ins. marked C. K. NEC Mon. surrounded with mon. of stones.

Set a pine post 4 x 4 ins., 4 ft. long, scribed and C. K. C. No. 4-2194, sourround same with mound of stones.

Whence,

A Palo Verde Tree 5 ins. dia. bears N.  $59^{\circ}$  - W., 55 feet dist., scribed C. K. C. 4-2194 B. T.

No other bearings available.

Thence S. 5 44 W. Var. 12 40' E.

ument, situated on the westerly side line of the Ajo.

Junior, Fatented mining claim.

Set a pine post 4 x 4 ins., 4 ft. long, scribed C. K. C. 5-2194, 1 ft. in the ground, and surround the same with mound of stones. Whence,

An old 4 x 4 ins. post with dim marks C. IV, the N. W. cor. No. 4 of the Ajo Junior mining claim patented; bears N. 31 - E., 299 feet.

No other bearings available.

Thence S. 31 - W .
Var. 12 40' E.

505.20 To cor. No. 1, the place of beginning, survey of extertor boundaries. Feet.

## AREA, 15,572 Acres.

### Location.

This claim is located in the Ajo Mining District, Pima County, Arizona Territory, approximately in T. 11 S., R. G W., (unsurveyed).

### Adjoining claims.

Dykes claim, name unknown, unsurveyed. On the East

by the Wedge claim, unsurveyed, and the Ajo Junior

Lode. Sur. No 457

claim, natented. On the South by the Southern claim,

patented. On the West by the Ajo View claim, unsurveyed,

claim
and the Valley, unsurveyed.

### Ledge.

The course of the ledge on this claim is from the south end center mon. to the North end center Mon.

N. 5'42'E., throughout the length of the claim. 1477ft.

The survey is identical with the original location. Discrepancies detween this survey and the original location notice is due to errors existing in the latter.

EXPENDITURE OF FIVE HUNDRED DOLLARS IMPROVEMENTS.

I certify that the value of the labor and improvements upon this claim, placed thereon by the claimant or his grantors is not less than five bundred dollars
and that said improvements consist of

No. 1. Discovery shaft, 4 x 0 by 30 feet deep, which bears from South end center Mon. N. 5'44 E., 259 feet.

Value, \$250.00

No. 2. Shaft 12 x 16 ft., 8 feet deep, which bears from Nor. No. 5, N. 15-W., 21 feet.

Value, \$100.00

No. 3. Tunnel  $5\frac{1}{2} \times 6\frac{1}{2}$  feet extending N. 60° 45 W., 60 feet, mouth of which bears N. 11° 30′ W., 578 feet from Cor. No. 5.

Value, \$500.00

No. 4. Shaft 4 x 6 x 20 feet deep, which bears S. 5' 45'E., 288 feet from North end center monument.

Value, \$200.00

No. 5. A shaft 4 x 6 x 18 feet deep, which bears

S. 17'30' W., 400 feet from North end center Monument.

Value, \$150.00

Other chafts and tunnels aggregating 212 feet of work, cost exceeding the sum of \$500.

#### INSTRUMENT.

This survey was executed with a Gurley Engineers'
Transit, with solar attachment, 8" plate. The distances
were measured with 100 foot steel tape. The courses
were deflected from the true meridian, determined by
Polaris observations, checked by observations on the Sun

J. D. (hillsall U. S. Deputy Mineral Surveyor.

Jany. 27th, 1906.

The desagrument between the & Connecting Line of this survey and those of the two adjoining surveyed claims are due to Errors in the frior surveys.

# FINAL OATHS FOR SURVEYS.

### LIST OF NAMES.

A list of the names of the individuals employed	by Lovenzon, Chillson
United States Deputy Mineral Surveyor, to assist	in running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field notes of	the survey of the mining claim of Li & Carithe
known as the Coppler King	Mining Claine
and showing the respective capacities in which they	
	Thonors Chiles To, Chainman.
	Tolen H. Mervill Chainman.
	Cheavore H. Lonneray, Axman.
	, Flagman.
FINAL OATHS	S OF ASSISTANTS.
We, Thomas Childs el	1; If George H. Pame 1'ay
and John H. Merrill	, do solemnly swear that we assisted Laventa
	uty Mineral Surveyor, in marking the corners and surveying
	Corretteers
known as the Copper King' a	mining Claime
(	en surveyed by said deputy mineral surveyor and under his
direction; and that said survey has been in all respondent	ects, to the best of our knowledge and belief, faithfully and
correctly executed, and the corner and boundary mo	onuments established according to law and the instructions
furnished by the United States Surveyor-General fo	the District of Arrisona
	Thomas Childs of Chainman.
1 <sup>1</sup>	John, It Merillohainman.
	Thomas Childs of Chainman. John, It Mewillohainman. George A. Ponnerry, Axman.
· ·	, Flagman.
Subscribed and sworn to by	the above-named persons before me this 12th
day of Jeinuer	, 190 <b>6</b>
	My Commission expires Feb. 24 1906  I. D. Chillson-Molosty Public
	I. D. Chillson-Notorsy Public

## FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, J. Chillson, U. S. Deputy Mineral
Surveyor, do solemnly swear that, in pursuance of instructions received from the United
States Surveyor General for Dist- of aniona, dated
Jamany 3 1996, , I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of 6 1 Covernment Claimant, ser
Claim of & G. Cavruthers elament, ker Leage W. Lewis, sty, known as the Copper King,
situate in Mining District
Pina County avisona in Section
situate in Mining District,  County, Origona, in Section  Approx, Township No. // D, Range No. 6 West (unsurveyed)
and designated as Survey No. 2/94, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or his grantors
are as therein fully stated, and that the character, extent, location and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
I.D. Chillson
U. S. Deputy Mineral Surveyor.
Subscribed and sworn to by the said L. D. Chillson
U. S. Deputy Mineral Surveyor, before me Moneau Alartan
a Hotary Public Twant, minth
day of January 1906.
Momasassorton
Hatary Park O.
0 0-114

# Affidavit of Five Hundred Dollars Improvements.

We, Daniel & Daylor and George St Comeroy
of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the
Copper King mining claim, situate in the 40
mining district, Pullal County, Arizona Territory, for which E. Car-
-uthers; through his Atty George W. Liewis
has made application for survey prior to application for patent under the provisions of the Act of Congress
approved May 10, 1872; and that the labor done and improvements made thereon by the applicant and
grantorg exceed five hundred dollars in value, and further that we are not personally interested
in said mine.  Al amil Forgle
George St Pomeroy
COUNTY OF Period Ses:
Sworn to and subscribed before me this 17 day
[SEAL.] of January 1906 My Commission expines Feb, 241 1906
11786400-2-04 L. D. Chillson-Watery Public

#### COPPER KING MINING CLAIM.

Mining Location. Quartz claim. We claim 1500 feet along this mineral lead and 500 feet on each side of the center of the lead extended in length Mortherly and Southerly. Beginning at a nomment of stones about 240 feet south of the nomment of stones at the discovery shaft at which this notice is posted and extending 1500 feet northerly. The surface boundaries are marked by four commers, two end center and two side center monuments. This claim is bounded on the west by the Ajo View & Valley mining claims, and on the south and west by the Ajo patentes mines. Situated in the Ajo Mining District at about 1000 ft.

from the U.S. mineral momment in a north-westerly direction, and shall

TERRITORY OF ARIZONA, Ss.

County of Pima

1. Distant Minkell County Recorder in and

for the County of Pima, do hereby certify that the above and foregoing is a full, true and correct copy

Marring District, Pima Co. Incated Feb. 16 th

1897as appears of Record now in my office in Book 7. F. Resads of Minimeses

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my

official seal, at my office in Tucson, this 2 nd day

of Marring A. D. 19 6.

County Recorder of Pima County, Arizona.

My L. M. L. Apputy.

## U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

# Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Pnoenix, Arizona.
Feb. 17, 190.6
I, U. S. Surveyor-General for the district of Arizona.
do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey
of the mining claim ofEG. Carruthers,
known as the Conner King,
situate in AJO
Mining District, Pian County, Arizona,
in Section, Township No. 11 S. , Range No. 6 W. unsurveyed., and
designated as Survey No. 2194, has been correctly copied from the originals on file in
this office; that said Field Notes furnish such an accurate description of said mining claim as will, if
incorporated into a patent, serve fully to identify the premises, and that such reference is made therein
to natural objects or permanent monuments as will perpetuate and fix the locus thereof.
And I further certify that five hundred dollars' worth of labor has been expended or improve-
ments made upon said mining claim by claimant. or his grantors, and that said improvements consist of 4 shafts and 1 tunnel, toval value \$1200.00
······································
and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.
I further certify that the plat thereof, filed in the U.S. Land Office atPhoenix, Arizons
is correct and in conformity with the foregoing Field Notes.
( Signed) Frank S. Ingalls,
United States Sugarow Comment for 4 7 1 40118

7361b5m3-03

# Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

## Department of the Interior,

Office of U. S. Surveyor General,
Phoenix, Arizona,
reb. 17, 1906, 18.
I, U. S. Surveyor General for the district of Arizona,
do hereby certify that the foregoing and hereto attached Field Notes and Return of the
Survey of the Mining Claim of E. G. Carruthers,
, known as the
Copper King, ,
situate in mining district,
Pima, County, Arizona,
in Section, Township No. 11 S. , Range No. 6 W. unsurveyed.
designated as Survey No. 2134
executed by L. D. Cnillson, U. S. Deputy Mineral
Surveyor, Jan. 16-17 1906. , 18 , under my instructions dated
Jan 3rd 1906. , 18 , have been critically examined and the
necessary corrections and explanations made, and the said Field Notes and Return, and
the Survey they describe, are hereby approved. A true copy of the copy of the location
certificate filed by the applicant for survey is included in the field notes.
Frank & Sugalle
U. S. Surveyor General for Artzona.

To proper · Vailley Charine 600 Le. 1. 2.36 W. 1182. 36 dest. 2.59 15 Capper - Iting - Clarien 8.5° 14 W. - 10.30.83 Feet Virgoline Chaine