

**MS**

**02195**

APR 12 1906

(4-683.)

Mineral Survey No. 2195

Lot No. \_\_\_\_\_

Arizona Land District.

### FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

J. K. Truman.

P.O. Address: Phoenix, Arizona

KNOWN AS THE

ORIZABA and BELCHER LODES

Moore's Mining District.

Maricopa County, Arizona Ter.

Section <sup>approximately</sup> 29, Township 1 N., Range 3 E.

Surveyed under instructions dated Jan. 13, 1906.

by Gustavus A. Streitz  
U. S. Deputy Mineral Surveyor

Claim located Jan. 26, 1898; April, 15, 1904 . 1

Survey commenced April 24 1906.

Survey completed May 2 1906.

o 6-103

Address of claimants atty  
J. M. Burnett  
Phoenix  
Ariz

Tree ✓  
Ledge ✓  
his ✓  
meas ✓

FEET.

SURVEY NO. 2195.

ORIZABA LODGE.

Beginning at Cor. No.1.

A mesquite post, 5 ins. diameter, 4 ft. long, (squared on top to 4 ins.) set 2.0 ft. in earth and rock in a mound of stone 4 ft. base, 1-1/2 ft. high, scribed 1-2195-0.

Whence,

U. S. L. M. No.1446 bears S. 64° 49' W., 4130.52 ft.

Pyramid Peak bears S. 54° 21' E.

The N. W. Cor. of the location bears S. 59° 05' W. 215.08 ft.

A mound of stone 2-1/2 ft. base, 3 ft. high.

-----

Thence N. 58° 07' E.

va. 14° 21' E.

213.00 wash, 15 ft. wide, course S. 1° 0' W.

553.04 crest of ridge.

Whence,

The Location Monument of this lode bears S. 68° 36' E., 334.73 ft.

A pine post 2 ins. square, set in a mound of stone 3 ft. base, 3 ft. high.

No.1. The Discovery Tunnel bears S.69° 25' E., 330.85 ft.

No.2. Tunnel, "Powder House" bears S.62° 35' E., 338.80 ft.

No.3. Tom's Tunnel, bears S.73° 53' E., 384.30 ft.

No.4. Center Main Shaft bears S.70° 27' E., 297.62 ft.

No.5. Smoke stack Shaft house, bears S.75° 23' E., 273.47 ft.

The S. W. Cor. Boarding House bears S. 87° 53' E., 367.91 ft.

996.00 wash, 12 ft. wide, course S. 5° 30' E.

FEET.

1206.00

crest<sup>of</sup> ridge.

1296.29

to the N. E. Cor. of the location, identical with the N. W. Cor. Belcher lode of this survey; also identical with the S. E. Cor. Summit lode, unsurveyed, and the S. W. Cor. Sunnyside lode, unsurveyed.

A mound of stone 3 ft. base 3 ft. high

At which point I set Cor. No.2, identical with Cor. No.1 Belcher lode of this survey.

A pine post 4 x 6 ins., 3.66 ft. long, set 18 ins. in shale, in a mound of stone 4 ft. base 16 ins. high, scribed 2-2195-0; 1-2195-B.

Whence,

Pyramid Peak bears S. 35° 26' E.

The center west end of Hualapai Boarding House bears N. 55° 33' E.

-----

Thence S. 28° 01' E.

va. 14° 26' E.

300.28

To the East End Center of the location, on edge of cliff, identical with West End Center Belcher lode of this survey.

A mound of slate stone, 2-1/2 ft. base, 3 ft. high.

At which point I set East End Center, identical with West End Center Belcher lode of this survey.

A pine post 4 x 6 ins., 3.66 ft. long, set 18 ins. in shale in a mound of slate, 3-1/2 ft. base, 1 ft. high, scribed E. E. C.-O; W. E. C.-B.

Whence,

Pyramid Peak bears S. 28° 11' E.

Main shaft Orizaba lode, this survey, bears S. 65° 25' W.

455.00

wagon road, down gulch.

494.00

center Moors' wash, 24.0 ft. wide, course N. 87° 00' W.

FEET.

600.56 to Cor. No.3, identical with Cor. No.4 Belcher lode of this survey.

A porphyry stone, 4 x 8-1/2 x 30 ins. set 17 ins. in earth and rock with a witness mound of stone 4 ft. base, 4 ft. high, N. 28° W. 5 ft. distant, chiseled 3-2195-0; 4-2195-B.

A cross (I) and B. R. 3-2195-0; 4-2195-B. chiseled on rock wall, 20 ft. above a wash bears S. 73° 25' W. 45.95 ft.

The S. E. Cor. of the location, identical with S. W. location Cor. Belcher lode of this survey, bears S. 28° 01' E., 7.97 ft.

A mound of stone 3 ft. base, 3 ft. high.

No other bearings available.

-----

Thence S. 60° 41' W.

va. 14 28' E.

- 24.50 center of wash, 8 ft. wide, course N. 17° E.
- 47.50 rock wall, 24 ft. high.
- 430.9 crest ridge.
- 703.7 rock wall 12 ft. high: and east edge Moores wash.
- 710.6 center Moores wash, 19.0 ft. wide, course S. 8° 30' E.
- 935.3 center Moores wash, 36.0 ft. wide, course S. 84° 0' W.
- 1067.0 bluff, west edge Moores wash.
- 1293.69 crest ridge and the S. W. Cor. of the location; identical with S. W. Cor. Oriole lode, unsurveyed, with the N. E. Cor. Orizaba No.2 lode unsurveyed and with S. E. Cor. Crescent lode unsurveyed.

A mound of stone 2-1/2 ft. base, 3 ft. high.

At which point I set Cor. No.4.

A mesquite post 6 ins. diameter, 3-1/2 ft. long, squared on top to 5 ins., set 18 ins. in earth and rock in a mound of stone and earth 4 ft. base, 14 ins. high, scribed, 4-2195-0.

Whence,

-----

Pyramid Peak bears S. 58° 22' E.

Bald Head Peak bears N. 45° 08' E.

-----

Thence N. 28° 01' W.

va. 14° 49' E.

steep descent.

264.14 to West End Center; on south edge Moore's wash.

A pine post 4 x 6 ins. 4 ft. long, set 17 ins. in slate in a mound of stone 3-1/2 ft. base, 2 ft. high scribed W. E. C.-0.

In gulch, no bearings available.

The West End Center of the location bears S. 59° 05' W. 115.90 ft.

A mound of stone 3 ft. base, 3 ft. high.

311.00 wagon road, down gulch.

350.00 center Moore's wash, 30 ft. wide, course S. 49° 45' W.

429.00 bank of gulch, 18 ft. high.

542.67 to Cor. No.1 and place of beginning.

-----

BELICHER LODGE.

Beginning at Cor. No.1, identical with Cor. No.2, *of this survey* Orizaba lode, and described above. Whence,

U. S. L.M.No.1446 bears S. 63° 13' W. 5420.08 ft.

-----

Thence N. 59° 28' E.

va. 14° 26' E.

325.0 at junction of two gulches from north, forming a gulch 10 ft. wide, course S. 32° E.

614.0 top of bluff.

749.0 center Moore's wash, 16 ft. wide, course S. 28° 0' W.

1115.0 center Moore's wash, 16 ft. wide, course N. 62° W.

1361.0 crest small ridge.

1421.24 to the N. E. Cor. of the location, identical with S. E. Cor. Sunnyside lode unsurveyed.

A mound of stone 4 ft. base, 3 ft. high.

At which point I set Cor. No.2.

FEET.

A pine post 4 x 6 ins., 4-1/2 ft. long, set 16 ins. in cemented gravel in a mound of stones 4 ft. base 2 ft. high, scribed 2-2195-B.

Whence,

Pyramid Peak bears S. 14° 0' E.

Thence S. 28° 01' E.

va. 14° 13' E.

36.00 center Moore's wash, 42 ft. wide, course S. 15° W.  
 132.00 center wagon road, east and west.  
 154.40 slate point, 10 ft. wide, 15 ft. high.  
 178.3 wagon road to Hualapai shaft, on a curve.  
 191.0 center branch of Moore's wash, 16 ft. wide, curves to N. W.  
 300.28 to East End Center.

A porphyry stone, 5 x 8 x 25 ins., bedded 15 ins. in broken stone, with a witness mound of stone 3-1/2 ft. base, 4 ft. high, 6-1/2 ft. to the west; chiseled N. E. C.-B.

The center of Hualapai shaft bears S. 69° 47' E., 210.68 ft.

The East End Center of the location bears N. 59° 28' E. 62.6 ft.

A mound of stone 3 ft. base, 3 ft. high.

No other bearings available.

368.48 peg on small ridge.

600.56 to Cor. No.3.

A porphyry stone 9 x 7 x 26 ins., set 15 ins. in earth and gravel, with a witness mound of stone 4 ft. base, 4 ft. high, 6-1/2 ft. N. W., chiseled 3-2195-B.

A cross (X) and B. R. 3--2195--B., chiseled on face of slate cliff bears N. 39° 51' E., 112.60 ft.

The S. E. Cor. of the location bears N. 89° 48' E., 128.85 ft.

A mound of stone 3 ft. base, 3 ft. high.

No other bearings available.

FFFF.

Thence S.  $59^{\circ} 28'$  W.

va.  $14^{\circ} 22'$  E.

655.00 crest of divide.  
 1142.84 base of cliff, also east edge Moore's wash.  
 1421.24 to Cor. No.4, identical with Cor.No.3 Orizaba lode of  
 this survey and described above. Whence,  
 The location monument of this lode bears N.  $40^{\circ}$   
 $14'$  E., 560.05 ft.

A mound of stone  $2\text{-}1/2$  ft. base,  $2\text{-}1/2$  ft. high  
 on a pinnacle of rock, total height 12 ft.

No.1. Discovery. An Open Cut, bears N.  $39^{\circ} 35'$   
 E., 560.28 ft.

No.2. Open Cut, bears N.  $45^{\circ} 01'$  E., 399.2 ft.

-----

Thence N.  $28^{\circ} 01'$  W.

va.  $14^{\circ} 28'$  E.

300.28 to West End Center, identical with East End Center  
 Orizaba lode of this survey and described above.

600.56 to Cor. No.1, identical with Cor. No.2 Orizaba lode  
 this survey and described above, and the place of be-  
 ginning.



A R T A .

Total and net area Orizaba lode,	16.972-Acres.
Total and net area Belcher lode,	19.576-Acres.
	<hr/>
Net area of lode claim,	36.548-Acres.

-----

The Location Monuments and location corners of the Orizaba and Belcher lodes were all identified by J. H. Truman, claimant.

-----

L O C A T I O N .

This claim is located upon unsurveyed lands of the United States, in Moore's Mining District, *Arizona* Land District, Maricopa County, Arizona Territory.

Presumed to be on Sec. <sup>28</sup>X, T. <sup>8</sup>X N., R. 3 E., G. & S. R. E. & M.

-----

FEET.

## EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of labor and improvements upon this claim, placed thereon by the claimant and his grantors, is not less than five hundred dollars for each location and that said improvements consist of:

No.1. The Discovery Tunnel and Winze of the Orizaba lode, which bears S. 69° 25' E., 330.85 ft. from a point on N. side line Orizaba lode N. 58° 07' E., 553.04 ft. from its Cor. No.1.

Tunnel, 5 x 6 ft., 12 ft. long,	Value,	\$ 180.00
Winze, 4 x 7 ft., 19 ft. deep,	Value,	\$ 285.00
Total value discovery tunnel,		<u>\$ 465.00</u>

No. 2. Tunnel; Powder House of the Orizaba lode, which bears S. 62° 35' E., 338.80 ft., from a point on N. side line Orizaba lode N. 58° 07' E., 553.04 ft. from its cor. No.1.

Tunnel, av. 4 x 5 ft., 10 ft. long,	Value,	\$ 100.00
-------------------------------------	--------	-----------

No.3. Tom's Tunnel of the Orizaba lode, which bears S. 73° 53' E., 384.30 ft. from a point on N. side line Orizaba lode N. 58° 07' E., 553.04 ft. from its Cor.No.1.

Tunnel, 4 x 7 ft., 9 ft. long,	Value,	\$ 100.00
--------------------------------	--------	-----------

No.4. Main Shaft of the Orizaba lode, the center of which bears S. 70° 27' E., 297.62 ft. from a point on N. side line Ori-

FREE.

zaba lode, N. 58° 07' E., 553.04 ft. from its Cor. No.1.

Main shaft, vertical, double compartment, timbered, with cement casings 16 ins. thick, 32 ft. deep from collar, designed to exclude surface water draining from Moore's wash; on the north bank of which this shaft is located.

Main shaft, water, measured from collar to platform, 4 x 8 ft. 113.0 ft. deep,

*5% of the value of this shaft is to be credited to the Belcher lode* Value, \$3390.00  
Cement casing. 2890.00

Value, \$ 460.00

Total value Main shaft, ~~\$3950.00~~  
3350.00

No.5. Shaft House, the smoke stack of which bears S. 75° 23' E., 273.47 ft. from a point on N. side line Orizaba lode N. 58° 07' E., 553.04 ft. from its Cor. No.1.

In sinking No.4, Main Shaft, water was encountered at depth of 6.0 ft. and increased with depth; to prosecute the work of hoisting and pumping, a shaft house, hoist, pumps and other appliances were necessary.

Shaft House, frame, 14 x 14 ft., 8 ft. walls, corrugated iron roof,

Value, \$ 60.00

1 Hoist, with cables, pipes &c.,

Value, \$ 460.00

1 pump,

Value, \$350.00

1 " ,

Value, \$175.00

Value pumps, 525.00

Total value Shaft house and machinery, \$1045.00

FEET.

No.1. Discovery. An Open Cut of Belcher lode, bears N. 39° 35' E., 560.28 ft. from its Cor. No.4.

Open Cut, av.3.25 ft. wide, 10 ft.high, 12 ft. long, Value, \$ 100.00

No.2. Open Cut of the Belcher lode, bears N. 45° 01' E., 399.2 ft. from its Cor. No.4.

4 x 6 ft., 10 ft. base, Value, \$ 100.00

-----

Total credited Orizaba lode

No.1. Discovery Tunnel,	\$ 465.00
No.2. Tunnel, "Powder House",	100.00
No.3. Tom's Tunnel,	100.00
No.4. Main Shaft,	<del>3350.00</del>
No.5. Shaft house, pumps &c.	1045.00

Total credited Orizaba lode, ~~\$5560.00~~  
\$ 5060.00

Total credited Belcher lode

No.1. Discovery, Open Cut,	\$ 100.00
No.2. Open Cut,	100.00
<i>\$ 500. of the value of shaft no. 4 Orizaba lode is credited to this Belcher lode.</i>	<u>500.00</u>
Total credited Belcher lode,	\$ 700.00

It is the intention of claimant to sink No.4, Main Shaft of the Orizaba lode to a greater depth and then drift along the ledge both north and south, to develop the Orizaba and Belcher lodes from main shaft.

-----

## OTHER IMPROVEMENTS:

The Boarding House, the S. W. Cor. of which bears S.  $87^{\circ} 53'$  E., 367.91 ft. from a point on N. side line of Orizaba lode, N.  $58^{\circ} 07'$  E., 553.04 ft. from its Cor. No.1.

Boarding House, frame, 16 x 32 ft., with frame kitchen 10 x 12 ft. on N. side,

Value, \$ 520.00

-----

The surface embraced by this claim is rugged. The center line of the Orizaba and Belcher lodes generally follow Moore's Gulch, whose course is tortuous. The washes are deep with almost sheer walls. The hills are very steep and broken, and are covered with slate and schist. Vegetation scant.

The only method of ingress and egress by wagon is by road up and down main Moore's gulch, connecting with Black Canon road near Hudson Station, abandoned.

-----

The course of the Orizaba lode is N.  $59^{\circ} 05'$  E., 1295.0 ft. from its West End Center.

The course of the Belcher lode is N.  $59^{\circ} 28'$  E., 1421.24 ft. from its West End Center.

-----

## CLAIMANTS OF ADJOINING LOCATIONS.

South of Orizaba lode, Oriole lode, unsurveyed,  
 J. E. Truman, claimant, ~~as the north, Summit lode~~  
~~unsurveyed~~.  
 North of Belcher lode, Sunnyside lode, unsurveyed,  
 J. E. Truman, claimant.

All other boundaries of the Orizaba and Belcher lodes are lands of the United States made vacant by this survey.

-----

This survey was made with a Gurley Light Mountain transit. The courses were deflected from the true meridian as determined by an observation on Polaris at Eastern Elongation, April 26, 1906.

The distances were measured by 100 ft. and 500 ft. steel tapes.

Note.--- The differences between these field notes and the location certificates of the Orizaba and Belcher lodes, are due to errors in the latter.

-----

# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by Gustavus A. Streetz  
 United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and  
 boundaries described in the foregoing field notes of the survey of the mining claim of

J. A. Truman  
 known as the Orizaba and Belcher

and showing the respective capacities in which they acted.

Thos. P. Marshall, Chairman.

M. D. Deaton, Chairman.

, Axman.

, Flagman.

## FINAL OATHS OF ASSISTANTS.

We, Thos. P. Marshall  
 and M. D. Deaton, do solemnly swear that we assisted Gustavus  
A. Streetz, United States Deputy Mineral Surveyor, in marking the corners and surveying  
 the boundaries of the mining claim of J. A. Truman

known as the Orizaba and Belcher

represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his  
 direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and  
 correctly executed, and the corner and boundary monuments established according to law and the instructions  
 furnished by the United States Surveyor-General for Arizona.

Thos. P. Marshall, Chairman.

M. D. Deaton, Chairman.

, Axman.

, Flagman.

Subscribed and sworn to by the above-named persons before me this 5th

day of May, 1906.

A. E. Hewins  
 Notary Public

My Commission Expires June 8th 1908,

(4-686.)

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, Gustavus A. Streitz, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated Jan. 13, 1906, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claims of J. A. Truman, known as the Orizaba and Belcher, situate in Maricopa Mining District, Maricopa County, Arizona <sup>approximately</sup> in Section 29, Township No. 8 N., Range No. 3 E., Y & S. A. B. M. and designated as Survey No. 2195, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Gustavus A. Streitz  
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said Gustavus A. Streitz,  
U. S. Deputy Mineral Surveyor, before me L. E. Skewis  
notary Public. this 10<sup>th</sup>  
day of May 1906.

L. E. Skewis  
notary Public.





Affidavit of Five Hundred Dollars Improvements.

We, H. H. Hamilton and J. C. Dobbin

of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the

Orizaba and Belcher mining claim, situate in Truro's

mining district, Maricopa County, Arizona Territory, for which

J. K. Truman

has made application for survey prior to application for patent under the provisions of the Act of Congress

approved May 10, 1872; and that the labor done and improvements made thereon by the applicant and

his grantor exceed five hundred dollars in value <sup>for each claim</sup> and further that we are not personally interested

in said mine.

H. H. Hamilton

J. C. Dobbin

TERRITORY OF ARIZONA,

COUNTY OF Maricopa } ss:

Sworn to and subscribed before me this 4th day

[SEAL.]

of May, 1906

11786b400-2-04

H. M. Frickas  
(My commission expires Dec. 29, 1907) Notary Public

## NOTICE OF MINING LOCATION, LOBE CLAIM.

TO ALL WHOM IT MAY CONCERN:-

This Mining Claim, the name of which is the Belcher Mining claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by N. S. Stebbins, the undersigned, on the 15th day of April, 1904.

The length of this claim is 1500 feet and I claim 250 feet in a Westerly direction and 1250 feet in an Easterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim.

The general course of the lode deposit and premises is from the West to the East. The claim is situated and located in the Moore's Mining District, in Maricopa County, in the Territory of Arizona and joins the Orizaba on the East.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone at a point in a Westerly direction 250 feet from the discovery shaft (at which this notice is posted) being in the center of the West end line of said claim; thence Northerly 300 feet to a monument, being the N. W. corner of said claim; thence Easterly 1500 feet to a monument, being at the N. East corner of said claim, thence Southerly 300 feet to a monument at the center of the East end of said claim; thence South 300 feet to a monument being at the S. East corner of said claim; thence Westerly 1500 feet to a monument at the S. West corner of said claim; thence Northerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six of Title XXXII of the Revised Statutes of the United States and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona", approved March 16, 1901.

Dated and posted on the ground this 15th day of April, 1904.

TERRITORY OF ARIZONA, }  
 County of Maricopa } ss.

I, R. F. Leonard, County Recorder in and for the County and

Territory aforesaid, hereby certify that I have compared the foregoing copy with the Original  
Record

filed and recorded in my office on the 16<sup>th</sup> day of April 1906 in Book

No. 14 of mines

at Pages 213-214 and that the same is a full, true and correct  
 copy of such Record and of the whole thereof.

Witness my hand and seal of office, this 12<sup>th</sup>  
 day of January 1906

R. F. Leonard  
 County Recorder.

By \_\_\_\_\_ Deputy.

Witness

N. S. Stebbins.

J. K. Truman.

Filed and recorded at request of J. K. Truman, April 16, A. D. 1904  
at 9.10 A. M.

E. F. McFall, County Recorder,

By A. S. Arthur, Deputy.

Book #14 of Mines, pages 213-214.

Variation 15° E.

NOTICE OF MINING LOCATION, QUARTZ CLAIM.

TO ALL WHOM IT MAY CONCERN:-

This Mining Claim, the name of which is the Orizaba Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by J.K.Truman and H.L.Sanderson, the undersigned, on the 26 day of January, 1898.

The length of the claim is 1,500 feet, and we hereby claim 1,000 feet S. 45°W. from the discovery shaft (at which this notice is posted) and 500 feet N. 45°E. from discovery shaft, lengthwise of the claim.

The general course of the lode deposit and premises is from the S. West to the N.East. The claim is situated and located in Moore's Mining District, in Maricopa County, in the Territory of Arizona, about 4 miles in a N. East direction from the Black Cañon road in Moores Gulch. The surface boundaries of the claim are marked upon the ground as follows: Beginning at the S. W. center end stake, marked No. 1 at a point in a S. West direction 1,000 feet from the discovery shaft, at which this notice is posted, being in the center of the S. West end line of said claim; thence S. 45° East 300 feet to a monument of stone, being the S. West-corner of said claim; thence N. 45° East 750 feet to a monument at the center of the S. East side line of said claim; thence 750 feet to a monument being at the N. East corner of said claim; thence N. 45°W. 300 feet to a monument at the center of the N. E. end of said claim; thence 300 feet to a monument, being at the N.W.corner of said claim; thence due S. 45°W. 750 feet to a monument, being at the center of the N. West side line of said claim; thence 750 feet to a monument at the S. West corner of said claim; thence S. 45°E. 300 feet to place of beginning.

All done under the provisions of Chapter Six Title XXXII of the Revised Statutes of the United States, and an Act of the

TERRITORY OF ARIZONA,

County of Maricopa.

ss.

21

I, C. F. Leonard, County Recorder in and for the County, and

Territory aforesaid, hereby certify that I have compared the foregoing copy with the Original

Record  
filed and recorded in my office on the 2nd day of April 1898, in Book

No. 8 of Minutes

at Pages 36-37, and that the same is a full, true and correct  
copy of such Record and of the whole thereof.

Witness my hand and seal of office, this 17th  
day of January 1906

C. F. Leonard  
County Recorder.

By.....

Deputy.

# POOR QUALITY

**The following pages are scanned at the best possible quality setting. The original pages are of poor quality and this is the best possible reproduction.**

Legislative Assembly of Arizona entitled "An Act Concerning Mines", approved March 20th, 1895.

Dated and posted on the ground this 26th day of January, 1898.

J. K. Truman,

H. L. Sanderson.

Filed and recorded at request of J. K. Truman, April 2", 1898, at 5.26 P. M.

E. W. Sheridan, County Recorder,

By C. W. Barnett, Deputy.

Book 13 of Mines, Pages 11-17.



4-688.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.

June 6<sup>th</sup>, 1906.

I, U. S. Surveyor-General for Dist. of Arizona

do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey of the mining claim of

J. K. Truman

known as the Orizaba and Belcher

situate in MOORS

Mining District, Maricopa County, Arizona, approximately

in Section 29, Township No. 8 N., Range No. 3 E. unsurveyed, and

designated as Survey No. 2195, has been correctly copied from the originals on file in

this office; that said Field Notes furnish such an accurate description of said mining claim as will, if

incorporated into a patent, serve fully to identify the premises, and that such reference is made therein

to natural objects or permanent monuments as will perpetuate and fix the locus thereof.

And I further certify that five hundred dollars' worth of labor has been expended or improvements made upon said mining claims by claimant or his grantors, and that said improvements

consist of, 3 tunnels, 1 wing, 1 shaft and 9 cuts, total value \$4715.00

and that no portion of said labor or improvements has been included in the estimate of expenditures upon any other claim.

I further certify that the plat thereof, filed in the U. S. Land Office at Phoenix,

Arizona is correct and in conformity with the foregoing Field Notes.

Frank F. Ingalls,

United States Surveyor-General for Arizona.

(4-687.)

# Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

**Department of the Interior,**

*Office of U. S. Surveyor General,*

Phoenix, Arizona.

June 6, 1906, 18x

I, U. S. Surveyor General for Dist. of Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of

J. K. Truman

, known as the

Orizaba and Belcher

situate in Moors mining district,

Maricopa County, Arizona, approximately

in Section 29, Township No. 8 N., Range No. 3 E. unsurveyed

, designated as Survey No. 2195

executed by Gustavus A. Streitz, U. S. Deputy Mineral

Surveyor, April 24 - May 2, 1906, 18x, under my instructions dated

Jan. 13, 1906, 18x, have been critically examined and the

necessary corrections and explanations made, and the said Field Notes and Return, and

the Survey they describe, are hereby approved. A true copy of the copy of the location

certificate filed by the applicant for survey is included in the field notes.

Frank S. Ingalls

U. S. Surveyor General for Arizona.

Large  
maps